

3 2044 075 099 689

BOSTON
MEDICAL LIBRARY



IN THE
Francis A. Countway
Library of Medicine
BOSTON

SIXTY-FOURTH ANNUAL REPORT

OF THE
REGISTRAR GENERAL

FOR
SCOTLAND.

1918.

The Francis A. Countway
Library of Medicine
10 Shattuck Street
Boston, Massachusetts 02115

Presented to both Houses of Parliament by Command of His Majesty.



HARVARD UNIVERSITY
SCHOOL OF MEDICINE
LIBRARY

14 MAY 1931

EDINBURGH:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
SERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28 ABINGDON STREET, LONDON, S.W.1;
37 PETER STREET, MANCHESTER; 1 St. Andrew's CRESCENT, CARDIFF;
23 FORTH STREET, EDINBURGH;
or from E. PONSONBY, LIMITED, 116 GRAFTON STREET, DUBLIN.

1920.

nd. 655.]

Price 5s. Net.

GOVERNMENT PUBLICATIONS

(with the under-mentioned exceptions)

in the manner indicated on the first page of this wrapper.

Publications of the Admiralty are sold by J. D. POTTER, 144

are sold at The Patent Office, 25, Southampton Buildings, W.C. 2.

Survey and Geological Survey Publications can be purchased from THE Director-General of the Ordnance Survey, Southampton; from The Director of Ordnance Survey, Dublin; or from Agents in most of the Chief Towns of the United Kingdom. They can also be ordered through any Bookseller. Small Scale Maps are on sale at the following Branches of H.M. Stationery Office:—28, Abingdon Street, S.W. 1; 31, Peter Street, Manchester; 17, St. Andrew's Crescent, Cardiff; and 23 Forth Street, Edinburgh, and all Railway Bookstalls.

The **Journal of the Board of Agriculture and Fisheries** is published monthly by the Board, and is obtainable from 3, St. James's Square, London, S.W. 1. Price (since Jan. 1, 1920) 6d., post free.

The following is a list of some recent Parliamentary and Official Publications. (*All prices are net, and those in parentheses include postage*):—

REGISTRAR-GENERAL FOR SCOTLAND.

SIXTY-THIRD ANNUAL REPORT, for 1917.

General Summary; Population Estimates; Births, Marriages, and Deaths; Ages of those Dying; Causes of Death. Appendices:—Vaccination of Children (1916); Additional Marriage Statistics for 1916. Weather of 1917. Appendix Tables, several of them covering the period 1855 to 1917. Abstracts:—Summary for each Registration District; Causes of Death—Full List; Statistics of Public Health Districts; Meteorological Abstracts.

[Cmd. 287] of Session 1919. Price 1s. 3d. (1s. 7½d.)

REGISTRAR-GENERAL FOR ENGLAND AND WALES.

SUPPLEMENT TO THE SEVENTY-FIFTH ANNUAL REPORT, for 1912.

Part III. Registration Summary Tables (1901-10).

[Cd. 8002] of Session 1914-16. Price 8s. (8s. 9d.)

EIGHTIETH ANNUAL REPORT, for 1917.

INTRODUCTORY REMARKS:—Salient Features of the Vital Statistics.

REVIEW OF THE VITAL STATISTICS OF THE YEAR:—Population; Marriages; Births; Natural Increase; Deaths; Causes of Death; Enteric Fever; Small-pox; Measles; Scarlet Fever; Whooping Cough; Vaccinia; Tuberculosis; Phthisis; Tuberculous Meningitis; Syphilis; Cancer; Tumours (not returned as Malignant); Alcoholism; Poliomyelitis; Cerebro-Spinal Fever; Neuritis; Pneumonia; Cirrhosis of the Liver; The Puerperal State; Anaesthetics; Status Lymphaticus; Suicide; Ill-defined Causes of Death; Deaths in Institutions for the Sick or Infirm; United Kingdom—Population, Marriages, Births, Deaths, and Infant Mortality; Births and Deaths at Sea; Progress of Registration; Offences against the Registration Acts; Searches and Certificates. Meteorology of the year 1917.

TABLES:—United Kingdom: Population of its several portions estimated to the middle of each of the years 1868-1917; England and Wales: Marriages, Births, and Deaths, 1838-1917; Annual Marriage-, Birth-, and Death-rates, and Infant Mortality, 1838-1917; Annual Marriage-, Birth-, and Crude Death-rates in each Quarter in groups of years, 1838-1917, and in each year 1908-17; Churches and Chapels of the Established Church and Registered Buildings in which Marriages could be legally solemnized, December 31, 1917; Annual Death-rates at Twelve Groups of Ages, General Death-rate standardized for Sex and Age constitution of Population, and Infant Mortality, 1838-1917—Males, Females, and Persons; Deaths from Various Causes at all Ages, 1903-17—Males, Females, and Persons (List

SIXTY-FOURTH ANNUAL REPORT

OF THE

REGISTRAR GENERAL

FOR

SCOTLAND.

1918.

Presented to both Houses of Parliament by Command of His Majesty.



EDINBURGH:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses :
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28 ABINGDON STREET, LONDON, S.W.1 ;
37 PETER STREET, MANCHESTER ; 1 ST. ANDREW'S CRESCENT, CARDIFF ;
23 FORTH STREET, EDINBURGH ;
or from E. PONSONBY, LIMITED, 116 GRAFTON STREET, DUBLIN.

1920.

[Cmd. 655.]

Price 5s. Net.

14 MAY 1931

W
2
FS2
G4a
1918

copy 1

CONTENTS.

	PAGE.
REPORT.	
Introductory Letter,	v
General Summary,	vii
Population Estimates,	ix
Births,	x
Marriages,	xvi
Deaths,	xviii
Ages of those Dying,	xxiv
Causes of Death,	xxvii
APPENDIX I.	
Fifty-Fourth Annual Report on Vaccination (1917),	xlix
APPENDIX II.	
Additional Marriage Statistics for Year 1917,	lii
APPENDIX III.	
Weather Report for Year 1918,	lxii

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1918.

Table 1. Births, Deaths, and Marriages, 1855 to 1918,	lxxvii
„ 2. Birth-, Death-, and Marriage-rates, 1855 to 1918,	lxxviii
„ 3. Quarterly Returns of Births, Deaths, and Marriages, 1908 to 1918,	lxxx
„ 4. Birth-, Death-, and Marriage-rates in Larger Burghs,	lxxxii
„ 5. Do. do. Smaller Burghs,	lxxxiii
„ 6. Do. do. County Districts,	lxxxvi
„ 7. Do. do. Counties,	lxxxix
„ 8. Birth-rate among Married and among Unmarried Women	xc

MARRIAGES, 1917.

Table 9. Method of Celebration, etc., of Marriages, 1855-1917. Numbers,	xcii
„ 10. Method of Celebration, etc., of Marriages, 1855-1917. Percentages,	xciii
„ 11. Ages, Civil Conditions, etc., of Persons Marrying, 1855-1917. Numbers,	xciv
„ 12. Ages, Civil Conditions, etc., of Persons Marrying, 1855-1917. Percentages,	xcv
„ 13. Regular and Irregular Marriages, 1917,	xcvii
„ 14. Church of Celebration of Regular Marriages, 1917,	xcviii
„ 15. Civil Condition of Persons Marrying, 1917,	xcix

	PAGE.
Table 16. Method of Signature of Marriage Registers, or Schedules, 1917,	c
„ 17. Ages of Men at Marriage, 1917,	cii
„ 18. Ages of Women at Marriage, 1917,	civ
„ 19. Age Distribution of Men and Women at Marriage, 1917,	cvi
„ 20. Age Distribution of Men and Women at Marriage, 1855-1917,	cvi
„ 21. Ages in Combination of Men and Women at Marriage, 1917,	cvi
„ 22. Ages in Combination of Bachelors and Spinsters at Marriage, 1917,	cvi
„ 23. Ages in Combination of Bachelors and Widows at Marriage, 1917,	cix
„ 24. Ages in Combination of Widowers and Spinsters at Marriage, 1917,	cx
„ 25. Ages in Combination of Widowers and Widows at Marriage, 1917,	cx

DEATHS, 1918.

Table 26. Ages at Death—Quinquennial Age-Groups,	cxii
„ 27. Death-rates—Quinquennial Age-Groups,	cxii
„ 28. Percentage of Deaths in Quinquennial Age-Groups,	cxii
„ 29. Ages at Death, Single Years of Age, and Condition as to Marriage,	cxiv
„ 30. Deaths in Age-Groups in Larger Burghs,	cxvi
„ 31. Death-rates in Age-Groups in Larger Burghs,	cxvi
„ 32. Deaths by Age and Cause,	cxvii
„ 33. Death-rates by Age and Cause,	cxviii
„ 34. Percentage of Deaths from various Causes in Age-Groups,	cxix
„ 35. Deaths from various Causes—Scotland and Groups of Public Health Districts,	cxix
„ 36. Death-rates from various Causes—Scotland and Groups of Public Health Districts,	cxix
„ 37. Deaths from various Causes—Larger Burghs,	cxix
„ 38. Death-rates from various Causes—Larger Burghs,	cxix
„ 39. Deaths from Principal Epidemic and certain other Diseases, 1855-1918,	cxix
„ 40. Death-rates from Principal Epidemic and certain other Diseases, 1855-1918,	cxix
„ 41. Deaths and Death-rate from Puerperal Conditions,	cxix
„ 42. Deaths from Malignant Disease,	cxix
„ 43. Deaths from Suicide,	cxix
„ 44. Deaths from Poison,	cxix
„ 45. Deaths of Children of less than One Year from certain Causes, showing the Age in Completed Months,	cxix
„ 46. Deaths of Children of less than One Year, showing the Month of Registration of Death,	cxix
„ 47. Certified and Uncertified Deaths,	cxix

OTHER TABLES.

Table 48. Meteorology of Scotland,	cxix
„ 49. Weather, and Weekly Death-rates,	cxix
„ 50. Vaccinations in Scotland, 1907-1917,	cxix
„ 51. Vaccinations in Scotland, deducting those dying before Vaccination, 1907-1917,	cxix
„ 52. Deaths from Small-pox in Scotland, 1855-1917, with Vaccination Particulars, 1864-1917,	cxix
„ 53. Age Distribution of Deaths from Small-pox, 1855-1917,	cxix

A B S T R A C T S.

	PAGE.
Summary for each Registration District,	1-41

CAUSES OF DEATH—FULL LIST.

Scotland—Both Sexes,	42
Scotland—Males,	46
Scotland—Females,	50
Counties of Scotland—Both Sexes,	54
Scotland, by Month of Registration—Both Sexes,	70
Glasgow—Both Sexes,	74
Edinburgh do.	78
Dundee do.	82
Aberdeen do.	86
Paisley do.	90
Leith do.	94
Greenock do.	98
Middle Ward District of Lanark—Both Sexes,	102

STATISTICS OF PUBLIC HEALTH DISTRICTS.

In County of Aberdeen,	106
Do. Argyll,	125
Do. Ayr,	138
Do. Banff,	158
Do. Berwick,	171
Do. Bute,	178
Do. Caithness,	183
Do. Clackmannan	186
Do. Dumbarton,	191
Do. Dumfries,	199
Do. Edinburgh (Midlothian),	211
Do. Elgin,	223
Do. Fife,	230
Do. Forfar,	262
Do. Haddington,	274
Do. Inverness,	283
Do. Kincardine,	294
Do. Kinross,	303
Do. Kirkcudbright,	305
Do. Lanark,	315
Do. Linlithgow,	327
Do. Nairn,	335
Do. Orkney,	337
Do. Peebles,	343
Do. Perth,	346
Do. Renfrew,	363
Do. Ross and Cromarty,	372
Do. Roxburgh,	384
Do. Selkirk,	393
Do. Shetland,	396
Do. Stirling,	399
Do. Sutherland,	408
Do. Wigtown,	410

METEOROLOGICAL ABSTRACTS,	417
---------------------------	-----

REPORT

TO THE RIGHT HONOURABLE

ROBERT MUNRO, K.C., M.P.,

His Majesty's Secretary for Scotland.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,

NEW REGISTER HOUSE,

EDINBURGH, 31st March, 1920.

SIR,

I have the honour, in compliance with the requirements of the Registration of Births, Deaths, and Marriages Act, 1854, 17 and 18 Vict., c. 80, to submit the Sixty-fourth ANNUAL REPORT on the Registration Statistics of Scotland, being those applicable to the year 1918, with three Appendices, (1) on the Vaccination of Children whose births were registered during the year 1917, (2) a Supplementary and Detailed Report on the Marriages registered during the year 1917, and (3) a Report on the Meteorological Observations of the year 1918. The principal Report and the two first-named Appendices have been prepared by Dr. James Craufurd Dunlop, Superintendent of Statistics, while the last-mentioned Appendix has been prepared by Mr. A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

The form of the present Report differs from that of the three preceding Reports in respect that the tables of the statistics of Public Health Districts are given *in extenso* and not in the condensed form used during the War.

I have the honour to be,

SIR,

Your most obedient Servant,

R. H. GRAY,
Secretary.

REPORT ON THE BIRTHS, DEATHS, AND MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1918.

During the year 1918 there were two conditions affecting the vital statistics of the year, the one the continuance of the European war, and the other a severe epidemic of influenza. The effect of the first of these is evident in a continuance of a low birth-rate, and the effect of the second is evident in a rise of the death-rate.

The population of Scotland at the middle of the year 1918 is estimated at 4,886,274, which amount is 31,536 more than the estimate of the previous year, and 125,370 more than the population of Scotland as ascertained by the census of 1911. The estimate of the Scottish population of 1918 is made with no confidence for two reasons, the one being the long time which has now elapsed since the taking of the last census, and the other the uncertainty of the effect of war conditions.

Births registered during the year numbered 98,554. This number is markedly less than average. It is 14,649 less than the mean of those of the preceding five years, and 20,920 less than the mean of those of the preceding ten years. It is less than the number of all years since 1855, that of the year 1917 excepted. The birth-rate of the year was correspondingly low. It was 20·17 per thousand, and less than those of all years since 1855, that of the year 1917 excepted, in which year this rate was 20·07, or only 0·10 less. In 1876 the Scottish birth-rate attained a maximum of 35·62 per thousand, and compared with it that of this year is 15·45, or fully 43 per cent., less. In 1914, the last year in which the birth statistics were unaffected by war conditions, the Scottish birth-rate was 26·11, and compared with it the birth-rate of 1918 is 5·94, or fully 22 per cent., less.

Illegitimate children whose births were registered during 1918 numbered 7854. This number, though larger than that of the previous year, is less than average. The only years since the institution of national registration in which fewer illegitimate children were registered were three, 1855, 1916, and 1917.

Marriages registered numbered 34,600, which is more than average. It is more than in the previous year, more than the mean of the numbers of the five preceding years, and more than the mean of those of the ten preceding years. There are only two previous years in which more marriages were registered in Scotland; in 1914 they numbered 35,028, and in 1915 they numbered 36,233. The marriage-rate of the year, 7·08, was correspondingly high; it is 0·81 more than that of the previous year, 0·11 more than the mean of those of the preceding five years, and 0·27 more than the mean of those of the ten preceding years.

Deaths registered in 1918 numbered 78,372, which is markedly

more than in recent years. This number is 8889 more than that of 1917, 4696 more than the mean of those of the preceding five years, and 4653 more than the mean of those of the preceding ten years. The death-rate was correspondingly high; it was 16·04, which is 1·73 more than that of the previous year, 0·65 more than the mean of those of the preceding five years, and 0·53 more than the mean of those of the preceding ten years. It is higher than those of 1917 and 1916, and of the years 1909 to 1914, but lower than that of 1915, and of those of all years 1855 to 1908.

Infantile deaths in the year were few. They numbered 9836, and equalled an infantile mortality rate of 99·8 per thousand births. This rate is less than those of all previous years, that of 1916 excepted.

The age distribution of those whose deaths were registered differed from those of recent years by showing a marked increase of the numbers of persons dying between ages 15 and 35. This may be attributed to the influenza epidemic, as during that epidemic there was a heavy mortality of persons of these ages, more particularly from the complication of pneumonia with influenza.

An examination of the causes of death during the year shows that deaths from measles, whooping-cough, diphtheria, and diarrhoeal diseases were less than average, while those from influenza, phthisis, pneumonia, bronchitis, and diseases and accidents of pregnancy and childbirth were more than average. The relative excesses of death from the latter named causes may all be attributed to the influenza epidemic.

Continuing the custom of recent years, attempts to verify the ages of all those described in the death registers as having attained age 100 have been made, with the result that during the year the ages of nine have been verified. During the nine years 1910 to 1918 the deaths of 122 reputed centenarians have been registered, and as the result of those researches the attainment of age 100 has been verified in 46 instances, and disproved in 10 instances, while in 66 instances proof of age was not obtained.

The most conspicuous feature in the Report of Vaccination (Appendix I.) is a continued rise in the number of children escaping statutory vaccination by reason of parental conscientious objection. These children now amount to 36·6 per cent. of the total surviving at the time of vaccination. Since the passing of the amending Act of 1907, 314,558 children in Scotland have not been vaccinated for this reason.

In the detailed report on the marriages of 1917 (Appendix II.) the most outstanding fact is a continued high frequency of irregular marriages. They numbered 4982, and constituted 16·4 per cent. of the total registered. This number is less than those of the years 1916 and 1915, but is more than those of all other years since 1855. In 1913, the year before the war, the number of irregular marriages was 3051, in 1914 it rose to 4399, and in 1915 to 7420, but since then the number, though remaining high, has been a decreasing quantity, falling to 5962 in 1916, and to 4982 in 1917.

A table showing the relative frequency of proclamation by banns and by public notice at registrars' offices has been prepared and inserted for the first time. (*Page liv.*) It shows that the

majority of marriages in the Church of Scotland and in other Presbyterian churches are celebrated after banns, while those in the Roman Catholic Church, and in the Jewish Church, are most frequently celebrated after public notice at registrars' offices:

Another new table deals with the age distribution of those unable to sign the marriage registers, or marriage schedules, in writing, and using the mark instead. It brings out the fact that the majority of these, 327 out of 470, were aged between 20 and 50.

ESTIMATED POPULATION OF SCOTLAND, 1918.

The population of Scotland in the middle of the year 1917 was estimated at 4,854,738. Between then and the middle of the year 1918 the excess of living children born over persons dying amounted to 31,498, while during the same period returns show a slight excess of immigrants to Scotland over emigrants from Scotland, one of only 38, and adding these three amounts together the population of Scotland in the middle of 1918 is estimated at 4,886,274. This estimate makes no allowance for movements of Scottish troops with the Expeditionary Forces, or of troops proceeding to or from England or Ireland, information regarding such movement not being available. This estimate is 31,536 more than that of the previous year, and 125,370 more than the population of Scotland as ascertained by the census of 1911.

The male population is estimated at 2,369,638, and the female at 2,516,636, these estimates being made on the assumption that the ratio of males to females in the population remains as in 1911.

The collective population of the larger burghs, those with censal populations of 30,000 or over, is estimated at 2,402,496; of the smaller burghs, those with censal populations of under 30,000, at 958,974; and of the county, or extra-burghal, public health districts of Scotland at 1,524,804.

In giving estimates of population, both national and local, it is only right to point out that there are two conditions tending to reduce their accuracy and reliability, the one being the long time that has elapsed since the taking of a census, and the other being the unknown effect of war conditions on the size and distributions of the population, and that the errors resulting from these two conditions may be, and in some instances no doubt are, sufficient to affect the rates. For instance, high birth-rates are found in Annan

TABLE A.—Population of Scotland and its Groups of Public Health Districts in 1918.

GROUPS OF DISTRICTS.	Census 1901.			Census 1911.			Estimated to 30th June 1918.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Larger Burghs	1,016,530	1,089,715	2,106,245	1,075,891	1,170,344	2,246,235	1,151,196	1,251,300	2,402,496
Smaller Burghs	415,221	465,860	881,081	452,724	503,963	956,687	454,098	504,876	958,974
County Districts	742,004	742,773	1,484,777	780,724	777,758	1,558,482	764,344	760,460	1,524,804
SCOTLAND .	2,173,755	2,298,348	4,472,103	2,308,339	2,452,065	4,760,404	2,369,638	2,516,636	4,886,274

District of the County of Dumfries and in the Burgh of Inver-gordon, but it is within general knowledge that there has been an influx of war workers into these two places, falsifying the population estimates, and rendering the ascertained birth-rates unreliable.

BIRTH STATISTICS.

The births of 98,554 living children were registered in Scotland during the year 1918. This number is 1113 more than registered in the previous year, 1917, but is 14,649 less than the mean of the numbers registered in the preceding five years, 1913 to 1917, and 20,920 less than the mean of the numbers registered in the preceding ten years, 1908 to 1917. This number is less than those of all years since the institution of national registration with two exceptions, the one being the number of 1855, the first year of registration, which was incomplete, and the other being that of the previous year as already noted. In the year 1903 the number of registered births in Scotland attained a maximum of 133,525, and compared with that figure that of the year 1918 is 34,971, or 26·2 per cent., less. (*Table 1.*)

Of the children registered during the year, 50,373 were male, and 48,181 female. Compared with the number registered in the previous year, that of the male children is 362 more, and that of the female children is 751 more. Compared with the mean of the numbers of the five preceding years, that of the male children is 7491 less, and that of the female children is 7159 less. Compared with the mean of the numbers of the preceding ten years, that of the male children is 10,648 less, and that of the female children is 10,272 less. (*Table 1.*)

The ratio of male to female children registered during the year was 104·5 to 100. This ratio is 0·9 less than that of the previous year, and 0·1 less than the mean of those of the preceding five years, but is 0·1 more than the mean of those of the preceding ten years. Since the institution of national registration this ratio in 1 year was more than 107 to 100; in 8, more than 106 but less than 107 to 100; in 27, more than 105 but less than 106 to 100; in 24, more than 104 but less than 105 to 100; and in 4, more than 103 but less than 104 to 100. (*Table 2.*)

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1918.

GROUPS OF DISTRICTS.	Births.			Birth-rate per 1000 of Estimated Population.			Illegiti- mate Births per 100 Total Births.
	Total.	Legitimate	Illegitimate.	Total.	Legitimate	Illegitimate.	
Larger Burghs .	47,447	43,454	3,993	19·75	18·09	1·66	8·42
Smaller Burghs .	18,715	17,347	1,368	19·52	18·09	1·43	7·31
County Districts	32,392	29,899	2,493	21·24	19·61	1·63	7·70
SCOTLAND . .	98,554	90,700	7,854	20·17	18·56	1·61	7·97

The Scottish birth-rate of the year was 20·17 per thousand of the estimated population. It is 0·10 more than that of the previous year, but is 3·49 less than the mean of those of the five preceding years, and 4·97 less than the mean of those of the ten preceding years. The birth-rate of the previous year, 1917, is the only Scottish annual birth-rate lower than that now recorded. A maximum Scottish birth-rate of 35·62 occurred in the year 1876, and compared with it that of the year 1918 is 15·45, or 43·4 per cent., less. (*Table 2.*)

The male birth-rate of the year per thousand of the estimated male population was 21·26, and the female birth-rate per thousand of the estimated female population was 19·15, the former being 0·03, and the latter 0·18, more than in the previous year.

In the counties, burghs included, the annual birth-rate ranged from 27·7 in Linlithgow, 23·1 in Dumbarton, 23·0 in Lanark, 22·2 in Renfrew, and 22·0 in Ayr and in Dumfries, to 10·2 in Bute, 12·0 in Selkirk, 12·2 in Peebles, 12·6 in Shetland, 13·4 in Sutherland, and 13·9 in Argyll. In 1 county this rate was between 25 and 30; in 10, between 20 and 25; in 14, between 15 and 20; and in 8, between 10 and 15. (*Table 7.*)

Births registered in the larger burghs collectively numbered 47,447; in the smaller burghs, 18,715; and in the county districts, 32,392. Those registered in the larger burghs constituted 48·1 per cent. of the total, and were 314 fewer than in the previous year; those registered in the smaller burghs constituted 19·0 per cent. of the total, and were 407 more than in the previous year; those registered in the county districts constituted 32·9 per cent. of the total, and were 1020 more than in the previous year.

In the larger burghs taken collectively the annual birth-rate was 19·75 per thousand, which is 0·25 less than in the previous year, and 0·42 less than the Scottish rate. In these burghs taken individually this rate varied from 27·9 per thousand in Coatbridge, 27·6 in Hamilton, 27·4 in Motherwell, 26·5 in Greenock, and 26·3 in Clydebank, to 12·7 in Perth, 14·5 in Edinburgh, 16·0 in Dundee, and 16·3 in Aberdeen. In Glasgow this rate was 21·2; in Leith, 20·3; in Falkirk, 19·9; in Paisley, 19·8; in Kilnarnock, 18·7; in Ayr, 17·7; and in Kirkcaldy, 17·4. (*Table 4.*)

In the smaller burghs, *i.e.*, burghs with censal populations of under 30,000, the collective annual birth-rate was 19·52. This rate is 0·26

TABLE C.—Birth-rate per 1000 Women Aged 15-45, 1918.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15-45.	Births.		Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15-45.	
		Num-ber.	Percent. of Total.	Rate.	Relative Quantity, Scotland being = 100.	Rate.	Relative Quantity, Scotland being = 100.
Larger Burghs .	611,121	47,447	48·1	19·75	97·9	77·6	92·6
Smaller Burghs .	233,123	18,715	19·0	19·52	96·7	80·3	95·8
County Districts	331,673	32,392	32·9	21·24	105·3	97·7	116·6
SCOTLAND . .	1,175,917	98,554	100·0	20·17	100·0	83·8	100·0

more than in the previous year. It is 0·65 less than the Scottish rate, and 0·23 less than the collective rate of the larger burghs. There are 165 of these burghs with populations of between 1000 and 30,000, and restricting to them the individual birth-rates ranged from 46·0 in Invergordon, 31·6 in Port-Glasgow, 31·6 in Ardrossan, 30·1 in Saltcoats, 29·4 in Cromarty, 29·3 in Whitburn, 29·1 in Wishaw, 28·6 in Dunfermline, and 28·1 in Irvine, to 5·2 in Auchtermuchty, 5·9 in Alyth, 6·1 in Largs, 6·3 in Charlestown of Aberlour, 7·5 in Monifieth, and 7·9 in Newport. (*Table 5.*)

In the county, or extra-burghal, districts taken collectively the annual birth-rate was 21·24 per thousand, which is 0·55 more than in the previous year. This rate is 1·07 more than the Scottish rate, 1·49 more than that of the larger burghs, and 1·72 more than that of the smaller burghs. In these districts taken individually the birth-rate varied from 35·2 in Annan District of Dumfries, 32·0 in Bathgate District of Linlithgow, 29·9 in Middle Ward District of Lanark, 29·1 in Laurencekirk District of Kincardine, 27·5 in Easter Ross District of Ross and Cromarty, and 27·2 in Ayr District of Ayr, to 6·8 in Arran District of Bute, 9·9 in Black Isle District of Ross and Cromarty, 10·6 in North Isles District of Shetland, 11·1 in Islay District of Argyll, 11·3 in South-Western District of Ross and Cromarty, 11·6 in Cowal District of Argyll, and 11·6 in Mid-Argyll District of Argyll. (*Table 6.*)

The frequencies of birth-rates of varying amounts in the counties, in burghs, and in county districts, are shown in Table D.

TABLE D.—Frequencies of Specified Birth-rates in Counties, Burghs, and County Districts, 1918.

Birth-rate per 1000.	Counties.	All Burghs and all County Districts.	All Burghs.	All County Districts.	Burghs with Populations		
					Over 30,000.	1000 to 30,000.	Under 1000.
4-6	...	2	2	...	...	2	...
6-8	...	7	6	1	...	4	2
8-10	...	15	14	1	...	13	1
10-12	1	20	15	5	...	11	4
12-14	5	34	26	8	1	21	4
14-16	3	42	17	25	1	13	3
16-18	7	47	28	19	4	22	2
18-20	■	38	25	13	3	20	2
20-22	5	36	26	10	2	22	2
22-24	5	25	14	11	...	13	1
24-26	...	16	12	4	...	12	...
26-28	1	14	9	5	5	3	1
28-30	...	7	5	2	...	5	...
30-32	...	3	3	...	...	3	...
32-34	...	1	...	1	...	...	...
34-36	...	1	...	1	...	...	...
46-48	...	1	1	...	...	1	...
TOTALS, ...	33	309	203	106	16	165	22

The number of women in Scotland of child-bearing age at the middle of the year 1918 is estimated at 1,175,917, and using this estimate the registered births equal a birth-rate of 83·8 per thousand such women. This rate is 0·4 more than that of the previous year, but 10·9 less than that of the year 1916. In the larger burghs taken collectively this rate was 77·6; in the smaller burghs, 80·3; and in the county districts, 97·7. In the larger burghs this rate is 1·0 less than in the previous year, but in the smaller burghs it is 1·1 higher, and in the county districts 2·6 higher. In the counties, burghs included, this rate ranged from 138·1 in Linlithgow, 96·6 in Dumbarton, 95·7 in Lanark, 95·2 in Banff, 93·8 in Dumfries, 93·2 in Ayr, and 93·1 in Stirling, to 40·3 in Bute, 43·8 in Selkirk, 45·4 in Peebles, 48·2 in Shetland, 54·1 in Roxburgh, and 59·4 in Perth. In the larger burghs taken individually this rate varied from 136·9 in Coatbridge, 131·5 in Motherwell, 130·4 in Hamilton, 119·3 in Clydebank, and 112·9 in Greenock, to 47·3 in Perth, 51·3 in Edinburgh, 59·1 in Dundee, 64·2 in Aberdeen, 68·3 in Ayr, and 69·6 in Kirkcaldy. (*Table 8.*)

Of the 98,554 children whose births were registered during the year, 90,700, or 92·03 per cent., were legitimate, while 7854, or 7·97 per cent., were illegitimate. The legitimate children of the year are 554 more than those of the previous year, but are 14,424 less than the mean of the numbers of the preceding five years, and 20,163 less than the mean of the numbers of the preceding ten years. The illegitimate children of the year number 559 more than those of the previous year, but 225 less than the mean of the numbers of the preceding five years, and 757 less than the mean of those of the preceding ten years. The only years since the institution of national registration in which the numbers of illegitimate children registered were smaller are 1855, 1916, and 1917. The effect of war conditions on the number of illegitimate children has been a diminution; in 1914 the number was 8879; in 1915, 7875; in 1916, 7797; in 1917, 7295; and in 1918, 7854, which figure, though greater than in the two previous years, is less than in pre-war years. (*Table 1.*)

The legitimate birth-rate expressed as per cent. of the total births in the larger burghs was 91·58; in the smaller burghs, 92·69; and in the county districts, 92·30. Expressed as per thousand of the estimated population, in the larger burghs it was 18·09; in the smaller burghs, 18·09; and in the county districts, 19·61.

The legitimate birth-rate expressed as per thousand of the estimated number of married women of child-bearing age in Scotland was 178; in the larger burghs, 165; in the smaller burghs, 180; and in the county districts, 209. In the previous year these four rates were 181, 169, 179, and 205 respectively, the Scottish rate and the larger burgh rate being less in 1918 than in the previous year, while the rates in the smaller burghs and in the county districts were higher. In the counties the legitimate birth-rate per thousand of the estimated number of married women of child-bearing age varied from 236 in Ross and Cromarty, 235 in Linlithgow, 224 in Dumfries, 218 in Orkney, 210 in Inverness, and 204 in Banff and in Dumbarton, to 112 in Bute, 119 in Selkirk, 120 in Peebles, 143 in Roxburgh, and 144 in Midlothian and in Forfar. In the larger burghs taken individually this rate

varied from 237 in Coatbridge, 232 in Greenock, 221 in Hamilton, 215 in Motherwell, and 200 in Clydebank, to 114 in Perth, 127 in Edinburgh, 134 in Dundee, 138 in Aberdeen, and 142 in Kirkcaldy. (*Table 8.*)

The illegitimate birth-rate of the year expressed as per thousand of the estimated number of unmarried women of child-bearing age in Scotland was 11·6, being 0·7 more than in the previous year, but 0·1 less than in 1916, 0·3 less than in 1915, and 1·9 less than in 1914. In the larger burghs taken collectively this rate was 11·4; in the smaller burghs, 10·0; and in the county districts, 13·2. In the counties this rate varied from 20·7 in Elgin, 18·1 in Banff, 17·3 in Wigtown, 16·7 in Linlithgow and in Nairn, 16·4 in Aberdeen, and 15·9 in Kincardine, to 4·1 in Shetland, 5·2 in Bute, 5·5 in Selkirk, 6·6 in Peebles, 7·4 in Sutherland, and 7·8 in Renfrew and in Ross and Cromarty. In the larger burghs taken individually this rate ranged from 19·6 in Falkirk, 16·7 in Hamilton, 16·5 in Coatbridge, 13·5 in Motherwell, and 13·2 in Leith, to 7·3 in Paisley, 8·4 in Perth, and 9·5 in Edinburgh. (*Table 8.*)

The illegitimate birth-rate expressed as per thousand of the general population in Scotland was 1·61; in the larger burghs, 1·66; in the smaller burghs, 1·43; and in the county districts, 1·63. In the previous year these four rates were 1·50, 1·57, 1·34, and 1·50, all four being higher in this than in that year.

The rate of illegitimacy expressed as per cent. of the total births in Scotland was 7·97; in the larger burghs, 8·42; in the smaller burghs, 7·31; and in the county districts, 7·70. In the previous year these four rates were 7·49, 7·85, 6·95, and 7·25 respectively, all four rates being higher in this than in that year. The national rate is 0·48 more than in the previous year, 0·82 more than the mean of those of the preceding five years, and 0·76 more than the mean of those of the preceding ten years. The fact that the number of illegitimate children registered during the year is less than both the previous five-yearly average and the previous ten-yearly average, while the illegitimate rate is up, indicates that the rise in the latter rate is due to a diminution in the number of legitimate births, and not due to any increase in the number of illegitimate births. (*Tables 1 and 4.*)

In the counties the illegitimate rate per hundred births varied from 15·1 in Elgin, 14·7 in Nairn, 12·9 in Wigtown, 12·8 in Aberdeen, and 12·7 in Kirkcudbright, to 4·5 in Dumbarton, 4·8 in Shetland, 5·1 in Renfrew, and 5·4 in Linlithgow. In the larger burghs this rate varied from 11·9 in Edinburgh, 11·4 in Aberdeen, 11·2 in Perth, and 10·7 in Dundee, to 3·7 in Clydebank, 4·2 in Motherwell, 4·9 in Greenock, and 5·5 in Coatbridge. In the smaller burghs, exclusive of those in which less than a hundred births were registered during the year, the illegitimate rate varied from 15·7 in Brechin, 15·6 in Elgin, 14·3 in Wick, 13·2 in Campbeltown, 13·1 in Montrose, 12·6 in Stranraer, and 12·0 in Inverness, to 0·7 in Tranent, 2·5 in Denny and Dunipace, 2·6 in Kirkintilloch, and 3·0 in Renfrew and in Cowdenbeath. In the county districts, exclusive of those in which fewer than one hundred births were registered during the year, this rate varied from 18·9 in Turriff District of Aberdeen, 18·0 in Huntly District of Aberdeen, 17·4 in Deeside District of Aberdeen, 16·5 in County District of Elgin,

and 16·2 in Rhins District of Wigtown and in Lockerbie District of Dumfries, to 2·8 in Lews District of Ross and Cromarty, 3·7 in Lasswade District of Midlothian, 3·9 in County District of Clackmannan, and 4·0 in Lower Ward District of Lanark and in Dunfermline District of Fife. (*Tables 5 and 6.*)

Of the 98,554 children whose births were registered during the year, 95,810, or 97·22 per cent., were single children; 2714, or 2·75 per cent., were twins; and 30, or 0·03 per cent., were triplets. Of the total children registered 1 in 36 was a twin, and 1 in 3285 a triplet; in the previous year these two ratios were 1 in 38, and 1 in 4640. From these figures it may be deduced that 97,177 women gave birth to living children during the year, and that in 95,810 instances the birth was single, in 1367 instances multiple, 1357 being twin births, and 10 triplet births. One birth in 71·6 was a twin birth, and one in 9718 a triplet birth. These numbers refer only to living children, stillborn children not being recorded in the registers, and consequently in the computation a birth of two children counts as a single birth when one child is living and the other stillborn, and a birth of three children counts as a single birth if two of the children are stillborn or as a twin birth if one of them is stillborn. (*Table 1.*)

The Scottish birth-rate in the first quarter of the year was 19·3 per thousand; in the second quarter, 21·4; in the third quarter, 20·1; and in the fourth quarter, 20·0. Compared with the birth-rate of the corresponding quarter of the previous year, that of the first quarter was 1·9 less; of the second quarter, 0·2 less; of the third quarter, 1·3 more; and of the fourth quarter, 1·4 more. (*Table 3.*)

The monthly birth-rates varied from 22·6 in April, 21·6 in May, 21·3 in July, and 21·2 in October, to 19·0 in March, 19·1 in February and December, and 19·3 in September. In June this rate was 20·0; in January, 19·7; in November, 19·6; and in August, 19·5. (*Table 48.*)

TABLE E.—Monthly Birth-rates in Scotland.

	Birth-rates.						Percentage of Increase or Decrease over Pre-War Average.				
	Pre-War Average.*	1914	1915	1916	1917	1918	1914	1915	1916	1917	1918
January .	25·8	—	25·2	22·2	21·6	19·7	—	- 2	-14	-16	-24
February .	25·6	—	26·0	22·0	20·9	19·1	—	+ 2	-14	-18	-25
March .	26·4	—	27·5	24·1	21·0	19·0	—	+ 4	- 9	-20	-28
April .	27·8	—	27·2	24·5	21·8	22·6	—	- 2	-12	-22	-19
May .	27·7	—	25·5	25·9	21·8	21·6	—	- 8	- 6	-21	-22
June .	27·2	—	21·8	24·4	21·4	20·0	—	- 9	-10	-21	-26
July .	26·3	—	23·2	23·1	20·4	21·3	—	-12	-12	-22	-19
August .	24·5	24·6	21·7	22·3	18·8	19·5	0	-11	- 9	-23	-20
September	24·4	24·8	21·7	21·7	17·4	19·3	+2	-11	-11	-29	-21
October .	25·1	25·9	21·4	22·3	19·5	21·2	+3	-15	-11	-22	-16
November	23·7	24·4	20·7	20·5	18·3	19·6	+3	-13	-14	-23	-23
December	24·9	24·8	21·5	20·3	18·1	19·1	0	-14	-18	-27	-23

* Mean of the rates for the corresponding month of the four years previous to the declaration of war.

Table E has been constructed to demonstrate the effect of war conditions on the birth-rates, the monthly rates being used for this purpose. In that table there is given the rate for each month subsequent to the declaration of war, and, for purposes of comparison, a pre-war average for each month, these averages being the means of the birth-rates of the particular months of the four years preceding the war. In the table it may be seen that the birth-rate began to show a decided fall in May 1915, when the reduction amounted to 8 per cent. From July 1915 to November 1916 the reduction varied between 11 and 15 per cent.; from March 1917 to March 1918 it was constantly more than 20 per cent., attaining a maximum of 29 per cent. in the month of September 1917, and another of 28 per cent. in the month of March 1918. During 1918 a reduction of more than 20 per cent. occurred in nine months, one of 19 per cent. in two months, April and July, and one of 16 per cent. in one month, October.

The birth-rate of the year in England and Wales was 17·7, and in Ireland 20·0. The former is 2·5 less than the Scottish rate, and the latter is 0·2 less.

MARRIAGE STATISTICS.

In conformity with the scheme of these reports, the marriage statistics of the year 1918 fall to be dealt with in two portions. In this report there is incorporated the numbers of marriages celebrated during the year in Scotland and in the various geographical divisions of the country, while in the subsequent report, that dealing with birth and death statistics of the year 1919, more detailed marriage statistics for the year 1918 will be given, these latter including the statistics of the church of celebration, of the ages of the persons married, etc., in the same manner as the more detailed marriage statistics of the year 1917 are given in Appendix II., and in Tables 9 to 25 of this Report.

Marriages registered in Scotland during the year 1918 numbered 34,600. This number is 4179 more than that of the previous year, 1917, 1252 more than the mean of those of the preceding five years, 1913 to 1917, and 2229 more than the mean of those of the preceding ten years, 1908 to 1917. It is more than in all previous years since the institution of national registration, those of the years 1914 and 1915 excepted. (*Table 1.*)

The marriage-rate of the year was 7·08 per thousand. It is 0·81 more than that of the previous year, 0·11 more than the mean of the marriage-rates of the preceding five years, and 0·27 more than that of the preceding ten years. (*Table 2.*)

Of the 34,600 marriages registered during the year, 21,416, or 61·9 per cent., were registered in the larger burghs; 6682, or 19·3 per cent., in the smaller burghs; and 6502, or 18·8 per cent., in the county districts. Compared with that of the previous year, the number of marriages registered in the larger burghs is 2717, or 14·5 per cent., more; in the smaller burghs, 807, or 13·7 per cent., more; and in the county districts, 594, or 10·1 per cent., more. In the larger burghs the collective marriage-rate of the year was 8·91 per thousand; in the smaller burghs, 6·97; and in the county districts, 4·26. In the previous year these three rates were 7·83,

6.18, and 3.90, and thus in each group the marriage-rate of the year was higher in this than in that year, that of the larger burghs showing the greatest increase. (*Table 4.*)

In the counties, burghs included, the annual marriage-rate varied from 9.3 in Midlothian, 8.6 in Dumfries, 8.2 in Lanark, 8.1 in Nairn, 7.5 in Elgin, and 7.4 in Aberdeen, to 3.2 in Sutherland, 3.4 in Bute, 4.0 in Argyll, and 4.1 in Kincardine and in Peebles. In 1 county this rate was more than 9; in 3, 8 but less than 9; in 2, 7 but less than 8; in 7, 6 but less than 7; in 9, 5 but less than 6; in 9, 4 but less than 5; and in 2, 3 but less than 4. (*Table 7.*)

In the larger burghs the marriage-rate of the year ranged from 11.3 in Edinburgh, 9.8 in Aberdeen, 9.4 in Glasgow, and 9.3 in Ayr, to 5.2 in Motherwell, 5.5 in Coatbridge, and 5.9 in Clydebank. In Perth this rate was 9.0; in Dundee, 7.5; in Kilmarnock, 7.5; in Paisley, 7.3; in Leith, 7.3; in Greenock, 6.9; in Falkirk, 6.9; in Kirkcaldy, 6.5; and in Hamilton, 6.1. (*Table 4.*)

The marriage-rates in the smaller burghs and in the county districts are given in Tables 5 and 6. They, and indeed also those of the larger burghs and of the counties, may be indicative of the frequency of marriage within the particular areas, but cannot be accepted as an indication of the frequency of marriage among the populations of these areas, and that this should be so depends on the frequency of removal from county districts to larger or smaller burghs, and from smaller burghs to larger burghs, for the purpose of marriage.

The Scottish marriage-rate in the first quarter of the year was 6.8; in the second quarter, 6.6; in the third quarter, 7.6; and in the fourth quarter, 7.2. Compared with that of the corresponding quarter of the previous year, the marriage-rate of the first quarter was 0.7 more; that of the second quarter, 0.6 more; that of the third quarter, 1.2 more; and that of the fourth quarter, 0.6 more. (*Table 3.*)

TABLE F.—Monthly Marriage-rates in Scotland.

	Marriage-rates.						Percentage of Increase or Decrease over Pre-War Average.				
	Pre-War Average.*	1914	1915	1916	1917	1918	1914	1915	1916	1917	1918
January .	9.3	—	9.5	10.1	8.5	8.4	—	+ 2	+ 9	- 9	-10
February .	4.9	—	5.1	6.0	5.1	5.9	—	+ 4	+22	+ 4	+20
March .	5.0	—	5.5	5.3	4.6	6.1	—	+10	+ 6	- 8	+22
April .	7.4	—	7.2	6.2	6.6	7.5	—	- 3	-16	-11	+ 1
May .	2.7	—	4.6	4.2	3.4	3.6	—	+70	+56	+26	+33
June .	11.8	—	11.5	8.7	8.3	8.8	—	- 3	-26	-30	-25
July .	10.2	—	10.1	7.8	7.6	9.0	—	- 1	-24	-25	-12
August .	5.1	6.1	6.8	5.8	5.5	6.4	+20	+33	+14	+ 8	+25
September	6.4	7.3	7.0	5.6	6.0	7.6	+14	+ 9	-12	- 6	+19
October .	5.4	5.4	6.0	5.5	6.0	7.0	0	+11	+ 2	+11	+30
November	5.2	6.2	8.1	5.0	5.3	6.2	+19	+56	- 4	+ 2	+19
December	9.8	8.4	9.2	8.0	8.4	8.5	-14	- 6	-18	-14	-13

* Mean of the rates for the corresponding month of the four years previous to the declaration of war.

The monthly marriage-rate varied from 9·0 in July, 8·8 in June, 8·5 in December, and 8·4 in January, to 3·6 in May, and 5·9 in February. In September this rate was 7·6; in April, 7·5; in October, 7·0; in August, 6·4; in November, 6·2; and in March, 6·1. The monthly marriage-rate of January is the only one of these found to be less in this than in the previous year. All other monthly rates were higher, the greatest increases being found in those of September, March, and July, these increases being 1·6, 1·5, and 1·4 respectively. (*Table 48.*)

The marriage-rate of the year in England and Wales was 7·7, and in Ireland 5·1, the former being 0·6 more, but the latter 2·0 less, than the Scottish rate.

Table F has been constructed to show the influence of war conditions on marriage-rates, those of each month since the declaration of war being compared with a pre-war average. In it it is noticeable that relatively high marriage-rates occurred in eight out of the twelve months of the year now under review, 1918, and that war conditions have partly overcome the prejudice against marriage in May. This latter point is evidenced by the May marriage-rates of the four years of war being respectively 70, 56, 26, and 33 per cent. more than the pre-war average.

DEATH STATISTICS.

The deaths of 78,372 persons were registered in Scotland during the year. This number is 8889 more than that of the previous year, 4696 more than the mean of those of the preceding five years, and 4653 more than the mean of those of the ten preceding years. It is more than those of the two preceding years, 1916 and 1917, but is less by 3259 than that of the year 1915. The excess of deaths registered during the year is associated with a severe epidemic of influenza which occurred in the months of September, October, November, and December, and a less severe one in July. In these five months the registered deaths numbered 14,742 more than in the corresponding five months of the previous year. In the remaining seven months of the year the total deaths not only showed no increase as compared with the figure of the previous year, but showed an actual diminution of 5853, and with this comparison it may be noted that the deaths in Scotland during the previous year, 1917, were fewer than in all years since 1868. (*Table 1.*)

The death-rate of the year was 16·04 per thousand. It is 1·73 above that of the previous year, 0·65 more than the mean of those of the five preceding years, and 0·53 more than the mean of those of the ten preceding years. It is higher than those of the years 1909 to 1914 and 1916 and 1917, but it is lower than that of 1915, and of all years 1855 to 1908. The lowest Scottish annual death-rate was that of the previous year, 1917, and the highest that of the year 1864; compared with the former that of this year is 1·73 more, but compared with the latter it is 7·54 less. (*Table 2.*)

Deaths of males during the year numbered 39,144, and of females 39,228. The deaths of males are 3783 more than in the

previous year, 2068 more than the mean of the numbers of the five preceding years, and 2216 more than the mean of those of the ten preceding years. Deaths of females are 5106 more than in the previous year, 2628 more than the mean of the numbers of the five preceding years, and 2437 more than the mean of those of the ten preceding years. The death-rate of the year in the male population was 16·52, and in the female population 15·59, the former being 1·50, and the latter 1·94, more than in the previous year. Both of these rates are less than those of the year 1915, and of all years from 1855 to 1908, but are higher than those of the years 1909 to 1914, and the two years 1916 and 1917. (*Tables 1 and 2.*)

The 78,372 deaths registered during the year include those of 1363 persons who died in Scotland from disease or injury acquired in war service, at sea or outwith Scotland. These 1363 deaths are included in the national statistics, but are excluded from all local statistics.

When dealing in this Report with the death statistics of grouped districts, of counties, of burghs, and of county districts, three death-rates are given. The first, the crude death-rate, is based on the number of deaths registered and is uncorrected or adjusted in any manner. The second, the corrected death-rate, is based on the number of deaths registered, but corrected by the inclusion of deaths of residents occurring elsewhere in Scotland and by the exclusion of deaths of non-residents. The third, the corrected and adjusted death-rate, is the corrected death-rate adjusted to compensate for any difference there may be between the age and sex distribution of the local population and that of Scotland. The first of these three rates shows the frequency of death within the district, the second the frequency of death among the population of the district, and the third is a statistical quantity useful for the purposes of comparison, as it indicates the chance of death within a district uncomplicated by variation in age and sex distribution.

In the counties, burghs included, the crude death-rate of the year varied from 20·9 in Dumfries, 18·3 in Inverness, 18·1 in Forfar, 17·6 in Argyll, and 17·5 in Orkney, to 12·0 in Selkirk, 13·4 in Peebles, 13·5 in Berwick, and 13·9 in Dumbarton. In 16 counties the crude death-rate was higher than the national death-rate, while in 17 counties it was lower.

TABLE G.—Deaths in Scotland and its Groups of Public Health Districts in 1918.

GROUPS OF DISTRICTS.	Estimated Population.	Deaths.	Death-rate per 1000 of Population.		
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
Larger Burghs . . .	2,402,496	38,565	16·52	16·05	17·14
Smaller Burghs . . .	958,974	15,493	15·79	16·16	15·74
County Districts . . .	1,524,804	22,951	15·43	15·05	14·08
SCOTLAND . . .	4,886,274	*78,372	16·04	16·04	16·04

* *Vide* Note, Table 26.

In the counties the corrected death-rate varied from 19·7 in Dumfries, 18·6 in Clackmannan and in Kinross, 18·3 in Sutherland, and 17·9 in Orkney, to 12·6 in Selkirk, 14·0 in Dumbarton, 14·1 in Peebles, 14·2 in Fife, and 14·3 in Bute and in Stirling. In 16 counties this rate was higher than the national death-rate, in 17 it was lower.

The corrected and adjusted death-rate in the counties varied from 18·6 in Clackmannan, 18·2 in Dumfries, 17·5 in Lanark, and 16·9 in Forfar, to 10·7 in Shetland, 12·2 in Bute, 12·7 in Selkirk, 13·0 in Kincardine, and 13·1 in Caithness, in Orkney, and in Sutherland. In 7 counties this rate was higher than the national rate, while in 26 it was lower. In 3 counties this rate was 17 but less than 19; in 9 it was 15 but less than 17; in 18 it was 13 but less than 15; and in 3 it was less than 13.

The crude death-rate in the larger burghs taken collectively was 16·52; in the smaller burghs, 15·79; and in the county districts, 15·43. In the larger burghs the crude death-rate was 1·50 higher than in the previous year; in the smaller burghs, 1·96 higher; and in the county districts, 1·92 higher. The corrected death-rate in the larger burghs was 16·05; in the smaller burghs, 16·16; and in the county districts, 15·05. Compared with that of the previous year, the corrected death-rate of the larger burghs is 1·28 higher; in the smaller burghs, 1·81 higher; and in the county districts, 1·88 higher. In the case of the larger burghs the effect of correcting for deaths of residents dying outwith the burghs and for the deaths of non-residents within the burghs is to lower the rate in the larger burghs by 0·47, and in the county districts by 0·38, while in the smaller burghs it is to raise it by 0·37. The corrected and adjusted death-rate in the larger burghs taken collectively was 17·14; in the smaller burghs, 15·74; and in the county districts, 14·08.

TABLE H.—Showing the Effect on the Death-rates of the Larger Burghs of Correction for Transfers and of Adjustment for Age and Sex Distribution in 1918.

	Death-rates.				
	Uncorrected.	Effect of Correction.	Corrected for Transfers.	Effect of Adjustment.	Adjusted for Age and Sex Distribution.
Coatbridge	16·8	+0·4	17·2	+1·5	18·7
Glasgow	16·9	-0·4	16·5	+1·6	18·1
Greenock	18·6	-0·7	17·9	+0·2	18·1
Dundee	18·0	-0·6	17·4	+0·6	18·0
Kilmarnock	16·2	-0·5	15·7	+1·4	17·1
Hamilton	14·4	+1·1	15·5	+1·3	16·8
Falkirk	15·9	-0·6	15·3	+1·5	16·8
Leith	13·9	+2·0	15·9	+0·7	16·6
Ayr	17·7	-1·5	16·2	+0·2	16·4
Kirkcaldy	14·5	+1·5	16·0	+0·3	16·3
Edinburgh	16·7	-1·5	15·2	+0·6	15·8
Perth	18·8	-2·8	16·0	-0·3	15·7
Aberdeen	16·7	-1·3	15·4	+0·2	15·6
Clydebank	10·6	+2·9	13·5	+2·1	15·6
Paisley	14·6	-0·9	13·7	+1·4	15·1
Motherwell	10·7	+1·1	11·8	+1·6	13·4

Compared with the rate of the previous year, that of the larger burghs is 1·37 more, and those of the smaller burghs and of the county districts are 1·76 more. The corrected and adjusted death-rate of the larger burghs taken collectively is 1·10 above the national rate, but that of the smaller burghs is 0·30 below, and that of the county districts 1·96 below, the national rate. In the case of the larger burghs the effect of adjustment is to raise the rate by 1·09, but in the case of the smaller burghs it is to lower it by 0·42, and in the case of the county districts by 0·97. (*Table 4.*)

In the larger burghs taken individually the crude death-rate of the year varied from 18·8 in Perth, 18·6 in Greenock, and 18·0 in Dundee, to 10·6 in Clydebank, 10·7 in Motherwell, and 13·9 in Leith. In them the corrected death-rate varied from 17·9 in Greenock, 17·4 in Dundee, 17·2 in Coatbridge, and 16·5 in Glasgow, to 11·8 in Motherwell, 13·5 in Clydebank, and 13·7 in Paisley. In Ayr this rate was 16·2; in Kirkealdy, 16·0; in Perth, 16·0; in Leith, 15·9; in Kilmarnock, 15·7; in Hamilton, 15·5; in Aberdeen, 15·4; in Falkirk, 15·3; and in Edinburgh, 15·2. In these burghs the corrected and adjusted death-rate varied from 18·7 in Coatbridge, 18·1 in Glasgow and in Greenock, and 18·0 in Dundee, to 13·4 in Motherwell, 15·1 in Paisley, 15·6 in Aberdeen and in Clydebank, 15·7 in Perth, and 15·8 in Edinburgh. In Kilmarnock this rate was 17·1; in Hamilton, 16·8; in Falkirk, 16·8; in Leith, 16·6; in Ayr, 16·4; and in Kirkealdy, 16·3. In 10 of these towns the corrected and adjusted death-rate was higher than the national death-rate, while in 6 it was less, these six being Edinburgh, Aberdeen, Paisley, Motherwell, Clydebank, and Perth. (*Table 4.*)

In the smaller burghs taken individually, and exclusive of those with populations of less than 1000, the crude death-rate varied from 33·9 in Melrose, 31·5 in Haddington, 29·3 in Inverbervie, 28·2 in Cromarty, 27·7 in Rattray, and 27·4 in Queensferry, to 6·6 in Markinch, 8·4 in Cowdenbeath, 8·6 in Innerleithen and in Troon, 8·8 in Darvel, and 9·0 in Kilrenny. There are 165 of these burghs, and in 81 of them the crude death-rate was higher than the national death-rate, while in 84 it was lower. In these burghs the corrected death-rate varied from 38·1 in Rattray, 30·2 in Inverbervie, 28·8 in Lochmaben, 26·6 in Thurso, 26·5 in Rothes, and 26·2 in Montrose, to 7·2 in Markinch, 8·6 in Kilrenny, 9·0 in Innerleithen, 9·3 in Darvel, and 9·4 in Troon and in Millport. In 96 of these burghs the corrected death-rate was higher than the national death-rate, while in 69 of them it was lower. In these burghs the corrected and adjusted death-rate of the year varied from 31·4 in Rattray, 26·5 in Inverbervie, 25·1 in Linlithgow, 23·3 in Lochmaben, 22·6 in Jedburgh, 22·3 in Tillicoultry, and 22·1 in Portknockie, to 6·2 in Markinch, 7·7 in Millport, 7·8 in Kilrenny, 8·7 in Innerleithen, 9·6 in Kingussie, and 9·8 in Anstruther-Easter. In 75 of these burghs the corrected and adjusted death-rate was higher than the national death-rate, while in 90 it was lower. (*Table 5.*)

In the county districts taken individually the crude death-rate varied from 29·6 in the Suburban District of Midlothian, 27·4 in Dumfries District of Dumfries, 24·5 in Mid-Argyll District of Argyll, 23·8 in Cupar District of Fife, and 23·7 in Dundee District

of Forfar, to 7·6 in Arbroath District of Forfar, 7·9 in Lower Deeside District of Kincardine, 9·7 in County District of Selkirk, 10·2 in Middle District of Berwick, and 11·1 in Central District of Stirling. In 36 of these districts the crude death-rate was higher than the national death-rate, but in 70 it was lower. The corrected death-rate in the county districts varied from 21·9 in South-Western District of Ross and Cromarty, 21·4 in Annan District of Dumfries, 21·1 in Mull District of Argyll, 20·5 in Thornhill District of Dumfries, 20·4 in Western District of Ross and Cromarty, and 20·0 in Easter Ross District of Ross and Cromarty, to 8·9 in Arbroath District of Forfar, 10·6 in County District of Selkirk, 11·0 in Lower Deeside District of Kincardine, 11·2 in Kirkcaldy District of Fife, 11·4 in Middle District of Berwick, and 11·6 in Upper District of Renfrew and in Lower Ward District of Lanark. In 44 of these districts the corrected death-rate was higher than the national death-rate, while in 62 it was lower. In these districts the corrected and adjusted death-rate varied from 19·6 in Annan District of Dumfries, 18·6 in Black Isle District of Ross and Cromarty, 18·5 in Thornhill District of Dumfries, 17·7 in Eastern District of Haddington, 17·3 in County District of Clackmannan, and 17·0 in Upper Ward District of Lanark, to 7·9 in Arbroath District of Forfar, 8·5 in North Uist

TABLE J.—Frequencies of Specified Death-rates, Corrected and Adjusted, in Counties, Burghs, and County Districts, 1918.

Death-rate per 1000.	Counties.	All Burghs and all County Districts.	All Burghs.	All County Districts.	Burghs with Populations		
					Over 30,000.	1000 to 30,000.	Under 1000.
5	...	1	1	...	...	...	1
6	...	1	1	...	...	1	...
7	...	4	3	1	...	2	1
8	...	4	3	1	...	1	2
9	...	3	3	...	...	2	1
10	1	15	5	10	...	5	...
11	...	22	8	14	...	8	...
12	2	32	17	15	...	16	1
13	9	41	24	17	1	19	4
14	9	41	20	21	...	19	1
15	5	34	22	12	5	16	1
16	4	33	24	9	5	18	1
17	1	24	21	3	1	20	...
18	2	20	18	2	4	13	1
19	...	12	11	1	...	8	3
20	...	7	7	...	...	6	1
21	...	4	4	...	...	4	...
22	...	6	6	...	...	3	3
23	...	2	2	...	...	1	1
25	...	1	1	...	...	1	...
26	...	1	1	...	...	1	...
31	...	1	1	...	...	1	...
TOTALS	33	309	203	106	16	165	22

District of Fife, 10·1 in Walls District of Orkney, 10·2 in Middle District of Berwick, 10·2 in Harris District of Inverness, and 10·3 in the Mainland and in the North Isles Districts of Shetland. In 15 of these county districts the corrected and adjusted death-rate was higher than the national rate, but in 91 it was lower. (*Table 6.*)

Table J. is constructed to show the frequency of death-rates, corrected and adjusted, of specified amount in the various geographical divisions of the country. In it, *inter alia*, it may be seen that the distribution of death-rates in burghal districts is higher than in county districts—for instance, 75 per cent. of the county district death-rates are between 11 and 16 per thousand, 11 per cent. being less than 11, only 14 per cent. being 16 or more, while in the burghal districts only 45 per cent. are between 11 and 16, and only 8 per cent. less than 11, 47 per cent. being 16 or more. The mean of the distribution in the county districts is 13·65; while in the burghs it is 15·80. The standard deviation from the mean in the county districts is 2·18, and in the burghs 3·71.

The Scottish death-rate for the first quarter of the year was 14·9 per thousand; for the second quarter, 13·7; for the third quarter, 12·3; and for the fourth quarter, that most affected by the influenza epidemic, 23·3. Compared with the rates of the corresponding quarter of the previous year, that of the first quarter is 3·3 less, and that of the second quarter is 1·6 less, but that of the third quarter is 1·1 more, and that of the fourth quarter is 10·8 more.

The monthly death-rate varied from 26·7 in November, 24·9 in October, and 18·3 in December, to 10·7 in August, 11·3 in June, and 11·4 in September. In January this rate was 16·3; in April, 14·9; in May, 14·9; in July, 14·8; in March, 14·2; and in February, 13·9.

The death-rate of the year in England and Wales was 17·6, and

TABLE K.—Monthly Mortality and Mean Temperature in Scotland during 1918, compared with the mean of the Ten Years 1901-1910.

MONTHS.	YEAR 1918.			1901-1910.	
	Mean Temperature.	Actual Deaths.	Proportion to 12,000 per annum or 1000 per month.	Monthly Proportion of Deaths.	Mean Temperature.
January	35·5	6,768	1,036	1,177	38·0
February	42·2	5,216	799	1,079	37·7
March	40·9	5,901	904	1,149	39·9
April	42·7	5,976	915	1,096	43·2
May	51·8	6,169	945	1,036	48·7
June	53·5	4,535	694	916	54·0
July	56·7	6,161	943	873	56·8
August	57·6	4,456	682	863	55·8
September	48·7	4,571	700	830	53·1
October	47·1	10,330	1,582	889	47·6
November	40·4	10,711	1,640	976	41·2
December	40·4	7,578	1,160	1,116	38·5
YEAR	46·4	78,372	12,000	12,000	46·2

in Ireland 18·0, the former being 1·6, and the latter 2·0, more than the Scottish death-rate.

AGES OF THOSE DYING.

Of the 78,372 persons whose deaths were registered during the year, 17,851, or 22·78 per cent., were aged less than 5; 38,883, or 49·61 per cent., were more than 5 but less than 65; and 21,615, or 27·58 per cent., were more than 65. In 23 instances, 0·03 per cent. of the total, the age at death was not recorded. Compared with the numbers in the previous year, deaths at ages under 5 are 133, or 0·75 per cent., more, and those at 5 to 65 are 9423, or 31·99 per cent., more, but those at ages 65 and over are 659, or 2·96 per cent., fewer. The marked feature brought out by these comparisons is the large increase during the year of deaths among persons aged 5 to 65.

Using smaller age-grouping it is found that deaths of children of less than one year old, and those of persons of age-group 65 to 75, and age-group 75 and over, are each fewer in this than in the previous year, while those in all other age-groups are more. In age-group under 1, the decline amounts to 6·1 per cent.; in age-group 65 to 74, 0·7 per cent.; and in age-group 75 and over, 5·1 per cent. The increases in order of magnitude were age-group 25 to 34, 94·9 per cent.; age-group 15 to 24, 72·5 per cent.; age-group 10 to 14, 50 per cent.; age-group 5 to 9, 41·3 per cent.; age-group 35 to 44, 26·1 per cent.; in age-group 45 to 54, 12·9 per cent.; in age-group 1 to 4, 10·6 per cent.; and in age-group 55 to 64, 3·8 per cent.

Deaths of males during the year show an excess of 3783 over the number of the previous year, while those of females show one of 5106. The male deaths of the year in age-groups under 1, 55 to 64, 65 to 74, and 75 and over are fewer than in the previous year, those in all other age-groups being more, the most marked increases being 1635 in age-group 25 to 34, and 1141 in age-group 15 to 24. The numbers of deaths in all female age-groups are more in this than in the previous year, those in age-group under 1 and in age-group 75 and over excepted, the largest increases having occurred in age-group 25 to 34, and the next largest in age-group 15 to 24, the former being 1712, and the latter 1266.

The male age-group death-rates between age 1 and age 54 are all higher in this than in the previous year, but those of age-group under 1 and of all age-groups over 55 are lower. The most marked increases are from 2·2 to 3·3 in age-group 10 to 14; from 3·7 to 6·2 in age-group 15 to 24; and from 4·7 to 9·2 in age-group 25 to 34. All female age-group death-rates are higher in this than in the previous year with two exceptions, those of age-group under 1 and of age-group 75 and over, the most marked increases being from 3·1 to 4·7 in age-group 5 to 9, from 2·5 to 3·7 in age-group 10 to 14, from 3·7 to 6·4 in age-group 15 to 24, from 4·7 to 8·9 in age-group 25 to 34, and from 7·4 to 9·3 in age-group 35 to 44.

The female death-rate in three age-groups, 5 to 9, 10 to 14, and 15 to 24, were higher than the male death-rates, but in all other age-groups the male was higher than the female death-rate.

The average age of all persons dying during the year was 40·4

years, that of all males being 38·7, and of all females 42·0. The average age at death among males was 2·0 less than in the previous year, and that among females was 2·2 less. The average age at death among males was 3·3 less than that among females; in the previous year this difference was 3·5.

The average age at death among unmarried males was 17·9, and among unmarried females 22·5, the former being 0·2 more, and the latter 0·4 less than in the previous year. The male average is 4·6 less than the female, which difference in the previous year was 5·2.

The average age at death among married males was 56·3, and among married females was 49·8, the former being 2·7, and the latter 3·1, less than in the previous year. The male average is 6·5 more than the female; in the previous year this difference was 6·1.

The average age at death among widowed males was 71·1, and among widowed females was 72·4, the former being 0·8, and the latter being 0·9 less, than in the previous year. The male average is 1·3 less than the female; in the previous year this difference was 1·4.

Deaths of children of less than one year old numbered 9836, and equalled an infantile mortality rate of 99·8 per thousand registered births. These deaths are 637 fewer than in the previous year, 2666 fewer than the mean of the numbers of the five preceding years, and 3400 fewer than that of the preceding ten years. The infantile mortality rate of the year is 7·7 less than that of the previous year, 10·5 less than the mean of those of the five preceding years, and 10·8 less than the mean of those of the ten preceding years. It is less than the Scottish infantile mortality rate of all years since 1854 except that of the year 1916, which was 97·1. This is the second year in which this rate has been less than 100. The highest Scottish infantile mortality rate, one of 137·9, occurred in the year 1897, and compared with it that of this year is 38·1, or 27·6 per cent., less.

Deaths of male children numbered 5627, and equalled an infantile mortality rate of 111·7 per thousand male children born, while those of female children numbered 4209, and equalled an

TABLE L.—Age-group Death-rates per 1000 in 1918 and 1917.

	1918.		1917.		Difference, 1918 compared with 1917.		Difference per cent., 1918 compared with 1917.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
- 1	100·3	76·3	105·7	83·6	- 5·4	- 7·3	- 5·1	- 8·7
1- 4	18·6	18·2	17·4	16·1	+ 1·2	+ 2·1	+ 6·9	+13·0
5- 9	4·4	4·7	3·4	3·1	+ 1·0	+ 1·6	+29·4	+51·6
10-14	3·3	3·7	2·2	2·5	+ 1·1	+ 1·2	+50·0	+48·0
15-24	6·2	6·4	3·7	3·7	+ 2·5	+ 2·7	+67·6	+73·0
25-34	9·2	8·9	4·7	4·7	+ 4·5	+ 4·2	+95·7	+89·4
35-44	10·1	9·3	8·0	7·4	+ 2·1	+ 1·9	+26·3	+25·7
45-54	17·2	13·9	15·7	12·0	+ 1·5	+ 1·9	+ 9·6	+15·8
55-64	33·7	26·5	34·0	24·5	- 0·3	+ 2·0	- 0·9	+ 8·2
65-74	66·7	43·9	69·7	43·0	- 3·0	+ 0·9	- 4·3	+ 1·9
75—	158·7	139·6	171·4	146·1	-12·7	- 6·5	- 7·4	- 4·4

infantile mortality rate of 87·4 per thousand female children born. Compared with the corresponding rate of the previous year, the male rate is 6·1, and the female rate 9·2, less. The female infantile mortality rate of the year was 24·3 less than the male; in the previous year it was 21·2 less.

In the counties, burghs included, the infantile mortality rate of the year varied from 115 in Forfar, 113 in Aberdeen, 111 in Clackmannan, 107 in Lanark, and 104 in Nairn, to 55 in Berwick, 56 in Peebles, 57 in Shetland, 57 in Sutherland, and 59 in Kirkcudbright. In 7 counties this rate was more than 100 but less than 120; in 16, more than 80 but less than 100; in 5, more than 60 but less than 80; and in 5, more than 50 but less than 60.

In the larger burghs taken collectively this rate was 109·7; in the smaller burghs, 96·8; and in the county districts, 87·0. In the larger burghs this rate was 14·1 less than in the previous year, and 9·9 more than the national rate. In the smaller burghs this rate was 2·0 less than in the previous year, 3·0 less than the national rate, and 12·9 less than the larger burgh rate. In the county districts this rate was 0·7 less than in the previous year, 12·8 less than the national rate, 22·7 less than the larger burgh rate, and 9·8 less than the smaller burgh rate.

In the larger burghs taken individually this rate varied from 143 in Aberdeen, 134 in Perth, 126 in Dundee, and 118 in Ayr, to 75 in Motherwell, 80 in Paisley, 87 in Falkirk, and 94 in Edinburgh. In Kilmarnock this rate was 116; in Glasgow, 113; in Kirkcaldy, 111; in Greenock, 110; in Leith, 102; in Coatbridge, 101; in Hamilton, 98; and in Clydebank, 96.

There are 51 of the smaller burghs in which at least 100 births were registered during the year, and limiting to them the infantile mortality rate of the year varied from 175 in Denny and Dunipace, 169 in Ardrossan, 148 in Inverness, 132 in Port-Glasgow, and 131 in Montrose, to 32 in Maxwelltown, 42 in Troon, 51 in Galashiels, 55 in Elgin, 56 in Lanark, and 57 in Leven.

In 74 of the county districts at least 100 births were registered during the year, and in them this rate ranged from 128 in Kilmarnock District of Ayr, 120 in Lower District of Renfrew, 116 in Gala Water District of Midlothian, 113 in Thornhill District of Dumfries, and 107 in Middle Ward District of Lanark, to 25 in Inverness District of Inverness, 29 in County District of Peebles, 42 in Mainland District of Shetland, 42 in Lorn District of Argyll, 51 in Western District of Stirling, 52 in Machars District of Wigtown, 52 in Skye District of Inverness, 53 in Middle District of Berwick, and 54 in Eastern District of Berwick.

Deaths among persons aged 70 and upwards numbered 16,332, of whom 6967 were male and 9365 female. These deaths of males equal a death-rate of 115·0 per thousand of the estimated male population of these ages, and these deaths of females one of 97·2 per thousand of the estimated female population of these ages; the corresponding death-rate of the two sexes in combination being 104·1 per thousand. In the previous year these three rates were 124·3, 100·9, and 110·0, and thus those of this year are each less than in the previous year.

The deaths of 19 reputed centenarians were registered during the year, of whom 3 were men, and 16 were women. The ages of all

three males were recorded at 100. The ages of 5 women were recorded as 100; of 4, as 101; of 4, as 102; of 2, as 103; and of 1, as 104. The usual endeavour has been made to verify the ages of these centenarians, with the result that in nine instances the age was confirmed, and in two instances contradicted, while in the remaining eight instances proof of attaining age 100 was not found. During the last nine years researches to verify the attainment of age 100 have been made in respect of 122 reputed centenarians, with the result that verification has been got in 46 instances, contradiction in 10 instances, while in 66 instances reliable proof of age was not found.

CAUSES OF DEATH.

Of the 78,372 deaths registered during the year, 77,156, or 98·4 per cent., were certified as to cause either by a registered medical practitioner or by a procurator-fiscal, while 1216, or 1·6 per cent., were not so certified. The uncertified deaths of the year are 171 fewer than in the previous year, 147 less than the mean of the numbers in the five preceding years, and 176 less than the mean of those in the ten preceding years. This number is smaller than in all previous years, the year 1911 excepted. From 1881 to 1890 uncertified deaths in Scotland averaged 6061 annually; from 1891 to 1900, 3239; from 1901 to 1910, 1839; and from 1911 to 1917, 1330.

Uncertified deaths in the counties, burghs included, varied in number from 331 in Midlothian, 246 in Ross and Cromarty, 188 in Inverness, 79 in Shetland, 71 in Lanark, 66 in Sutherland, and 54 in Argyll, to 0 in Berwick, Haddington, and Selkirk, and less than 5 in Bute, Clackmannan, Dumfries, Elgin, Kincardine, Kinross, Kirkcudbright, Linlithgow, Peebles, Roxburgh, and Wigtown. In the Report for the previous year, 1917, it was

TABLE M.—Deaths from Uncertified Causes, 1881-1918.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881 . . .	7863	10·9	1900 . . .	2757	3·4
1882 . . .	7220	9·9	1901 . . .	2392	3·0
1883 . . .	7278	9·5	1902 . . .	2180	2·8
1884 . . .	6487	8·6	1903 . . .	2058	2·8
1885 . . .	6204	8·3	1904 . . .	1893	2·4
1886 . . .	5932	8·1	1905 . . .	1741	2·3
1887 . . .	5466	7·3	1906 . . .	1727	2·3
1888 . . .	5029	7·1	1907 . . .	1796	2·3
1889 . . .	4566	6·2	1908 . . .	1654	2·1
1890 . . .	4569	5·8	1909 . . .	1552	2·1
1891 . . .	4691	5·6	1910 . . .	1396	1·9
1892 . . .	4267	5·6	1911 . . .	1135	1·6
1893 . . .	3729	4·7	1912 . . .	1362	1·9
1894 . . .	3290	4·6	1913 . . .	1401	1·9
1895 . . .	3222	3·9	1914 . . .	1220	1·7
1896 . . .	2509	3·6	1915 . . .	1514	1·9
1897 . . .	3041	3·8	1916 . . .	1294	1·8
1898 . . .	2459	3·1	1917 . . .	1387	2·0
1899 . . .	2425	3·0	1918 . . .	1216	1·6

pointed out that a large increase in the number of uncertified deaths in Midlothian had occurred, which increase was attributable to the appointment of unqualified medical assistants (students) to junior positions in some institutions; this year's figure shows a marked diminution in that number, it being 331, as against 431 in 1917. (Table 47.)

Of the 78,372 registered deaths, 76,871, or 98·08 per cent., were specified as to cause, while 1061, or 1·36 per cent., were imperfectly so specified, and 440, or 0·56 per cent., were unspecified, or merely ascribed to "Natural Causes." The imperfectly specified deaths of the year are 98 fewer than in the previous year, but the unspecified deaths are 44 more.

Enteric Fever.—Deaths due to enteric fever during the year numbered 125. These deaths, though 31 in excess of that of the previous year, are fewer than in all other years. The number is 37 less than the mean of the numbers of the five preceding years, and 87 less than the mean of those of the ten preceding years. In the years 1865 to 1882 and in the year 1884 these deaths numbered more than 1000 annually; in the year 1883 and in the years 1885 to 1903, more than 500; in the years 1904 to 1911, more than 200; but since 1911 they have only exceeded 200 on one occasion, being between 100 and 200 five times, and less than 100 once. Of the 125 deaths from enteric fever registered during the year, 61 were of males, and 64 of females. Of them, 61 occurred in the larger burghs, 14 in the smaller burghs, and 47 in the county districts, while in 3 instances the disease was contracted on war service out-with Scotland. The annual death-rate from this cause was 3 per 100,000, which rate during the preceding ten years averaged 5. (Tables 32-40.)

Typhus Fever.—Deaths from typhus fever numbered 15. They are 13 more than in the previous year, 9 more than the mean of the numbers of the five preceding years, and 6 more than the mean of those of the preceding ten years. It is larger than the number in any year since 1909, but smaller than in all years previous to 1902. Deaths from typhus fever in Scotland in the year 1865 numbered 3272, and in the years 1866 to 1871 constantly over 1000. Of the 15 deaths from this cause registered during the year, 10 occurred in Glasgow. (Tables 32-40.)

Small-pox.—No deaths from small-pox were recorded in Scotland during the year. In the preceding ten years deaths from this cause have in all numbered 32, 17 being registered in the year 1912, 6 in the year 1908, 5 in the year 1911, 2 in the year 1915, 1 in each of the years 1914 and 1916, and 0 in the years 1909, 1910, 1913, and 1917. No deaths from small-pox were also recorded in the years 1890 and 1891, and thus this is the seventh year since the institution of national registration in which there have been none. A maximum number, one of 2448, occurred in the year 1872. (Table 39.)

Measles.—Deaths from measles numbered 1198. This number is 606 less than that of the previous year, 485 less than the mean of those of the five preceding years, and 498 less than the mean of those of the ten preceding years. The annual death-rate from this cause was 25 per 100,000, which is 12 less than in the previous year, 12 less than the mean of the rates of the preceding five years,

and 11 less than the mean of those of the preceding ten years. Of these deaths, 603 were of males, and 595 of females, the male death-rate being 25, and the female 24, per 100,000. Of these deaths, 632 occurred in the larger burghs, 234 in the smaller burghs, and 331 in the county districts, the death-rate in the larger burghs being 26, in the smaller burghs 24, and in the county districts 22. Of these deaths, 1105, or 92·2 per cent., were of children of less than 5 years old, and 1165, or 97·2 per cent., of children of less than 10 years old, while only 22 were of persons age 10 to 24, and 11 of persons aged 25 or more. The death-rate from measles in the larger burghs taken individually ranged from 126 per 100,000 in Greenock, 83 in Hamilton, and 70 in Coatbridge, to 10 or less in Edinburgh, Dundee, Paisley, Leith, Motherwell, Kirkcaldy, Perth, and Falkirk. In Kirkcaldy and in Perth no deaths from measles were registered during the year. The months in which deaths from measles were most numerous were March, April, and May. (*Tables 32-40 and page 70.*)

Scarlet Fever.—Deaths ascribed to scarlet fever numbered 168. This is the smallest number of deaths from scarlet fever yet recorded, the previous smallest being that of 1917, which was 212. These deaths number 463 less than the mean of the numbers of the preceding five years, and 390 less than the mean of those of the preceding ten years. A maximum number of deaths from scarlet fever occurred in Scotland in 1874, it was 6321, and the number recorded this year is approximately one thirty-eighth of that amount. Of the 168 deaths from scarlet fever, 82 were of males, and 86 of females. Of them, 92 occurred in the larger burghs, 25 in the smaller burghs, and 47 in the county districts. The death-rate from this cause was 3 per 100,000; in the larger burghs it was 4, while in the smaller burghs and in the county districts it was 3. In the preceding five years this death-rate averaged 13, and in the preceding ten years 12. Relatively high death-rates from scarlet fever occurred in Leith (19), in Motherwell (14), and in Hamilton (10). In Glasgow this death-rate was 2, and in Edinburgh 8. In Kirkcaldy, in Perth, and in Falkirk no deaths from this cause were registered during the year. Of the 168 deaths from scarlet fever, 128, or 72·6 per cent., were among children of 1 to 9 years old; only 7 deaths from this cause occurred among children of less than one year old, and only 7 among persons of 25 and over. (*Tables 32-40.*)

Whooping-cough.—Deaths attributed to whooping-cough during the year numbered 1603. They number 525 less than in the previous year, 162 less than the mean of the numbers of the five preceding years, and 193 less than the mean of those of the ten preceding years. The annual death-rate from this cause was 33 per 100,000, which is 11 less than in the previous year, 4 less than the mean of the rates of the preceding five years, and 5 less than the mean of those of the preceding ten years. The male death-rate from this cause was 32, and the female death-rate 34, per 100,000. In the larger burghs taken collectively this death-rate was 36; in the smaller burghs, 35; and in the county districts, 27. Relatively high death-rates from this cause occurred in Motherwell (74), in Ayr (77), in Hamilton (58), in Kirkcaldy (57), and in Falkirk (57). In Glasgow this rate was 37; in Edinburgh, 13; in

Dundee, 52; and in Aberdeen, 32. Of those dying from whooping-cough, 620, or 38·7 per cent., were aged less than one year, and 1526, or 95·2 per cent., less than five years. The months in which deaths from whooping-cough were most numerous were May, March, April, and July. (*Tables 32-40 and page 70.*)

Diphtheria.—Deaths from diphtheria, including those certified as due to croup or to membranous laryngitis, numbered 756. They are 108 more than registered in the previous year, but 42 less than the mean of the numbers in the five preceding years, and 79 less than the mean of the numbers in the ten preceding years. In the previous year, 1917, the number of these deaths was the smallest on record. The death-rate from this cause was 15 per 100,000, which is 2 more than in the previous year, but 2 less than the mean of the rates of the five preceding years, and 3 less than the mean of those of the ten preceding years. Of the 756 persons dying from this cause, 377 were male, and 379 female. Of them, 636, or 84·1 per cent., were children of between 1 and 10 years old, while only 13, or 1·7 per cent., were adults of 25 or over. In the larger burghs taken collectively the diphtheria death-rate was 17, in the smaller burghs 18, and in the county districts 12. In the larger burghs relatively high death-rates from this cause occurred in Kirkcaldy (49), in Ayr (27), in Hamilton (23), in Dundee (22), and in Perth (20). In Glasgow this rate was 17, in Edinburgh 18, and in Aberdeen 13. (*Tables 32-40.*)

Principal Epidemic Diseases.—Enteric fever, scarlet fever, measles, whooping-cough, and diphtheria, along with diarrhoeas among children of less than two years old, are, for statistical purposes, grouped as the principal epidemic diseases, and the collective death-rate due to them is called the principal epidemic diseases death-rate. This rate for the year was 1·00 per thousand, which is 0·26 less than that of 1917, 0·14 less than that of 1916, and 0·82 less than that of 1915. In the larger burghs taken collectively this rate was 1·10; in the smaller burghs, 0·98; and in the county districts, 0·85. That of the larger burghs is 0·55 less than in the previous year, and that of the county districts is 0·03 less, but that of the smaller burghs is 0·11 more. In the larger burghs taken individually the highest death-rates from these causes were 2·28 in Hamilton, 1·87 in Greenock, 1·46 in Ayr, 1·31 in Motherwell, 1·28 in Coatbridge, and 1·24 in Glasgow. In the smaller burghs, exclusive of those with populations of less than 1000, the highest rates were 4·97 in Lochmaben, 4·85 in Rattray, 4·35 in Armadale, 4·07 in Port-Glasgow, 3·43 in Tranent, 3·32 in Denny and Dunipace, and 3·22 in Wishaw. In the county districts the highest rates were 2·43 in South Ronaldshay District of Orkney, 2·04 in Langholm District of Dumfries, 1·85 in Bathgate District of Linlithgow, 1·81 in Middle Ward District of Lanark, and 1·58 in Thornhill District of Dumfries.

Other Epidemic Diseases.—Deaths due to epidemic or infectious disease other than those already named, and exclusive of those from influenza, include 83 from erysipelas, 15 from malaria, 10 from chicken-pox, 8 from cholera nostras, 5 from paratyphoid, 2 from plague, 2 each from mumps and German measles, and 1 each from Mediterranean fever, actinomycosis, and mycosis fungoides.

Influenza.—During the year now under review, 1918, there was

a severe and widespread epidemic of influenza in Scotland. It was not limited to the year but extended into the year 1919, and to enable the statistics of the epidemic to be dealt with collectively a special report was prepared and issued as a supplement to the Registrar-General's Annual Reports.* That Report deals with 17,575 deaths from influenza, and gives their geographical distribution, their age and sex distributions, and detail of the complicating diseases. The influenza figures given in this Report deal with those registered in the year 1918 only, and consequently are not so complete as those given in the supplementary report. By the method of tabulation adopted in this Department during recent years deaths attributed to influenza were only so classified when influenza was either the sole cause named or named in conjunction with some ill-defined condition, classification preference being given to other well-defined causes of death named in the certificates, *e.g.*, pneumonia or tuberculosis. The year 1918 was one in which there was a severe epidemic of influenza, and the influenza statistics have been doubly tabulated; in the routine tables—page 42 onwards of this Report—the usual method of tabulation has been adhered to, but in special tables—Tables N. and O.—all deaths attributed to influenza, whether as sole cause or as the primary cause or as a contributory cause, have been included. Special influenza tabulations, though not so elaborate as those incorporated in this Report, were made in the years 1889 to 1910, and for those years figures showing the total influenza mortality are available, but from 1911 to 1917 no such double tabulations were made, and the numbers available for comparison are only those of the deaths of which influenza was the sole named cause.

The total number of deaths during the year of which influenza was an ascribed cause was 11,111, deaths of which influenza was the sole named cause numbering 1878, and those of which influenza was one of two or more named causes numbering 9233. These three numbers are markedly greater than previously recorded. In the years 1889 to 1910, those years for which the total number of influenza deaths are available, the greatest numbers occurred in 1900 and in 1891, these being 2826 and 2508 respectively, and compared with the greater of them that of this year, 11,111, is nearly four times as large. Comparing the number of deaths of which influenza was the sole named cause with those of the years 1911 to 1917, a great difference is also found, for the maximum in these seven years was only 542, while that of this year, 1878, is approximately three and a half times as great. In the 22 years 1889 to 1910 the total influenza deaths averaged 1197 annually, and compared with that average the number of such deaths in 1918 is 9914, or 828 per cent., more. Deaths of which influenza was the sole named cause in the years 1911 to 1917 averaged 309, and compared with it the number in 1918 is 1569, or 508 per cent., more.

During the year the total deaths from influenza among males numbered 5294, and among females 5817. Those of which influenza was the sole named cause numbered 831 among the males, and 1047 among the females.

* Report on the Mortality from Influenza in Scotland during the Epidemic of 1918-1919. A Supplement to the Annual Reports of the Registrar-General for Scotland. (Cmd. 282.)

The total death-rate attributable to influenza was 227 per 100,000; in the male population this rate was 223, and in the female population 231. Deaths ascribed solely to influenza equalled a death-rate of 38 per 100,000 in the general population, 35 in the male population, and 42 in the female.

Deaths ascribed to influenza were much more numerous in the second half than in the first half of the year. From January to June the monthly number varied from 27 in February to 77 in May, and averaged 53; in July this number rose to 768, in August it fell to 232, and in September remained comparatively low, being 240. In October this number rose to 3714, and in November to 4272, while in December it remained high, being 1569. The average monthly number in the second half of the year was 1799, while that in the fourth quarter of the year was 3185. An examination of the numbers of deaths solely attributed to influenza shows a very similar distribution. In the first half of the year they averaged 21 per month; in July the number rose to 172, and in August fell to 63. In September the number remained low, being 57, but in October rose to 557, and in November to 644, while the number in December remained high at 256. The monthly average in the second half of the year was 292, and in the fourth quarter of the year 486.

The age distribution of those dying from influenza, uncomplicated or complicated by other disease, is shown in Table O. It may there be seen that the largest numbers were in age-groups 25 to 34, 15 to 24, 35 to 44, and 1 to 4, these being 2742, 1819, 1304, and 1182 respectively. Of the total influenza deaths of the year, 5865, or 52·8 per cent., were aged between 15 and 45. The influenza death-rate per 100,000 of the estimated population in age-group under 1 was 336; but was less in other age-groups under 25; it was 271 in age-group 1 to 4, 113 in age-group 5 to 9, and 92 in age-group 10 to 14, in which age-group the lowest of these rates occurred. In age-group 15 to 25 it was 201, and in age-group 25 to 34, 360, after which a further drop occurred, the rate falling

TABLE N.—Deaths from Influenza in Scotland in each month, 1918.

MONTHS.	TOTAL.	Influenza— sole named Cause.	Influenza— named with other Causes.
January . . .	47	19	28
February . . .	27	13	14
March . . .	47	21	26
April . . .	66	32	34
May . . .	77	23	54
June . . .	52	21	31
July . . .	768	172	596
August . . .	232	63	169
September . . .	240	57	183
October . . .	3714	557	3157
November . . .	4272	644	3628
December . . .	1569	256	1313
YEAR . . .	11,111	1878	9233

to 212 in age-group 35 to 44, and to 209 in age-group 45 to 54. Thereafter the rate was an increasing one, rising to 232 in age-group 55 to 64, to 309 in age-group 65 to 74, and to 510, the highest of all, in age-group 75 and over. Thus the aged suffered most, and next to them those of early middle life, 25 to 34, and the very young, while youth, 5 to 15, and later middle life, 45 to 64, suffered least.

Of diseases complicating influenza, or named in death certificates along with influenza, by far the most frequent was pneumonia. The total deaths from influenza numbered 11,111, and the total deaths from influenza complicated by some other disease was 9233, while in 7084 instances pneumonia, lobar or catarrhal, was the complicating disease. These deaths amount to 53.76 per cent. of the total influenza deaths of the year, and to 76.72 per cent. of those where more than one cause of death was stated on the certificates. Of these deaths from pneumonia and influenza, the majority, 4286, were of persons of between 15 and 45 years of age, 2068 being among those of 25 but under 35, 1335 among those of 15 but under 25, and 883 among those of 35 but under 45. These influenza-pneumonia deaths at ages between 15 and 45 go far to explain the excessive mortality at these ages, and the excessive mortality from pneumonia, which occurred during the year, and which is referred to elsewhere in this Report. The influenza-pneumonia deaths were nearly equally divided between the two sexes, those among males numbering 3551, and those among females 3533.

TABLE O.—Deaths from Influenza at various Age Periods, 1918.

INFLUENZA.	ALL AGES.			AGE.											
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Only Named Cause	1878	831	1047	135	193	113	92	217	258	174	167	146	178	205	
Named along with—															
Other Epidemic Diseases	78	41	37	7	37	15	1	11	3	2	1	—	1	—	
Pulmonary Tuberculosis	183	92	91	—	2	8	10	46	63	25	17	8	5	1	
Other Forms of Tuberculosis	35	17	18	—	4	5	6	11	8	1	—	—	—	—	
Meningitis (not Tuberc. or Cerebro spinal)	187	93	94	15	57	33	14	19	18	13	7	7	2	2	
Heart Disease	259	92	167	—	2	3	6	32	49	42	43	38	32	12	
Bronchitis	681	307	374	28	53	24	18	40	76	69	106	107	101	59	
Pneumonia	7084	3551	3533	180	795	372	304	1335	2068	883	548	333	199	67	
Other Diseases of Respiratory System	227	101	126	6	26	16	6	28	39	22	26	28	17	13	
All Dis. and Acc. of Pregnancy and Parturition	185	—	185	—	—	—	—	49	105	31	—	—	—	—	
All Other Causes	314	169	145	3	13	8	8	31	55	42	45	38	51	20	
TOTAL	11,111	5294	5817	374	1182	595	465	1819	2742	1304	960	705	586	379	
Death-rates per 100,000	227	223	231	336	271	113	92	201	360	212	209	232	309	510	

NOTE.—Those deaths included in the first line under the heading "Only Named Cause" are alone included under the heading "Influenza" in the principal death tabulation, all other deaths included in this Table being classed in that tabulation to the other named Cause, e.g., "Pneumonia," "Pulmonary Tuberculosis," etc.

Next to pneumonia, bronchitis was the cause of death most frequently associated with influenza, the deaths from influenza and bronchitis numbering 681, constituting 6.13 per cent. of the total influenza deaths, and 7.37 per cent. of the deaths from influenza complicated by some other disease. These deaths were more frequent at older ages and less frequent in early middle life than were the influenza-pneumonia deaths; of the 681 deaths, 373 were among persons of 45 and over, 185 among those of 15 but under 45, and 123 among those of under 15. Influenza-bronchitis deaths were more numerous among females than males, the former numbering 374, and the latter 307.

Next in order of frequency come deaths from influenza complicated by heart diseases, and from those complicated by diseases of the respiratory system other than pneumonia and bronchitis, the former numbering 259 and constituting 2.33 per cent. of the total, and the latter numbering 227 and constituting 2.04 per cent. of the total. Deaths from influenza complicated by phthisis, those from influenza complicated by meningitis other than tuberculous, and those from influenza complicated by pregnancy and childbirth were approximately of the same amount, the respective numbers being 183, 187, and 185, and the percentages constituted of the total influenza deaths being 1.65, 1.68, and 1.67 respectively. These deaths from phthisis, from meningitis, and from diseases and accidents of pregnancy and childbirth along with influenza are sufficient to explain the comparatively large number of deaths from those causes, commented on elsewhere in this Report.

Other causes of death named comparatively frequently along with influenza in the death certificates were other epidemic diseases (measles, whooping-cough, etc.) and tuberculosis other than pulmonary; the former number 78, and the latter 35.

Tuberculosis.—Deaths from all forms of tuberculous disease, including those ascribed to phthisis, numbered 7700. This number is 75 more than that of the previous year, and 28 more than that of 1916, but is 63 less than the mean of the numbers of the preceding five years, and 561 less than the mean of those of the preceding ten years. It is less than in all previous years since the institution of registration with the exception of the years 1914, 1916, and 1917. A maximum number of deaths from tuberculosis occurred in Scotland in 1870 and was 13,027; compared with it that of 1918 is 5327, or 40.9 per cent., less. From 1855 to 1888 deaths from tuberculosis constantly numbered more than 10,000 annually, the years 1856 and 1859 excepted. From 1888 to 1909 these deaths were constantly over 9000, from 1910 to 1913 the annual numbers were between 8000 and 9000, but since then have been less than 8000, having been between 7625 and 7819. (*Table 39.*)

Deaths among males from tuberculosis numbered 3777, and among females 3923, the former being 114 less, but the latter 189 more, than in the previous year. (*Table 35.*)

The general death-rate from tuberculosis was 158 per 100,000, which is 1 more than in the previous year, 4 less than the mean of those of the preceding five years, and 16 less than the mean of those of the preceding ten years. It is less than the tuberculosis death-rate of all years previous to 1917. In 1870 this death-rate attained a maximum of 404 per 100,000, and compared with it that of this

year is 61·1 per cent. less. The male tuberculosis death-rate of the year was 159, and the female 156, the former being 6 less, but the latter 7 more, than in the previous year. (*Table 40.*)

In the larger burghs taken collectively the tuberculosis death-rate was 172; in the smaller burghs, 141; and in the county districts, 127. In the larger burghs this rate is 8 less than in the previous year, but in the smaller burghs it is 1, and in the county districts 8, more than in that year. (*Table 36.*)

In the larger burghs taken individually this death-rate ranged from 207 in Coatbridge, 194 in Leith and in Greenock, 190 in Dundee, 187 in Kilmarnock, and 187 in Falkirk, to 106 in Kirkcaldy, 124 in Motherwell, 142 in Clydebank, 142 in Paisley, and 145 in Edinburgh. (*Table 4.*)

In those of the smaller burghs which have populations of more than 1000 this rate ranged from 554 per 100,000 in Rattray, 466 in Tillicoultry, 457 in Rothes, 393 in Charlestown of Aberlour, 356 in Kirkcudbright, 300 in Blairgowrie, and 298 in Lochmaben, to 0 in Markinch, in Anstruther-Easter, in Biggar, and in Laurencekirk, 23 in Dysart, 30 in North Berwick, 32 in Dunblane, and 36 in Cockenzie and Port Seton. (*Table 5.*)

In county districts the tuberculosis death-rate varied from 282 in Walls District of Orkney, 273 in Black Isle District of Ross and Cromarty, 258 in Western District of Kirkcudbright, 249 in North Isles District of Shetland, and 246 in Western District of Ross and Cromarty, to 44 in Banff District of Banff, 46 in County District of Nairn, 46 in Jedburgh District of Roxburgh, 47 in Lochaber District of Inverness and in Laurencekirk District of Kincardine, and 48 in Ellon District of Aberdeen. (*Table 6.*)

TABLE P.—Death-rate from Tuberculosis in 1918.

	Estimated Population	Death-rate per 100,000 from				
		All Tuber- culosis.	Pulmon. Tuberc.	Tuberc. Meningitis	Abdom. Tuberc.	Other Tuberc.
SCOTLAND . . .	4,886,274	158	107	17	15	19
Males . . .	2,369,828	159	108	17	15	20
Females . . .	2,516,446	156	106	17	15	17
Larger Burghs . . .	2,402,496	172	115	21	16	21
Smaller Burghs . . .	958,974	141	92	15	16	19
County Districts . . .	1,524,804	127	87	18	18	14
Glasgow . . .	1,111,428	183	124	21	16	21
Edinburgh . . .	333,883	145	96	20	11	17
Dundee . . .	181,777	190	141	14	14	22
Aberdeen . . .	166,564	163	111	22	17	13
Paisley . . .	89,425	142	92	9	17	25
Leith . . .	83,828	194	120	30	16	29
Greenock . . .	79,574	194	111	30	30	23
Coatbridge . . .	44,513	207	137	25	22	22
Motherwell . . .	42,042	124	90	21	5	7
Kirkcaldy . . .	40,572	106	77	10	2	17
Hamilton . . .	39,531	164	91	25	33	15
Clydebank . . .	47,307	142	89	27	11	15
Perth . . .	35,844	156	89	17	22	23
Kilmarnock . . .	37,387	187	123	19	13	32
Falkirk . . .	35,251	187	105	31	17	34
Ayr . . .	33,570	152	83	30	12	27

Of the 7700 deaths from tuberculous disease registered during the year, 5053, or 65·62 per cent., were attributed to phthisis; 164, or 2·13 per cent., to acute phthisis; 65, or 0·84 per cent., to acute miliary tuberculosis; 834, or 10·83 per cent., to tuberculous meningitis; 738, or 9·59 per cent., to abdominal tuberculosis; 172, or 2·23 per cent., to tuberculosis of the spine; 55, or 0·71 per cent., to tuberculosis of joints; and 619, or 8·05 per cent., to other forms of tuberculous disease. Compared with the number in the previous year, deaths from phthisis are 111 more, those from acute phthisis are 33 more, those from tuberculosis of the spine are 33 more, and those from "other tuberculous disease" are 12 more, while those from acute miliary tuberculosis are 35 fewer, those from tuberculous meningitis are 27 fewer, those from abdominal tuberculosis are 50 fewer, and those from tuberculosis of joints are 2 fewer. (Page 42.)

Deaths from phthisis, including those attributed to acute phthisis, numbered 5217. This number is 144 more than that of the previous year, and 115 more than the mean of those of the five preceding years, but is 159 less than the mean of those of the ten preceding years. It is more than the numbers of each of the four years 1917, 1916, 1914, and 1913, but less than those of all other years. A maximum number of deaths from phthisis in Scotland occurred in 1870 and was 9148; compared with that figure the number of 1918 is 3931, or 43·0 per cent., less. (Table 39.)

The phthisis death-rate of the year was 107 per 100,000. This rate is 3 more than that of the previous year, but is the same as the mean of the rates of the preceding five years, and is 6 less than the mean of those of the preceding ten years. Phthisis death-rates of 283 occurred in the years 1870 and 1860; compared with them that of this year is 176, or 62·2 per cent., less. Thus the phthisis death-rate of the years is less than two-fifths and little more than one-third of what it was in the year 1870. A comparison between the means of the phthisis death-rates in each ten-yearly period since 1860 shows a very marked decline; the mean of the death-rates 1861 to 1870 was 268 per 100,000; 1871 to 1880, 244; 1881 to 1890, 202; 1891 to 1900, 171; 1901 to 1910, 139; and the mean of those of the eight years 1911 to 1918 is 108. The mean of these rates in the seventies is 9·0 per cent. less than that in the sixties; in the eighties, 17·2 per cent. less than that in the seventies; in the nineties, 15·3 per cent. less than in the eighties; in the years 1901 to 1910, 18·7 per cent. less than in the nineties; and the mean of the rates in the years 1911 to 1918 is 22·3 per cent. less than in the preceding decade. The phthisis death-rate of the year now under review, 1918, is 23·0 per cent. less than the mean of those of the decade 1901 to 1910, 37·4 less than that of the decade 1891 to 1900, 47·0 per cent. less than that of the decade 1881 to 1890, 56·1 per cent. less than that of the decade 1871 to 1880, and 60·1 per cent. less than that of the decade 1861 to 1870. (Table 40.)

Of the deaths from phthisis registered during the year, 2554 were of males, and 2663 of females. The male phthisis death-rate of the year was 108, and the female 106, per 100,000, the former being 2 less, but the latter 7 more, than in the previous year. (Tables 35 and 36.)

In the larger burghs taken collectively the phthisis death-rate of

the year was 115; in the smaller burghs, 92; and in the county districts, 87. In the larger burghs this rate is 4 less, in the smaller burghs 3 more, and in the county districts 6 more than in the previous years. (*Table 36.*)

In the larger burghs taken individually this rate varied from 141 in Dundee, 137 in Coatbridge, 124 in Glasgow, and 123 in Kilmarnock, to 77 in Kirkcaldy, 83 in Ayr, 89 in Clydebank and in Perth, 90 in Motherwell, 91 in Hamilton, and 92 in Paisley. In Edinburgh this rate was 96, and in Aberdeen 111. (*Table 4.*)

In burghs with populations of more than 1000 but less than 30,000 this rate varied from 366 in Rothes, 346 in Rattray, 314 in Charlestown of Aberlour, 298 in Lochmaben, 261 in Ladybank and Monkston, 240 in Whitburn, 233 in Wigtown, and 227 in Portknockie, to 0 in eleven. (*Table 5.*)

In county districts the death-rate from phthisis during the year varied from 217 in Mull District of Argyll, 212 in Walls District of Orkney, 208 in Harris District of Inverness, 204 in North Isles District of Shetland, 198 in Black Isle District of Ross and Cromarty, 197 in Western District of Ross and Cromarty, 187 in Skye District of Inverness, 179 in North Uist District and 172 in South Uist District of Inverness, and 170 in Langholm District of Dumfries, to 0 in Jedburgh District of Roxburgh and in Lower Deeside District of Kincardine, 23 in Laurencekirk District of Kincardine, 25 in Banff District of Banff, and 26 in Arbroath District of Forfar. (*Table 6.*)

The largest number of persons dying from phthisis were aged between 15 and 45; they in all numbered 3460, and constituted 66·3 per cent. of the total. Phthisis deaths at ages under 15 numbered 482, and constituted 9·2 per cent. of the total, while those at ages 45 and upwards numbered 1275, and constituted 24·5 per cent. of the total. The phthisis age-group death-rates varied between 165 in age-group 35 to 44, 163 in age-group 45 to 54, and 159 in age-group 25 to 34, to 21 in age-group under 1, 23 in age-group 75 and over, 25 in age-group 1 to 4, and 21 in age-group 5 to 9. (*Tables 32 and 33.*)

The monthly number of deaths from phthisis during the year averaged 435, and varied between 536 in November, 491 in April, 481 in July, 475 in May, and 473 in March, to 304 in September, 344 in August, 381 in June, and 399 in February. Compared with those of the previous year these numbers in January, February, March, and June show significant decreases, while those in July, October, and November show significant increases. The increases in the months of October and November, 147 and 236, were each sufficient to account for the excess of phthisis deaths in this year over those in the previous year. It may be noted that the three months in which phthisis deaths were comparatively numerous, July, October, and November, are the three months in which influenza was epidemic. (*Page 70.*)

Deaths from tuberculous meningitis, which numbered 834, equal a death-rate of 17 per 100,000, which is 1 less than in the previous year. The male death-rate from this cause was 17, as was also the female death-rate. In the larger burghs taken collectively this death-rate was 21; in the smaller burghs, 15; and in the county districts, 13. Of these deaths the majority, 664, or 79·6 per cent.,

were among children of less than 10 years old. (*Tables 32 to 36.*)

Deaths from abdominal tuberculosis, which numbered 738, equal a death-rate of 15 per 100,000. The male and female death-rates from this cause were each of the same amount. In the previous year the death-rate from this cause was 16. In the larger burghs taken collectively this rate was 16; in the smaller burghs, 16; and in the county districts, 13. Of these deaths, 424, or 57.5 per cent., were among children of less than 10 years old. (*Tables 32-36.*)

Malignant Disease.—Deaths ascribed to cancer and other forms of malignant disease numbered 5472. This number is 72 less than that of the previous year, but is 99 more than the mean of those of the five preceding years, and 345 more than the mean of those of the preceding ten years. It is larger than those of all previous years, that of the previous year, 1917 excepted. For the third year in succession deaths from cancer outnumbered those from phthisis. In 1915 deaths from these two causes were of the same number, but in all years previous to 1915 phthisis deaths outnumbered those from cancer. In the years 1855 to 1871 deaths from cancer numbered less than 1500 annually, in the years 1872 to 1881 more than 1500 but less than 2000, in the years 1882 to 1888 more than 2000 but less than 2500, in the years 1891 to 1895 more than 2500 but less than 3000, in the years 1896 to 1904 more than 3000 but less than 4000, and since 1912 they have constantly been over 5000. (*Table 39.*)

The cancer death-rate of the year was 112 per 100,000. This rate is 2 less than in the previous year, but is the same as the mean of those of the preceding five years, while it is 4 more than the mean of those of the preceding ten years. It is more than those of all previous years, those of 1917, 1916, and 1914 excepted. In the decade 1861 to 1870 the mean of the cancer death-rates was 42 per 100,000; in the decade 1871 to 1880, 49; in the decade 1881 to 1890, 59; in the decade 1891 to 1900, 74; in the decade 1900 to 1910, 93; while from 1911 to 1918 it has averaged 111. (*Table 40.*)

Deaths from cancer among males numbered 2289, and among females 3183. The male cancer death-rate of the year was 96, and the female death-rate was 126. In the previous year these two death-rates were 99 and 128 respectively. (*Tables 35 and 36.*)

In the larger burghs taken collectively the cancer death-rate was 111; in the smaller burghs, 123; and in the county districts, 103. Compared with the rate of the previous year, that of the larger burghs is 1 more, but that of the smaller burghs is 7 less, and that of the county districts is 6 less. (*Tables 35 and 36.*)

The age-group death-rates from this cause were highest in age-groups 75 and over (1079 per 100,000), 65 to 74 (777), 55 to 64 (514), and 45 to 54 (231). In age-groups under 35 it was 14 or less, and in age-group 35 to 44 it was 67. Of the 5472 deaths from malignant disease, 4896, or 89.5 per cent., were among persons of 45 and over; 516, or 9.4 per cent., among persons of more than 25 but less than 45; and 60, or 1.1 per cent., among persons of under 25. (*Table 33.*)

Of these 5472 deaths, 3213 were ascribed to carcinoma, 251 to sarcoma, and 2008 to other or undefined forms of malignant disease. In the previous year these three numbers were 3225, 227, and 2092. (*Page 42.*)

The most frequent sites of malignant disease among males during the year were the stomach, 608 instances; intestines, 328; liver, 234; rectum, 173; and tongue, 108. Comparing these numbers with those of the previous year it is found that all five are very similar; deaths from malignant disease of the stomach number 3 more, and those from malignant disease of the intestines 2 more, while those from malignant disease of the liver are of the same number, and those from malignant disease of the rectum are 8 fewer, and those from malignant disease of the tongue are 11 fewer. (*Table 42.*)

The most frequent sites of malignant disease among females were stomach (585), uterus (489), intestines (479), breast (445), liver (331), and rectum (141). Compared with those of the previous year, deaths among females from malignant disease of the uterus are 40 more, but the other named are all fewer, those of the breast being 35 fewer, of the intestines 25 fewer, of the stomach 16 fewer, of the rectum 10 fewer, and of the liver 3 fewer. (*Table 42.*)

Syphilis.—Syphilis was the stated cause of death in 177 instances. This number is 22 less than in the previous year, 20 less than the mean of those of the five preceding years, and 32 less than the mean of those of the preceding ten years. The death-rate from this cause was 4 per 100,000, which equals the lowest previously recorded. Of these 177 deaths, 130 were among children of less than one year old, in the previous year this number was 145. In addition to these 177 deaths of which syphilis was the ascribed cause, there were 477 from parasymphilitic diseases, including 273 from general paralysis of the insane, 123 from aneurysm, and 81 from locomotor ataxia. The total deaths from syphilis and parasymphilitic diseases was 654, which equals a death-rate of 13 per 100,000, and is 9 less than in the previous year. Those from general paralysis of the insane are 9 fewer, but those from locomotor ataxia are 18, and from aneurysm 4, more than in that year. (*Tables 39-40 and pages 42-43.*)

Other General Diseases.—The foregoing causes of death are of a general rather than of a local anatomical distribution, and in addition to them the following deaths from general diseases, among others, occurred during the year, the numbers given being those of the numbers of deaths recorded:—Chronic Rheumatism, Gout, and Osteoarthritis, 147; Acute Rheumatism, 151; Diabetes, 440; Exophthalmic Goitre, 65; Leucocythæmia, 41; Lymphadenoma, 45; Anæmia and Chlorosis, 463; and Alcoholism, 48. Compared with the number in the previous year, diabetes, exophthalmic goitre, and lymphadenoma are found to be more numerous, the excesses being 40, 28, and 6 respectively, while those from chronic rheumatism (including gout and osteo-arthritis), acute rheumatism, leucocythæmia, anæmia, and alcoholism are found to be fewer, the differences being 67, 8, 6, 15, and 34 respectively. The reduction in the number of deaths attributed to alcoholism since 1915 has been marked; in 1915 the number was 237; in 1916, 147; in 1917, 82; and in 1918, 48. (*Page 42.*)

Disease of the Nervous System.—Deaths ascribed to diseases of the nervous system during the year, including those from diseases of the eye and ear, numbered 8736, which is 233 less than in the previous year. Among others these included 124 from cerebro-

spinal meningitis, 991 from meningitis other than tuberculous or cerebro-spinal, 5002 from apoplexy, including those certified as due to hemiplegia, 294 from epilepsy, 672 from convulsions, 118 from cerebral tumour, and 116 from diseases of the ear and mastoid. Deaths due to infantile paralysis numbered 13; in 1917 this number was 10. Compared with the number in the previous year, deaths from meningitis other than cerebro-spinal or tuberculous are 193 more, from epilepsy 20 more, but those from convulsions are 69 fewer, from cerebro-spinal meningitis 42 fewer, from apoplexy and hemiplegia 180 fewer, from cerebral tumour 29 fewer, and from diseases of the ear and mastoid 30 fewer. (*Page 43.*)

Diseases of the Circulatory System.—Deaths attributed to diseases of the circulatory system numbered 7798, which is 80 less than in the previous year. They include 6576 from diseases of the heart, 1171 from diseases of the blood vessels, and 51 others. Deaths from diseases of the heart are 82 fewer than in the previous year, and those from diseases of the blood vessels are 11 fewer. The deaths from diseases of the heart included 43 from pericarditis, 179 from acute endocarditis, 3260 from valvular disease, 236 from fatty degeneration of the heart, 221 from angina pectoris, and 2637 from other, or unspecified, diseases of the heart. The deaths from diseases of blood vessels included 123 from aneurysm, 425 from arteriosclerosis, 502 from cerebral embolism or thrombosis, 98 from embolism and thrombosis other than cerebral, and 23 others. Deaths from diseases of the circulatory system other than those from diseases of the heart and blood vessels included 33 from hæmorrhage of an unspecified nature, and 18 from diseases of the lymphatic system, the latter including 5 from lymphatism or status lymphaticus. (*Page 43.*)

Diseases of the Respiratory System.—These deaths collectively numbered 20,781, which is 9597, or 85·8 per cent., more than in the previous year. They include 5217 from bronchitis, 5063 from broncho-pneumonia, 9281 from pneumonia other than broncho-pneumonia, 322 from pleurisy, 507 from pulmonary congestion, 144 from diseases of the larynx, 7 from diseases of the nose, 33 from diseases of the thyroid, and 207 others. Comparison with the corresponding figures of the previous year shows deaths from pleurisy to be 82 more, from pulmonary congestion to be 72 more, but those from diseases of the larynx to be 14 fewer, while those from diseases of the nose are of the same amount. (*Page 43.*)

Bronchitis was the stated cause of death in 5217 instances. This number is 441 more than in the previous year, 189 more than the mean of the numbers of the five preceding years, and 250 more than the mean of those of the ten preceding years. These deaths equal a death-rate of 107 per 100,000, which is 9 more than that of the previous year, 2 more than the mean of those of the preceding five years, and 2 more than the mean of those of the preceding ten years. The bronchitis death-rate in the male population was 107, and of the same amount in the female population. In the larger burghs taken collectively this death-rate was 117; in the smaller burghs, 106; and in the county districts, 90; in the previous year these three figures were 107, 105, and 81. In the larger burghs taken individually this death-rate varied from

171 in Coatbridge, 165 in Kirkcaldy, and 150 in Greenock and in Kilmarnock, to 63 in Clydebank, 71 in Motherwell, and 89 in Edinburgh and in Ayr. In Glasgow this rate was 126; in Dundee, 125; and in Aberdeen, 105. Of the total deaths from bronchitis, 19·6 per cent. were among children of less than 5 years old, 36·1 per cent. among persons of 5 but less than 65 years old, and 44·3 per cent. among persons of 65 and over. The age-group death-rates from bronchitis were highest in the older age-groups and in infancy. In age-group over 75 it was 1509 per 100,000; in age-group 65 to 74, 625; and in age-group under 1, 605. It was lowest in age-groups between 5 and 35, those in age-groups 5 to 9, 10 to 15, 15 to 24, and 25 to 34, being 11, 7, 10, and 21 respectively. The months of the year in which deaths from bronchitis were most numerous were November, December, January, and October, when the numbers were 801, 674, 657, and 638 respectively, and least numerous in August, June, and September, when the numbers were 148, 194, and 195 respectively. (*Tables 32-40 and page 71.*)

Pneumonia—The total number of deaths ascribed to pneumonia during the year was 14,344, 5063 being ascribed to broncho-pneumonia, and 9281 to lobar pneumonia or to pneumonia not otherwise specified. In the previous year the total deaths from pneumonia numbered 5353, those ascribed to broncho-pneumonia numbering 2409, and to other forms of pneumonia 2944. Thus the total deaths from pneumonia are 8991, or 168·0 per cent., more than in the previous year, those from broncho-pneumonia are 2654, or 110·2 per cent., more, and those from other pneumonias are 6337, or 215·3 per cent., more. The total deaths from pneumonia are 8495 more than the mean of the numbers of the preceding five years, and 8192 more than the mean of those of the preceding ten years. It is the largest number of deaths from pneumonia yet registered in Scotland in any one year, the previous largest being 7393, which occurred in 1915, compared with which that of this year is nearly double. (*Table 39 and page 43.*)

The death-rate from pneumonia, all forms included, was 293 per 100,000, which is 183 more than in the previous year, 171 more than the mean of the rates of the preceding five years, and 163 more than the mean of those of the preceding ten years. It is the highest Scottish pneumonia death-rate yet recorded. Deaths certified as due to pneumonia in conjunction with influenza numbered 7084, and go far to account for the excessive number of deaths from pneumonia occurring during the year. In the male population the pneumonia death-rate was 318 per 100,000, and in the female population it was 270. In the larger burghs taken collectively deaths from pneumonia numbered 7581, and the death-rate was 316; in the smaller burghs these deaths numbered 2506, and this death-rate was 261; in the county districts these deaths numbered 3891, and this death-rate was 255. This death-rate in the larger burghs was 186 more than in the previous year; in the smaller burghs, 174 more; and in the county districts, 163 more. In the larger burghs taken individually this death-rate varied from 373 in Falkirk, 351 in Glasgow, 347 in Coatbridge, and 321 in Dundee, to 216 in Paisley, 239 in Kirkcaldy, 246 in Motherwell, and 256 in Aberdeen. (*Tables 32-40.*)

Of the 14,344 persons dying from pneumonia during the year,

3770, or 26·3 per cent., were less than 5 years old; 9388, or 65·4 per cent., were 5 but less than 65 years old; and 1186, or 8·3 per cent., were 65 and over. Deaths from pneumonia among children of less than 5 years old are 1325, or 54·2 per cent., more than in the previous year, those among persons aged 5 but less than 65 are 7509, or 399·6 per cent., more than in that year, and those among persons of 65 and over are 157, or 15·3 per cent., more. Restricting to smaller age-groups it is found that the largest increases were in age-groups 25 to 34, 15 to 24, 1 to 4, and 35 to 44, in which the increases were 2678, 1788, 1248, and 1107 respectively. In age-group 1 to 4 the pneumonia deaths were 2·02 times as many in this as in the previous year; in age-group 35 to 44, 4·77 times as many; in age-group 15 to 24, 11·04 times as many; and in age-group 25 to 34, 13·34 times as many. The only age-group in which the pneumonia deaths were fewer in this than in the previous year was that of age 75 and upwards, in which age-group in this year they numbered 450, and in the previous year 459. (*Table 32.*)

A comparison between the age-group death-rates from pneumonia in this and in the previous year brings out some marked contrasts. In age-group 10 to 15 this rate rose from 14 to 94 per 100,000, in age-group 15 to 24 from 20 to 217, in age-group 25 to 34 from 29 to 380, in age-group 35 to 44 from 48 to 227, and in age-group 45 to 54 from 92 to 235. In age-group under 1 the rise was from 1108 to 1170, in age-group 1 to 4 from 282 to 567, and in age-group 5 to 9 from 26 to 130. In age-group 55 to 64 this rise was from 187 to 293, and in age-group 65 to 74 from 302 to 388, but in age-group 75 and upwards there was a fall, one from 621 to 605. (*Table 33.*)

The deaths of the year from pneumonia, those from broncho-pneumonia included, constituted 18·30 per cent. of the total deaths of the year. In the previous year this percentage was 7·70. If the deaths from pneumonia and bronchitis be taken collectively they are found to number 19,561, and constitute 24·96 per cent., or very nearly one-quarter, of the total deaths of the year. In the previous year these deaths collectively numbered 10,129, and constituted 14·58 per cent. of the total. (*Table 39.*)

Diseases of the Digestive System.—Deaths attributed to the various diseases of the digestive system during the year numbered 4140, and are 483 fewer than in the previous year. They included 90 from diseases of the mouth and pharynx, 891 from diseases of the stomach, 2647 from diseases of the intestines, 392 from diseases of the liver, and 120 others, these last including 9 from diseases of the spleen, and 88 from peritonitis, the cause of which was unspecified. Compared with the returns of the previous year, deaths from diseases of the mouth and pharynx are 8 fewer, those from diseases of the stomach are 17 fewer, those from diseases of the intestines are 389 fewer, and those from diseases of the liver are 49 fewer. Of the deaths from diseases of the stomach, 367 were ascribed to gastric ulcer, this number being 31 more than in the previous year. Of the 2647 deaths ascribed to diseases of the intestines, 1489 were ascribed to enteritis, 1046 of which were among children of less than two years old, and 443 among persons of over that age, the former number being 172, and the latter 143, less than in the preceding year. Of these 2647 deaths, 402 were

attributed to appendicitis, 222 to hernia, and 314 to intestinal obstruction, these three numbers being 28, 7, and 2 less in this than in the previous year. The 392 deaths from diseases of the liver included 139 from cirrhosis, 92 from gallstones, 14 from acute yellow atrophy, and 1 from hydatids; in the previous year these four numbers were 190, 89, 8, and 2. Deaths from cirrhosis of the liver have shown a decided diminution in recent years; in 1913 they numbered 256; in 1914, 279; in 1915, 231; in 1916, 206; in 1917, 190; and in 1918, 139. (Page 44.)

Diarrhoea.—Deaths from all forms of diarrhoeas, including those certified as due to diarrhoea, to enteritis, to gastro-enteritis, to dysentery, and to cholera nostras, numbered 1507. This number is 320 less than that of the previous year, 869 less than the mean of the numbers of the five preceding years, and 953 less than the mean of those of the ten preceding years. It is the smallest number of deaths from these causes taken collectively yet recorded, that of the previous year being the next smallest. The death-rate from these causes taken collectively was 31 per 100,000, which is 7 less than that of the previous year, 18 less than the mean of those of the preceding five years, and 21 less than the mean of those of the preceding ten years. (Tables 39 and 40.)

Diseases of the Genito-Urinary System.—These collectively numbered 2856, which is 124 less than in the previous year. These deaths included 2169 from diseases of the kidney, 285 from diseases of the bladder and urethra, 245 from diseases of the male reproductive organs, and 157 from diseases of the female reproductive organs. Compared with the number of the previous year, deaths from diseases of the kidney are 122 fewer, and those from diseases of the bladder and urethra are 36 fewer, but those from diseases of the male reproductive organs are 26 more, and from those of the female reproductive organs are 8 more. The 2169 deaths from diseases of the kidneys include 1784 from Bright's disease or from chronic nephritis or uræmia, 323 from acute nephritis, and 62 others. Those from diseases of the bladder and urethra include 30 from urinary calculus, 47 from diseases of the urethra, and 208 others. Those from diseases of the male reproductive organs include 237 from diseases of the prostate and 8 others. Those from diseases of the female reproductive organs include 48 from non-cancerous uterine tumour, 48 from cysts and other tumours of the ovary, and 61 others. (Page 44.)

Diseases and Accidents of Pregnancy and Childbirth.—Deaths from diseases and accidents of pregnancy, childbirth, and puerperium during the year numbered 688, which is 114, or 19·9 per cent., more than in the previous year. These deaths include 144 from diseases and accidents of pregnancy, 138 from accidents of childbirth, and 406 from diseases of the puerperium. Compared with the numbers in the previous year, deaths from diseases and accidents of pregnancy are 73, or 102·8 per cent., more than in the previous year, those from accidents of childbirth are 9, or 7·0 per cent., more, and those from diseases of the puerperium are 32, or 8·6 per cent., more. The deaths from diseases and accidents of pregnancy include 102 from abortion, which number in the previous year was 41. During the first nine months of the year deaths from abortion averaged 3·6 monthly, which figure is practically the

same as that found in the previous year, but during the period influenced by the epidemic of influenza these deaths were markedly increased; in October they numbered 33, in November 22, and in December 15. Deaths from accidents of childbirth included 83 from hæmorrhage; in the previous year this number was 84. Deaths from diseases of the puerperium included 113 from puerperal sepsis, and 100 from albuminuria and convulsions, the former number being 52 less, but the latter being 4 more, than in the previous year. (*Page 44.*)

Registered births during the year numbered 98,554, and, as deaths from diseases and accidents of pregnancy and childbirth numbered 688, they equal a death-rate of 7.0 per thousand registered births. In the previous year this rate was 5.9; in the years 1916 and 1915 it was 5.7. In the larger burghs this death-rate was 7.2; in the smaller burghs, 7.2; and in the county districts, 6.5. In the previous year these three rates were 6.2, 5.9, and 5.4 respectively. In the larger burghs taken individually this death-rate ranged from 14.3 in Kilmarnock, 10.1 in Edinburgh, 9.4 in Leith, and 8.5 in Greenock, to 3.4 in Ayr, 4.3 in Kirkcaldy, 4.4 in Perth, and 4.6 in Hamilton. In Glasgow this rate was 6.8; in Dundee, 6.2; and in Aberdeen, 8.1. (*Table 41.*)

Diseases of the Skin and Cellular Tissue.—Deaths from these causes numbered 409, which is 45 less than in the previous year. They included 210 from gangrene, of which 179 were from senile gangrene, 10 from cancrum oris, and 21 others. Deaths from senile gangrene numbered 12 less than in the previous year. (*Page 44.*)

Diseases of the Locomotor System.—These collectively numbered 97, which is 27 fewer in this than in the previous year. They included 73 from diseases of bones, 21 from diseases of joints, and 3 others. (*Page 45.*)

Congenital Malformations.—Deaths ascribed to congenital malformations during the year numbered 435, which is 4 more than in the previous year, but 51 less than in 1916. Of these 435 deaths, 237 were of male children, and 198 of female children. These deaths equal a death-rate of 4.4 per thousand registered births, which death-rate was of the same amount in the two preceding years, 1917 and 1916. (*Page 45.*)

Diseases peculiar to Early Infancy.—Deaths from these diseases during the year numbered 3565, which is 51 more than in the previous year, but 458 fewer than in 1916. They equal a death-rate of 36.2 per thousand registered births, which rate in the previous year was 36.1, and in 1916 was 36.6. These 3565 deaths include 2045 of male children, and 1520 of female; in the previous year these two numbers were 1991 and 1523 respectively. These deaths include 1898, 1104 male and 794 female, from premature birth; 1411, 791 male and 620 female, from congenital debility, icterus, or sclerema; and 255, 150 male and 105 female, from other diseases peculiar to early infancy. In one instance, death was certified as due to lack of care. (*Page 45.*)

Old Age.—Deaths ascribed to old age numbered 3573, which is 138 less than in the previous year. Of these, 3491 were ascribed to senile decay, and 82 to senile dementia. (*Page 45.*)

Violence.—Deaths attributed to violent causes during the year numbered 2863. This number is 105 less than in the previous

year, 339 less than the mean of those of the five preceding years, and 172 less than the mean of those of the ten preceding years. These deaths were fewer than in any year since 1910. The annual death-rate from these causes taken collectively was 59 per 100,000, which is 2 less than that of the previous year, 8 less than the mean of those of the five preceding years, and 5 less than the mean of those of the preceding ten years. (*Tables 39 and 40.*)

Deaths from violence among the male population numbered 2009, and among the female population 754, the former being 135, and the latter 70, fewer than in the previous year. The male death-rate from violence was 89, and the female 30, per 100,000; in the previous year these rates were 91 and 33 respectively. (*Tables 35 and 36.*)

The 2863 deaths from violence registered during the year included those of 225 soldiers and sailors dying in Scotland from wounds or injuries received while serving outwith Scotland, and by exclusion of them the death-rate from violence of the year would be reduced to 54 per 100,000, and the male death-rate from violent causes to 74.

In the larger burghs taken collectively the death-rate from violence was 51; in the smaller burghs, 49; and in the county districts, 58. These three rates are based on the numbers of deaths from violence exclusive of those from war injuries received outwith Scotland. In the previous year these three rates were 55, 52, and 63 respectively, and thus all three were less in this than in that year. In the larger burghs the annual death-rate from violence varied from 101 in Ayr, 62 in Dundee and in Falkirk, and 59 in Clydebank and in Motherwell, to 34 in Perth, 35 in Kilmarnock, 36 in Paisley, and 37 in Kirkcaldy. In Greenock this rate was 53; in Coatbridge, 52; in Glasgow, 51; in Leith, 51; in Hamilton, 48; in Edinburgh, 46; and in Aberdeen, 39. (*Tables 36 and 38.*)

Of the 2863 deaths from violence registered during the year, 2425 were ascribed to accident, 190 to suicide, 23 to homicide, and 225 to war injuries. Deaths due to accidents are 170 fewer than in the previous year, those due to suicide are 17 fewer, and those due to homicide are 4 fewer. (*Page 45.*)

Of the 2425 deaths from accidental causes, 360 were among children of less than 5 years old, 1652 were among persons of more than 5 but less than 65, and 391 were among persons of 65 and over; in 22 instances the age at death was unrecorded. Compared with the number in the previous year, accidental deaths among children of less than 5 years old are 32 fewer, those among persons of more than 5 but less than 65 are 80 fewer, and those among persons of 65 and over are 49 fewer.

Of the deaths from accidental causes, 1747 were of males and 678 of females, the former being 100, and the latter 70, less than in the previous year. (*Pages 45-53.*)

Of the 2425 deaths from accident, 434 were ascribed to drowning, 375 to burning, 197 to falls, and 68 to poisoning, these last including 30 ascribed to poisonous vapours, 15 to poisoning by food, and 23 others. Deaths by drowning are 70 fewer than in the previous year; by burning, 53 fewer; and by falling, 15 fewer; but those by accidental poisoning are 14 more. Deaths due to fatal

accidents in coal and other mines and in quarries numbered 147; on railways, 109; with motor cars, 79; with horses and horse-drawn vehicles, 47; and with tramcars, 32. Those due to accidents in coal and other mines and in quarries are 13 more than in the previous year, but each of the other groups number less; those on railways are 31 fewer, those with motor cars are 28 fewer, those with horses and horse-drawn vehicles are 4 fewer, and those with tramcars are 36 fewer. Deaths attributed to other crushing accidents numbered 137, while in the previous year they numbered 60; these 137 deaths included 97 caused by aeroplane accidents, and 4 caused by airship accidents. Deaths among children of less than one year old by overlaying or by other form of suffocation numbered 65, which is 30 less than in the previous year, and 52 less than in 1916. (*Page 45.*)

The 23 deaths attributed to accidental poisoning other than by poisonous vapours or food included 7 by opium and its preparations, 3 each by strychnine and ammonia, 2 each by arsenic and oxalic acid, and 1 each by sodium nitrate, chloral, hydrochloric acid, sulphuric acid, methyl salicylate compound, and formalin. In the previous year these deaths collectively numbered 18. (*Table 44.*)

The 30 deaths due to accidental exposure to poisonous vapours included 21 caused by coal gas, 4 by carbonic oxide, 3 by petrol fumes, 1 by nitrous oxide, and 1 by chlorine. In addition to these 30 accidental deaths from poisonous vapours, there were 70 in which the death occurred during the administration of an anæsthetic for therapeutic purposes, and of which the anæsthetic may have been a contributory cause. These 70 include 43 in which chloroform was the anæsthetic employed, 24 in which a mixture of chloroform and ether was the anæsthetic, 2 in which ether was the anæsthetic, and 1 in which it was ethyl chloride. In 1917 deaths associated with anæsthetics numbered 36, and in 1916 numbered 46. (*Table 44.*)

Deaths attributed to suicide numbered 190, and equalled a death-rate of 4 per 100,000. They included 57 by cut-throat or other cutting or stabbing, 50 by hanging, 28 by drowning, 24 by poisoning, 13 by gunshot, 10 by precipitation, 6 on railways, and 2 others. Compared with the number in the previous year deaths by suicidal cutting and precipitation are 2 and 4 more respectively, while those by other means are all fewer, those by drowning being 9 fewer, by hanging 7 fewer, by poisoning and by gunshot each 3 fewer, and by railways 1 fewer. Of the 24 suicidal deaths by poison, 18 were by coal gas, and 1 each by cyanide of potassium, corrosive sublimate, nicotine, morphia, carbolic acid, and "disinfectant." (*Tables 43 and 44.*)

Suicidal deaths among males numbered 123, and among females 67, the former being 19 fewer, but the latter 2 more, than in the previous year. The male death-rate from this cause was 5, and the female 3, per 100,000. The means of suicide most frequently adopted by men were cutting (42), hanging (34), drowning (15), and gunshot (12), and those most frequently adopted by women were hanging (16), cutting (15), poisoning (15), and drowning (13). (*Table 43.*)

Relative Frequency of Causes of Death.—The following shows in order of relative frequency those causes of death which during

the year were the ascribed cause of one per cent. or more of the total deaths, the figures given being those of the percentage ascribed to each:—Pneumonia (18·30), Tuberculous Disease (9·82), Apoplexy, including deaths ascribed to Hemiplegia and to Cerebral Embolism and Thrombosis (7·02), Cancer (6·98), Bronchitis (6·66), Congenital Malformations and Premature Birth (4·78), Senile Decay, including Senile Dementia (4·57), Violence (3·65), Diseases of Kidney, including Bright's Disease (2·90), Influenza, uncomplicated (2·40), Whooping-cough (2·05), Measles (1·53), Diarrhœas among children of less than two years old (1·34), Meningitis other than Tuberculous and Cerebro-spinal (1·26). The number of cases registered during the year of which influenza was named either as the sole cause of death or as contributory cause constituted 14·18 per cent. of the total deaths of the year. Deaths from influenzal pneumonia constituted 9·04 per cent. of the total deaths of the year. Deducting these from the total pneumonia deaths of the year it is found that deaths from other forms of pneumonia constituted 9·26 per cent., or approximately one-half of the figure given above. Deaths from phthisis constituted 6·66 per cent. of the total deaths of the year; those from tuberculous meningitis, 1·06; those from abdominal tuberculosis, 0·94; and those from other forms of tuberculous disease, 1·16. (*Table 34.*)

Infant Deaths.—Details regarding the deaths of children of less than one year old are collected in Tables 45 and 46. These deaths in all numbered 9836, and equalled an infantile mortality rate of 99·8 per thousand registered births. Of these deaths, 5627 were of males, and 4209 of females.

Of the 9836 infant deaths, 5514, or 56·06 per cent., were among children of less than three months old; 1670, or 16·98 per cent., among children of three but less than six months old; 1334, or 13·56 per cent., among children of six but less than nine months old; and 1318, or 13·40 per cent., among children of nine but less than twelve months old. Deaths among children of less than three months old are 87 fewer than in the previous year, among those of three but less than six months old 112 fewer, among those of six but less than nine months old 180 fewer, and among those of nine but less than twelve months old 258 fewer. Deaths of children of less than one month old numbered 3973, constituted 40·39 per cent. of the infantile deaths, and are 47 more than in the previous year. (*Table 45.*)

The most frequent causes of death among infants during the year, the number of deaths due to each, and the percentage of the total infantile deaths caused by them, were:—Premature Birth, 1898, or 19·30 per cent.; Congenital Debility, Icterus, etc., 1411, or 14·34 per cent.; Pneumonia, inclusive of deaths stated to be due to Broncho-pneumonia and to Congestion of the Lungs, 1392, or 14·15 per cent.; Diarrhœal Diseases, 844, or 8·58 per cent.; Bronchitis, 673, or 6·84 per cent.; Whooping-cough, 620, or 6·30 per cent.; Convulsions, 457, or 4·65 per cent.; Congenital Malformations, 385, or 3·91 per cent.; Meningitis, other than Tuberculous or Cerebro-spinal, 250, or 2·54 per cent.; and Measles, 236, or 2·54 per cent. Compared with the number in the previous year, deaths from each of these named causes were fewer except from

premature birth, from congenital malformations, and from pneumonia, which were 161, 12, and 66 more respectively. (*Table 45.*)

Deaths from all forms of tuberculous disease among infants of less than one year old numbered 257. These are 61 fewer than in the previous year, and included 123 from tuberculous meningitis, 79 from abdominal tuberculosis, and 55 others. Deaths among infants from all other forms of meningitis, tuberculous included, numbered 387, and with deaths attributed to convulsions included, 844; in the previous year these two figures were 441 and 961. (*Table 45.*)

The monthly average number of deaths of infants during the year was 820; in the previous year it was 873. The actual monthly number varied from 988 in January, 985 in November, 983 in October, and 982 in December, to 622 in June, 653 in August, 654 in September, and 665 in July. In May this number was 871; in April, 839; in March, 809; and in February, 785. (*Table 46.*)

APPENDIX I.

FIFTY-FOURTH ANNUAL REPORT ON VACCINATION
OF CHILDREN IN SCOTLAND.

This Report deals more especially with the vaccination of children whose births were registered in the year 1917, and who in ordinary course should have been vaccinated during that year, or during the first half of the year 1918.

Of the children registered in 1917, 50,030, or 51·3 per cent., were reported to have been successfully vaccinated; 199, or 0·2 per cent., were reported to have been found insusceptible to vaccination by reason of previous vaccination (*i.e.*, children whose vaccination was not reported on medical certificate); 444, or 0·5 per cent., were reported as insusceptible to vaccination by reason of constitutional insusceptibility; and 43,816 were reported as remaining unvaccinated by reason of parental conscientious objection. In 3674 instances reports as to vaccination were not received on account of removal from the district of registration or through being otherwise unaccounted for. Children remaining unvaccinated by reason of medical certification of postponement numbered 2469. In 7848 instances the death of the children took place before the statutory time of vaccination. (*Table 50.*)

Including the number of children returned as insusceptible by reason of previous vaccination, the total number of children known to have been successfully vaccinated amounts to 50,229, and this number equals 51·5 per cent. of the total children registered. These children number less in this than in all previous years; they are 8232 fewer than in the previous year, and 23,564 less than the average of the numbers of the ten preceding years. The fall in the number of these children is partly but not entirely due to the fall in the total number registered; this may be deduced from the fact that in the previous year vaccinated children amounted to 53·1 per cent. of the total registered, while in this year they amounted to only 51·5 per cent. Similarly if the proportion which the vaccinated children form of the total surviving at the time of statutory vaccination be taken, it is found that while the vaccinated children of this year constituted 56·0 per cent., in the previous year they constituted 57·9 per cent., and the mean of this proportion in the last ten years was 66·1 per cent. From 1864, the year when compulsory vaccination was instituted, to 1905, the last year before the amending Act recognising parental conscientious objection as a reason for exemption became operative, vaccinated children constantly constituted over 93 per cent. of those surviving at the time of statutory vaccination, but since then this percentage has greatly declined; in 1907 it fell below 90, in 1908 below 80, in 1910

below 70, in 1913 below 60, and now touches a minimum of 56·0. (*Table 51.*)

Children remaining unvaccinated by reason of medical certificates of constitutional insusceptibility numbered 444. This number, though 57 more than that of the previous year, and 115 more than that of 1915, is 209 less than the average during the preceding ten years. In 1911 the number of children exempted from vaccination on the grounds of constitutional insusceptibility attained a maximum of 1143; in 1912 and 1913 these numbers were smaller, being 454 and 424 in the two years, but in 1914 the number again increased, amounting to 728; it fell in 1915 to 329, but since then has been again increasing, being 387 in 1916, and 444 in 1917. Of the 444 instances of constitutional insusceptibility reported this year, 270 were in the larger burghs, and 174 in the remainder of Scotland. In Glasgow there were 177; in Edinburgh, 35; in Dundee, 4; in Aberdeen, 8; in Paisley, 13; and in Leith, 9. In Coatbridge, Motherwell, and Kirkcaldy there were none, but in Clydebank there were 7. In three counties children certified as insusceptible of vaccination amounted to more than 1 per cent. of total children surviving at the time of compulsory vaccination, these three counties being Shetland, Argyll, and Bute, where the percentages were 3·2, 1·2, and 1·1 respectively. From Caithness, Nairn, Banff, and Roxburgh no certificates of constitutional insusceptibility were received. (*Table 50.*)

Children whose vaccination was unreported by reason of removal from the district of registration, or through being otherwise unaccounted for, numbered 3674, and constituted 3·8 per cent. of the total children registered, and 4·1 per cent. of those surviving at the time of statutory vaccination. This number is 585 less than that of the previous year, and 2338 less than the mean of those of the preceding ten years. This number is less than those of all years since 1897, except 1900 and 1904, but more than all years 1864 to 1897. In the years 1905, 1906, and 1907 the number of children unaccounted for showed a marked rise, the figures of the three years being 4014, 5766, and 7384, but since 1907 the number has been decreasing, falling below 7000 in 1909, below 6000 in 1910, below 5000 in 1915, and in this year, 1917, below 4000. The proportion of children surviving at the time of statutory vaccination and unaccounted for, 4·1 per cent., is 0·1 less than in the previous year, and 1·3 less than the mean of the proportions during the preceding ten years. It is more than in all years from 1864 to 1905, but less than in all years 1906 to 1916; it is 2·2 less than in 1907. (*Tables 50 and 51.*)

Children remaining unvaccinated by reason of the conscientious objection of their parents numbered 32,816, constituted 33·7 per cent. of the total children registered, and 36·6 per cent. of those surviving at the time of statutory vaccination. Their number is 2737 less than that of the previous year, but 4667 more than the mean of those of the ten preceding years. The percentage they form of the total children registered is 1·4 more than that of the previous year, and 10·8 more than the mean of those of the ten preceding years; it is the highest percentage of children registered and remaining unvaccinated for this reason since the passing of the Vaccination (Scotland) Amendment Act of 1907. The

percentage of children surviving at the time for statutory vaccination but remaining unvaccinated for this reason is 1·4 more than in the previous year, and 11·4 more than the mean for the ten preceding years. It also is the highest proportion since the passing of the amending Act. In 1907 children remaining unvaccinated for reasons of parental conscientious objection constituted 6·2 per cent. of the children surviving at the time for statutory vaccination; this proportion steadily diminished up to 1914, when it was 3·45, in 1915 it had dropped to being 3·3, but since then has been again increasing, being 3·2 in 1916, and 3·6 in 1917. In the counties the percentage of surviving children remaining unvaccinated for this reason varied from 50·7 in Dumfries, 54·9 in Orkney, 52·3 in Forfar, 51·3 in Perth, 50·1 in Shetland, and 50·2 in Renfrew, to 11·9 in Fife, 12·9 in Wigtown, 14·5 in Kincardine, 16·1 in Aberdeen, 16·9 in Inverclyde, and 19·7 in Nairn. In 6 counties this percentage was 50 but less than 60; in 7, 40 but less than 50; in 4, 30 but less than 40; in 14, 20 but less than 30; and in 6, 10 but less than 20. In the larger burghs this percentage varied from 71·3 in Falkirk, 62·3 in Dundee, 41·3 in Greenock, 61·1 in Clydebank, to 12·2 in Aberdeen, 14·2 in Ayr, and 19·9 in Edinburgh. In Edinburgh the percentage was 59·3; in Hamilton, 55·7; in Paisley, 50·6; in Kirkcaldy, 50·0; in Motherwell, 44·1; in Coatbridge, 35·2; in Perth, 32·2; in Leam, 30·6; and in Glasgow, 30·2. In the following reparation districts, all small, all children surviving at the time of statutory vaccination were exempted on the grounds of parental objection:—Dorling, Fetter, North Yell, Keshay, Luncarty, Northmole, Whitburn, and Westdale. Forth, Fife-West, Keweenaw, Strathkelty, Knoddart, North Robert, Farnhill, Fisk, Inveraray, and Carrington. Since the passing of the amending Act in 1907, 314,556 children have been exempted from vaccination on the grounds of parental conscientious objection. (Tables 50 and 51.)

No children during the year were reported as remaining unvaccinated by reason of having had small-pox previous to the time of statutory vaccination. The last so reported was in 1907.

Children remaining unvaccinated by reason of medical certificate of exemption numbered 2496, constituted 2·5 per cent. of the total children registered, and 2·4 per cent. of those surviving at the time for statutory vaccination. This last percentage is 0·4 more than in the previous year, and 0·1 more than the mean of three of the ten preceding years, but is less than those of the years 1907, 1906, and 1909. (Tables 50 and 51.)

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1917.

A statement regarding the marriages registered in Scotland during the year 1917 was incorporated in the Sixty-Third Annual Report, along with the full statistical details for the births and deaths registered in Scotland during that year. Full details regarding the marriages registered in that year were not available when that Report was prepared, and hence the requirement of this additional statement. The previous statement dealt only with the numbers registered and with marriage-rates, while in this additional statement the facts dealt with are the method of proclamation, the church of celebration, the ages of those marrying, the conjugal condition of the spouses previous to marriage, and the method by mark or otherwise of signing the marriage schedules.

In the Sixty-Third Annual Report it was stated that the marriages registered in Scotland during 1917 numbered 30,482. By a complete examination of the registers of the year this number is now found to be 30,421, and the difference being small, one of only 61, the rates given in the previous statement may be accepted as substantially correct.

The number of marriages registered in 1917, and the marriage-rate of the year, were less than in the previous year, 1916, and less than the means of those of the preceding five and preceding ten years. (*Tables 1 and 2.*)

Regular and Irregular Marriages.—Of the 30,421 marriages registered, 25,439, or 83·6 per cent., were regular, *i.e.*, solemnised by a minister of religion after proclamation by banns or after public notice at a registrar's office, while 4982, or 16·4 per cent., were irregular.

The number of regular marriages is 18 less than in the previous year, 3656 less than the mean of the numbers of the five preceding years, and 3757 less than the mean of those of the ten preceding years. The regular marriages of the year numbered fewer than in all years since 1888. (*Table 9.*)

The number of irregular marriages contracted during the year, *i.e.*, marriages other than those celebrated by a minister of religion after proclamation by banns or after public notice at a registrar's office, was 980 less than in the previous year, but 305 more than the mean of the numbers of the five preceding years, and 1516 more than the mean of those of the preceding ten years. The number of these marriages in 1917, the year now under review, was less than in the two years 1916 and 1915, but is more than in all other years since 1854. From 1855 to 1870 these marriages numbered

less than 100 annually, and from 1871 to 1889 more than 100 but less than 1000. In 1890 they for the first time numbered more than 1000; in 1902, more than 2000; in 1913, more than 3000; and in 1914, more than 4000. A maximum number of these marriages, 7420, was recorded in 1915, and compared with it that of 1916 is 1458, or 19·6 per cent., less, and that of 1917 is 2438, or 32·9 per cent., less. Thus, although the number of irregular marriages continues to be high, there has been a distinct diminution during 1916 and 1917. (*Table 9.*)

The percentage which the irregular marriages constitute of the total marriages of the year, 16·4, is 2·6 less than that of the previous year, but is 2·6 more than the mean of those of the five preceding years, and 5·9 more than the mean of those of the ten preceding years. In 1915 irregular marriages constituted 20·5 per cent. of the total. (*Table 10.*)

Of the 4982 irregular marriages, 4595, or 92·2 per cent., were registered in the larger burghs, burghs with censal populations of more than 30,000, while only 387, or 7·8 per cent., were registered elsewhere in Scotland. Both these numbers are less than in the previous year, that of the larger burghs being 938, or 17·0 per cent., less, and that of the rest of Scotland being 42, or 9·8 per cent., less. Of the 4982 irregular marriages, 2728, or 54·8 per cent., were registered in Glasgow; 960, or 19·3 per cent., in Edinburgh; 248, or 5·0 per cent., in Dundee; and 411, or 8·2 per cent., in Aberdeen. Those registered in these four cities collectively numbered 4347, and constituted 87·3 per cent. of the total. In Aberdeen the irregular marriages of the year constituted 30·7 per cent. of the total marriages there registered; in Edinburgh, 30·6 per cent.; in Glasgow, 29·8 per cent.; and in Dundee, 19·4 per cent. In Perth, Ayr, Falkirk, and Kilmarnock irregular marriages also constituted high percentages of the total, these being 23·0, 15·8, 13·0, and 11·4 respectively. In the remaining large burghs this proportion did not exceed 6 per cent. The counties in which this percentage was high included those containing the above-named burghs, and also Dumfries (11·8 per cent.), Elgin (15·2), and Inverness (12·1). In the counties of Kincardine, Kinross, Peebles, and Sutherland no irregular marriages were registered during the year. (*Table 13.*)

Of the 4982 irregular marriages registered, 4979 were registered by Sheriff's warrant, and 3 by extract decree of declarator.

Of the 25,439 regular marriages contracted during the year, 16,668, or 65·5 per cent., were celebrated after proclamation by banns in respect of both persons; 8255, or 32·5 per cent., after public notice at a registrar's office in respect of both parties; and 516, or 2·0 per cent., after proclamation by banns in respect of one party and after public notice in respect of the other party. Compared with the number in the previous year, marriages after proclamation by banns in respect of both parties are 59 more, but those after public notice in respect of both parties are 10 fewer, and those after proclamation by banns in respect of one party and public notice in respect of the other party are 67 fewer. Marriages after banns in respect of both parties constituted 54·8 per cent. of the total marriages of the year, irregular marriages included; those after public notice in respect of both parties, 27·1 per cent.; and

after banns in respect of one but public notice in respect of the other, 1·7 per cent. Marriages after banns in respect of both parties constituted 90 or more per cent. of the total marriages in 9 counties, 60 but less than 90 in 19 counties, and less than 60 per cent. in 5 counties. Those in which these marriages constituted over 90 per cent. are Berwick, Haddington, Kinross, Kirkcudbright, Nairn, Peebles, Shetland, Sutherland, and Wigtown, and those in which this percentage was less than 60 were Aberdeen, Dumbarton, Midlothian, Forfar, and Lanark. Marriages after public notice in respect of both parties amounted to more than 30 per cent. of the total in the counties of Dumbarton, Forfar, Lanark, and Renfrew, and to less than 3 per cent. in the counties of Berwick, Kinross, Nairn, Orkney, Peebles, Shetland, Sutherland, and Wigtown. Marriages after banns in respect of one party and public notice in respect of the other amounted to 4 per cent. or more of the total in Argyll, Linlithgow, Selkirk, and Sutherland. (Table 13.)

Table Q. has been constructed to show the relative frequency of marriage after banns and those after public notice in each of the principal churches. Marriages after banns ranged in order of frequency from 81·4 per cent. in the Established Church of Scotland, 65·0 in the United Free Church, 62·0 in the Free Church, and 61·3 in the Wesleyan Methodist Church, to 8·0 in the Jewish Church, 22·7 in the Roman Catholic Church, and 52·6 in the Episcopal Church. Marriages after public notice in respect of both parties in the Jewish Church constituted 92·0 per cent. of the total; in the Roman Catholic Church, 75·9 per cent.; and in the Episcopal Church, 45·6 per cent.; while in the Established Church they constituted 16·7 per cent.; in the United Free Church, 32·6 per cent.; and in the Free Church, 34·8 per cent. Marriages after banns in respect of one party and public notice in respect of the other were relatively most numerous in the Free Church (3·2 per cent.), and in the United Free Church (2·4), while they were

TABLE Q.—Regular Marriages in Scotland in 1917, following Proclamation of Banns or Publication at Registrar's Office.

Church of Celebration.	Number.				Percentage of Total for each Church, etc.		
	Total.	Banns.	Publication.	Banns and Publication.	Banns.	Publication.	Banns and Publication.
Established Church . . .	11922	9702	1994	226	81·4	16·7	1·9
United Free " . . .	6858	4458	2233	167	65·0	32·6	2·4
Free " . . .	247	153	86	8	62·0	34·8	3·2
Roman Catholic " . . .	3429	780	2601	48	22·7	75·9	1·4
Episcopal " . . .	1070	563	488	19	52·6	45·6	1·8
Congregational " . . .	835	460	357	18	55·1	42·7	2·2
Baptist " . . .	339	200	133	6	59·0	39·2	1·8
Wesleyan Methodist Church	248	152	91	5	61·3	36·7	2·0
Jews	25	2	23	—	8·0	92·0	—
All other Regular Marriages	466	198	249	19	42·5	53·4	4·1
All Regular Marriages	25,439	16,668	8255	516	65·5	32·5	2·0

relatively least numerous in the Roman Catholic Church (1·4), in the Episcopal Church (1·8), in the Baptist Church (1·8), and in the Established Church (1·9).

Church of Celebration.—Of the 25,439 regular marriages registered during the year, 11,922, or 46·9 per cent., were celebrated according to the rites of the Established Church of Scotland; 6858, or 27·0 per cent., according to the rites of the United Free Church; 3429, or 13·5 per cent., according to the rites of the Roman Catholic Church; 1070, or 4·2 per cent., according to the rites of the Episcopal Church; 247, or 1·0 per cent., according to the rites of the Free Church; and 1913, or 7·5 per cent., according to the rites of other religious denominations. Compared with the numbers in the previous year, those of the Established Church and of the Episcopal Church show increases, 290 and 85 respectively, while those of the United Free Church, of the Free Church, and of the Roman Catholic Church show decreases, these being 179, 7, and 183 respectively. Compared with the mean of the numbers of the five preceding years, Established Church marriages are 1715 fewer, United Free Church marriages, 1166 fewer, and Roman Catholic Church marriages, 378 fewer; but Episcopal Church marriages are 21 more. Compared with the mean of the numbers of the ten preceding years, Established Church marriages are 1998 fewer; United Free Church marriages, 1249 fewer; and Roman Catholic Church marriages, 111 fewer; but Episcopal Church marriages are 75 more. (Table 9.)

Marriages celebrated according to the rites of the three large Presbyterian churches, the Established Church, the United Free Church, and the Free Church, collectively numbered 19,027, and constituted 62·5 per cent. of the total marriages of the year, and 74·8 per cent. of the regular marriages of the year. In the previous year these two percentages were 60·2 and 74·3. (Table 14.)

The counties in Scotland in which marriages according to the rites of the Established Church of Scotland were relatively most numerous were Wigtown, 66·6 per cent. of the total; Kincardine, 66·3; Berwick, 65·9; Kinross, 64·5; Kirkcudbright, 63·6; Clack-

TABLE R.—Regular and Irregular Marriages in 1917.

	Number.			Percentage of Total Marriages.		
	SCOTLAND.	Larger Burghs.	Other Districts.	SCOTLAND.	Larger Burghs.	Other Districts.
Regular Marriages.						
Established Church .	11,922	5,748	6,174	39·2	30·8	52·5
United Free Church .	6,858	3,597	2,961	22·5	20·9	25·2
Free Church	247	83	164	0·8	0·5	1·4
Roman Catholic Ch.	3,429	2,308	1,121	11·3	12·4	9·5
Episcopal Church . .	1,070	772	298	3·5	4·1	2·5
Other Denominations	1,913	1,249	664	6·3	6·7	5·6
Irregular Marriages	4,982	4,595	387	16·4	24·6	3·3
Total Marriages	30,421	18,652	11,769	100·0	100·0	100·0

mannan, 60·6; and Roxburgh, 60·1. The larger burghs in which these marriages were relatively most numerous were Ayr, 54·9 per cent.; Leith, 54·3; Kirkcaldy, 49·6; and Motherwell, 48·7. (Table 14.)

The counties in which United Free Church marriages were relatively most numerous were Bute, 45·5 per cent. of the total; Selkirk, 45·3; Orkney, 39·1; Sutherland, 37·0; Caithness, 36·7; Shetland, 36·5; and Nairn, 35·2. The burghs in which these marriages were relatively most numerous were Paisley, 31·7 per cent.; Kilmarnock, 30·2; Kirkcaldy, 28·2; and Falkirk, 27·7. (Table 14.)

Free Church marriages in Ross and Cromarty constituted 30·6 per cent. of the total; in Sutherland, 26·1 per cent.; and in Inverness, 8·9 per cent. In none of the remaining counties did these marriages constitute 5 per cent.; in 18 counties there were none. (Table 14.)

The counties in which Roman Catholic Church marriages constituted the largest percentage of the total were Dumbarton, 23·3 per cent.; Renfrew, 20·7; Lanark, 16·0; Linlithgow, 13·2; Inverness, 12·8; Bute, 12·7; Forfar, 10·8; and Stirling, 10·0. In 6 counties there were none. The larger burghs in which these marriages were relatively most frequent were Coatbridge, 38·4 per cent.; Clydebank, 25·8; Hamilton, 23·4; Greenock, 22·2; and Paisley, 21·8. (Table 14.)

The counties in which Episcopal Church marriages were relatively most numerous, and the percentage which these marriages constituted of the total, are Peebles, 8·5 per cent.; Forfar, 6·8; Argyll, 6·7; Kincardine, 5·9; Midlothian, 5·8; Roxburgh, 5·6; and Bute, 5·5. (Table 14.)

TABLE S.—Marriages in Scotland in 1917 by Denominations in Order of Frequency.

1. Established Church . . .	11,922	23. Pentecostal Church . . .	7
2. United Free . . .	6,858	24. Church of Christ . . .	4
3. Roman Catholic . . .	3,429	25. Norwegian Lutheran . . .	4
4. Episcopal* . . .	1,073	26. Church of God . . .	3
5. Congregational . . .	835	27. Christadelphian . . .	2
6. Baptist . . .	339	28. Christian Church . . .	2
7. Wesleyan Methodist . . .	248	29. Gospel Mission Church . . .	2
8. Free Church . . .	247	30. Hallelujah Mission . . .	2
9. Christian Brethren (including Plymouth Brethren). . .	75	31. Disciples of Christ . . .	1
10. Primitive Methodist . . .	70	32. International Bible Students' Association . . .	1
11. Free Presbyterian . . .	60	33. Free Religious Movement . . .	1
12. Original Secession . . .	48	34. Gilfillan Memorial . . .	1
13. Unitarian . . .	38	35. Church of Deaf and Dumb . . .	1
14. Evangelical Union . . .	33	36. Independent Methodist . . .	1
15. Salvation Army . . .	28	37. Universalist . . .	1
16. Jews . . .	25	38. Protestant Church (Trinity) . . .	1
17. Christian Union . . .	16		
18. Catholic Apostolic . . .	15	All Religious Denominations . . .	25,439
19. Gospel Temperance Mission . . .	15	Irregular Marriages . . .	4,982
20. Reformed Presbyterian . . .	11		
21. Free Church of England . . .	11	All Marriages . . .	30,421
22. Church of New Jerusalem . . .	9		

* These include both those of the Scottish Episcopal Church and those of the Church of England.

A scrutiny of the marriage registers of the year shows that marriages in Scotland were celebrated according to the rites of 38 different denominations. In 1914 this number was 38; in 1915, 44; and in 1916, 40. The 38 denominations mentioned in the marriage registers of this year, 1917, are all shown in Table S. Over and above the five denominations already named above, there were 6 in which 50 or more marriages were celebrated, 5 in which 20 but less than 50 were celebrated, 6 in which 10 but less than 20 were celebrated, 5 in which 3 but less than 10 were celebrated, 4 in which 2 were celebrated, and 8 in which 1 was celebrated. The five in which 50 or more marriages were celebrated, and the number celebrated in each, were Congregational, 835; Baptist, 339; Wesleyan Methodist, 248; Christian Brethren (Plymouth Brethren included), 75; Primitive Methodist, 70; and Free Presbyterian, 60. Marriages according to the rites of the Jewish Church numbered 25, and those according to the rites of the Salvation Army, 28; in the previous year these numbers were 49 and 25. This is the fourth year in which a complete tabulation of all the religious denominations named has been made; this year's list contains the names of two not previously included, these being Universalist and Trinity Protestant Church, in each of which one marriage only was celebrated.

Conjugal Condition of those Marrying.—Of the 30,421 marriages registered during the year, 26,200, or 86·1 per cent., were between bachelors and spinsters; 1416, or 4·7 per cent., between bachelors and widows; 1845, or 6·1 per cent., between widowers and spinsters; and 959, or 3·1 per cent., between widowers and widows. In one instance the condition of both contracting parties was not stated. The total number of bachelors marrying was 27,616; of widowers, 2804; of spinsters, 28,045; and of widows, 2375. Compared with the number of the previous year that of bachelors is 1129 less, and that of spinsters is 1194 less, but that of widowers is 137 more, and that of widows is 201 more. Marriages of widows in this year are larger than in any previous year. In the ten years 1905 to 1914 marriages of widows averaged 1518; in 1915 this number rose to 1879; in 1916 to 2174; and in 1917, as already stated, to 2375. A similar though smaller increase in the number of marriages of widows was noticeable at the time of the South African War, when the previous ten-yearly average (1889-1898) was 1557, while the war-time average, years 1900 to 1902, was 1707. The marriages of widows with bachelors and of widows with widowers are both more numerous in this than in any previous year; of the two the marriages of widows with bachelors show the larger increase. The ten-year pre-war average number of marriages between bachelors and widows was 775, and compared with it the number of such marriages in this year is 641, or 82·7 per cent., more. The ten-year pre-war average of marriages between widowers and widows was 738, and compared with it the number of this year is 221, or 29·9 per cent., more. (*Tables 11 and 12.*)

Methods of Signature.—Of the 60,842 persons married, 60,372, or 99·2 per cent., signed the marriage registers or marriage schedules by writing, while 470, or 0·8 per cent., did so by mark. Persons using the mark in the previous year numbered 551, and constituted 0·9 per cent. of the total. Of those using the mark,

221 were men, and 249 women. Men using the mark constituted 0·7 per cent. of the total men marrying, and women doing so constituted 0·8 per cent. of the total women marrying. Both the number of men using the mark and the number of women doing so are smaller in this than in any previous year, with the exception of 1912, when the number of men so signing was 219. The numbers using the mark for this purpose are now much smaller than in the earlier years of registration. From 1855 to 1875 men using the mark constantly numbered more than 2000 annually, and from 1876 to 1890 constantly over 1000, while such women in the years 1855 to 1883 constantly numbered more than 3000, in the years 1884 to 1887 constantly more than 2000, and in the years 1888 to 1897 constantly more than 1000. In 55 instances both the bridegroom and the bride signed by mark. (*Tables 11 and 12.*)

Of the 470 persons using the mark for this purpose during the year, 318 were married in the larger burghs, and 152 elsewhere in Scotland; in the previous year these two numbers were 353 and 198. In Glasgow those using the mark numbered 196; in Edinburgh, 26; in Dundee, 28; and in Aberdeen, 8. The counties in which the largest numbers used the mark are Lanark, 233; Midlothian, 36; Forfar, 28; Renfrew, 25; and Ayr, 24. (*Table 16.*)

The ages of those using the mark were as shown in Table T. The distribution shows some relative excess of elderly persons, but also shows that the majority, 327 out of 470, were aged between 20 and 50. There were five instances of both contracting parties using the mark when both were comparatively young; these included the marriages of three girls of 18 with young men of 18, 22, and 26 respectively, and of two girls of 19 with young men of 21 and 22 respectively.

Of the 470 persons married and using the mark for signature, 131 were married according to the rites of the Roman Catholic Church, 126 according to those of the Established Church of Scotland, 46 according to those of the United Free Church, 19 according to those of the Episcopal Church, 18 according to those of the Congregational Church, and 20 according to those of other denominations. In 110 instances the marriage was irregular. Of the 55 marriages in which both the contracting parties used the mark, 13 were irregular, and 42 were regular, the Church in 16

TABLE T.—Ages of Persons Marrying who Signed by Mark in 1917.

Age.	Men.	Women.	Both Sexes.
17	1	2	3
18	2	8	10
19	3	4	7
20-29	54	53	107
30-39	50	62	112
40-49	43	65	108
50-59	49	40	89
60-69	16	14	30
70 and over	3	1	4
All Ages	221	249	470

instances being the Roman Catholic Church; in 14, the Church of Scotland; in 5, the Congregational Church; in 4, the United Free Church; in 2, the Episcopal Church; and in 1, the Salvation Army. These figures are collectively shown in Table U.

Ages of those Marrying.—The average age of all persons marrying during the year was 28·58 years, of all men 30·12, and of all women 27·04. All three are more in this than in the previous year, those of all persons and of all men being 0·2 more, and that of all women being 0·1 more. The average age of all persons married in the larger burghs was 28·65, and in the rest of Scotland 28·47. The average age of men married in the larger burghs was 30·14, and in the rest of Scotland 30·10, while that of women in the larger burghs was 27·16, and in the rest of Scotland 26·84. The difference between the average age of the bridegroom and of the brides in the larger burghs was 2·98 years, and in the rest of Scotland 3·26 years.

The average age of all bachelors married was 28·56, of those marrying spinsters 28·25, and of those marrying widows, 34·35. In the previous year these three averages were 28·5, 28·1, and 35·1.

The average age of all widowers married during the year was 45·51, of those marrying spinsters 44·32, and of those marrying widows 47·79. In the previous year these three averages were 45·5, 43·8, and 49·0, and thus the average age of widowers marrying spinsters was higher, but that of those marrying widows lower, in this than in the previous year.

The average age of spinsters married was 26·19, of those marrying bachelors 25·58, and of those marrying widowers 34·94. In the previous year these three averages were 26·1, 25·5, and 34·5, all three averages being slightly higher in this than in the previous year.

TABLE U.—Church of Celebration of Persons Marrying who Signed by Mark in 1917.

	Entries in which Mark was Used by			Persons Using Mark.		
	Men only.	Women only.	Both.	Men.	Women.	Both Sexes.
Irregular Marriages . . .	34	50	13	47	63	110
Established	53	45	14	67	59	126
United Free	14	24	4	18	28	46
Free	—	2	—	—	2	2
Roman Catholic	46	53	16	62	69	131
Episcopal	11	4	2	13	6	19
Congregational	1	7	5	6	12	18
Baptist	1	2	—	1	2	3
Wesleyan Methodist	—	1	—	—	1	1
Jews	2	1	—	2	1	3
Primitive Methodist	—	3	—	—	3	3
Salvation Army	1	1	1	2	2	4
Free Presbyterian	2	—	—	2	—	2
Pentecostal	—	1	—	—	1	1
Gospel Temperance Mission	1	—	—	1	—	1
TOTAL	166	194	55	221	249	470

The average age of widows married was 37·07, of those marrying bachelors 33·65, and of those marrying widowers 42·11, all three averages being less than in the previous year, when they were 38·2, 34·8, and 43·1 respectively.

The average age of all women marrying bachelors was 25·99, and of all marrying widowers 37·39, both averages being the same as in the previous year. The average age of all men marrying spinsters was 29·31, and of all men marrying widows 39·78, the former being more, but the latter less, than in the previous year.

The average difference of age between all bridegrooms and brides of the year was 3·08 years. In all marriages in which the bridegroom was a bachelor, this difference was 2·57, and in those where he was a widower, 8·12. In all marriages in which the bride was a spinster, this difference was 3·12, and in all those in which she was a widow, 2·71. Thus previous marriage in the case of the bridegroom tends to increase the difference of age between the bridegroom and bride, but previous marriage in the case of the bride tends to diminish this difference. In marriages of bachelors with spinsters this difference is 2·67 years, but in marriages between bachelors and widows it is only 0·70 years. In marriages between widowers and spinsters this difference is 9·38 years, and in those between widowers and widows 5·68 years. The greatest difference between the average ages of the spouses occurs when widowers marry spinsters, and the smallest difference when bachelors marry widows.

The youngest bridegrooms of the year were 1 aged 15, and 12 aged 16, and the youngest brides of the year were 4 aged 15, and 41 aged 16. The oldest bridegrooms of the year were 1 aged 80, and 9 aged 75 but less than 80, and the oldest brides of the year were 1 aged 75, and 4 aged 70 but less than 75. In five instances the combined ages of the two spouses amounted to more than 140 years, a maximum of 146 occurring in the case of a widower of 77 marrying a widow of 69. The combined ages of the two spouses amounted to less than 35 in 37 instances, a minimum of 32 being found three times, twice where boys of 16 married girls of the same age, and once when a boy of 15 married a girl of 17.

TABLE W.—Average Age at Marriage in 1917.

Conjugal Condition.		Average Age.					
Bridegroom.	Bride.	Bridegrooms.		Brides.		Excess of average age of Bridegroom over that of Bride.	
		1917	1916	1917	1916	1917	1916
*All Bridegrooms.	†All Brides	30·1	29·9	27·0	26·9	3·1	3·0
"	Spinsters only	29·3	29·1	26·2	26·1	3·1	3·0
"	Widows only	39·8	40·8	37·1	38·2	2·7	2·6
Bachelors only	†All Brides	28·6	28·5	26·0	26·0	2·6	2·5
"	Spinsters only	28·3	28·1	25·6	25·5	2·7	2·6
"	Widows only	34·4	35·1	33·7	34·8	0·7	0·3
Widowers only	†All Brides	45·5	45·5	37·4	37·4	8·1	8·1
"	Spinsters only	44·3	43·8	34·9	34·5	9·4	9·3
"	Widows only	47·8	49·0	43·1	43·1	5·7	5·9

* i.e. Bachelors and Widowers taken collectively.

† i.e. Spinsters and Widows taken collectively.

In the appended tables (Tables 21 and 25) the ages of husbands and wives are shown in correlation, and it may there be seen that while in the majority of cases the differences of age are not great, there is a minority of cases in which the differences are considerable. Among the latter may be noted 6 marriages of girls under 20 with men of over 45, 9 marriages of men of over 65 with women of under 35, and 4 instances of women of 35 and over marrying young men of 20 or less.

In the counties, burghs included, the average age of the bridegrooms varied from 35·64 in Inverness, 34·35 in Argyll, 34·00 in Sutherland, 33·92 in Ross and Cromarty, 33·63 in Nairn, and 33·30 in Bute, to 28·13 in Linlithgow, 28·91 in Clackmannan, 28·97 in Fife, 29·35 in Haddington, 29·45 in Renfrew, and 29·46 in Ayr. In the larger burghs the average age of the bridegroom varied from 31·77 in Perth, 30·82 in Edinburgh, 30·28 in Glasgow, and 30·22 in Falkirk, to 27·56 in Motherwell, 27·82 in Hamilton, and 28·04 in Coatbridge. In the counties the average age of the brides varied from 29·97 in Bute, 29·81 in Peebles, 29·62 in Argyll, 29·61 in Sutherland, 29·48 in Inverness, and 29·15 in Kinross, to 25·07 in Linlithgow, 26·07 in Aberdeen, 26·17 in Fife, 26·21 in Stirling, and 26·24 in Banff. In the larger burghs the average age of the brides varied from 28·55 in Perth, 27·95 in Edinburgh, 27·29 in Dundee, 27·17 in Paisley, and 27·15 in Glasgow, to 25·08 in Motherwell, 25·11 in Hamilton, and 25·36 in Coatbridge. (*Tables 17 and 18.*)

APPENDIX III.

REPORT ON THE WEATHER OVER SCOTLAND FOR THE YEAR ENDING 31st DECEMBER 1918.

By A. WATT, M.A., F.R.S.E., under the direction of the Council
of the Scottish Meteorological Society.

This report consists of a description of the weather for each month of 1918 and detailed statistics for 78 stations. In preparing the descriptive matter additional sources of information have been utilized, including numerous rainfall records and meteorological returns from The Northern Lighthouses.

January 1918.—The month was characterised by a rather low mean pressure, a low mean temperature, with a high mean daily range; a somewhat high mean rainfall; and an excess of north-westerly winds.*

After anticyclonic conditions during the first two or three days pressure distribution was irregular and very variable until 20th, when a decided south-westerly type became established. From 6th to 7th a deep depression moved from the north of Scotland to Denmark, affecting the whole of our Islands; on 14th-15th another crossed the north of Scotland; and on 17th-18th another moved northwards off our western coasts. The mean for the month was 29·769 in., or 0·084 in. below the normal. At Leith, at sea-level, readings were above 30 in. from 1st to 5th, from 25th to 27th, and from 29th to 31st, the extremes there being 30·56 in. on morning of 3rd and 29·11 in. on evening of 20th.

As regards temperature conditions, the month fell sharply into two distinct periods. Until 19th there was a great deal of exceptionally cold weather in all parts of our Islands, with frequent winds from east, west, or north-west, whilst from 20th onwards southerly to south-westerly winds and very mild conditions prevailed. During the first few days it was colder in England than in Scotland. The coldest days were very generally the 7th or 8th, and the coldest nights about a week later when readings in screen below zero were reported. Thus on night of 13th-14th West Linton registered -3° ; on that and the following night, Eskdalemuir -1° ; and on 15th-16th, Buchlyvie -2° , these being much the lowest readings of the year and the lowest recorded in Scotland in January since 1910. The mean temperature of the week ending

*See Appendix I., p. 458.

19th was in various districts 12° or 14° below the normal. The mean of the reporting stations was $35^{\circ}5$, or $1^{\circ}8$ below the normal, the days being $1^{\circ}0$ and the nights $2^{\circ}6$ below their respective averages. The highest reading reported was 57° at Gordon Castle on 26th.

Until 6th there was but little snow or rain, whilst from 6th to 19th frequent and considerable precipitation was practically all in the form of snow. From 20th to 25th rain was more or less general, as much as 1.57 in. at Greenock on 25th; and from 26th to 28th there were heavy rains towards the north-west, as much as 2.16 in. at Fort-William on 28th. At Kinlochquoich, in the West Highlands, the aggregate was 10.88 in.—a moderate one at that place for the month of January—and of this one-half was accounted for between 24th and 27th, 2.62 in. being registered on 25th. Most eastern districts were rainless or all but so from 24th onwards. Aggregates were here and there below the normal, as at Braemar and Fort-William, but in general there was a moderate to decided excess. The mean of the reporting stations was 4.02 in., or 112 per cent. of the normal.

With a strong northerly wind or gale a severe snowstorm developed on night of 6th in many districts, with further heavy falls towards the north on 7th and 8th. After a partial thaw on 9th and 10th, another snowstorm was general on 11th, with some further heavy falls for some days thereafter. Early on 18th snow commenced to fall at Edinburgh and elsewhere, and at Edinburgh a continuous twenty-four hours' fall gave a final depth of 10 to 12 in. On 7th and 8th in various districts there was practically a "blizzard"; in Orkney on 13th with a north-westerly gale there were snow-drifts 6 feet in depth; and on various days railway traffic in the far north was blocked. With mild conditions after 19th the snow quickly disappeared. From 24th to 27th winds from south-south-west reached gale force.

A thunderstorm occurred at Colmonell in South Ayrshire on the morning of 9th.

Sunshine amounts were as a rule deficient, though above the normal at Edinburgh and Glasgow. From 20th to 24th there was much fog.

Aurora was observed at Paisley on 1st; here and there on 15th or 16th; somewhat widely on 30th; and here and there on 31st, —at Baltasound (Shetland) on 29th, 30th, and 31st.

February 1918.—The month was characterised by a somewhat high mean pressure; an abnormally high mean temperature, with a decidedly low mean daily range; a high mean rainfall; and a large excess of southerly and south-westerly winds.

Pressure distribution was mainly favourable to winds from between south and west, except at times during the third week and on 27th and 28th when a disturbance moved from Iceland on a south-westerly track across the North Sea. Fluctuations during the last few days were unusually large. The mean for the month was 29.871 in., or 0.045 in. above the normal. At Leith, at sea-level, readings were above 30 in. from 1st to 3rd, from 12th to 15th, on 17th, on 19th, and from 23rd to 27th, the extremes there being 30.62 in. on morning of 25th and 29.37 in. on morning of 9th.

The very mild southerly to south-westerly type of weather which had set in about 20th January persisted with but slight interruptions until almost the end of February, and the first ten or twelve days of the month were exceptionally mild. Around 2nd very high temperatures occurred towards the north-west, as high as 58° at Fort Augustus, and for the week ending 2nd the mean temperature at Glencarron was as much as $13^{\circ}\cdot6$ above the normal. On various days during the third week there was a colder current from east and south-east, but very mild conditions again became dominant until 27th when cold winds at first from west-north-west and then from north caused a decided fall of temperature. Highest readings occurred as a rule on 23rd (60° at Crathes) and lowest on 28th (25° at Leadhills). The very high mean temperature of the month,—more than 5° above the normal at several stations,—was at many places equalled in 1914, but taking a general view a milder February has occurred in Scotland during the last sixty years only in 1882 and 1903. The mean night temperature, however, was very generally the highest hitherto recorded in February. The mean of the reporting stations was $42^{\circ}\cdot2$, or $4^{\circ}\cdot3$ above the normal, the days being $3^{\circ}\cdot2$ and the nights $5^{\circ}\cdot4$ above their respective averages.

The month's rainfall was moderate in the east, except in the Lothians, and deficient in the north-east. Elsewhere there was a considerable excess, amounting to at least 70 or 80 per cent. over large areas in the west and north-west. At Glenquoich (19·92 in.) the month was the second wettest February during the last forty years, and has been exceeded in wetness only in 1903 (21·35 in.) and approached in wetness only in 1877 and 1911. At Crieff and Killin there was precipitation on every day of the month, and in the wet areas generally only three or four completely dry days. Until 12th conditions were generally wet except towards north-east, and between 15th and 25th some considerable falls occurred, $2\frac{3}{4}$ in. at Gruline (Mull) on 17th and about $2\frac{1}{2}$ in. at Killin on 21st. At Glenquoich as much as 3·10 in. fell on 23rd following a total of about 4 in. for the two preceding days, and at Kinlochquoich a large part of the month's large aggregate of 23·91 in. was accounted for between 21st and 25th, the rainfall on the five consecutive days being 2·94, 0·95, 4·10, 0·42, 2·40 in. At Aberdeen the month's small total of 1·27 in. was largely accounted for by moderate falls on 12th, 16th, and 28th. The mean of the reporting stations was 4·60 in, or 148 per cent. of the normal.

Winds were as a rule strong and squally, with a gale from south-east in some districts on 15th, and stormy south-westerly to westerly conditions from 21st to 27th. There was a good deal of snow around 21st, and on night of 27th a fierce northerly wind set in. On the forenoon of 28th snow fell heavily in eastern, inland, and northern districts, and a gale was general, the conditions being described by most observers as those of a "blizzard." Many trees were blown down, snow fell in places to a depth of 6 in., and in some districts there was drifting to a depth of several feet. In some western and south-western districts no snow fell on low-lying ground throughout the month.

Thunderstorms were reported from one or two points towards the north and west around 9th and on 27th or 28th.

Sunshine was deficient; fog occurred around the middle of the month; and at Aberdeen practically no sunshine was registered from 12th to 19th.

Aurora was observed at Baltasound (Shetland) and Eskdalemuir on 5th; somewhat widely on 9th, 10th, and 11th; and here and there on 28th. At Baltasound there was a display on each night from 9th to 13th.

March 1918.—The month was characterised by a very high mean pressure; a fairly high mean temperature, with a slightly low daily range; a very low mean rainfall; and an excess of south-easterly winds.

From 2nd until nearly the end of the month the weather was mainly of an anticyclonic type, but on 28th a disturbance developed off the north of Ireland and moved across the north of England, and conditions became everywhere unsettled. The mean for the month was 30·007 in., or 0·216 in. above the normal, and at Leith, at sea-level, pressure was above 30 in. from 1st to 9th, from 13th to 17th, and from 20th to 26th, the extremes there being 30·41 in. on 6th and 29·11 in. on 30th.

Until 18th or 19th, with winds as a rule from east and south-east, temperature remained for the most part at a low to moderate level, though around 10th warmer winds from south-west were in evidence. On 20th a week's spell of genial anticyclonic weather developed which brought the mean temperature for the month somewhat above the normal in practically all districts, whilst the last few days were marked by variable winds and rather cold conditions. Lowest readings occurred very generally from 1st to 3rd, and on night of 1st-2nd Braemar recorded a reading of 4° in screen with 1° below zero in the open. The highest reading reported was 65° at Perth on 22nd. The mean of the reporting stations was 40°·9, or 1°·3 above the normal, the days being 1°·1 and the nights 1°·5 above their respective averages.

The month was a very dry one nearly everywhere in our Islands. In Scotland wide areas had less than one-half, and considerable areas less than one-third, of the normal rainfall, and various stations aggregates of less than 1 in. There was some precipitation in the east from 1st to 5th; in many districts from 9th to 11th; and towards the north-west on 19th and 20th; but everywhere many of the nominal "rain days" had only trifling amounts and in general aggregates were largely accounted for during the last four or five days of the month. At Edinburgh and at Leith the 30th was the only day with more than 0·1 in. of rain. The mean of the reporting stations was 1·47 in., or 49 per cent. of the normal.

As a result of the storm of February 28th snow lay on the ground in many districts for the first two or three days of the month, and there were some further slight falls of snow at that time, on 8th, and on 28th or 29th. Wind was usually light in force, but squally around 8th and towards the end of the month.

Sunshine aggregates were as a rule below the normal, and at Aberdeen (72 hours) a cloudier March has occurred only in 1909 (45 hours). There was a good deal of mist and fog.

Aurora was observed at various points on 2nd, 6th, 7th, 8th, 10th, or 12th.

The weather of the month was very favourable for agricultural operations.

April 1918.—The month was characterised by a high mean pressure; a rather low mean temperature, with a mean daily range all but equal to the normal; an abnormally low mean rainfall; and a large excess of north-easterly and easterly winds.

The general distribution of pressure for the month over our Islands was quite abnormal and the mean values were actually highest in the north and west of Scotland and lowest over Southern England, whereas a reverse arrangement is characteristic of an average April. There was thus a well-marked gradient for the predominant wind from between north and east. After the first few days conditions over Scotland were mainly of a settled anticyclonic type. The mean for the month was 30·023 in., or 0·142 in. above the normal, and at Leith, at sea-level, pressure was above 30 in. on 5th, 8th, 11th, from 13th to 19th, and from 23rd to 30th, the extremes there being 30·43 in. on morning of 28th and 29·28 in. on morning of 1st. In March also pressure had been much above the normal, and a higher mean value for March and April combined has seldom been recorded in Scotland.

With winds mainly from north, north-east, and east, much cold weather was experienced, but during the fourth week of the month there was a considerable rise in temperature especially in western and southern districts, and on 25th Fort-William reached 72°. Lowest temperatures occurred as a rule between 12th and 16th, though here and there a few days later,—as low as 20° at Kingussie on 15th and at Leadhills on 15th and 21st. The mean of the reporting stations was 42°·7, or 1°·4 below the normal, the days being 1°·2 and the nights 1°·5 below their respective averages.

Following a very dry March, precipitation was very deficient in nearly all districts; considerable areas had only one-third or less of their normal rainfall; and various stations aggregates of only about half-an-inch or even less. Practically the only rains of importance occurred on 1st and 2nd, from 5th to 8th, and on 19th and 20th; nearly everywhere the month's totals were largely accounted for on two or three days; and in most districts no rain fell after 20th. In the east the month was the driest April since 1912; and at Glasgow and Greenock the driest since 1873. Such conditions were in notable contrast to those of the east and south-east of England, where the month was very wet. At Edinburgh (Blackford Hill) the total rainfall for March and April was only 1·13 in.,—the smallest aggregate since 1853,—and during the two months there were only three days with more than 0·1 in. of rain. The mean of the reporting stations was as low as 0·95 in., representing only 41 per cent. of the normal.

Snow and sleet occurred, except in western districts, towards the end of the third week. A fairly heavy fall on night of 19th-20th quickly disappeared.

Thunder and hail occurred here and there towards south-east and south on afternoon or evening of 2nd.

There was a good deal of gloomy weather, with some fog and mist, but the last week or so of the month was very sunny. In the west aggregates were considerably above the normal, and at

Glasgow (Observatory) the month (168 hours) was the sunniest April since 1893 (180 hours).

Aurora was observed more or less widely on 5th, 6th, and 11th; at Eskdalemuir on 12th; and at Aberdeen on 25th.

May 1918.—The month was characterised by a rather high mean pressure; a decidedly high mean temperature, with a rather low mean daily range; a mean rainfall practically equal to the normal; and an excess of winds from between south-east and south-west.

For the fourth month in succession pressure was above the normal, the mean value being 30·017 in., or 0·074 in. above. At Leith, at sea-level, readings were above 30 in. from 1st to 4th, 18th to 22nd, and 25th to 31st, the extremes there being 30·46 in. on 31st and 29·47 in. on 13th. After the middle of the month anticyclonic conditions were interrupted only during the approach and passage across the Clyde-to-Forth line of a disturbance on 23rd, whilst during the last few days pressure distribution over our Islands was of a very stable type.

On night of 30th April-1st May low thermometer readings were general (25° at Balmoral, Banff, and elsewhere), and during the first two weeks temperature was in general rather low to moderate. Thereafter very warm days until 22nd, when Ruthwell reached 82°,—the highest temperature reported anywhere in Scotland during the year,—were followed, after a thunderstorm, by slightly cooler conditions with a return of high temperatures during the last three or four days of the month. On 23rd maximum readings were in many districts much below those of 22nd, a reading of 80° at Dumfries on 22nd being followed by a maximum of only 60° next day. The mean of the reporting stations was 51°·8, or 2°·7 above the normal; the days were 2°·1 and the nights 3°·2 above their respective averages; and judged by its mean temperature the month was the warmest May since 1911.

Fine conditions which had been general since 20th April became broken by 3rd or 4th May, and between 4th and 6th there were some fairly heavy rains with a three days' aggregate at Dundee of more than 2 in. Between 10th and 17th the weather was again broken, and from 21st to 25th an unsettled thunder-type prevailed, with considerable falls on 22nd,—more than 1 in. at Stronvar, Colmonell, and Rothesay. The last few days of the month were nearly everywhere rainless. Relatively to the normal aggregates varied greatly. Thus in most eastern districts there was a considerable excess,—about 70 per cent. at Dundee and Edinburgh,—whilst at Aberdeen and in north, north-west, and south there was a deficiency. The mean of the reporting stations was 2·67 in., or 103 per cent. of the normal.

There was a little snow, sleet or hail at some points on 1st.

Thunderstorms occurred in north on 4th; in Orkney on 5th; here and there on 11th; fairly widely on 17th and 21st; very widely on 22nd; and sporadically on 23rd, 24th, or 25th. On 22nd a general and severe thunderstorm in the evening was preceded around the Firth of Forth and in some other districts by an afternoon storm of considerable intensity with heavy falls of large hail in some districts of Fife. An observer at Methil described the hailstones as $\frac{3}{4}$ in. in diameter.

There was a good deal of gloomy weather, with some fog or mist, and in spite of some very fine days during the last week and around 18th sunshine aggregates were mostly below the normal and at western stations much below the amounts recorded in April.

A fine aurora was observed at Rothesay on 16th.

June 1918.—The month was characterised by a slightly high mean pressure; a fairly low mean temperature, with a slightly high mean daily range; a low mean rainfall; and a large excess of winds from a north-westerly quarter.

Pressure distribution over our Islands was at first of a very stable type, but this gave place to variable conditions. The most important disturbance affecting our area was a rather deep one which moved eastwards between Orkney and Shetland on 13th to 14th. Later, an Atlantic anticyclone was the controlling factor, with dry weather and light north-westerly winds. The mean pressure was 29·976 in., or 0·011 in. above the normal; at Leith, at sea-level, readings were above 30 in. from 1st to 8th, from 10th to 13th, and on 23rd, 25th, 26th, 29th, and 30th; and the extremes at that place were 30·49 in. on 1st and 29·58 in. on 15th.

The days were in general warm until 6th, with 80° at Gordon Castle on that date; but thereafter temperature was almost continuously much below the normal until the last day or two of the month when there was a decided recovery, which was most marked in eastern districts,—as high as 81° at Crathes on 30th. Both days and nights were unusually cold around 15th, and quite abnormally so for midsummer on 25th when the thermometer at various places failed to reach 50° during the day, whilst at West Linton it fell by night to 27°, with a reading of 24° from a thermometer exposed in the open. The mean of the reporting stations was 53°·5, or 1°·2 below the normal, the days being 1°·0 and the nights 1°·5 below their respective averages.

The last few days of May had been rainless nearly everywhere, and this was the case also during the first five days of June. Thereafter somewhat changeable conditions seldom resulted in rain of much importance, though moderate falls were fairly general on 6th, and again on 15th in association with a thunderstorm; on 13th Glenquoich had as much as 1·58 in., and around 21st there were moderate falls towards the north. The last week or ten days of the month were in many districts rainless or all but so. In Orkney and Shetland and at some points towards the north-west aggregates were fully equal to the normal, but as a rule there was a serious shortage, and this was most marked in eastern districts from the Tay southwards, where many stations had less than $\frac{1}{2}$ in. for the whole month and most only about one-fifth or less of the normal. At Perth no day, and at Edinburgh only one day, had as much as 0·1 in., and except for moderate falls on one or two days which largely accounted for the month's small totals conditions of drought were over large areas not effectively broken. The mean of the reporting stations was 1·44 in., representing 60 per cent. of the normal.

On 13th a gale from west or west-south-west was fairly general; and on 14th Ben Nevis was covered with freshly fallen snow to a

level of 2000 ft. A thunderstorm with heavy hail occurred somewhat widely on afternoon of 15th, and minor thunderstorms here and there on 5th or 6th and around 20th.

After the first week, which was extremely sunny, there were many cloudy days though a few very bright ones. Sunshine aggregates were for the most part rather above the normal, but deficient towards the north.

With some low temperatures, some very dry winds causing considerable evaporation of moisture from the soil, and a generally deficient rainfall, the general weather of the month was in most districts unfavourable to agricultural and horticultural interests.

July 1918.—The month was characterised by a rather low mean pressure; a slightly low mean temperature, with a mean daily range equal to the normal; a high mean rainfall; and an excess of northerly and also of south-easterly winds.

After a stable type of pressure distribution during the first few days, there followed a three weeks' spell of unsettled cyclonic conditions with shallow disturbances crossing our Islands which lay between well-developed high-pressure areas in the far north and over the Azores. The mean pressure for the month was deficient for the first time since January 1918, being 29·825 in., or 0·073 in. below the normal. At Leith, at sea-level, readings were above 30 in. only from 1st to 7th and from 28th to 31st, and the extremes there were 30·49 in. on 3rd and 29·41 in. on 23rd.

There were some fairly warm days during the first week, whilst the second week was distinctly cold. On night of 9th-10th the thermometer in screen at West Linton fell to 28°, and only once during the last sixty years has a reading as low been recorded in Scotland during the month of July (27° at Lairg in 1884). Thereafter the day temperatures fluctuated considerably, being high on 17th and low around 21st, and decidedly high from 28th onwards except for a sharp fall in eastern coastal districts on the last day or two of the month. The highest reading was 79° at Buchlyvie on 3rd. The mean of the reporting stations was 56°·7, or 0°·6 below the normal, and this slight deficiency was equally marked by day and night.

During the last few days of May and the whole of June there were large areas of Scotland over which conditions of drought had not been effectively broken, but about 6th or 7th July rain had become general, and during the succeeding three weeks there was in most districts some wet or extremely wet weather. The most noteworthy falls occurred on night of 17th-18th in east and north-east during a thunderstorm,—as much as 1·75 in. at Perth; and from 20th to 24th,—fully 1 in. at Dundee and elsewhere in east on 20th, 1·62 in. at Banff and about 1½ in. at Aberdeen on 21st, and more than 1 in. at Helensburgh on 22nd and at Ardross Castle (Ross-shire) on 23rd. The last few days of the month were practically rainless. In south, west, and north-west, aggregates showed a moderate excess and here and there (as at Fort-William and Colmonell) a slight deficiency, whilst towards the north-east and north there was a notable area of excess, many places having at least twice the normal. In Orkney, and at Dunrobin, Ardross Castle, Braemar, and Aberdeen the month was the

wettest July for at least sixty years. The very wet area had sharply defined western and southern limits: thus Braemar had more than twice the rainfall of Dumfries, and Dundee nearly twice that of Stirling. At Aberdeen about half the month's total of nearly 6 in. was accounted for between 20th and 24th, and at Edinburgh about two-thirds by falls on 15th, 17th, and 20th. The mean of the reporting stations was 4.22 in., or 132 per cent. of the normal.

Thunderstorms occurred more or less widely between 9th and 12th, and between 23rd and 26th. The thunderstorm, already noted, experienced in eastern districts on night of 17th-18th was of exceptional intensity, and came up with an easterly wind. In some districts a minor storm occurred on afternoon of 18th.

Some very sunny days alternated with cloudy periods, and sunshine aggregates were fully equal to the normal towards the south and rather below it towards the north.

Much fog occurred in Orkney and Shetland between 15th and 25th; a little elsewhere around 21st; and some in the Firth of Forth at the end of the month.

August 1918.—The month was characterised by a mean pressure practically equal to the normal; a fairly high mean temperature, with a decidedly low mean daily range; a somewhat low mean rainfall; and an excess of south-westerly winds.

Pressure distribution over Scotland seldom approached a stable type, and various depressions passed on an easterly track across or to the north of our area, the most important of these on 14th, 22nd, and 31st. The mean pressure for the month was 29.859 in., or 0.003 in. above the normal; at Leith, at sea-level, readings were above 30 in. on 1st, from 10th to 13th, on 21st, 23rd, and 29th; and the extremes at that place were 30.20 in. on 13th and 29.55 in. on evening of 31st.

Highest temperatures occurred as a rule on 10th or 11th (79° at Marchmont), though here and there on 20th and in some western districts early in the month, but except at these times the days were only moderately warm, and Scotland did not share in an unusual outburst of heat experienced in England during the third week. With rather cloudy skies and restricted terrestrial radiation night temperatures, on the other hand, were unusually high, and the mean daily range much below the normal. At the end of the month there was a sharp incursion of cold, with a reading at Crathes on night of 31st of 37° in screen and 30° in the open. The mean of the reporting stations was 57°.6, or 1°.0 above the normal, the days being 0°.1 below and the nights 2°.2 above their respective averages.

A practically rainless type of weather had characterised the last few days of July and this persisted until August 3rd. On 5th rather heavy rains occurred in south-west,—as much as 1.34 in. at Colmonell,—and from 11th onwards at some points in the west rain fell on every day though frequently the amounts were small. Heavy falls were experienced towards north-west on 22nd,—1.60 in. at Stornoway; rather widely on 25th, with 1.52 in. at Dumfries and as much as 2.32 in. at Ledlanet in Kinross-shire; and in north and north-east on 31st, with 1.65 in. at Wick. The

falls of 31st brought the aggregates in northern districts considerably above the normal and in the extreme north the month, following a July that had been the wettest on record, appears to have been the wettest August since 1889. Elsewhere, except in the Nith Valley and at one or two other points, there was as a rule a slight to moderate deficiency, though in Midlothian and Berwickshire amounts were little more than half the normal. In most districts aggregates were largely accounted for on some three or four days,—at Dumfries one-third of the total fell on 25th,—and generally speaking there were few falls of much importance except around the dates indicated. The period from 6th to 15th was in many districts one of trifling precipitation, whilst the last week was in general the most unsettled of the month. The mean of the reporting stations was 3·36 in., or 86 per cent. of the normal.

Wind force was at times high, especially around 14th and 22nd, with a north-westerly gale in Orkney on 22nd and 23rd.

Thunderstorms occurred at one or two points on 4th or 5th; in various districts between 10th and 12th; at one or two points in east on 18th or 21st; and rather widely on afternoon of 25th. At many stations, however, none occurred. Hail fell here and there on 31st.

Sunshine amounts were below the normal, with some coast fog.

September 1918.—The month was characterised by an abnormally low mean pressure; an abnormally low mean temperature, with a slightly low mean daily range; an abnormally high mean rainfall; and a slight excess of north-westerly winds.

Pressure distribution over our Islands was throughout of an extremely unstable type, more especially around 7th, 16th, and 21st, and numerous disturbances passed across, or to the north of, our area. The mean pressure of 29·545 in., or 0·394 in. below the normal, was the lowest recorded during the last sixty years, and has been approached only in 1866 and in 1869. At Leith, at sea-level, readings reached 30 in. only on 5th and 15th, and the extremes there were 30·08 in. on morning of 5th and 28·90 in. on evening of 22nd.

Temperature conditions were equally abnormal, and in general the month was decidedly the coldest September experienced in Scotland during the last sixty years, though here and there September 1863 was all but as cold. Moderately high readings were general on 6th and 7th (70° at Kelso), but almost throughout temperature remained at a low level both by day and night, and around the middle of the month the days were exceptionally cold with easterly winds. Ground frost occurred at times in many districts, and on night of 14th-15th the thermometer in screen at Braemar fell to 23°. The mean of the reporting stations was 48°·7, or 4°·1 below the normal, the days being 4°·4 and the nights 3°·9 below their respective averages.

Rather heavy rains occurred in north-east on 1st, but from 3rd to 6th but little rain fell anywhere. From 7th to 11th or 12th wet or very wet weather was general, with as much as 1·75 in. at Gruline (Mull) on 7th and more than 1 in. at Greenock on 9th and at Banff on 10th. After a temporary recovery a severe rainstorm from the east set in on the afternoon of 15th, with more

than 2 in. at Cargen, Eskdalemuir, and Wolfelee by morning of 16th, and more than 1 in. over wide areas. This rainstorm persisted for almost three days, with an aggregate at Eskdalemuir of 3·60 in., and of 2·73 in. at Glasgow Observatory, of which about half fell on 16th. Towards the north amounts were less heavy. By 21st moderate to heavy rains were again general, and wet weather continued until almost the close of the month, with 1 in. at Langhom on 21st, 2·61 in. at Kinlochquoich on 22nd, and about 1 in. at Killin on 27th. In most districts aggregates were greatly in excess,—more than twice the normal at Edinburgh and Glasgow and over considerable areas in south and south-east. In some of the wetter areas amounts were less than those of September 1908, but at Marchmont (Berwickshire) the month was the wettest September since 1891, at Cally (Gatehouse) the wettest since 1885, and at Glasgow the wettest since 1872. At Cargen the aggregate of 6·85 in. was equalled in 1885, but during the last 60 years exceeded in September only in 1869. The mean of the reporting stations was 5·25 in., or 164 per cent. of the normal. In other parts of our Islands the month was even wetter as compared with the normal, England and Wales having nearly two-and-a-half times and Ireland fully twice the average fall.

Winds were frequently strong and squally, especially around 10th, 21st, and 25th.

Thunderstorms occurred at various points during the first week; somewhat widely from 7th to 10th, and at one or two points on 17th, on 19th, or on some later day. Hail fell towards the end of the month, and here and there on earlier days. About the middle of the month fresh snow lay on the mountain tops in the north, and on 28th Ben Nevis was covered down to the 2000 ft. level.

Sunshine amounts were, except in the far north, slightly above the normal, mainly as the result of a few very sunny days.

Aurora observed at Aberdeen on 3rd and 4th; somewhat widely on 28th, and in Orkney on 9th and 29th.

Weather conditions were unfavourable for harvesting operations, though in some of the earlier districts the crops were secured.

October 1918.—The month was characterised by a somewhat low mean pressure; a slightly high mean temperature, with a rather low mean daily range; a somewhat high mean rainfall; and a large excess of southerly and south-westerly winds.

Pressure conditions were of a very unstable type during the first half of the month when numerous depressions, some of them secondaries, passed between Iceland and Scotland, and especially from 6th to 10th and again during the last two or three days. On 6th a very deep disturbance passed north-eastwards over the western coasts of our Islands. From 20th for a few days conditions over the greater part of our area were definitely anticyclonic. The mean pressure for the month was 29·791 in., or 0·050 in. below the normal; at Leith, at sea-level, readings were above 30 in. on 1st, 13th, from 18th to 21st, and on 23rd, 24th, and 29th; and the extremes at that place were 30·44 in. on evening of 20th and 29·10 in. on morning of 7th.

The temperature record of the month was comparatively uneventful. Highest readings occurred very generally on 9th or

10th (65° at Thorntonhall), but here and there on 3rd; and lowest readings, as a rule, on 13th (22° at Balmoral and Braemar), but at places on 26th (21° at Logie Coldstone). The very small daily range at places on 20th,—hardly 1° at Wick and Aberdeen,—was noteworthy; as were high night temperatures on 29th and 30th with a southerly air current. The mean temperature everywhere differed little from the normal and at various stations practically agreed with it. The mean of the reporting stations was $47^{\circ}\cdot 1$, or $0^{\circ}\cdot 5$ above the normal, the days being $0^{\circ}\cdot 1$ below and the nights $1^{\circ}\cdot 1$ above their respective averages.

The first ten days of the month were in nearly all except some northern districts almost continuously wet, with some heavy falls towards south on 3rd ($1\cdot 63$ in. at Leadhills), in west on 4th ($1\cdot 20$ in. at Gruline, Mull), and in west and north-west on 9th (as much as $2\cdot 89$ in. at Fort-William). Thereafter until near the end of the month rain of importance occurred only from 13th to 15th in north-west, somewhat widely between 17th and 19th, and on 24th towards north-west. At Fort-William fully three-quarters of the month's aggregate of $11\cdot 33$ in. was accounted for by 10th. Towards north-east and north aggregates were below the normal, and towards the south-east there was a trifling shortage. In west and south amounts were decidedly above the normal, by as much as 70 per cent. in Renfrewshire, 60 per cent. at Fort-William, and at least 50 per cent. very widely. The mean of the reporting stations was $4\cdot 79$ in., or 123 per cent. of the normal.

Very stormy weather prevailed from 5th to 7th, and again on 10th. On the morning of 7th the anemometers at both Edinburgh and Aberdeen registered in a gust the high velocity of 76 miles per hour.

Thunderstorms, with hail at times, occurred somewhat widely on 7th, and here and there on 6th and 8th.

Sunshine amounts were decidedly below the normal. At Aberdeen no sunshine was registered from 17th to 22nd, and at Marchmont (Berwickshire) the aggregate of 55 hours was the smallest for October since 1889.

An aurora was somewhat widely observed on night of 8th.

November 1918.—The month was characterised by a somewhat high mean pressure; a slightly low mean temperature, with a rather high mean daily range; a mean rainfall all but equal to the normal; and a considerable excess of winds from south and south-west.

Cyclonic conditions during the first ten days, with some violent fluctuations of pressure, especially on 4th-5th when a deep disturbance travelled with unusual rapidity from the south-west of Ireland on a north-north-easterly track, were followed by a quiet anti-cyclonic period until about 21st, when conditions became favourable for moderate winds between south and west. The mean pressure for the month was $29\cdot 863$ in., or $0\cdot 053$ in. above the normal; at Leith, at sea-level, readings were above 30 in. on 6th, from 11th to 21st, and on 30th; and the extremes at that place were $30\cdot 51$ in. on 12th and $28\cdot 58$ in. early on 5th.

The month opened with some fairly warm days, with highest readings very generally on 2nd (60° at Inverness), and tem-

perature remained moderately high until 10th, when a cold spell set in lasting about a fortnight. From 17th to 19th the days were in most districts very cold, and on 17th the thermometer at some places barely reached 32° ; at Dumfries the temperature for the week ending 23rd was 8° below the normal; and on night of 19th-20th Balmoral, Braemar, and Eskdalemuir Observatory recorded 15° in screen. After this cold spell there was a decided recovery of temperature, and late on 30th an exceptionally mild southerly current of air was in evidence. The mean of the reporting stations was $40^{\circ}\cdot4$, or $0^{\circ}\cdot8$ below the normal, the days being $0^{\circ}\cdot2$ and the nights $1^{\circ}\cdot4$ below their respective averages.

From 1st to 10th there were some heavy rainfalls in western, central, and southern districts especially on 4th (2.15 in. at Ardnadam), on 7th (3.22 in. at Gruline in Mull and 2.69 in. at Ardtornish), and on 9th (2.46 in. at Glen Etive); from 11th to 21st rainless or all but rainless weather was general; and during the last week or so of the month there were moderate falls on two or three days in most districts, but as much as 1 in. at Ford on Loch Awe on 27th. At Fort-William more than three-quarters of the month's rainfall was accounted for by 10th. In eastern districts, at Edinburgh more than half the month's rainfall was accounted for by falls on 1st and 4th, and at Aberdeen nearly the entire month's rainfall was registered during the first week. In most western districts aggregates were above the normal, at Paltalloch by 70 per cent. but at Glasgow by only 10 per cent., whilst in north and east there was a fairly well-marked deficiency. The mean of the reporting stations was 3.83 in., or 96 per cent. of the normal.

Very stormy weather was general on 2nd; early on 5th, when a rapid fall of the barometer was followed by an unusually rapid rise; and from 7th to 10th. On night of 7th-8th at Gordon Castle, in Morayshire, more than 5000 trees were blown down, and in Bute and elsewhere much damage was done.

On 5th thunder occurred here and there in west and lightning rather widely.

From 11th onwards much fog occurred,—very dense at times in the Firths of Forth and Clyde. Apparently the atmosphere was clearer around our northern coasts than elsewhere.

Sunshine aggregates were rather above the normal, and specially good in the Moray Firth area.

Aurora was observed at various points on 5th, 10th, 11th, and very widely on night of 29th-30th.

December 1918.—The month was characterised by a decidedly low mean pressure; a high mean temperature, with a fractionally low mean daily range; a mean rainfall all but equal to the normal; and an excess of southerly and south-westerly winds.

Cyclonic conditions prevailed, and during the latter half of the month frequent depressions crossed or skirted our area. The mean pressure of the month was 29.592 in., or 0.135 in. below the normal; at Leith, at sea-level, pressure was above 30 in. only on 14th and 15th; and the highest reading at that place was only 30.09 in. on evening of 14th, the lowest being 29.00 in. on evening of 18th.

A mild southerly current of air had sprung up late on November 30th, and the first week of December was unusually mild in all parts of our Islands with a mean temperature at various places as much as 10° above the normal. The second week also was decidedly, though less notably, mild. At Glencarron on 4th and at Leadhills on both 12th and 13th the thermometer rose to 60° , a level seldom reached in Scotland in December. Thereafter rather wintry conditions were in evidence at times; from 19th to 23rd the days were exceptionally cold; and on night of 25th temperature fell to 13° at Lednathie. The mean of the reporting stations was $40^{\circ}\cdot4$, or $2^{\circ}\cdot1$ above the normal, the days being $2^{\circ}\cdot0$ and the nights $2^{\circ}\cdot3$ above their respective averages.

Precipitation was above the normal in south-west and extreme north, but elsewhere most districts experienced a moderate or well-defined shortage. There was a noteworthy absence of very heavy falls, though amounts exceeding 1 in. were recorded at Ardtornish (Morvern) on 5th, 12th, and 17th, at Colmonell on 19th, and at Glasgow and Rothesay on 22nd when the most general fall of the month, largely accounted for by snow and sleet, occurred. In the east there were numerous days with little or no precipitation; at Dundee, for example, there were only six days with falls of 0.1 in. or more. Conditions were most continuously unsettled at the beginning of the month, from 11th to 16th, and during the last few days. At Rothesay there were no "rainless" days, and at various points in west and north-west only one or two. The mean for the reporting stations was 4.04 in., or 96 per cent. of the normal.

The weather was stormy around 23rd and 26th, and there were falls of snow and sleet, with hail at times, on 17th and on various days from 22nd onwards. At Balmoral and Braemar there was snow on the ground from 18th onwards, to a depth of 9 in. or 10 in. on 25th.

Thunderstorms occurred in Ayrshire on 16th, and at Oban on 18th; and lightning here and there on various days.

Fog was comparatively rare, but occurred around 11th and 21st. Sunshine aggregates differed little from the normal.

Aurora was seen at various points on 8th and 20th, and on 25th a brilliant display was very widely observed. The phenomenon was noted at Aberdeen on as many as seven occasions.

[For Statistical Tables, see Page 417.]

TABLE 1.—Population of Scotland, estimated to the middle of each year, with the Numbers of Births, Deaths, and Marriages registered in each year, 1855-1918.

YEAR.	Estimated Population.	BIRTHS.							MARRIAGES.	DEATHS.			Excess of Births over Deaths.	YEAR.
		Males.	Fem.	Total.	Illegit.	Twin Births	Triplet Births.	Males.		Fem.	Total.			
1855	2,978,065	47804	45545	93349	7357	...	...	19680	30626	31378	62004	31345	1855	
1856	2,995,771	52239	49582	101821	8695	1267	12	20740	29418	29111	58529	43292	1856	
1857	3,012,310	53158	50257	103415	8859	1300	*16	21369	30937	30969	61906	41509	1857	
1858	3,027,665	53694	50324	104018	9354	1262	17	19655	31652	31887	63539	40479	1858	
1859	3,041,812	54628	51915	106543	9715	1335	11	21201	30588	31126	61714	44829	1859	
1860	3,054,738	54409	51220	105629	9736	1247	23	21225	33610	34560	68170	37459	1860	
1861	3,069,403	54606	52403	107009	9929	1249	18	20896	30890	31451	62341	44668	1861	
1862	3,098,008	55257	51812	107069	10376	1279	18	20597	33179	34016	67195	39874	1862	
1863	3,126,879	56226	53115	109341	10948	1267	6	22234	35631	35850	71481	37860	1863	
1864	3,156,023	57374	54959	112333	11197	1332	12	22725	37010	37406	74416	37917	1864	
1865	3,185,439	58220	54850	113070	11262	1364	9	23611	35190	35701	70891	42179	1865	
1866	3,215,130	58360	55307	113667	11673	1366	12	23688	35355	35993	71348	42319	1866	
1867	3,245,101	58517	55527	114044	11148	1365	*13	22618	34363	34705	69068	44976	1867	
1868	3,275,353	59222	56292	115514	11354	1443	15	21855	34662	34754	69416	46098	1868	
1869	3,305,889	59321	55033	114354	11066	1407	15	22144	37868	38007	75875	37479	1869	
1870	3,336,712	59599	56431	115390	11108	1384	9	23854	36866	37299	74165	41225	1870	
1871	3,368,926	60029	56099	116128	11077	1299	17	24019	36827	37885	74712	41416	1871	
1872	3,404,799	61293	57472	118765	10927	1383	11	25641	37939	37855	75794	42971	1872	
1873	3,441,057	61467	58233	119700	10925	1410	15	26748	39037	37909	76946	42754	1873	
1874	3,477,704	63602	60109	123711	10991	1512	13	26390	40678	40042	80720	42991	1874	
1875	3,514,744	63432	60146	123578	10786	1477	9	25974	40323	41444	81767	41811	1875	
1876	3,552,182	64819	61715	126534	11029	1463	20	26579	37404	36725	74129	52405	1876	
1877	3,590,021	65089	61733	126822	10568	1429	12	25817	37173	36764	73937	52885	1877	
1878	3,628,268	65200	61573	126773	10641	1367	12	24358	38389	38404	76793	49980	1878	
1879	3,666,923	64346	61384	125730	10727	1452	20	23519	36296	37051	73347	52383	1879	
1880	3,705,994	63786	60784	124570	10589	1438	8	24505	38055	37748	75803	48767	1880	
1881	3,742,564	64720	61451	126171	10484	1418	13	26004	36097	36228	72325	53846	1881	
1882	3,770,656	64505	61653	126158	10546	1415	7	26596	36325	36664	72989	53169	1882	
1883	3,798,961	63879	60579	124458	10114	1370	18	26869	38296	38595	76891	47567	1883	
1884	3,827,476	66379	62778	129157	10439	1457	19	26106	37556	37612	75168	53989	1884	
1885	3,856,207	64543	61557	126100	10680	1423	14	25304	36932	37675	74607	51493	1885	
1886	3,885,154	65910	61980	127890	10506	1331	10	24515	36432	37208	73640	54250	1886	
1887	3,914,318	66842	60576	124418	10380	1335	18	24876	36805	37741	74546	49872	1887	
1888	3,943,701	63129	60140	123269	9968	1380	12	25305	34953	36221	71174	52095	1888	
1889	3,973,304	63303	59480	122783	9770	1423	10	26344	36328	36910	73238	49545	1889	
1890	4,003,131	62187	59339	121526	9241	1421	13	27469	39130	39874	79004	42522	1890	
1891	4,036,245	64769	61217	125986	9647	1372	14	27969	41122	42451	83573	42413	1891	
1892	4,078,910	64356	60687	125043	9248	1468	17	28670	37463	38082	75545	49498	1892	
1893	4,122,029	65010	62100	127110	9467	1469	10	27145	39585	40085	79670	47440	1893	
1894	4,165,606	63857	60510	124367	9064	1450	13	27604	35153	35960	71113	53254	1894	
1895	4,209,645	64799	61695	126494	9204	1342	12	28422	40663	41189	81852	44642	1895	
1896	4,254,153	66214	62958	129172	9393	1493	21	30270	35321	35356	70677	58495	1896	
1897	4,299,132	65817	63060	128877	9068	1375	15	31050	39506	39638	79144	49733	1897	
1898	4,344,589	66814	64047	130861	8870	1450	14	32112	39344	39053	78397	52464	1898	
1899	4,390,530	66778	63955	130733	8486	1463	15	32978	39903	39690	79593	51140	1899	
1900	4,436,958	67147	64254	131401	8534	1544	15	32444	41276	41020	82296	49105	1900	

* Including one case of quadruplets.

TABLE 1—continued.

YEAR	Estimated Population.	BIRTHS.						MARRIAGES.	DEATHS.			Excess of Births over Deaths.	YEAR
		Males.	Fem.	Total.	Illegit.	Twin Births	Triplet Births.		Males.	Fem.	Total.		
1901	4,479,104	67753	64439	132192	8359	1547	13	31387	40213	39894	80107	52085	1901
1902	4,507,220	67442	64825	132267	8300	1620	25	31913	39183	38758	77941	54326	1902
1903	4,535,513	68087	65438	133525	8295	1604	*13	32351	38136	37866	76002	57523	1903
1904	4,563,985	67794	64809	132603	9010	1603	18	32271	38851	39130	77981	54622	1904
1905	4,592,636	66750	64660	131410	9082	1619	17	31270	37196	37340	74536	56874	1905
1906	4,621,466	67461	64544	132005	9306	1524	21	33142	37731	37904	75635	56370	1906
1907	4,650,478	65901	62939	128840	8791	1676	*14	33298	38240	39056	77296	51544	1907
1908	4,679,671	66826	64536	131362	9111	1675	15	31606	38864	38974	77838	53524	1908
1909	4,709,048	65725	62944	128669	9370	1627	12	30108	37094	37538	74632	54037	1909
1910	4,738,611	63144	60915	124059	9049	1541	8	30902	36049	36219	72268	51791	1910
1911	4,751,132	62274	59576	121850	9200	1552	11	31844	35823	35909	71732	50118	1911
1912	4,741,077	62931	59859	122790	8989	1524	13	32506	36072	36268	72340	50450	1912
1913	4,728,132	61464	59052	120516	8548	1527	21	33676	36504	36565	73069	47447	1913
1914	4,747,167	62974	60960	123934	8879	1634	16	35023	36757	36800	73557	50377	1914
1915	4,785,598	58392	55789	114181	7875	1451	15	36233	41110	40521	81631	32550	1915
1916	4,824,308	56471	53471	109942	7797	1419	6	31419	35649	34991	70640	39302	1916
1917	4,854,738	50011	47430	97441	7295	1274	7	30421	35361	34122	69483	27958	1917
1918	4,886,274	50373	48181	98554	7854	1357	10	34600	39144	39228	78372	20182	1918

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1918.

YEAR.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR.
	Births.	Mar- riages.	Deaths.							
			Total.	Males.	Fem.					
1855	31·346	6·608	20·820	21·62	20·03	7·88	104·9	1·27	125·2	1855
1856	33·988	6·923	19·537	20·65	18·50	8·54	105·3	1·27	118·4	1856
1857	34·331	7·094	20·551	21·61	19·58	8·58	105·7	1·29	117·9	1857
1858	34·356	6·492	20·986	22·02	20·05	8·99	106·6	1·25	121·3	1858
1859	35·026	6·969	20·288	21·20	19·40	9·12	105·2	1·23	108·2	1859
1860	35·578	6·948	22·316	23·21	21·50	9·22	106·2	1·22	127·0	1860
1861	34·863	6·808	20·310	21·25	19·46	9·28	104·2	1·20	110·9	1861
1862	34·561	6·648	21·690	22·60	20·87	9·69	106·6	1·23	117·3	1862
1863	34·968	7·160	22·860	24·02	21·81	10·01	105·8	1·18	120·0	1863
1864	35·594	7·200	23·579	24·70	22·56	9·97	104·4	1·21	126·2	1864
1865	35·496	7·412	22·255	23·25	21·35	9·96	106·1	1·23	124·7	1865
1866	35·354	7·367	22·191	23·13	21·34	10·27	105·5	1·23	122·4	1866
1867	35·063	6·970	21·284	22·26	20·40	9·78	105·4	1·22	118·6	1867
1868	35·267	6·673	21·193	22·22	20·25	9·83	105·2	1·28	117·7	1868
1869	34·288	6·698	22·951	24·04	21·96	9·76	105·9	1·27	129·3	1869
1870	34·582	7·149	22·227	23·17	21·37	9·63	104·4	1·22	122·8	1870

TABLE 2—continued.

YEAR.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Births.	Mar- riages.	Deaths.							
			Total.	Males.	Fem.					
1871	34-470	7-130	22-177	22-90	21-51	9-54	107-0	1-15	130-3	1871
1872	34-882	7-531	22-261	23-33	21-00	9-20	106-6	1-19	123-9	1872
1873	34-786	7-773	22-361	23-72	21-11	9-13	105-5	1-20	124-9	1873
1874	35-573	7-588	23-211	24-44	22-08	8-88	105-8	1-25	124-9	1874
1875	35-160	7-390	23-264	23-94	22-63	8-73	105-5	1-22	132-1	1875
1876	35-621	7-482	20-869	21-96	19-86	8-72	105-0	1-19	121-2	1876
1877	35-326	7-191	20-595	21-57	19-69	8-33	105-4	1-15	114-9	1877
1878	34-940	6-713	21-165	22-02	20-37	8-39	105-9	1-10	123-0	1878
1879	34-283	6-414	20-002	20-58	19-47	8-53	104-8	1-18	107-9	1879
1880	33-613	6-612	20-454	21-33	19-64	8-50	104-9	1-17	121-6	1880
1881	33-712	6-948	19-325	20-02	18-68	8-31	105-3	1-15	112-5	1881
1882	33-458	7-053	19-357	19-98	18-77	8-36	104-6	1-14	118-0	1882
1883	32-761	7-073	20-240	20-90	19-61	8-13	105-4	1-13	119-0	1883
1884	33-745	6-821	19-639	20-32	18-97	8-08	105-7	1-16	117-9	1884
1885	32-700	6-562	19-347	19-83	18-87	8-47	104-9	1-15	120-5	1885
1886	32-918	6-310	18-954	19-40	18-50	8-21	106-3	1-06	115-7	1886
1887	31-785	6-355	19-044	19-44	18-63	8-34	105-4	1-10	122-2	1887
1888	31-257	6-417	18-048	18-32	17-75	8-09	105-0	1-14	113-1	1888
1889	30-902	6-630	18-433	18-88	17-96	7-96	106-4	1-18	121-3	1889
1890	30-358	6-862	19-736	20-26	19-25	7-60	104-8	1-19	130-6	1890
1891	31-214	6-929	20-706	21-11	20-33	7-66	105-8	1-11	127-9	1891
1892	30-656	7-029	18-521	19-01	18-06	7-40	106-0	1-20	117-5	1892
1893	30-837	6-585	19-328	19-87	18-82	7-45	104-7	1-18	136-0	1893
1894	29-856	6-627	17-071	17-45	16-72	7-29	105-5	1-19	116-7	1894
1895	30-049	6-752	19-444	19-95	18-96	7-28	105-0	1-08	133-4	1895
1896	30-364	7-115	16-614	17-14	16-12	7-27	105-2	1-19	115-5	1896
1897	29-977	7-222	18-409	18-96	17-89	7-04	104-4	1-09	137-9	1897
1898	30-120	7-391	18-045	18-67	17-46	6-78	104-3	1-13	134-2	1898
1899	29-776	7-511	18-128	18-72	17-57	6-49	104-4	1-14	131-0	1899
1900	29-615	7-312	18-548	19-15	17-98	6-49	104-5	1-20	128-5	1900
1901	29-513	7-007	17-885	18-47	17-33	6-32	105-1	1-19	129-4	1901
1902	29-346	7-080	17-292	17-89	16-73	6-28	104-0	1-26	113-4	1902
1903	29-440	7-133	16-757	17-31	16-24	6-21	104-0	1-23	117-5	1903
1904	29-054	7-071	17-086	17-53	16-67	6-79	104-6	1-24	123-1	1904
1905	28-613	6-809	16-229	16-68	15-81	6-91	103-2	1-26	116-2	1905
1906	28-563	7-171	16-366	16-82	15-94	7-05	104-5	1-18	115-0	1906
1907	27-705	7-160	16-621	16-94	16-32	6-82	104-7	1-33	109-7	1907
1908	28-071	6-754	16-633	17-11	16-18	6-94	103-5	1-30	121-0	1908
1909	27-324	6-394	15-849	16-24	15-48	7-28	104-4	1-29	107-7	1909
1910	26-180	6-521	15-251	15-68	14-84	7-29	103-7	1-26	108-3	1910
1911	25-647	6-702	15-093	15-55	14-67	7-55	104-5	1-30	112-5	1911
1912	25-899	6-856	15-258	15-69	14-85	7-32	105-1	1-27	105-5	1912
1913	25-489	7-122	15-454	15-92	15-02	7-09	104-1	1-30	109-6	1913
1914	26-107	7-379	15-495	15-97	15-05	7-16	103-3	1-35	110-6	1914
1915	23-859	7-571	17-058	17-71	16-44	6-90	104-7	1-30	126-5	1915
1916	22-799	6-513	14-643	15-24	14-08	7-09	105-6	1-31	97-1	1916
1917	20-071	6-266	14-312	15-02	13-65	7-49	105-4	1-33	107-5	1917
1918	20-170	7-081	16-039	16-52	15-59	7-97	104-5	1-41	99-8	1918

TABLE 3.—Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each Year, during each Quarter of the Years 1908 to 1918 inclusive.

	1908.		1909.		1910.		1911.		1912.		1913.		1914.		1915.		1916.		1917.		1918.	
	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.
FIRST QUARTER.																						
Births,	32503	27.9	32373	27.9	30422	26.1	30710	26.1	30272	25.6	29225	25.6	30656	26.3	30999	26.3	27352	22.8	25373	21.2	23221	19.3
Deaths,	23997	20.6	21469	18.5	20605	17.7	19794	16.9	20671	17.5	21270	18.2	20654	17.7	24990	21.2	19508	16.3	21787	18.2	17835	14.9
Marriages,	7591	6.5	7111	6.1	7317	6.3	6758	5.8	6994	5.9	7841	6.7	8631	7.4	7996	6.8	8904	7.2	7260	6.1	8240	6.8
SECOND QUARTER.																						
Births,	35611	30.5	34671	29.6	33312	28.6	32935	27.7	32221	27.3	32198	27.3	33009	28.0	30793	25.3	29331	25.0	26199	21.6	29054	21.4
Deaths,	19499	16.7	18478	15.8	18593	15.8	18029	15.2	17728	15.0	18143	15.4	18169	15.4	20413	17.1	18272	15.2	18617	15.3	16680	13.7
Marriages,	8313	7.6	8171	7.0	7928	6.7	8567	7.2	8209	7.0	8503	7.2	9038	7.7	9245	7.8	7636	6.4	7334	6.0	8048	6.6
THIRD QUARTER.																						
Births,	32612	27.7	31183	26.3	30061	25.2	29683	24.7	30166	25.3	29487	24.7	30336	25.5	26804	22.2	27144	22.4	23113	18.8	24700	20.1
Deaths,	16325	13.9	14964	12.6	15331	12.3	16149	13.4	15219	12.8	16194	13.6	16219	13.6	15932	13.2	15026	12.4	13729	11.2	15188	12.3
Marriages,	8044	6.8	7777	6.6	7975	6.7	8434	7.0	8778	7.4	9037	7.6	9353	7.9	9645	8.0	7766	6.4	7827	6.4	9404	7.6
FOURTH QUARTER.																						
Births,	30611	26.0	30352	25.6	29705	24.9	28513	23.7	30067	25.2	29006	24.3	29933	25.1	25585	21.2	25515	21.0	22797	18.6	24579	20.0
Deaths,	18018	15.3	19683	16.6	17713	14.8	17760	14.8	18719	15.7	17462	14.6	18515	15.5	20236	16.8	17834	14.7	15948	12.5	23619	23.3
Marriages,	7135	6.1	7033	5.9	7646	6.4	8052	6.7	8529	7.1	8310	7.0	7972	6.7	9386	7.8	7477	6.2	8065	6.6	8908	7.2
YEAR.																						
Population,	4073623		4073533		4737263		4749673		4741077		4728132		4747167		4735593		4824303		4854738		4886274	
Births,	131337	28.1	125532	27.3	124000	26.2	121311	25.6	122716	25.9	120516	25.5	123934	26.1	114181	23.9	105942	22.8	97432	20.1	98554	20.2
Deaths,	77839	16.6	74594	15.8	73245	15.3	71732	15.1	72337	15.3	73069	15.5	73557	15.5	81631	17.1	70640	14.6	69431	14.3	73872	16.0
Marriages,	31533	6.8	30092	6.4	30366	6.5	31311	6.7	32510	6.9	33691	7.1	35049	7.4	36272	7.6	31433	6.5	30436	6.3	34600	7.1

Figures in this Table are mainly compiled from the Quarterly Returns, and totals may not exactly correspond with those given elsewhere in this Report.

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Groups of Districts and Larger Burghs, in 1918.

RATES PER 1000 OF POPULATION.										
Estimated Population.	Births.	Marriages.	Deaths.				Illegitimate Births per 100 of Total Births.	Infantile Mortality.		
			Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.			Phthisis.	*Principal Epidemic Diseases.
SCOTLAND	20.17	7.08	16.04	16.04	16.04	1.58	1.07	1.90	7.97	99.8
LARGER BURGHS	19.75	8.91	16.52	16.05	17.14	1.72	1.15	1.10	8.42	109.7
SMALLER BURGHS	19.52	6.97	15.79	16.16	15.74	1.41	0.92	0.98	7.31	96.8
COUNTY DISTRICTS	21.24	4.26	15.43	15.05	14.08	1.27	0.87	0.85	7.70	87.0
Glasgow	21.2	9.4	16.9	16.5	18.1	1.74	1.24	1.24	8.1	113
Edinburgh	14.5	11.3	16.7	15.2	15.8	1.45	0.96	0.55	11.9	94
Dundee	16.0	7.5	18.0	17.4	18.0	1.90	1.41	1.07	10.7	126
Aberdeen	16.3	9.8	16.7	15.4	15.6	1.63	1.11	1.06	11.4	143
Faisley	19.8	7.3	14.6	18.7	15.1	1.42	0.92	0.66	5.9	80
Leith	20.3	7.3	13.9	15.9	16.6	1.94	1.20	0.97	8.4	102
Greenock	26.5	6.9	18.6	17.9	18.1	1.94	1.11	1.87	4.9	110
Coatbridge	27.9	5.5	16.8	17.2	18.7	2.07	1.37	1.28	5.5	101
Motherwell	27.4	5.2	10.7	11.8	13.4	1.24	0.90	1.31	4.2	75
Kirkcaldy	17.4	6.5	14.5	16.0	16.3	1.06	0.76	1.13	8.7	111
Hamilton	27.6	6.1	14.4	15.5	16.8	1.64	0.91	2.28	5.7	98
Clydebank	26.3	5.9	10.6	13.5	15.6	1.42	0.89	0.93	3.7	96
Perth	12.7	9.0	18.8	16.0	15.7	1.56	0.89	0.67	11.2	134
Kilmarnock	18.7	7.5	16.2	15.7	17.1	1.87	1.23	0.86	9.4	116
Falkirk	19.9	6.9	15.9	15.3	16.8	1.87	1.05	0.99	9.7	87
Ayr	17.7	9.3	17.7	16.2	16.4	1.52	0.83	1.46	10.1	118

*Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Group, Diarrhoea under 2 years.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Smaller Burghs of Scotland in 1918.

BURGH.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	*Principal Epidemic Diseases.		
Aberchirder	931	23·6	4·3	26·9	30·1	23·1	1·07	0·00	1·07	40·9	227
Aberfeldy	1,569	8·3	1·9	21·7	22·9	19·8	1·91	0·64	0·64	15·4	0
Aberlour (<i>vide</i> Charles-town of Aberlour)											
Abernethy	542	20·3	5·5	12·9	12·9	9·8	0·00	0·00	1·84	9·1	0
Airdrie	24,595	27·8	6·8	13·9	15·2	16·8	1·30	0·85	2·07	5·0	77
Alloa	11,521	22·7	7·3	16·5	17·1	18·4	2·08	1·30	0·78	11·8	122
Alva	3,911	16·1	5·9	20·5	22·2	20·5	1·02	1·02	0·77	15·9	206
Alyth	1,692	5·9	7·1	19·5	21·9	18·1	1·18	0·59	0·00	20·0	100
Annan	3,943	23·3	12·4	16·5	18·3	17·6	2·03	1·78	0·51	10·9	54
Anstruther-Easter	1,059	11·3	8·5	10·4	10·4	9·8	0·00	0·00	0·00	8·3	83
Anstruther-Wester	559	10·7	0·0	23·3	26·8	22·5	1·79	0·00	0·00	0·0	0
Arbroath	18,393	14·9	7·8	17·9	18·5	16·9	1·96	1·30	0·65	4·7	106
Ardrossan	5,249	31·6	6·1	21·9	21·7	21·9	1·52	0·76	0·95	8·4	169
Armadale	5,060	25·7	4·2	16·2	17·8	19·4	1·78	1·19	4·35	3·8	154
Auchtermarder	2,169	12·0	4·1	19·4	22·6	18·8	0·92	0·46	0·46	11·5	77
Auchtermuchty	1,384	5·2	3·7	22·5	17·2	12·3	1·50	1·50	0·00	0·0	143
Ballater	1,172	13·7	5·1	17·1	17·1	15·3	0·85	0·00	0·00	6·3	0
Banchory	1,658	13·3	7·2	12·1	13·9	12·5	1·21	1·21	0·00	8·7	43
Banff	3,688	17·6	10·0	23·0	18·7	16·2	0·81	0·81	0·27	12·3	183
Barrhead	11,863	22·3	5·4	10·9	12·2	13·7	1·85	1·35	0·76	6·4	80
Bathgate	8,799	24·0	6·0	9·9	11·8	12·8	0·91	0·45	1·82	8·1	76
Biggar	1,231	8·1	4·9	15·4	16·2	13·1	0·00	0·00	0·00	10·0	300
Blairgowrie	2,996	16·7	5·7	21·0	21·7	17·6	3·00	2·00	0·33	10·0	40
Bonnyrigg	3,006	22·0	3·0	9·6	12·6	12·4	1·33	0·67	0·33	6·1	80
Borrowstounness	11,382	23·8	4·2	11·2	13·2	14·6	2·02	1·05	1·32	4·1	66
Brechin	7,664	13·3	7·6	17·5	18·5	16·4	1·30	0·91	0·78	15·7	78
Bridge-of-Allan	2,881	9·4	4·9	17·4	19·4	17·3	1·04	0·69	0·00	11·1	37
Buckhaven, Methil, and Innerleven	18,871	18·8	5·0	10·8	11·1	12·3	0·74	0·58	1·01	7·1	90
Buckie	9,417	20·4	5·8	12·3	12·1	12·0	1·27	0·74	0·96	4·7	73
Burghead	1,514	20·5	0·7	20·5	21·1	19·2	1·98	0·66	1·32	9·7	63
Burntisland	4,616	22·1	6·9	13·4	16·2	16·0	1·08	0·87	0·65	9·8	69
Callander	1,460	10·3	6·8	20·5	22·6	20·0	2·05	1·37	0·00	0·0	67
Campbeltown	6,782	21·2	6·0	19·0	18·7	17·3	1·62	1·33	1·03	13·2	69
Carnoustie	5,191	12·9	5·4	18·5	18·7	16·0	1·35	0·96	0·39	4·5	71
Castle-Douglas	2,861	14·0	5·9	14·3	14·7	13·4	1·40	1·05	0·00	12·5	71
Charlestown of Aberlour	1,273	6·3	6·3	11·8	13·4	14·4	3·93	3·14	0·00	12·5	123
Cockenzie and Port-Seton	2,769	19·9	2·2	11·9	15·2	14·9	0·36	0·36	1·08	0·0	123
Coldstream	1,231	18·7	4·9	20·3	20·3	16·5	2·44	1·62	0·00	4·3	87
Coupar-Angus	2,010	17·9	6·0	16·9	21·4	17·1	2·49	1·99	1·00	25·0	194
Cove and Kilcreggan	761	13·1	5·3	15·8	18·4	14·9	1·31	1·31	0·00	0·0	0
Cowdenbeath	17,239	19·4	4·4	8·4	10·4	11·6	0·70	0·35	0·99	3·0	104
Crail	995	19·1	7·0	20·1	17·1	13·6	2·01	1·01	0·00	15·8	21
Crieff	5,533	10·3	4·2	13·9	16·1	14·2	1·26	1·08	0·72	10·5	14
Cromarty	1,736	29·4	6·3	28·2	13·2	15·4	0·57	0·57	0·57	0·0	7
Cullen	1,930	19·2	6·7	15·5	16·1	13·5	1·55	1·55	0·00	5·4	5
Culross	507	19·7	11·8	5·9	7·9	5·4	0·00	0·00	0·00	10·0	10
Cumnock and Holmhead	3,469	21·3	6·9	19·3	21·6	19·9	1·44	1·15	0·58	5·4	12
Cupar	4,067	11·8	6·1	18·2	19·2	15·1	1·72	1·48	0·25	18·8	10
Dalbenttie	3,109	16·7	7·1	19·0	19·6	17·8	1·61	1·61	2·57	9·6	3
Dalkeith	6,850	23·9	5·1	18·5	17·8	17·0	1·02	0·44	1·61	7·9	9
Darvel	3,766	8·2	5·8	8·8	9·3	10·4	0·80	0·80	0·00	3·2	6
Denny and Dunipace	4,817	24·9	7·3	15·2	16·8	18·2	2·08	1·25	3·32	2·5	17
Dingwall	2,588	20·1	16·2	21·6	17·8	16·0	2·32	1·16	0·39	9·6	21
Dollar	1,336	9·0	9·0	15·7	17·2	15·1	2·25	1·50	0·00	16·7	8

* Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Croup, Diarrhoea under 2 years.

TABLE 5—continued.

BURGHS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epidemic Diseases.		
Dornoch	784	16·6	3·8	11·5	15·3	13·9	1·28	0·00	0·00	0·0	0
Doune	822	12·2	8·5	12·2	13·4	12·4	3·65	3·65	0·00	10·0	0
Dufftown	1,408	14·5	5·0	14·2	16·3	12·0	2·13	0·71	0·00	10·5	105
Dumbarton	22,252	26·9	5·2	18·1	17·0	18·2	1·62	0·90	1·62	4·3	100
Dumfries	15,539	20·9	14·5	24·3	19·9	20·5	2·12	1·48	0·58	10·5	111
Dunbar	3,014	20·6	9·0	17·3	18·6	17·5	2·65	1·99	0·00	12·9	48
Dunblane	3,146	18·3	5·1	15·3	16·8	15·6	0·32	0·32	1·27	3·8	192
Dunfermline	29,892	28·6	10·0	19·6	17·7	18·1	1·37	0·94	0·94	5·6	89
Dunipace (<i>vide</i> Denny and Dunipace)											
Dunoon	6,566	8·1	6·1	21·5	21·3	17·5	1·52	0·76	1·22	5·7	264
Duns	1,870	14·4	2·7	17·6	18·7	15·2	0·53	0·53	0·00	7·4	0
Dysart	4,421	13·5	8·8	14·9	16·7	16·4	6·23	0·00	2·49	4·9	122
Earlsferry	309	6·5	3·2	25·9	19·4	16·7	0·00	0·00	0·00	0·0	500
East Linton	808	11·1	1·2	27·2	26·0	19·6	1·24	1·24	0·00	11·1	0
Elgin	8,387	13·0	15·7	16·5	15·5	13·5	0·95	0·60	0·00	15·6	55
Elie, Liberty, and Williamsburgh	661	9·1	9·1	9·1	10·6	8·7	0·00	0·00	0·00	0·0	0
Ellon	1,090	18·3	21·1	15·6	19·3	15·9	0·92	0·92	0·00	20·0	50
Gyemouth	2,373	21·1	8·0	13·5	14·3	14·0	1·26	0·84	0·42	8·0	60
Galkland	803	6·2	1·2	23·7	24·9	18·8	0·60	0·00	0·00	40·0	200
Gindochty	1,883	25·5	6·4	11·7	12·2	12·7	2·12	2·12	0·00	2·1	42
Forfar	9,921	13·2	7·2	19·0	19·0	17·7	1·31	0·81	0·20	4·6	92
Forres	4,029	21·8	11·7	19·9	20·1	16·8	0·74	0·50	1·49	21·6	114
Fortrose	855	11·7	1·2	18·7	11·7	8·3	0·00	0·00	0·00	10·0	0
Fort-William	1,841	10·3	5·4	19·0	15·8	14·4	2·17	1·63	0·54	5·3	0
Fraserburgh	11,046	20·2	4·6	11·6	11·0	11·4	1·09	0·81	1·36	7·2	103
Galaashiels	14,423	12·2	5·3	13·0	13·2	13·5	1·11	0·42	0·21	9·1	51
Galston	5,316	20·9	6·8	13·7	15·0	16·5	1·32	0·90	1·13	5·4	99
Gathouse	992	15·1	4·0	10·1	10·1	7·1	0·00	0·00	1·01	13·3	0
Girvan	4,551	19·1	5·3	17·2	16·7	14·5	0·44	0·22	2·20	9·2	80
Gourock	8,566	25·1	4·4	13·7	14·9	15·2	1·05	0·82	1·52	4·7	126
Grangemouth	10,540	16·6	5·2	11·0	12·8	14·3	0·76	0·28	0·09	3·4	74
Grantown-on-Spey	1,297	17·7	5·4	18·5	20·0	18·2	0·77	0·00	0·00	4·3	43
Greenholm (<i>vide</i> Newmilns and Greenholm)											
Gaddington	4,631	10·7	7·9	31·5	20·3	18·8	1·24	1·24	0·25	9·3	70
Gawick	15,726	14·3	7·4	17·0	17·7	17·8	1·59	1·08	0·38	9·3	76
Gelensburgh	8,078	14·7	6·3	13·7	13·0	12·0	1·11	0·62	1·24	5·9	101
Holmhead (<i>vide</i> Cumnock and Holmhead)											
Huntly	4,078	17·2	8·6	17·9	17·9	15·3	1·23	0·74	0·25	22·9	86
Inverleithen	2,669	9·7	4·5	8·6	9·0	8·7	0·75	0·75	0·37	7·7	38
Inverleven (<i>vide</i> Buckhaven, Methil, and Innerleven)											
Inveraray	405	12·3	0·0	19·8	27·2	19·3	7·41	2·47	0·00	20·0	0
Inverbervie	1,091	18·3	8·2	29·3	30·2	26·5	1·83	1·83	0·00	10·0	100
Invergordon	1,000	46·0	15·0	22·0	25·0	20·5	2·00	1·00	0·00	10·9	22
Inverkeithing	4,037	19·8	7·4	10·7	13·4	13·5	0·99	0·74	0·74	5·0	88
Inverness	20,497	19·5	16·0	23·3	20·4	18·9	1·81	1·41	0·49	12·0	148
Inverurie	4,381	16·0	7·1	11·6	13·7	12·3	0·91	0·23	0·46	14·3	57
Inverurie	10,048	28·1	8·2	17·9	19·2	19·4	2·69	1·09	0·60	6·7	117
Kedburgh	2,348	11·5	13·2	26·0	23·8	22·6	2·56	1·70	2·98	7·4	111
Kinhinstone	12,045	24·7	7·8	13·1	16·2	17·9	2·49	1·41	1·74	5·0	104

TABLE 5—continued.

BURGHs.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epidemic Diseases.		
Keith	4,096	17·6	8·1	22·7	21·7	18·4	1·71	1·46	1·46	15·3	11·1
Kelso	3,761	12·2	6·6	22·9	20·7	18·0	0·80	0·27	0·00	2·2	15·1
Kilcreggan and Cove (vide Cove and Kilcreggan)											
Kilrenny	2,438	12·3	4·9	9·0	8·6	7·8	0·82	0·82	0·00	3·3	8·1
Kilsyth	8,254	25·4	5·2	11·5	13·1	13·8	1·33	0·61	0·48	7·6	10·1
Kilwinning	4,954	25·8	8·7	14·7	15·5	16·1	0·81	0·61	1·41	3·9	10·1
Kinghorn	1,469	19·7	4·8	15·7	20·4	19·5	1·36	1·36	0·63	3·4	10·1
Kingussie	1,238	14·5	2·4	10·5	9·7	9·6	0·81	0·81	0·00	0·0	10·1
Kinross	2,789	18·3	4·7	19·4	20·4	17·9	1·43	0·72	1·03	11·8	13·1
Kintore	796	21·4	3·8	17·6	18·8	15·5	0·00	0·00	0·00	35·3	13·1
Kirkcudbright	1,968	17·8	4·1	13·2	15·8	13·2	3·56	0·51	1·02	17·1	13·1
Kirkintilloch	12,310	21·9	3·9	11·5	11·5	11·9	0·65	0·49	0·57	2·6	13·1
Kirkwall	3,684	26·1	16·8	20·6	18·5	14·9	1·36	0·81	1·09	12·5	13·1
Kirriemuir	3,364	8·9	5·6	19·3	20·8	17·7	1·19	0·30	0·59	23·3	20·1
Ladybank and Monkston Lanark	1,151 5,973	13·9 20·8	4·3 11·2	19·1 14·2	20·0 13·7	16·6 13·4	2·61 1·00	2·61 0·67	0·00 0·33	6·3 5·6	13·1
Langholm	2,635	12·9	4·2	17·1	17·5	15·2	1·13	0·76	0·76	5·9	13·1
Largs	3,796	6·1	5·3	15·0	13·2	11·4	1·32	1·05	0·26	0·0	13·1
Lasswade	343	26·1	4·7	13·0	19·0	19·5	0·00	0·00	1·19	9·1	13·1
Lauder	580	17·2	0·0	24·1	27·6	22·0	1·72	1·72	0·00	0·0	20·1
Laurencekirk	1,315	13·7	2·3	18·3	19·8	13·1	0·00	0·00	0·00	5·6	13·1
Lerwick	4,691	14·9	21·3	17·3	15·8	13·0	1·71	1·07	1·28	7·1	13·1
Leslie	2,322	13·8	3·0	11·6	12·1	10·4	0·86	0·86	0·43	3·1	13·1
Leven	7,028	17·4	4·3	12·7	15·5	16·5	1·14	0·43	1·28	8·2	13·1
Liberty (vide Elie, Liberty, and Wil- liamsburgh)											
Linlithgow	3,608	25·8	9·4	24·4	25·5	25·1	2·77	1·94	0·28	6·5	13·1
Loanhead	3,632	20·4	4·7	14·6	16·5	17·7	0·55	0·28	2·20	6·8	13·1
Lochgelly	12,446	21·9	4·3	12·1	13·6	14·7	0·80	0·48	1·12	5·1	13·1
Lochgilthead	604	14·9	8·3	18·2	18·2	13·6	0·00	0·00	0·00	11·1	13·1
Lochmaben	1,006	15·9	3·0	22·9	28·8	23·3	2·98	2·98	4·97	18·8	13·1
Lockerbie	2,397	16·7	4·6	17·1	21·3	19·0	1·67	1·25	0·00	5·0	13·1
Lossiemouth	4,202	20·5	7·4	14·0	14·5	13·9	0·48	0·48	0·24	8·1	13·1
Macduff	3,227	21·1	4·0	21·4	22·3	17·9	1·55	1·24	0·62	11·8	13·1
Markinch	1,656	13·3	5·4	6·6	7·2	6·2	0·00	0·00	0·00	0·0	13·1
Maybole	3,951	20·8	5·8	20·2	19·5	18·9	2·53	1·01	1·77	12·2	13·1
Maxwelltown	6,162	20·4	3·4	11·8	14·4	14·7	1·46	0·97	0·16	11·9	13·1
Melrose	2,036	9·3	6·4	33·9	11·8	10·0	0·98	0·49	0·49	0·0	13·1
Methil (vide Buckhaven, Methil, and Inner- leven)											
Millport	1,494	10·0	1·3	9·4	9·4	7·7	1·34	0·00	0·00	0·0	13·1
Millngavie	4,883	14·1	4·5	12·5	14·3	15·1	1·02	1·02	1·43	7·2	13·1
Moffat	1,922	13·0	7·5	19·8	20·3	17·2	1·56	1·04	0·60	4·0	13·1
Monifieth	3,603	7·5	5·6	11·7	11·7	11·0	0·56	0·56	0·28	7·4	13·1
Monkston (vide Lady- bank and Monkston)											
Montrose	9,417	17·0	7·4	26·1	26·2	21·9	2·02	1·17	0·21	13·1	13·1
Musselburgh	17,930	21·4	6·7	13·0	13·5	14·3	1·39	0·89	0·56	5·5	13·1
Nairn	4,544	16·1	11·2	17·2	18·3	16·6	1·32	1·32	1·76	13·7	13·1
Newburgh	1,927	11·4	3·1	11·9	13·5	10·3	0·52	0·52	0·52	4·5	13·1
New Galloway	317	12·6	3·2	25·2	25·2	20·9	3·15	3·15	0·00	0·0	13·1
Newmilns and Green- holm	4,794	12·3	4·8	13·8	13·6	14·4	2·09	1·88	0·63	5·1	13·1

TABLE 5—continued.

BURGHs.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epidemic Diseases.		
Newport	3,312	7.9	4.5	14.8	18.4	15.7	1.21	1.21	0.30	15.4	192
Newton-Stewart	1,861	17.8	8.1	20.4	21.0	18.5	1.17	0.00	0.00	15.2	91
North Berwick	3,317	10.6	5.4	10.9	11.5	11.9	0.30	0.30	0.30	14.3	143
Oban	5,264	15.3	9.1	19.2	14.4	13.9	1.68	1.31	0.00	11.0	73
Old Meldrum	994	11.1	6.0	29.2	31.2	22.8	1.01	1.01	2.01	27.3	273
Peebles	5,511	8.7	4.5	16.1	16.9	16.6	1.31	0.73	0.54	6.3	125
Penicuik	2,551	16.1	5.1	12.5	14.9	14.7	2.74	1.96	0.00	2.4	49
Peterhead	14,173	19.4	8.4	13.3	14.3	14.2	1.20	0.92	1.55	6.5	120
Pittenweem	1,311	17.7	4.4	12.7	12.7	11.5	1.10	0.55	1.10	0.0	63
Port-Glasgow	18,430	31.6	7.5	16.7	19.3	21.0	1.47	0.87	4.07	3.9	132
Portknockie	1,761	35.6	6.2	20.4	21.0	22.1	2.84	2.27	1.14	0.0	156
Port-Seton (<i>vide</i> Cockenzie and Port-Seton)											
Portsoy	1,902	16.3	4.7	15.8	15.8	12.6	1.05	0.00	2.10	19.4	290
Prestonpans	1,965	22.9	5.6	15.3	17.8	17.3	2.04	0.51	0.51	11.1	89
Prestwick	5,779	22.3	5.2	12.8	13.3	12.6	0.87	0.17	0.17	6.2	70
Queensferry	3,435	22.4	5.8	27.4	9.9	14.6	0.53	0.58	0.29	5.2	91
Rattray	1,444	24.2	4.8	27.7	38.1	31.4	5.54	3.46	4.85	20.0	229
Renfrew	14,177	23.4	6.2	10.5	12.3	13.9	1.20	0.92	0.49	3.0	81
Rosehearty	1,326	18.1	8.3	14.3	15.1	12.7	0.75	0.0	0.0	12.5	0
Roths	1,094	23.8	8.2	21.9	26.5	21.1	4.57	3.66	0.00	7.7	77
Rothsay	8,773	11.1	4.2	13.9	12.4	11.1	1.71	1.03	0.80	11.3	103
Rutherglen	27,025	18.5	7.4	10.0	12.8	14.1	1.22	0.81	0.48	4.0	80
St. Andrews	7,656	9.3	5.1	14.1	13.7	13.8	1.04	0.91	0.39	16.9	85
Salisbury	8,470	30.1	6.8	13.6	15.5	15.2	1.30	0.94	1.77	4.3	78
Sanguhar	1,522	17.7	5.9	15.8	17.7	17.3	0.66	0.66	2.63	3.7	185
Saskirk	5,746	8.9	6.1	11.1	12.5	12.1	1.39	1.04	0.17	2.0	98
Stewarton	2,644	17.8	5.7	15.5	17.4	16.6	2.65	1.13	0.00	8.5	106
Stirling	22,040	18.2	7.5	18.9	16.7	16.9	1.68	0.91	1.18	10.5	87
Stonehaven	3,835	15.4	7.0	20.6	18.0	13.4	2.09	1.83	0.78	13.6	34
Stornoway	3,559	18.3	12.4	17.1	16.6	15.6	0.84	0.84	0.56	1.5	77
Stranraer	6,397	19.9	5.5	22.2	21.4	19.1	1.56	1.09	0.47	12.6	126
Stromness	1,590	23.3	8.8	15.1	17.0	13.7	1.26	0.63	0.63	5.4	0
Tain	1,485	14.1	24.9	14.1	17.5	13.9	2.69	1.35	0.00	9.5	48
Tayport	3,070	13.0	8.8	14.7	14.7	12.8	2.28	1.63	0.00	7.5	25
Thurso	2,890	19.7	10.3	26.6	26.6	20.9	1.38	0.69	0.34	5.3	123
Tillicoultry	2,787	21.9	6.8	20.1	24.8	22.3	4.66	2.15	0.72	3.3	98
Tobermory	869	14.8	2.5	16.1	18.5	13.8	1.24	1.24	1.24	16.7	83
Tranent	5,250	25.7	3.6	12.2	14.5	15.2	0.95	0.76	3.43	0.7	119
Troon	7,574	15.8	4.5	8.6	9.4	10.2	0.92	0.66	0.26	5.0	42
Turriff	2,477	21.1	10.1	20.2	19.8	15.2	0.88	0.88	0.0	20.3	63
Whitburn	2,080	29.3	9.1	15.9	18.8	20.2	2.40	2.40	1.44	11.5	115
Whithorn	1,090	13.6	1.8	19.1	20.0	14.9	2.73	1.82	0.00	13.3	133
Wick	9,235	12.9	6.8	15.7	16.0	14.6	0.76	0.54	0.87	14.3	126
Wigtown	1,288	17.9	3.1	14.8	14.8	12.4	2.33	2.33	0.00	4.3	43
Williamsburgh (<i>vide</i> Elie, Liberty, and Williamsburgh)											
Wishaw	27,002	29.1	6.3	14.6	16.0	17.4	1.48	0.93	3.22	6.2	113

TABLE 6.—Birth-, Death-, and Marriage-rates in the County Districts of Scotland in 1918.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Marriage.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	†Principal Epidemic Diseases.		
ABERDEEN COUNTY—											
Aberdeen	22,513	14·9	3·3	16·1	13·1	11·5	1·51	1·15	0·31	12·5	77
Alford	8,472	20·9	4·1	15·5	16·6	14·4	0·71	0·35	0·59	15·8	85
Deer	26,027	22·8	4·4	15·4	16·1	13·7	1·00	0·69	0·85	11·1	76
Deeside	11,277	15·3	3·1	12·0	13·4	11·3	1·68	1·24	0·44	17·4	76
Ellon	12,524	23·9	2·5	11·7	13·1	11·5	0·48	0·40	0·16	15·1	80
Garioch	12,768	19·8	2·9	13·9	15·9	13·9	1·17	0·86	0·47	12·6	87
Huntly	6,141	24·6	3·7	13·4	15·0	13·7	0·98	0·81	0·65	18·0	80
Turriff	10,131	26·7	3·1	14·3	16·2	14·0	0·79	0·49	0·10	18·9	100
ARGYLL COUNTY—											
Ardnamurchan	2,398	13·3	1·7	15·4	16·7	12·2	0·83	0·83	0·42	9·4	65
Cowal	6,738	11·6	2·7	12·5	13·1	11·1	0·89	0·59	0·45	7·7	53
Islay	6,303	11·1	1·0	19·0	18·7	14·9	1·75	1·59	0·48	22·9	57
Kintyre	5,993	17·9	3·7	15·0	16·7	14·9	2·00	1·50	0·67	13·1	93
Lorn	9,468	15·1	3·7	12·1	14·2	11·9	0·84	0·84	0·53	6·3	45
Mid-Argyll	6,372	11·6	1·9	24·5	13·8	11·2	1·10	0·94	0·47	6·8	53
Mull	4,598	13·0	3·5	20·2	21·1	15·1	2·39	2·17	1·30	11·7	88
AYR COUNTY—											
Ayr	42,130	27·2	4·8	16·5	15·7	16·2	1·04	0·66	1·09	8·1	105
Carriick	12,630	19·2	5·3	14·0	15·2	14·6	1·43	1·27	0·43	9·9	66
Kilmarnock	22,475	22·6	5·0	13·8	15·2	15·6	1·25	0·71	0·85	7·5	123
Northern	45,032	24·6	4·8	16·4	15·7	15·8	1·73	1·09	1·09	6·2	73
BANFF COUNTY—											
Banff	15,778	23·1	2·7	14·8	15·0	13·3	0·44	0·25	0·38	13·4	96
Keith	10,931	19·1	3·0	12·2	13·0	10·9	1·01	0·64	0·46	12·0	73
BERWICK COUNTY—											
East	8,320	15·6	3·7	13·6	15·7	13·8	0·60	0·36	0·48	1·08	54
Middle	7,746	17·0	5·4	10·2	11·4	10·2	0·65	0·52	0·13	8·3	53
West	5,204	15·4	6·5	14·2	15·8	14·4	1·15	0·77	0·38	7·5	55
BUTE COUNTY—											
Arran	4,250	6·8	2·4	16·0	17·6	13·8	1·88	1·41	0·24	10·3	3
Bute	2,250	18·3	3·6	16·9	18·7	16·2	1·33	0·89	0·89	3·3	3
Eumoline*	84	—	—	—	—	—	—	—	—	—	—
CAITHNESS COUNTY—											
Caithness	16,971	17·0	3·2	16·1	16·3	11·5	1·12	0·77	0·24	8·7	8
CLACKMANNAN COUNTY—											
Clackmannan	9,359	21·9	6·4	16·3	17·2	17·3	1·92	1·07	0·75	3·9	7
DUMBARTON COUNTY—											
Eastern	23,542	19·9	5·0	19·0	12·8	13·3	1·06	0·85	1·15	6·4	9
Western	27,450	21·8	6·2	13·2	14·6	15·4	1·20	0·73	1·38	5·3	9
DUMFRIES COUNTY—											
Annan	9,772	35·2	11·6	21·5	21·4	19·6	1·64	1·23	0·61	8·4	9
Dumfries	8,324	19·7	3·4	27·4	18·7	15·7	0·96	0·72	0·24	12·2	9
Langholm	2,944	22·8	8·2	17·3	18·7	15·9	1·70	1·70	2·04	11·9	10
Lockerbie	7,872	17·3	5·2	16·1	17·7	16·1	2·03	1·65	0·64	16·2	8
Thornhill	11,422	22·5	6·3	19·4	20·5	18·5	1·31	1·14	1·58	10·1	11
EDINBURGH (Midlothian) COUNTY—											
Calder	17,712	26·4	5·6	12·8	14·5	15·1	1·02	0·51	1·19	6·2	6
Gala-Water	6,439	20·0	3·7	14·8	17·1	16·3	1·55	1·40	1·24	7·0	11
Lasswade	25,568	21·1	3·7	12·1	12·0	12·1	0·82	0·51	0·90	3·7	9
Suburban	25,823	13·5	4·1	29·6	14·7	14·5	1·12	0·89	0·50	10·3	6

* The population of this District is too small for the calculation of significant rates.

† Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Croup, Diarrhoea under 2 years.

TABLE 6—continued.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Marriage.	Death.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epi- demic Diseases.		
ELGIN COUNTY— Elgin	19,752	20·9	3·7	15·7	16·0	13·8	1·37	0·96	0·30	16·5	58
FIFE COUNTY— Cupar Dunfermline Kirkcaldy St. Andrews	15,092 33,175 47,485 14,993	15·2 26·3 22·8 14·2	3·7 4·3 3·5 3·7	23·8 12·4 11·6 14·8	16·3 13·7 11·2 15·9	13·3 14·2 11·6 15·0	0·80 1·45 0·82 1·07	0·53 0·81 0·44 0·67	0·73 0·69 1·18 0·53	12·2 4·0 7·4 7·5	83 103 98 85
FORFAR COUNTY— Arbroath Brechin Dundee Forfar	7,665 11,802 8,954 10,124	20·5 17·9 18·4 18·6	5·5 4·8 2·9 3·3	7·6 21·0 23·7 14·5	8·9 12·8 15·6 17·8	7·9 11·3 14·4 14·6	0·52 1·10 0·78 1·19	0·26 0·76 0·56 0·89	0·39 0·42 1·01 0·69	10·2 11·4 9·7 8·0	64 85 97 74
HADDINGTON COUNTY— Eastern Western	5,689 17,372	17·6 23·0	3·2 3·7	14·9 12·0	18·1 14·6	17·7 15·1	1·23 1·44	1·05 1·04	0·53 0·52	14·0 5·0	70 70
INVERNESS COUNTY— Inverness Aird Badenoch Lochaber Skye Harris North Uist South Uist	8,590 8,220 6,156 6,407 11,748 5,291 3,344 7,558	13·9 14·2 16·6 15·3 14·8 16·6 16·7 16·4	1·6 2·9 6·0 2·5 3·1 2·3 0·6 2·8	21·4 14·8 18·5 16·1 17·5 12·7 12·0 16·3	12·0 16·2 20·5 17·3 19·2 13·0 11·7 16·5	10·6 12·7 16·4 14·0 13·5 10·2 8·5 13·2	1·16 1·34 0·97 0·47 2·21 2·08 1·79 1·72	0·81 1·09 0·97 0·31 1·87 2·08 1·79 1·72	0·12 0·61 0·32 0·00 0·17 0·19 0·00 0·13	10·1 6·8 8·8 3·1 8·6 3·4 1·8 7·3	25 85 98 10 52 34 18 89
KINCARDINE COUNTY— Laurencekirk Lower Deeside St. Cyrus Stonehaven Upper Deeside	4,268 3,546 4,329 3,940 2,748	29·1 16·1 18·7 23·9 18·9	2·3 3·9 5·1 3·8 1·8	16·9 7·9 15·7 12·4 14·6	17·3 11·0 16·4 13·7 13·1	14·7 10·4 14·2 12·0 11·4	0·47 0·56 0·69 0·76 1·82	0·23 0·00 0·46 0·76 1·46	0·23 0·23 0·23 0·00 0·00	6·5 14·0 13·6 12·8 17·3	81 88 74 74 19
KINROSS COUNTY— Kinross	4,733	15·4	4·2	14·2	17·5	15·0	1·06	0·85	0·21	11·0	55
KIRKCUDBRIGHT CNTY. Eastern Northern Southern Western	6,848 2,593 7,764 3,101	20·3 14·7 18·5 15·2	5·7 5·8 4·5 6·1	17·4 12·3 13·8 14·2	18·8 13·5 13·3 15·5	16·4 11·5 12·3 14·7	2·19 0·77 1·67 2·53	1·17 0·39 0·90 1·61	0·15 0·39 0·26 0·32	11·5 7·9 16·0 12·8	72 26 76 85
LANARK COUNTY— Lower Ward Middle Ward Upper Ward	32,252 208,882 42,741	17·6 29·9 25·1	4·5 5·2 4·7	15·2 15·9 15·4	11·6 15·8 16·8	12·3 16·8 17·0	1·21 1·44 0·98	0·81 0·80 0·70	0·96 1·81 1·05	4·0 5·1 6·5	83 107 78
LINLITHGOW COUNTY— Bathgate Linlithgow	34,592 16,029	32·0 25·0	3·6 5·1	14·4 19·3	15·7 14·8	16·7 15·2	1·24 2·12	0·78 1·25	1·35 1·31	5·2 4·7	101 70
NAIRN COUNTY— Nairn	4,321	20·6	4·9	13·7	12·3	10·7	0·46	0·46	0·00	15·6	89
ORKNEY COUNTY— Mainland North Isles South Ronaldshay . . Walls	8,131 6,218 2,058 1,417	17·3 15·4 19·0 15·5	4·6 2·9 9·2 2·8	18·4 16·1 17·5 13·4	19·3 16·2 19·0 14·8	14·2 11·4 12·7 10·1	1·23 1·61 1·46 2·82	0·98 1·29 1·46 2·12	0·98 0·00 2·43 0·00	8·5 9·4 10·3 13·6	99 83 154 45

TABLE 6—continued.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Marriage.	Death.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epi- demic Diseases.		
PEEBLES COUNTY— Peebles	6,435	16·3	3·6	13·1	13·3	13·2	1·55	1·09	0·31	11·4	29
PERTH COUNTY— Blairgowrie	9,240	16·2	2·5	13·6	14·4	12·7	1·00	0·65	0·54	10·0	80
Central	9,418	17·3	4·5	15·7	17·2	14·7	1·38	0·85	0·11	9·2	61
Highland	11,909	14·7	3·1	15·0	16·0	13·3	0·84	0·67	0·25	11·4	69
Perth	19,909	17·7	4·8	11·5	13·7	12·0	1·00	0·80	0·35	9·6	85
Western	9,583	15·5	3·3	14·2	14·4	13·7	0·73	0·52	0·31	7·4	74
RENFREW COUNTY— Upper Ward	39,200	15·7	5·5	15·0	11·6	12·5	0·92	0·56	0·51	5·7	91
Lower Ward	22,789	16·1	3·8	14·1	13·1	14·6	1·84	1·27	0·70	5·2	120
ROSS & CROMARTY C'NTY. Black Isle	8,065	9·9	2·6	11·5	16·7	13·6	2·73	1·93	0·25	6·3	138
Easter Ross	9,309	27·5	4·1	19·6	20·0	15·2	1·61	1·07	0·75	9·4	55
Lews	24,991	14·2	2·9	13·8	13·8	11·6	1·80	1·56	0·76	2·8	81
Mid-Ross	10,549	15·5	3·6	19·6	19·9	14·4	1·04	0·95	0·33	10·4	79
South-Western	3,106	11·3	2·3	20·3	21·9	14·4	1·61	1·61	0·00	8·6	57
Western	4,067	15·0	2·0	17·9	20·4	12·9	2·46	1·97	0·49	4·9	49
ROXBURGH COUNTY— Hawick	3,088	13·6	7·1	15·9	13·9	13·6	1·62	1·30	0·00	11·9	71
Jedburgh	4,331	15·7	4·2	13·4	13·9	13·6	0·46	0·00	0·46	14·7	113
Kelso	5,771	16·6	6·4	14·0	17·3	16·9	1·04	0·87	0·17	12·5	94
Liddesdale	1,879	18·1	1·6	15·4	16·0	12·9	2·13	1·60	0·00	20·6	59
Melrose	4,744	15·0	3·8	12·4	12·9	11·2	1·26	0·42	0·63	11·3	56
SELKIRK COUNTY— Selkirk	4,038	15·6	3·5	9·7	10·6	10·6	1·73	1·49	0·00	11·1	79
SHETLAND COUNTY— Mainland	17,212	12·4	1·3	14·3	14·9	10·3	1·80	1·45	0·41	4·7	42
North Isles	4,415	10·6	0·5	14·0	14·0	10·3	2·49	2·04	0·23	2·1	21
STIRLING COUNTY— Central	29,679	22·4	3·7	11·1	12·2	12·4	1·21	1·01	1·01	5·0	69
Eastern	41,185	22·2	4·7	14·8	13·6	14·5	1·26	0·87	1·00	6·6	84
Western	11,454	15·5	3·0	13·4	14·4	13·2	1·31	0·79	0·44	8·4	51
SUTHERLAND COUNTY— Sutherland	17,504	13·3	3·1	17·4	18·5	13·1	1·71	1·14	0·23	7·8	60
WIGTOWN COUNTY— Machars	8,175	18·7	5·0	13·5	14·2	12·4	1·10	0·73	0·12	9·2	52
Rhins	11,080	20·7	3·1	15·3	15·9	14·5	0·54	0·36	0·18	16·2	100

... and ... in one ... (including ... in 1918).

COUNTIES.	Fetinated Population.	Births.		Deaths.				RATES PER 1000 OF POPULATION.							Infantile Mortality.					
		Total.	Illegitima e.	Marriages.	Total (Corrected for Transfers).	All Tuberculosis.	Phthisis.	Epidemic Diseases.*	Birth.	Marriage.	Deaths.			Corrected for Transfers.		Corrected and Adjusted for Age and Sex.	Tuberculosis.	Phthisis.	*Principal Epidemic Diseases.	Cent. of Total Births.
											Unrecorded.	16.04	16.04							
4,886,274	98,564	7,854	34,600	78,372	7,700	5,217	4,896	20,17	7,08	16.04	16.04	16.04	1.58	1.07	1.00	7.97	100			
SCOTLAND.																				
Aberdeen	305,677	5,505	703	2,269	4,670	492	286	259	18.0	7.4	15.7	16.3	14.4	1.38	0.97	0.85	12.8	113		
Argyll	62,400	869	95	230	1,046	91	72	41	13.9	4.0	17.6	16.8	14.2	1.46	1.15	0.86	10.9	76		
Ayr	267,588	5,892	449	1,660	4,198	400	248	266	22.0	6.2	15.8	16.7	16.0	1.49	0.93	0.93	7.6	100		
Banff	58,225	1,181	131	278	913	68	47	35	20.3	4.8	15.6	15.7	13.9	1.17	0.81	0.60	11.1	98		
Berwick	27,324	462	38	137	411	24	17	8	16.5	5.0	13.5	15.0	13.3	0.88	0.62	0.29	8.4	55		
Bute	16,851	172	15	57	241	29	18	10	10.2	3.4	14.4	14.3	12.2	1.72	1.07	0.59	8.7	76		
Caithness	29,105	405	45	148	502	30	20	13	16.0	5.1	17.0	17.2	13.1	1.63	0.69	0.45	9.7	97		
Clackmannan	28,914	603	53	198	537	62	37	21	20.9	6.8	17.3	18.6	13.6	2.14	1.28	0.73	8.8	111		
Dumbarton	146,583	3,379	153	808	2,048	184	110	170	23.1	5.5	13.0	14.0	14.9	1.26	0.81	0.45	9.5	95		
Dumfries	69,298	1,527	158	599	1,366	115	90	59	22.0	8.6	20.9	19.7	18.2	1.66	1.30	0.85	10.3	97		
Edinburgh	528,065	8,762	850	4,913	7,990	770	503	359	16.6	9.3	16.3	15.1	15.6	1.46	0.95	0.68	9.8	92		
(Middleton)																				
Elgin	40,275	775	117	301	675	49	33	15	19.2	7.5	16.6	16.8	14.6	1.22	0.82	0.37	15.1	74		
Fife	286,973	5,740	385	1,596	4,069	296	194	268	20.0	5.4	14.0	14.2	14.1	1.03	0.68	0.90	6.7	97		
Forfar	27,575	4,413	448	1,255	4,834	473	339	245	15.9	6.9	18.1	17.4	16.0	1.70	1.22	0.88	10.2	115		
Gaddington	44,215	883	58	197	706	57	43	36	20.0	4.5	14.9	16.0	15.9	1.29	0.97	0.81	6.6	83		
Inverness	80,898	1,314	109	504	1,392	128	109	23	16.2	6.2	18.3	17.2	14.1	1.58	1.35	0.28	8.3	81		
Kincardine	38,393	767	76	160	559	40	27	17	19.8	4.1	14.1	14.3	13.0	1.03	0.70	0.44	9.9	82		
Kinross	7,922	124	14	33	140	9	6	4	16.5	4.4	16.1	18.6	16.1	1.20	0.80	0.53	11.3	81		
Kirkcudbright	35,715	640	81	181	556	64	37	17	17.0	5.1	14.5	15.6	14.2	1.70	1.04	0.48	12.7	59		
Lenark	1,007,233	37,007	2,616	13,193	25,888	2,730	1,813	2,198	23.0	8.2	16.3	16.1	17.5	1.70	1.13	1.36	7.1	107		
Linlithgow	84,985	2,351	127	403	1,290	134	83	143	27.7	4.7	15.5	15.2	16.3	1.58	0.98	1.68	5.4	93		
Nairn	8,805	163	24	72	136	8	8	8	18.4	8.1	15.5	15.3	13.6	0.90	0.90	0.90	14.7	104		
Orkney	23,098	431	42	154	413	34	26	18	18.7	6.7	17.5	17.9	13.1	1.47	1.13	0.78	9.7	84		
Peebles	14,615	179	17	60	206	22	13	6	12.2	4.1	13.4	14.1	13.6	1.51	0.89	0.41	9.5	56		
Perth	119,291	1,734	183	672	1,947	158	105	64	14.5	5.6	16.0	16.3	14.6	1.32	0.88	0.54	10.6	98		
Renfrew	296,069	6,561	337	1,921	4,414	464	290	370	22.2	6.5	15.4	14.9	15.9	1.57	0.98	1.25	5.1	100		
Ross and Cromarty	71,310	1,197	76	335	1,216	124	98	38	16.8	4.7	16.7	17.1	13.9	1.74	1.37	0.53	6.2	79		
Roxburgh	43,684	668	68	284	791	89	37	20	14.4	6.5	17.4	16.7	15.8	1.35	0.85	0.46	10.5	84		
Selkirk	24,207	290	24	125	305	31	13	4	12.0	5.2	12.0	12.6	12.7	1.28	0.74	0.17	8.3	66		
Shetland	26,318	331	16	125	392	50	39	14	12.6	4.7	14.8	14.9	10.7	1.90	1.48	0.53	4.8	57		
Stirling	166,110	3,394	246	893	2,874	238	148	158	20.4	5.4	14.5	14.3	14.9	1.43	0.89	0.95	7.2	83		
Southland	18,288	245	18	58	335	31	20	4	13.4	3.2	17.1	18.3	13.1	1.70	1.09	0.22	7.3	57		
Wigtown	29,900	580	75	154	569	33	22	6	19.4	5.2	16.7	17.0	15.0	1.10	0.74	0.20	12.9	91		

* Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Group, Diarrhoea under 2 years.

TABLE 8.—Birth-rate among Married and among Unmarried Women in 1918.

	Estimated Number of		Births.		Birth Rates.		
	Married Women aged 15-45.	Un-married Women and Widows aged 15-45.	Legiti-mate.	Illegiti-mate.	Total per 1000 Women aged 15-45.	Legiti-mate Births per 1000 Married Women aged 15-45.	Illegiti-mate Births per 1000 Un-married Women aged 15-45.
SCOTLAND	500,890	675,027	90,700	7,854	83·8	178	11·6
LARGER BURGHS	261,970	349,151	43,454	3,993	77·6	165	11·4
SMALLER BURGHS	95,931	137,192	17,347	1,368	80·3	180	10·0
COUNTY DISTRICTS	142,989	188,684	29,899	2,493	97·7	209	13·2
Counties.							
Aberdeen	29,194	42,897	4,802	703	76·4	164	16·4
Argyll	4,566	9,195	774	95	63·1	170	10·3
Ayr	26,986	36,233	5,443	449	93·2	202	12·4
Banff	5,144	7,257	1,050	131	95·2	204	18·1
Berwick	2,497	4,142	414	38	68·7	166	9·2
Bute	1,403	2,869	157	15	40·3	112	5·2
Caithness	2,212	3,922	420	45	75·8	190	11·5
Clackmannan	2,802	4,540	550	53	82·1	196	11·7
Dumbarton	15,819	19,153	3,226	153	96·6	204	8·0
Dumfries	6,107	10,176	1,369	158	93·8	224	15·5
Edinburgh (Midlothian)	54,906	85,459	7,903	859	62·4	144	10·1
Elgin	3,371	5,658	658	117	95·8	195	20·7
Fife	31,305	35,059	5,355	385	86·5	171	11·0
Forfar	27,623	44,422	3,965	448	61·3	144	10·1
Haddington	4,438	8,821	825	58	86·1	186	10·0
Inverness	5,729	11,646	1,205	109	75·6	210	9·4
Kincardine	3,804	4,772	691	76	89·4	182	15·9
Kinross	699	1,007	110	14	72·7	157	13·9
Kirkcudbright	3,086	5,397	559	81	75·4	181	15·0
Lanark	179,463	207,322	34,391	2,616	95·7	191	12·6
Linlithgow	9,451	7,577	2,224	127	138·1	235	16·7
Nairn	702	1,440	139	24	76·1	198	16·7
Orkney	1,788	3,178	389	42	86·8	218	13·2
Peebles	1,355	2,588	162	17	45·4	120	6·6
Perth	10,497	18,716	1,551	133	59·4	148	9·8
Renfrew	31,589	43,306	6,224	337	87·6	197	7·8
Ross and Cromarty	4,754	9,804	1,121	76	82·2	236	7·8
Roxburgh	3,937	7,671	562	66	54·1	143	8·6
Selkirk	2,235	4,380	266	24	43·8	119	5·5
Shetland	1,924	3,947	315	16	48·2	164	4·1
Stirling	17,729	18,708	3,148	246	93·1	178	13·1
Sutherland	1,169	2,433	227	18	68·0	194	7·4
Wigtown	2,603	4,334	505	75	83·6	194	17·3
Larger Burghs.							
Glasgow	123,831	157,134	21,603	1,916	83·7	174	12·2
Edinburgh	33,574	60,497	4,252	576	51·3	127	9·5
Dundee	19,284	29,834	2,592	309	59·1	134	10·4
Aberdeen	17,500	24,907	2,411	310	64·2	138	12·4
Paisley	9,200	14,339	1,699	105	75·4	181	7·3
Leith	9,692	10,826	1,556	143	82·8	161	13·2
Greenock	8,662	10,045	2,009	103	112·9	232	10·3
Coatbridge	4,956	4,113	1,174	68	136·9	237	16·5
Motherwell	5,139	3,626	1,104	49	131·5	215	13·5
Kirkcaldy	4,515	5,593	643	61	69·6	142	10·9
Hamilton	4,659	3,707	1,029	62	130·4	221	16·7
Clydebank	5,976	4,446	1,198	46	119·3	200	10·3
Perth	3,559	6,059	404	51	47·3	114	8·4
Kilmarnock	3,968	5,246	635	66	76·1	160	12·6
Falkirk	4,014	3,476	635	68	93·8	158	19·6
Ayr	3,442	5,263	535	60	68·3	155	11·4

TABLE 9.—Method of Celebration etc., of Marriages in Scotland, 1855–1917.
Numbers.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	18280	6.708	8879	4665	2952	1826	350	923	76	9
1856	20749	6.923	9863	4645	2875	1953	360	984	24	36
1857	21369	7.094	10194	4789	2926	1919	416	1017	101	7
1858	19655	6.192	9104	4650	2707	1697	379	1034	57	27
1859	21201	6.969	9769	4861	2936	1822	378	1175	243	17
1860	21225	6.948	9705	4870	2837	1857	414	1217	309	16
1861	20896	6.808	9332	4969	2925	1806	386	1290	163	25
1862	20597	6.651	9307	4930	2846	1778	371	990	348	27
1863	22234	7.160	9929	5242	3249	2119	487	1113	76	19
1864	22725	7.200	9907	5507	3198	2276	459	1231	115	22
1865	23611	7.412	10177	5636	3345	2399	476	1516	30	32
1866	23688	7.367	10992	5570	3385	2259	516	1483	41	42
1867	22618	6.970	10066	5347	3247	2039	488	1323	65	43
1868	21855	6.673	9736	5015	3244	1872	467	1403	58	60
1869	22144	6.698	9761	5095	3277	2043	460	1393	56	69
1870	23854	7.149	10678	5465	3422	2121	538	1496	60	74
1871	24019	7.130	10985	5404	3325	2087	551	1498	64	105
1872	25641	7.531	11794	5661	3312	2461	579	1681	5	143
1873	26748	7.773	12187	5806	3596	2451	648	1853	10	197
1874	26390	7.588	11820	5922	3586	2267	643	1923	13	216
1875	25974	7.390	11587	5889	3443	2254	658	1899	9	235
1876	26579	7.482	11996	5944	3603	2279	719	1703	37	298
1877	25817	7.191	11773	5833	3313	2368	651	1477	47	355
1878	24358	6.713	11330	5431	3013	2181	653	1350	12	388
1879	23519	6.416	10744	5314	2878	2171	653	1415	18	326
1880	24505	6.612	11275	5287	2981	2337	700	1529	33	363
1881	26004	6.948	12179	5402	3088	2537	695	1638	46	419
1882	26596	7.053	12356	5481	3128	2697	746	1678	59	451
1883	26869	7.073	12384	5478	3252	2726	728	1699	11	591
1884	26106	6.821	12000	5499	3001	2606	705	1678	0	617
1885	25304	6.562	11692	5344	2915	2443	700	1642	0	568
1886	24515	6.310	11507	5036	2821	2241	723	1597	0	590
1887	24376	6.355	11639	4866	2923	2422	685	1655	2	629
1888	25305	6.417	11647	5052	2876	2464	783	1724	0	759
1889	26344	6.630	11846	5293	3004	2653	791	1943	3	841
1890	27469	6.862	12408	5347	3097	2791	768	2025	0	1033
1891	27969	6.929	12698	5415	3207	2692	788	2050	0	1119
1892	28670	7.029	12365	5677	3284	2850	809	1981	0	1204
1893	27145	6.585	12371	5259	3048	2489	813	1920	0	1245
1894	27604	6.627	12650	5313	3074	2608	801	1992	0	1166
1895	28422	6.752	12832	5496	3051	2855	870	2075	0	1243
1896	30270	7.115	13694	5552	3316	2991	981	2268	0	1468
1897	31050	7.222	14002	5729	3467	3026	980	2316	0	1530
1898	32112	7.391	14567	6033	3486	3091	949	2418	0	1568
1899	32978	7.511	14687	6080	3567	3419	1033	2372	0	1820
1900	32444	7.312	14600	{ 4705 Un. Free Ch.* 1768 }		3322	964	2402	0	1914

*The Free Church and the United Presbyterian Church were united on 31st October 1900, under the name of the United Free Church.

TABLE 9—continued.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to the Rites of.							IRREGULAR MARRIAGES.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
				Un. Free Ch.*						
1901	31387	7·000	14167	8669		3184	942	2473	0	1952
1902	31913	7·043	14267	8803		3337	969	2446	0	2091
1903	32351	7·065	14692	8778		3487	876	2592	0	1926
1904	22271	6·974	14803	8776		3328	925	2577	0	1862
1905	31270	6·686	14245	8240		3376	946	2601	0	1862
1906	33142	7·013	14983	8634		3644	983	2913	0	1985
1907	33298	6·972	15116	8667		3536	1005	2750	0	2224
1908	31606	6·548	14288	8271		3272	984	2645	0	2246
1909	30108	6·395	13753	7821		2975	908	2636	0	2015
1910	30902	6·523	13871	8110		3171	867	2703	0	2180
1911	31844	6·702	14032	8083		3404	984	2734	0	2607
1912	32506	6·856	14168	8440		3607	964	2772	0	2555
1913	33676	7·122	14328	8480		3960	1111	2746	0	3051
1914	35028	7·379	14644	8260		3951	1032	2742	0	4399
1915	36233	7·571	13414	7901		3907	1155	2436	0	7420
1916	31419	6·513	11632	7037		3612	985	2191	0	5962
1917	30421	6·266	11922	6858		3429	1070	2160	0	4982

*See Note on previous page.

TABLE 10.—Method of Celebration, etc., of Marriages in Scotland, 1855–1917. Percentages.

YEAR.	PERCENTAGE of MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·64	1·85	6·17	0·78	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31

TABLE 10—continued.

YEAR.	PERCENTAGE of MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1871	45.73	22.50	13.85	8.69	2.29	6.24	0.26	0.44
1872	46.00	22.08	12.92	9.60	2.26	6.55	0.02	0.57
1873	45.56	21.71	13.44	9.16	2.42	6.93	0.04	0.74
1874	44.79	22.44	13.59	8.59	2.44	7.29	0.05	0.81
1875	44.61	22.67	13.26	8.68	2.53	7.31	0.03	0.91
1876	45.13	22.36	13.56	8.57	2.71	6.41	0.14	1.12
1877	45.60	22.59	12.83	9.17	2.53	5.72	0.13	1.33
1878	46.51	22.30	12.87	8.96	2.68	5.54	0.05	1.59
1879	45.68	22.59	12.24	9.23	2.73	6.02	0.08	1.38
1880	46.02	21.53	12.17	9.53	2.85	6.24	0.13	1.48
1881	46.83	20.77	11.88	9.76	2.67	6.30	0.18	1.61
1882	46.46	20.61	11.76	10.14	2.80	6.31	0.22	1.70
1883	46.09	20.39	12.10	10.15	2.71	6.32	0.04	2.20
1884	45.97	21.06	11.50	9.98	2.70	6.43	0.00	2.36
1885	46.21	21.12	11.52	9.05	2.77	6.49	0.00	2.24
1886	46.94	20.54	11.51	9.14	2.95	6.51	0.00	2.41
1887	46.99	19.56	11.77	9.74	2.75	6.65	0.01	2.53
1888	46.03	19.26	11.37	9.74	3.09	6.81	0.00	3.00
1889	44.97	19.98	11.40	10.07	3.00	7.38	0.01	3.19
1890	45.17	19.47	11.27	10.16	2.80	7.37	0.00	3.76
1891	45.40	19.36	11.47	9.32	2.82	7.33	0.00	4.00
1892	44.87	19.80	11.46	9.94	2.82	6.91	0.00	4.20
1893	45.57	19.88	11.23	9.17	2.99	7.07	0.00	4.59
1894	45.82	19.25	11.14	9.45	2.80	7.22	0.00	4.22
1895	45.15	19.34	10.73	10.03	3.06	7.30	0.00	4.37
1896	45.24	18.34	10.96	9.88	3.24	7.49	0.00	4.85
1897	45.09	19.45	11.16	9.75	3.16	7.46	0.00	4.93
1898	45.36	18.79	10.86	9.63	2.95	7.53	0.00	4.88
1899	44.53	18.44	10.82	10.37	3.13	7.19	0.00	5.52
1900	45.00	{ 14.50 8.54 } United Free Ch.* 5.45		10.24	2.97	7.40	0.00	5.90
1901	45.14	27.62		10.44	3.00	7.88	0.00	6.22
1902	44.71	27.58		10.46	3.04	7.66	0.00	6.55
1903	45.42	27.13		10.78	2.71	8.01	0.00	5.95
1904	45.87	27.09		10.21	2.87	7.99	0.00	5.77
1905	45.55	26.35		10.80	3.03	8.32	0.00	5.95
1906	45.21	26.05		10.09	2.97	8.79	0.00	5.99
1907	45.39	26.03		10.22	3.02	8.26	0.00	6.68
1908	45.05	26.17		10.35	2.95	8.37	0.00	7.11
1909	45.68	25.08		9.88	3.02	8.75	0.00	6.69
1910	44.89	26.24		10.26	2.81	8.75	0.00	7.05
1911	44.06	25.33		10.00	3.09	8.59	0.00	8.19
1912	42.59	25.96		11.10	2.96	8.53	0.00	7.86
1913	42.55	25.18		11.76	3.30	8.15	0.00	9.06
1914	41.81	23.58		11.28	2.94	7.83	0.00	12.56
1915	37.02	21.81		10.73	3.19	6.72	0.00	20.43
1916	37.02	21.10		11.50	3.13	6.97	0.00	18.98
1917	39.19	22.54		11.27	3.52	7.10	0.00	16.38

* See Note on page xci.

TABLE 11.—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1917. Numbers.

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between					
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.		
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women						
1855	?	?	7724	11118	11955	8561	17436	15174	2244	4506	15251	557	1863	619		
1856	?	?	8493	12033	12307	8707	18285	15772	2455	4968	17035	536	1721	605		
1857	1593	4568	8974	12453	12395	8916	18781	16064	2588	5305	17030	521	1648	601		
1858	1448	4172	8096	11492	11559	8163	17328	14929	2327	4726	16196	492	1624	533		
1859	1571	4565	8726	12425	12475	8776	18992	16494	2209	4707	17536	567	1864	603		
1860	1561	4607	8666	12459	12559	8766	19036	16616	2189	4609	18157	508	1738	558		
1861	1480	4403	8550	12235	12346	8661	18679	16439	2217	4457	17431	441	1768	517		
1862	1569	4496	8663	12205	11934	8392	18535	16405	2062	4192	17392	464	1747	501		
1863	1756	4897	9731	13304	12503	8930	19819	17319	2415	4915	19142	348	1856	584		
1864	1695	4989	9662	13547	13063	9178	20120	17298	2605	5427	19383	497	1922	631		
1865	1690	5010	9859	13864	13752	9747	20914	18364	2697	5247	20158	593	2055	642		
1866	1706	4896	9923	13843	13765	9845	21032	18483	2656	5205	20080	601	2094	715		
1867	1532	4611	9180	12991	13438	9627	20224	17931	2394	4687	19067	578	2075	689		
1868	1459	4463	8668	12439	13187	9416	19712	17701	2143	4154	18609	484	1966	671		
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651		
1870	1744	5175	9657	13723	14197	10131	21403	19194	2451	4660	20262	653	2132	759		
1871	1821	5321	9895	13945	14121	10074	21630	19315	2389	4704	20440	610	2099	778		
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889		
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	812	2368	851		
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855		
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837		
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896		
1877	2060	5767	11118	15349	14699	10468	23865	21839	1952	3978	21945	795	2285	778		
1878	1877	5436	10418	14555	13940	9803	22634	20839	1674	3519	20809	691	2083	752		
1879	1797	5188	9905	13877	13614	9642	21725	19919	1794	3600	19915	782	2083	725		
1880	1769	5393	10220	14628	14285	9877	22696	20777	1809	3728	20843	764	2122	750		
1881	1815	5792	10818	15522	15186	10482	24168	22380	1836	3924	22320	700	2151	826		
1882	2062	5994	11131	15987	15465	10609	24774	23097	1822	3499	22984	684	2134	791		
1883	2026	5935	11137	16010	15732	10859	25159	23617	1710	3252	23112	757	2224	765		
1884	1925	5821	10631	15376	15475	10730	24498	23149	1608	2957	22354	745	2186	808		
1885	1825	5430	10183	14782	15121	10522	23936	22854	1368	2450	21761	681	2063	794		
1886	1687	5039	9505	14182	15010	10333	23374	22485	1141	2030	20917	659	2178	758		
1887	1661	5063	9555	14187	15321	10739	23758	22836	1118	2040	21271	677	2166	758		
1888	1664	5168	9708	14536	15597	10769	24305	23437	1070	1868	21807	672	2078	741		
1889	1632	5154	10009	14869	16335	11475	25211	24401	1133	1943	22621	724	2176	808		
1890	1713	5428	10520	15641	16949	11828	26391	25706	1078	1763	23715	747	2178	816		
1891	1734	5450	10565	15683	17404	12286	27014	26385	955	1584	24183	740	2248	782		
1892	1785	5641	10761	16036	17909	12634	27743	27244	927	1426	24873	769	2234	790		
1893	1702	5224	10023	14948	17122	12197	26411	25940	734	1205	23575	705	2066	799		
1894	1680	5185	10150	15130	17454	12474	26638	26360	766	1244	23964	721	2118	796		
1895	1672	5293	10385	15721	18037	12701	27675	27211	747	1211	24745	769	2118	780		
1896	1886	5669	11030	16490	19240	13780	29585	29125	685	1145	26460	775	2186	839		
1897	1917	5801	11530	17284	19520	13766	30380	30036	670	1014	27329	844	2087	785		
1898	1917	5916	11332	17810	20280	14302	31528	31146	584	966	28371	761	2153	819		
1899	2009	6019	12214	18224	20764	14754	32349	32046	629	932	29198	863	2097	814		
1900	2006	6039	12040	17763	20404	14681	31744	31547	700	897	28685	908	2044	801		

TABLE 11.—continued.

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between					
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.		
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.						
1901	1927	5755	11429	16842	19958	14545	30769	30548	618	839	27702	892	1998	794		
1902	1917	5608	11399	16801	20514	15112	31337	31099	576	814	28186	921	1988	805		
1903	1983	5902	11747	17341	20604	15010	31787	31607	564	744	28602	920	2039	772		
1904	1987	5832	11328	17191	20943	15080	31717	31529	554	742	28949	794	2055	752		
1905	1895	5846	10901	16614	20369	14656	30765	30592	505	678	27669	820	1996	761		
1906	2022	6107	11425	17643	21717	15497	32661	32489	481	653	29557	807	1986	773		
1907	1902	5905	11399	17460	21899	15835	32860	32716	438	582	29684	805	2042	735		
1908	1872	5604	10901	16475	20691	15131	31284	31099	322	507	28233	752	1962	638		
1909	1693	5168	10097	15399	20011	14709	29761	29662	347	446	29846	722	1884	632		
1910	1690	5267	10161	15443	20738	15459	30600	30489	302	413	27529	712	1910	743		
1911	1723	5489	10238	15721	21456	16020	31606	31447	238	397	28325	785	1944	772		
1912	1846	5766	10771	16348	21735	16158	32237	32187	219	319	29212	752	1773	754		
1913	2076	6379	11343	17345	22368	16381	33406	33298	270	378	30107	803	1923	813		
1914	2286	6730	12184	18000	22844	16965	34795	34656	233	372	31561	797	1853	808		
1915	2111	6655	12479	18323	23754	17700	36011	35957	222	276	32515	1032	1834	847		
1916	1679	5445	10355	15476	21484	15944	31163	31124	256	295	27457	1288	1781	886		
1917	1900	5215	9348	14869	21073	15552	30200	30172	221	249	26200	1416	1845	959		

TABLE 12.—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1917. Percentages.

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between					
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.		
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.						
1855	?	?	39.25	56.50	60.75	43.50	86.60	77.10	11.40	22.90	83.38	3.05	10.19	3.38		
1856	?	?	40.66	58.02	59.34	41.98	88.16	76.05	11.84	23.95	85.62	2.69	8.65	3.04		
1857	7.47	21.43	42.00	58.28	58.00	41.72	87.89	75.34	12.11	24.66	86.01	2.63	8.32	3.04		
1858	7.38	21.23	41.19	58.47	58.81	41.53	88.16	75.95	11.84	24.05	85.95	2.61	8.62	2.82		
1859	7.42	21.60	41.16	58.61	58.84	41.39	89.11	77.80	10.89	22.20	85.25	2.76	9.06	2.93		
1860	7.37	21.78	40.83	58.70	59.17	41.30	89.69	78.29	10.31	21.71	86.62	2.42	8.29	2.67		
1861	7.09	21.13	40.92	58.35	59.08	41.45	89.39	77.67	10.61	21.33	86.48	2.19	8.77	2.56		
1862	7.62	21.86	42.06	59.26	57.94	40.74	89.99	79.65	10.81	20.35	86.51	2.31	8.69	2.49		
1863	7.91	22.06	43.77	59.34	56.23	40.16	89.14	77.90	10.36	22.10	87.29	1.59	8.46	2.66		
1864	7.47	22.00	42.52	59.61	57.48	40.39	88.54	76.13	11.46	23.87	86.41	2.21	8.57	2.81		
1865	7.16	21.26	41.76	58.72	58.24	41.28	88.58	77.78	11.42	22.22	86.97	2.53	0.77	2.73		
1866	7.20	20.69	41.89	58.44	58.11	41.56	88.78	78.50	11.22	22.00	85.49	2.55	8.92	3.04		
1867	6.77	20.41	40.59	57.44	59.41	42.56	89.41	79.27	10.59	20.73	85.09	2.58	9.26	3.07		
1868	6.68	20.45	39.66	56.32	60.34	43.08	90.19	80.99	9.81	19.01	85.64	2.22	9.05	3.09		
1869	7.08	20.87	39.70	57.35	60.30	42.65	89.92	80.04	10.08	19.96	85.38	2.83	8.84	2.95		
1870	7.32	21.72	40.48	57.53	59.52	42.47	89.73	80.46	10.27	19.54	85.11	2.74	8.96	3.19		

TABLE 12.—continued.

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between					
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.						
1871	7.58	22.15	41.20	58.06	58.80	41.94	90.95	80.42	9.95	19.58	85.10	2.54	8.74	3.24		
1872	7.71	22.10	41.78	58.32	58.22	41.68	89.56	79.48	10.44	20.52	84.38	3.11	8.85	3.47		
1873	8.33	22.91	43.26	59.58	56.74	40.42	90.38	81.33	9.62	18.67	84.89	3.05	8.88	3.18		
1874	8.25	22.73	43.29	59.40	56.71	40.60	90.90	82.01	9.10	17.99	84.47	3.18	8.83	3.24		
1875	8.10	22.44	42.58	58.72	57.42	41.28	91.40	83.09	8.60	16.91	84.23	3.31	9.06	3.22		
1876	8.18	22.63	43.16	59.26	56.84	40.74	92.50	83.87	7.50	16.13	84.42	2.99	9.15	3.37		
1877	7.98	22.34	43.06	59.46	56.94	40.54	92.44	84.59	7.56	15.41	85.00	3.08	8.89	3.01		
1878	7.71	22.32	42.77	59.75	57.23	40.25	93.18	85.55	6.87	14.45	85.43	2.84	8.55	3.09		
1879	7.64	22.06	42.11	59.00	57.89	41.00	92.37	84.69	7.63	15.31	84.68	3.32	8.86	3.08		
1880	7.22	22.01	41.71	59.69	58.29	40.31	92.62	84.79	7.38	15.21	85.07	3.12	8.66	3.06		
1881	6.98	22.27	41.60	59.69	58.40	40.31	92.94	86.06	7.06	13.94	85.83	2.69	8.27	3.18		
1882	7.75	22.54	41.85	60.11	58.15	39.89	93.15	86.84	6.85	13.16	86.42	2.57	8.02	2.97		
1883	7.54	22.09	41.45	59.59	58.55	40.41	93.64	87.90	6.36	12.10	86.02	2.82	8.28	2.85		
1884	7.37	22.30	40.72	58.90	59.28	41.10	93.84	88.67	6.16	11.33	85.63	2.85	8.37	3.10		
1885	7.21	21.46	40.24	58.42	59.76	41.58	94.59	90.32	5.41	9.68	86.08	2.69	8.15	3.14		
1886	6.88	20.55	38.77	57.85	61.21	42.12	95.35	91.72	4.65	8.28	85.32	2.69	8.88	3.09		
1887	6.68	20.35	38.41	56.83	61.59	43.17	95.91	91.80	4.49	8.20	85.51	2.72	8.71	3.06		
1888	6.58	20.42	38.36	57.44	61.64	42.56	96.05	92.62	3.95	7.38	86.18	2.66	8.21	2.93		
1889	6.19	19.56	34.20	56.44	65.80	43.56	95.70	92.62	4.30	7.38	85.87	2.75	8.26	3.03		
1890	6.24	19.76	38.80	56.94	61.70	43.06	96.08	93.58	3.92	6.42	86.33	2.72	7.93	2.97		
1891	6.19	19.49	37.77	56.07	62.23	43.93	96.59	94.34	3.41	5.66	86.46	2.65	8.94	2.80		
1892	6.23	19.68	37.53	55.93	62.47	44.07	96.77	95.03	3.23	4.97	86.76	2.68	7.79	2.76		
1893	6.27	19.24	36.92	55.07	63.08	44.93	97.30	95.56	2.70	4.44	86.85	2.60	7.61	2.94		
1894	6.09	18.78	36.31	54.15	63.23	45.19	97.23	95.49	2.77	4.51	86.81	2.61	7.67	2.88		
1895	5.88	18.62	39.54	55.31	63.46	44.69	97.37	95.74	2.63	4.26	87.06	2.71	7.45	2.74		
1896	6.23	18.72	36.44	54.48	63.56	45.52	97.74	96.22	2.26	3.78	87.41	2.56	7.22	2.77		
1897	6.17	18.68	37.13	53.11	62.87	44.33	97.84	96.73	2.16	3.27	88.01	2.72	6.72	2.53		
1898	5.97	18.42	36.85	55.46	63.15	44.54	98.18	96.99	1.82	3.01	88.35	2.37	6.70	2.55		
1899	6.09	18.25	37.04	55.26	62.96	44.74	98.09	97.17	1.91	2.83	88.54	2.62	6.36	2.47		
1900	6.18	18.61	37.11	54.75	62.89	45.25	97.84	97.24	2.16	2.76	88.41	2.80	6.30	2.47		
1901	6.14	18.44	36.41	53.66	63.59	46.34	98.03	97.33	1.97	2.67	88.26	2.84	6.37	2.53		
1902	6.01	17.57	35.72	52.65	64.28	47.35	98.20	97.45	1.80	2.55	88.36	2.89	6.23	2.52		
1903	6.13	18.24	36.31	53.60	63.69	46.40	98.26	97.70	1.74	2.30	88.46	2.84	6.31	2.39		
1904	6.00	18.35	35.10	53.27	64.90	46.73	98.28	97.70	1.72	2.30	88.84	2.46	6.37	2.33		
1905	6.06	18.70	34.86	53.13	65.14	48.87	98.39	97.83	1.61	2.17	88.55	2.62	6.39	2.44		
1906	6.10	18.43	34.47	53.24	65.53	46.76	98.55	98.03	1.45	1.97	89.23	2.44	6.00	2.33		
1907	5.71	17.73	34.23	52.44	65.77	47.57	98.68	98.25	1.32	1.75	89.23	2.42	6.14	2.21		
1908	5.92	17.73	34.53	52.13	65.47	47.87	98.98	98.40	1.02	1.60	89.39	2.38	6.21	2.02		
1909	5.62	17.16	33.54	51.15	66.46	48.85	98.85	98.52	1.15	1.48	89.24	2.40	6.26	2.10		
1910	5.47	17.04	32.89	49.97	67.11	50.03	99.02	98.66	0.98	1.34	89.11	2.30	6.18	2.41		
1911	5.42	17.26	32.66	49.75	67.34	50.25	99.25	98.75	0.75	1.25	89.00	2.47	6.11	2.42		
1912	5.68	17.74	33.14	50.29	66.86	49.71	99.33	99.02	0.67	0.98	89.91	2.31	5.46	2.32		
1913	6.16	18.94	33.68	51.51	66.32	48.49	99.20	98.88	0.80	1.12	89.50	2.38	5.71	2.41		
1914	6.53	19.21	34.78	51.57	65.22	48.43	99.33	98.94	0.67	1.06	90.12	2.28	5.29	2.31		
1915	5.83	18.37	34.44	51.15	65.56	48.85	99.39	99.24	0.61	0.76	89.75	2.85	5.06	2.34		
1916	5.84	17.33	31.62	49.25	68.38	50.75	99.19	99.06	0.81	0.94	87.41	4.10	5.67	2.82		
1917	6.25	17.14	30.73	48.88	69.27	51.12	99.27	99.18	0.73	0.82	86.13	4.65	6.07	3.15		

TABLE 13.—Regular and Irregular Marriages in Scotland, 1917.

	Total Marriages.	NUMBERS.						PERCENTAGE OF TOTAL MARRIAGES.					
		REGULAR MARRIAGES.				IRREGULAR MARRIAGES.		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.		
		Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.		Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.	
SCOTLAND	30,421	16,668	8,255	516	4,979	3	54.8	27.1	1.7	16.4	0.0		
LARGER BURGHS	18,652	7,696	6,121	240	4,593	2	41.3	32.8	1.3	24.6	0.0		
OTHER DISTRICTS	11,769	8,972	2,134	276	386	1	76.2	18.1	2.4	3.3	0.0		
Counties.													
Aberdeen	1,905	1,029	414	44	418	—	54.0	21.7	2.3	22.0	—		
Argyll	194	167	6	9	12	—	86.1	3.1	4.6	6.2	—		
Ayr	1,508	1,138	270	38	62	—	75.5	17.9	2.5	4.1	—		
Banff	299	264	13	4	18	—	88.3	4.4	1.3	6.0	—		
Berwick	138	134	1	1	2	—	97.1	0.7	0.7	1.5	—		
Bute	55	48	6	—	1	—	87.3	10.9	—	1.8	—		
Caithness	139	121	6	2	10	—	87.1	4.3	1.4	7.2	—		
Clackmannan	160	134	20	4	2	—	83.7	12.5	2.5	1.3	—		
Dumbarton	707	411	274	14	8	—	58.1	38.8	2.0	1.1	—		
Dumfries	527	410	53	2	62	—	77.8	10.0	0.4	11.8	—		
Edinburgh (Metropolitan)	4,158	2,105	1,006	65	980	2	50.6	24.2	1.6	23.6	0.0		
Elgin	250	190	16	6	38	—	76.0	6.4	2.4	15.2	—		
Fife	1,380	1,013	240	50	76	1	73.4	17.4	3.6	5.5	0.1		
Forfar	1,792	877	628	28	263	—	48.9	34.9	1.5	14.7	—		
Haddington	174	164	7	—	3	—	94.3	4.0	—	1.7	—		
Inverness	337	225	61	10	41	—	66.8	18.1	3.0	12.1	—		
Kincardine	169	131	35	3	—	—	77.5	20.7	1.8	—	—		
Kintross	31	30	—	1	—	—	96.8	—	3.2	—	—		
Kirkeudbright	162	153	5	2	2	—	94.5	3.1	1.2	1.2	—		
Canark	11,733	4,555	4,225	148	2,775	—	39.1	36.0	1.3	23.6	—		
Limithgow	327	273	37	14	3	—	83.5	11.3	4.3	0.9	—		
Nairn	71	65	2	1	3	—	91.6	2.8	1.4	4.2	—		
Orkney	115	103	3	—	9	—	89.6	2.6	—	7.8	—		
Peebles	59	57	1	1	—	—	96.6	1.7	1.7	—	—		
Perth	587	410	94	17	66	—	69.9	16.0	2.9	11.2	—		
Renfrew	1,738	1,052	616	25	45	—	60.5	35.5	1.4	2.6	—		
Ross and Cromarty	284	194	70	3	17	—	68.3	24.6	1.1	6.0	—		
Roxburgh	233	207	13	4	9	—	88.8	5.6	1.7	3.9	—		
Selkirk	106	79	21	5	1	—	74.5	19.8	4.7	1.0	—		
Shetland	107	106	—	—	1	—	99.1	—	—	0.9	—		
Stirling	793	624	112	14	48	—	78.2	14.0	1.8	6.0	—		
Sutherland	46	43	1	2	—	—	93.5	2.2	4.3	—	—		
Wigtown	132	126	1	1	4	—	95.4	0.8	0.8	3.0	—		
Larger Burghs.													
Glasgow	9,155	3,091	3,239	97	2,728	—	33.8	35.4	1.0	29.8	—		
Edinburgh	3,141	1,407	737	37	958	2	44.8	23.4	1.2	30.5	0.1		
Dundee	1,280	467	552	13	248	—	36.5	43.1	1.0	19.4	—		
Aberdeen	1,340	496	403	30	411	—	37.0	30.1	2.2	30.7	—		
Paisley	546	285	233	8	20	—	52.2	42.7	1.5	3.6	—		
Leith	538	303	196	18	21	—	56.3	36.4	3.4	3.9	—		
Greenock	555	368	163	—	24	—	66.3	29.4	—	4.3	—		
Coatbridge	260	87	167	5	1	—	33.5	64.2	1.9	0.4	—		
Motherwell	226	151	67	3	5	—	66.8	29.7	1.3	2.2	—		
Kirkcaldy	252	212	21	4	15	—	84.1	8.3	1.6	6.0	—		
Hamilton	222	161	46	6	9	—	72.5	20.7	2.7	4.1	—		
Clydebank	217	127	85	3	2	—	58.5	39.2	1.4	0.9	—		
Perth	287	131	81	9	66	—	45.7	28.2	3.1	23.0	—		
Kilmarnock	228	106	91	5	26	—	46.5	39.9	2.2	11.4	—		
Falkirk	177	143	9	2	23	—	80.8	5.1	1.1	13.0	—		
Ayr	228	161	31	—	36	—	70.6	13.6	—	15.8	—		

TABLE 14.—Church of Celebration of Regular Marriages in Scotland, 1917.

	Total Marriages.	MARRIAGES ACCORDING TO EACH DENOMINATION.						PERCENTAGE TO TOTAL MARRIAGES.					
		Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.	Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.
SCOTLAND . .	30,421	11,922	6,858	247	3,429	1,070	1,913	39.2	22.5	0.8	11.3	3.5	6.3
LARGER BURGHS .	18,652	5,748	3,897	83	2,308	772	1,249	30.8	20.9	0.5	12.4	4.1	6.7
OTHER DISTRICTS .	11,769	6,174	2,961	164	1,121	298	664	52.5	25.2	1.4	9.5	2.5	5.6
Counties.													
Aberdeen	1,905	881	394	—	28	61	123	46.2	20.7	—	1.5	3.2	6.4
Argyll	194	108	39	4	13	13	5	55.7	20.1	2.0	6.7	6.7	2.6
Ayr	1,508	814	360	3	119	36	114	54.0	23.9	0.2	7.9	2.4	7.5
Banff	299	163	67	—	16	6	29	54.5	22.4	—	5.4	2.0	9.7
Berwick	138	91	37	—	1	4	3	65.9	26.8	—	0.7	2.9	2.2
Bute	55	15	25	2	7	3	2	27.3	45.5	3.6	12.7	5.5	3.6
Caithness	139	57	51	6	—	3	12	41.0	36.7	4.3	—	2.2	8.6
Clackmannan . . .	160	97	35	—	7	5	14	60.6	21.9	—	4.4	3.1	8.7
Dumbarton	707	304	148	6	165	33	43	43.0	20.9	0.9	23.3	4.7	6.1
Dumfries	527	292	95	3	37	19	19	55.4	18.0	0.6	7.0	3.6	3.6
Edinburgh	4,158	1,631	863	12	277	242	151	39.2	20.8	0.3	6.7	5.8	3.6
(Midlothian)													
Elgin	250	117	65	5	7	6	12	46.8	26.0	2.0	2.8	2.4	4.8
Fife	1,380	732	373	2	72	60	64	53.0	27.0	0.2	5.2	4.4	4.6
Forfar	1,792	686	403	—	193	123	124	38.3	22.5	—	10.8	6.8	6.9
Haddington	174	102	51	—	12	6	—	58.6	29.3	—	6.9	3.5	—
Inverness	337	131	61	30	43	1	30	38.9	18.1	8.9	12.8	0.3	8.9
Kincardine	169	112	38	—	8	10	1	66.3	22.5	—	4.7	5.9	0.6
Kinross	31	20	10	—	—	—	1	64.5	32.3	—	—	—	3.2
Kirkcubright . . .	162	103	30	—	9	5	7	63.6	22.2	—	5.6	3.1	4.3
Lanark	11,733	3,421	2,420	73	1,878	296	870	29.2	20.7	0.6	16.0	2.5	7.4
Linlithgow	327	171	101	—	43	2	7	52.3	30.9	—	13.2	0.6	2.1
Nairn	71	33	25	1	5	1	3	46.5	35.2	1.4	7.1	1.4	4.2
Orkney	115	56	45	—	—	1	4	48.7	39.1	—	—	0.9	3.5
Peebles	59	35	12	—	4	5	3	59.3	20.3	—	6.8	8.5	5.1
Perth	587	320	172	—	27	17	25	54.5	22.5	—	4.6	2.9	4.3
Renfrew	1,733	646	472	1	360	77	137	37.2	27.1	0.1	20.7	4.4	7.9
Ross and Cromarty .	284	77	74	87	—	8	21	27.1	26.1	30.6	—	2.8	7.4
Roxburgh	233	140	90	—	4	13	7	60.1	25.7	—	1.7	5.6	3.0
Selkirk	106	43	48	—	4	2	8	40.5	45.3	—	3.8	1.9	7.5
Shetland	107	47	39	—	—	—	20	43.9	36.5	—	—	—	18.7
Stirling	798	374	234	—	80	11	51	46.9	29.3	—	10.0	1.4	6.4
Sutherland	46	15	17	12	—	—	2	32.6	37.0	26.1	—	—	4.3
Wigtown	132	88	28	—	10	1	1	66.6	21.2	—	7.6	0.8	0.8
Larger Burghs.													
Glasgow	9,155	2,347	1,812	62	1,302	261	643	25.6	19.8	0.7	14.2	2.9	7.0
Edinburgh	3,141	1,037	627	10	185	210	112	33.0	20.0	0.3	5.9	6.7	3.5
Dundee	1,280	357	266	—	185	112	112	27.9	20.8	—	14.5	8.7	8.7
Aberdeen	1,340	463	301	—	30	51	84	34.5	22.5	—	2.2	3.8	6.3
Paisley	546	169	173	—	119	11	54	31.0	31.7	—	11.3	2.0	9.9
Leith	538	292	133	2	46	16	23	54.3	24.7	0.4	8.5	3.0	5.2
Greenock	555	203	118	—	123	37	50	36.6	21.3	—	22.2	6.6	9.0
Coatbridge	266	54	66	9	100	6	24	20.8	25.4	3.5	38.4	2.3	9.2
Motherwell	226	110	45	—	39	3	24	48.7	19.9	—	17.3	1.3	10.6
Kirkcaldy	252	125	71	—	14	11	16	49.6	28.2	—	5.5	4.4	6.3
Hamilton	222	96	35	—	52	7	23	43.2	15.8	—	23.4	3.1	10.4
Clydebank	217	86	39	—	56	12	22	39.6	18.0	—	25.8	5.5	10.2
Perth	287	112	64	—	18	10	17	39.0	22.3	—	—	—	—
Kilmarnock	223	97	69	—	16	6	14	42.6	30.2	—	6.3	3.5	5.9
Falkirk	177	75	49	—	13	5	12	42.4	27.7	—	7.0	2.6	6.2
Ayr	228	125	29	—	10	14	14	54.9	12.7	—	4.4	6.1	6.1

TABLE 15.—Civil Condition of Persons Marrying in Scotland, 1917.

	Total Marriages.	NO. OF MARRIAGES BETWEEN				Condition not Stated.	PERCENTAGE OF MARRIAGES BETWEEN				Percentage Condition not Stated.
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	
SCOTLAND	30,421	26,200	1,416	1,845	959	1	86.1	4.7	6.1	3.1	0.0
LARGER BURGHS	18,652	15,653	1,126	1,167	701	-	83.9	6.0	6.3	3.8	-
OTHER DISTRICTS	11,769	10,542	290	678	258	1	89.6	2.5	5.7	2.2	0.0
Counties.											
Aberdeen	1,905	1,669	70	135	31	-	87.6	3.7	7.1	1.6	-
Argyll	194	174	5	12	3	-	89.7	2.6	6.2	1.5	-
Ayr	1,508	1,321	51	85	51	-	87.6	3.4	5.6	3.4	-
Banff	299	269	6	20	4	-	90.0	2.0	6.7	1.3	-
Berwick	138	123	1	9	5	-	89.2	0.7	6.5	3.6	-
Bute	55	50	-	3	2	-	90.9	-	5.5	3.6	-
Caithness	139	121	2	12	4	-	87.1	1.4	8.6	2.9	-
Clackmannan	160	145	4	6	5	-	90.6	2.5	3.8	3.1	-
Dumbarton	707	627	21	40	19	-	88.7	3.0	5.6	2.7	-
Dumfries	527	454	16	41	16	-	86.2	3.0	7.8	3.0	-
Edinburgh	4,153	3,502	278	252	126	-	84.2	6.7	6.1	3.0	-
(Middlethian)											
Elgin	250	218	7	14	11	-	87.2	2.8	5.6	4.4	-
Fife	1,380	1,237	39	63	36	-	89.7	2.3	4.9	2.6	-
Forfar	1,792	1,564	66	111	51	-	87.3	3.7	6.2	2.8	-
Haddington	174	157	5	11	1	-	90.2	2.9	6.3	0.6	-
Inverness	337	287	8	36	6	-	85.1	2.4	10.7	1.8	-
Kincardine	169	154	2	7	6	-	91.1	1.2	4.1	3.6	-
Kinross	31	26	2	2	1	-	83.8	6.5	6.5	3.2	-
Kirkcudbright	162	137	4	16	5	-	84.5	2.5	9.9	3.1	-
Lanark	11,733	9,887	686	687	473	-	84.3	5.8	5.9	4.0	-
Linlithgow	327	301	7	12	7	-	92.1	2.1	3.7	2.1	-
Nairn	71	60	3	7	1	-	84.5	4.2	9.9	1.4	-
Orkney	115	100	5	10	-	-	87.0	4.3	8.7	-	-
Peebles	59	51	2	5	1	-	86.4	3.4	8.5	1.7	-
Perth	587	530	12	88	6	1	90.3	2.0	6.5	1.0	0.2
Renfrew	1,738	1,513	67	105	53	-	87.1	3.9	6.0	3.0	-
Ross and Cromarty	234	253	5	19	7	-	89.1	1.7	2.5	6.7	-
Roxburgh	233	207	4	21	1	-	88.9	1.7	9.0	0.4	-
Selkirk	106	93	2	10	1	-	87.7	1.9	9.4	1.0	-
Shetland	107	94	2	8	3	-	87.8	1.9	7.5	2.8	-
Stirling	798	717	28	31	22	-	89.8	3.5	3.9	2.8	-
Sutherland	46	41	2	3	-	-	89.1	4.4	6.5	-	-
Wigtown	132	118	4	9	1	-	89.4	3.0	6.8	0.8	-
Larger Burghs.											
Glasgow	9,155	7,559	614	576	406	-	82.6	6.7	6.3	4.4	-
Edinburgh	3,141	2,612	231	201	97	-	83.2	7.3	6.4	3.1	-
Dundee	1,280	1,104	56	78	42	-	86.2	4.4	6.1	3.3	-
Aberdeen	1,340	1,154	61	100	25	-	86.1	4.5	7.5	1.9	-
Paisley	546	475	20	31	20	-	87.0	3.7	5.6	3.7	-
Leith	538	455	35	30	18	-	84.6	6.5	5.6	3.3	-
Greenock	555	472	23	33	22	-	85.1	5.0	5.9	4.0	-
Coatbridge	260	231	8	14	7	-	88.8	3.1	5.4	2.7	-
Motherwell	226	206	5	7	8	-	91.2	2.2	3.1	3.5	-
Kirkcaldy	252	216	11	16	9	-	85.7	4.4	6.3	3.6	-
Hamilton	222	197	5	11	9	-	88.7	2.2	5.0	4.1	-
Clydebank	217	189	8	17	3	-	87.1	3.7	7.8	1.4	-
Perth	287	254	9	20	4	-	88.5	3.1	7.0	1.4	-
Kilmarnock	228	192	13	14	9	-	84.2	5.7	6.1	4.0	-
Falkirk	177	152	9	7	9	-	85.9	5.1	3.9	5.1	-
Ayr	228	190	13	12	13	-	83.3	5.7	5.3	5.7	-

TABLE 16.—Method of Signature of Marriage Registers, or Schedules, in Scotland, 1917.

	Total Marriages	NUMBER OF				PERCENTAGE OF			
		MEN.		WOMEN.		MEN.		WOMEN.	
		Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.
SCOTLAND	30,421	30,200	221	30,172	249	99·3	0·7	99·2	0·8
LARGER BURGHES	18,652	18,514	138	18,472	180	99·3	0·7	99·0	1·0
OTHER DISTRICTS	11,769	11,686	83	11,700	69	99·3	0·7	99·4	0·6
Counties.									
Aberdeen	1,905	1,900	5	1,901	4	99·7	0·3	99·8	0·2
Argyll	194	193	1	192	2	99·5	0·5	99·0	1·0
Ayr	1,508	1,494	14	1,498	10	99·1	0·9	99·3	0·7
Banff	299	293	6	296	3	98·0	2·0	99·0	1·0
Berwick	138	137	1	138	—	99·3	0·7	100·0	—
Bute	55	55	—	55	—	100·0	—	100·0	—
Caithness	139	137	2	138	1	98·6	1·4	99·3	0·7
Clackmannan	160	160	—	160	—	100·0	—	100·0	—
Dumbarton	707	701	6	703	4	99·2	0·8	99·4	0·6
Dumfries	527	526	1	527	—	99·8	0·2	100·0	—
Edinburgh (Midlothian)	4,158	4,142	16	4,138	20	99·6	0·4	99·5	0·5
Elgin	250	247	3	246	4	98·8	1·2	98·4	1·6
Fife	1,380	1,375	5	1,374	6	99·6	0·4	99·6	0·4
Forfar	1,792	1,782	10	1,774	18	99·4	0·6	99·0	1·0
Haddington	174	174	—	173	1	100·0	—	99·4	0·6
Inverness	337	326	11	330	7	96·7	3·3	97·9	2·1
Kincardine	169	169	—	169	—	100·0	—	100·0	—
Kinross	31	31	—	31	—	100·0	—	100·0	—
Kirkcudbright	162	160	2	162	—	98·8	1·2	100·0	—
Lanark	11,733	11,680	103	11,603	130	99·1	0·9	98·9	1·1
Linlithgow	327	323	4	326	1	98·8	1·2	99·7	0·3
Nairn	71	71	—	71	—	100·0	—	100·0	—
Orkney	115	114	1	114	1	99·1	0·9	99·1	0·9
Peebles	59	59	—	59	—	100·0	—	100·0	—
Perth	587	578	9	579	8	98·5	1·5	98·6	1·4
Renfrew	1,738	1,728	10	1,723	15	99·4	0·6	99·1	0·9
Ross and Cromarty	284	276	8	278	6	97·2	2·8	97·9	2·1
Rosburgh	234	233	—	233	—	100·0	—	100·0	—
Selkirk	106	106	—	105	1	100·0	—	99·1	0·9
Shetland	107	107	—	106	1	100·0	—	99·1	0·9
Stirling	798	795	3	794	4	99·6	0·4	99·5	0·5
Sutherland	46	46	—	46	—	100·0	—	100·0	—
Wigtown	132	132	—	130	2	100·0	—	98·5	1·5
Larger Burghs.									
Glasgow	9,155	9,069	86	9,045	110	99·1	0·9	99·8	1·2
Edinburgh	3,141	3,131	10	3,125	16	99·7	0·3	99·5	0·5
Dundee	1,280	1,270	10	1,262	18	99·2	0·8	98·6	1·4
Aberdeen	1,340	1,335	5	1,337	3	99·6	0·4	99·8	0·2
Paisley	546	545	1	539	7	99·8	0·2	98·7	1·3
Leith	538	537	1	536	2	99·8	0·2	99·6	0·4
Greenock	555	549	6	550	5	99·0	1·1	99·1	0·9
Guthrie	200	258	2	256	4	99·2	0·8	98·5	1·5
Motherwell	226	224	2	226	—	99·1	0·9	100·0	—
Kirkcaldy	252	251	1	251	1	99·6	0·4	99·6	0·4
Hamilton	222	220	2	217	5	99·1	0·9	97·7	2·3
Clydebank	217	215	2	215	2	99·1	0·9	99·1	0·9
Perth	287	284	3	284	3	99·0	1·0	99·0	1·0
Kilmarnock	228	226	2	227	1	99·1	0·9	99·6	0·4
Falkirk	177	175	2	176	1	98·9	1·1	99·4	0·6
Ayr	228	225	3	226	2	98·7	1·3	99·1	0·9

TABLE 17.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1917.

TABLE 17.—AGES of MEN at Marriage in Scotland, 1917.

	All Ages.	Average Age.	Under 15	15-16	16-17	17-18	18-19	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and over.	Not stated.	
SCOTLAND	30,421	30·12	-	1	12	95	334	523	935	7,448	9,745	4,902	2,625	1,601	946	586	338	208	86	26	9	1
LARGER BURGHS	18,652	30·14	-	1	9	72	223	352	561	4,573	5,895	2,962	1,640	970	597	359	229	130	56	15	7	1
COUNTY DISTRICTS	11,769	30·10	-	-	3	23	111	171	374	2,875	3,850	1,940	985	631	349	227	109	78	30	11	2	-
Countries.																						
Aberdeen .	1,905	30·03	-	-	11	27	44	57	479	598	291	157	98	50	39	28	17	6	3	-	-	-
Argyll .	194	34·35	-	-	-	-	-	1	33	50	33	28	19	13	13	-	1	3	-	-	-	-
Ayr .	1,508	29·46	-	-	4	17	28	52	408	512	198	113	72	43	28	20	9	2	2	-	-	-
Barff .	293	30·00	-	-	-	2	6	7	71	115	44	9	19	12	8	4	1	1	-	-	-	-
Berwick .	138	29·60	-	-	-	2	3	3	31	50	23	10	10	1	3	1	1	-	-	-	-	-
Bute .	55	33·30	-	-	-	-	-	1	10	17	11	5	3	3	1	1	2	1	-	-	-	-
Caitness .	139	32·47	-	-	-	1	6	3	22	37	25	19	10	7	3	3	1	2	-	-	-	-
Clackmannan	160	28·91	-	-	1	4	2	7	31	70	22	7	10	2	4	-	-	-	-	-	-	-
Dumbarton .	707	29·87	-	-	3	7	7	16	172	241	131	49	39	19	13	7	3	-	-	-	-	-
Dumfries .	527	31·02	-	1	1	5	4	17	119	147	101	56	31	22	11	6	3	2	1	-	-	-
Edinburgh	4,158	30·54	-	-	5	13	39	83	1,003	1,344	669	416	226	140	70	59	29	11	4	1	-	-
(Midlothian)			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elgin .	250	32·08	-	-	-	1	4	6	49	68	54	23	19	10	10	3	2	1	-	-	-	-

AGES of MEN at Marriage in Scotland, 1917.

Fife.	1,380	28-97	-	-	2	4	21	24	47	373	472	208	106	47	34	21	13	2	6	-	2	-
Forfar.	1,792	30-08	-	-	11	-	26	29	44	445	578	289	147	98	39	41	20	15	6	-	2	-
Haddington.	174	29-35	-	-	-	-	2	3	5	46	51	37	18	4	4	-	1	2	1	-	-	-
Inverness.	337	35-64	-	-	-	-	1	2	3	41	67	71	44	47	35	8	8	8	-	2	-	-
Kincardine.	169	30-10	-	-	1	1	1	3	50	46	37	14	3	6	2	3	2	1	-	-	-	-
Kinross.	31	30-95	-	-	-	-	-	-	-	8	6	10	4	1	1	-	1	-	-	-	-	-
Kirkcudbright.	162	32-12	-	-	-	-	1	2	2	31	51	27	21	8	9	4	2	3	1	-	4	1
Larark.	11,733	29-80	-	-	30	135	239	404	2,990	3,724	1,848	47	982	577	376	216	110	79	28	6	-	-
Linlithgow.	327	28-13	-	-	-	4	8	5	103	120	120	19	19	9	6	1	1	3	1	-	-	-
Nairn.	71	33-63	-	-	-	-	-	3	11	17	8	15	15	10	3	2	-	2	-	-	1	-
Orkney.	115	29-87	-	-	-	2	3	6	29	36	16	8	8	6	2	3	1	2	-	-	-	-
Peebles.	59	30-67	-	-	-	1	-	2	12	22	11	6	6	-	-	3	1	-	-	1	-	-
Perth.	587	31-45	-	-	1	3	6	16	120	178	108	108	61	43	20	16	6	2	4	2	-	-
Renfrew.	1,738	29-45	-	-	8	19	35	58	416	608	290	290	129	84	33	22	23	7	4	1	1	-
Ross & Cromarty.	284	33-92	-	-	1	1	2	3	46	63	65	65	34	28	18	14	6	2	1	-	-	-
Roxburgh.	233	31-47	-	-	1	1	3	6	47	66	45	45	25	21	7	7	2	2	-	-	-	-
Selkirk.	106	31-31	-	-	2	1	-	2	12	40	23	13	13	5	1	5	1	1	-	-	-	-
Shetland.	107	32-44	-	-	-	1	1	1	24	27	18	11	11	10	9	1	3	-	1	-	-	-
Stirling.	798	29-78	-	-	3	6	12	25	186	281	128	128	87	26	17	11	5	7	3	1	-	-
Sutherland.	46	34-00	-	-	-	3	-	-	5	10	8	8	6	8	3	2	-	1	-	-	-	-
Wigtown.	132	31-11	-	-	-	-	-	-	29	42	29	29	14	7	5	3	-	-	1	1	-	-

TABLE 18.—Ages of WOMEN at Marriage in Scotland, 1917.

	All Ages.	Average age.	Under 15	15-16	16-17	17-18	18-19	19-20	20-21	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and over.	Not stated.
SCOTLAND	30,421	27·04	—	4	41	346	974	1735	2,115	9,654	8,067	3,652	1,863	927	580	257	122	61	17	4	1
LARGER BURGHS	18,652	27·16	—	3	25	219	638	1068	1,301	5,832	4,857	2,256	1,146	602	389	168	88	42	13	3	1
COUNTY DISTRICTS	11,769	26·84	—	1	16	127	336	667	814	3,822	3,210	1,396	717	325	191	89	34	19	4	1	—
<i>Countries.</i>																					
Aberdeen . .	1,905	26·07	—	1	9	34	66	126	137	588	470	231	115	67	38	14	6	3	—	—	—
Argyll . . .	194	29·62	—	—	—	1	1	7	9	45	49	37	30	6	5	3	—	1	—	—	—
Ayr	1,508	26·50	—	—	2	17	51	97	129	485	398	164	80	45	19	12	3	3	—	—	—
Banff	299	26·24	—	—	—	4	7	14	25	102	93	21	22	6	2	2	—	1	—	—	—
Berwick . . .	138	27·48	—	—	—	1	2	5	4	50	43	14	10	5	1	2	1	—	—	—	—
Bute	55	29·97	—	—	—	—	1	2	2	10	17	14	3	1	3	1	1	—	—	—	—
Caitness . . .	139	27·98	—	—	—	3	4	7	16	33	34	16	15	6	2	—	2	—	—	—	—
Clackmannan .	160	26·76	—	—	—	3	4	8	7	62	39	24	6	4	1	1	1	—	—	—	—
Dumbarton . .	707	26·60	—	—	—	6	19	40	50	232	202	85	40	19	10	1	1	—	—	—	—
Dumfries . . .	527	27·35	—	—	—	1	7	13	39	153	155	73	32	17	8	4	—	2	1	—	—
Edinburgh . .	4,158	27·52	—	—	—	4	40	117	200	1,277	1,113	578	297	147	93	40	19	7	3	—	—
(Midlothian)																					
Elgin	250	27·99	—	—	—	1	1	12	9	72	75	35	16	5	10	3	1	—	—	—	—

TABLE 19.—Age Distribution of Persons at Marriage in Scotland, 1917.

AGES.	MEN.			WOMEN.		
	Scotland.	Larger Burghs.	Other Districts.	Scotland.	Larger Burghs.	Other Districts.
15—19 years	3·17	3·52	2·62	10·19	10·47	9·75
20—24	27·56	27·53	27·61	38·69	38·24	39·39
25—29	32·03	31·60	32·71	26·52	26·04	27·28
30—34	16·12	15·88	16·48	12·00	12·09	11·86
35—39	8·63	8·79	8·37	6·12	6·14	6·09
40—44	5·26	5·20	5·36	3·05	3·23	2·76
45—49	3·11	3·20	2·97	1·91	2·09	1·62
50 and above	4·12	4·27	3·88	1·52	1·69	1·25
Not stated	0·00	0·01	—	0·00	0·01	—
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00

TABLE 20.—Age Distribution of Persons at Marriage in Scotland, 1855–1917.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—19 years	46,400	2·72	201,042	11·76
20—24	605,581	35·43	751,506	43·97
25—29	546,601	31·98	436,797	25·56
30—34	237,726	13·91	162,619	9·52
35—39	117,071	6·85	79,328	4·64
40—44	63,902	3·74	39,856	2·33
45—49	39,269	2·30	21,087	1·23
50 and above	51,696	3·02	15,498	0·91
Not stated	823	0·05	1,336	0·08
TOTAL	1,709,069	100·00	1,709,069	100·00

TABLE 21.—AGES in Combination of MEN and WOMEN at Marriage in Scotland, 1917.

AGES OF WIVES.													Total Husbands.	AGES OF HUSBANDS.											
Under 15	15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	Not Stated						
Under 16	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
16	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
17	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
18	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
19	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
20	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
21	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
25	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
30	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
35	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
40	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
45	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
50	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
55	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
60	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
65	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
70	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
75	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
80	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Not stated	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Total Wives	4	41	346	974	1,735	2,115	9,654	8,067	3,652	1,863	927	531	257	121	61	17	4	1	1	1	1	1	1	1	1

Average age—Husbands, 30·12; Wives, 27·04.

The Table read vertically shows the number of Wives at each age, with the ages of their Husbands at Marriage:—Thus, of 2,115 Wives at the age of 20, one married a Husband aged 16, twelve married Husbands aged 17, etc.

Read horizontally the Table shows the number of Husbands at each age, with the ages of their Wives at Marriage:—Thus, of 833 Husbands at the age of 20, two married Wives aged 16, forty-three married Wives aged 17, etc.

TABLE 22.—AGES in Combination of BACHELORS and SPINSTERS at Marriage in Scotland, 1917.

AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS.									
AGES OF SPINSTERS.													Total Bachelors.	AGES OF BACHELORS									

Average age—Husbands, 28.25; Wives, 25.58.

TABLE 24.—AGES in Combination of the WIDOWERS and SPINSTERS at Marriage in Scotland, 1917.

AGES OF SPINSTERS.														AGES OF WIDOWERS.										Total Widowers and Spinsters.
15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	Not stated	Total Widowers.						
19- 20- 21-	- - -	- - 1	- - -	- - 3	- - 5	- - 15	- - 4	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1,845 {						
25- 30- 35-	- - -	- - -	4 1 1	5 10 2	12 8 10	41 61 59	46 87 85	5 51 80	3 16 57	1 2 16	- - 3	- - -	- - -	- - -	- - -	- - -	- - -	117 237 313						
40- 45- 50-	- - -	- - -	- - -	1 1 1	3 5 -	30 15 6	70 33 17	77 59 20	78 63 58	62 52 41	18 34 47	4 5 20	- 4 7	- -	- -	- -	- -	343 272 217						
55- 60- 65-	- - -	- - -	- - -	- - -	1 1 -	3 5 -	7 4 1	14 8 4	30 13 3	38 16 5	34 28 9	20 14 14	5 7 6	1 5 4	- 3 1	- -	- -	153 96 50						
70- 75- 80-	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	1 1 -	3 2 1	1 1 -	2 -	5 -	1 -	1 -	- -	- -	14 4 1						
85- Not stated	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -						
Total Spinsters	-	-	2	7	24	44	230	354	319	323	239	174	79	34	4	1	-	1,845 {						

Average age—Husbands, 44.32; Wives, 34.94.

TABLE 25.—AGES in Combination of the WIDOWS and WIDOWERS at Marriage in Scotland, 1917.

AGES OF WIDOWS.															Total Widow- ers.	AGES OF WIDOWERS.										TotalWidowers and Widows.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	Not stated		18- 19- 20-	21- 25- 30-	35- 40- 45-	50- 55- 60-	65- 70- 75-	80- Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 47.79; Wives, 42.11.

* Note.—30,420 Marriages are accounted for in Tables 22-25, the condition of one of the contracting parties in the remaining case not having been specified in the Marriage Register.

TABLE 26.—Ages at Death in 1918.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.	Unallocated Deaths.*
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.	
-1 - - -	9,836	5,627	4,209	5,206	1,811	2,819	-
1- - - -	8,015	4,073	3,942	4,718	1,408	1,889	-
5- - - -	2,407	1,174	1,233	1,289	458	660	-
10- - - -	1,766	885	931	919	347	500	-
15- - - -	5,725	2,791	2,934	2,584	962	1,700	479
25- - - -	6,873	3,308	3,565	3,188	1,219	1,943	523
35- - - -	5,951	3,002	2,949	2,922	1,099	1,670	260
45- - - -	7,089	3,772	3,317	3,824	1,372	1,812	81
55- - - -	9,072	4,804	4,268	4,718	1,840	2,499	15
65- - - -	10,711	5,361	5,350	5,113	2,384	3,213	1
75- - - -	10,904	4,376	6,528	4,083	2,593	4,228	-
Not stated -	23	21	2	1	-	18	4
ALL AGES -	78,372	39,144	39,228	38,565	15,493	22,951	1363

* Deaths of British and Foreign Soldiers and Sailors from causes originating at sea or outwith Scotland.

TABLE 27.—Death-rate per 1000 in each Age-group in 1918.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
0- - - -	88.4	100.3	76.3	93.6	87.2	80.7
1- - - -	18.4	18.6	18.2	22.2	17.0	13.5
5- - - -	4.6	4.4	4.7	5.1	4.5	3.8
10- - - -	3.5	3.3	3.7	3.8	3.5	3.1
15- - - -	6.3	6.2	6.4	5.6	5.7	6.2
25- - - -	9.0	9.2	8.9	8.1	7.9	8.9
35- - - -	9.7	10.1	9.3	9.3	9.2	9.1
45- - - -	15.5	17.2	13.9	16.9	15.1	12.9
55- - - -	29.9	33.7	26.5	33.2	29.2	25.6
65- - - -	56.4	66.7	48.9	65.0	57.6	47.4
75- - - -	146.7	158.7	139.6	168.6	151.0	135.2
Not stated -	-	-	-	-	-	-
ALL AGES -	16.0	16.5	15.6	16.1	16.2	15.1

TABLE 28.—Percentage of Deaths in each Age-group in 1918.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
0- - - -	12.55	14.37	10.73	13.50	11.69	12.28
1- - - -	10.23	10.41	10.05	12.23	9.09	8.23
5- - - -	3.07	3.00	3.14	3.34	2.95	2.87
10- - - -	2.25	2.13	2.37	2.38	2.24	2.18
15- - - -	7.30	7.13	7.48	6.70	6.21	7.41
25- - - -	8.77	8.45	9.09	8.27	7.87	8.47
35- - - -	7.59	7.67	7.52	7.58	7.09	7.28
45- - - -	9.05	9.64	8.46	9.92	8.86	7.89
55- - - -	11.58	12.27	10.88	12.23	11.88	10.89
65- - - -	13.67	13.70	13.64	13.26	15.39	14.00
75- - - -	13.91	11.18	16.64	10.59	16.73	18.42
Not stated -	0.03	0.05	0.00	0.00	-	0.08
ALL AGES -	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 29.—DEATHS, MALE AND FEMALE, AT EACH YEAR OF
AGE, AND BY CONDITION AS TO MARRIAGE, IN SCOT-
LAND, 1918.

TABLE 29.—Deaths, Male and Female, at each year of Age,

MALES.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	5627	5627	-	-	-	52 ...	437	109	277	48	3
1 ...	1976	1976	-	-	-	53 ...	369	68	248	52	1
2 ...	974	974	-	-	-	54 ...	443	91	299	49	4
3 ...	679	679	-	-	-	55 ...	396	76	258	58	4
4 ...	444	444	-	-	-	56 ...	438	82	288	64	4
5 ...	324	324	-	-	-	57 ...	440	80	272	85	3
6 ...	267	267	-	-	-	58 ...	457	81	315	60	1
7 ...	206	206	-	-	-	59 ...	486	94	307	84	1
8 ...	193	193	-	-	-	60 ...	484	95	295	92	2
9 ...	184	184	-	-	-	61 ...	504	87	321	93	3
10 ...	186	186	-	-	-	62 ...	513	75	328	109	1
11 ...	148	148	-	-	-	63 ...	534	74	339	119	2
12 ...	151	151	-	-	-	64 ...	552	93	329	125	5
13 ...	149	149	-	-	-	65 ...	554	70	334	146	4
14 ...	201	201	-	-	-	66 ...	532	81	300	151	-
15 ...	242	242	-	-	-	67 ...	549	63	329	157	-
16 ...	240	240	-	-	-	68 ...	573	77	316	178	2
17 ...	271	269	2	-	-	69 ...	562	83	327	151	1
18 ...	319	316	3	-	-	70 ...	556	78	276	196	6
19 ...	283	280	3	-	-	71 ...	477	51	259	166	1
20 ...	247	238	7	-	2	72 ...	534	63	273	195	3
21 ...	254	238	11	-	5	73 ...	523	60	262	199	2
22 ...	274	243	21	1	9	74 ...	501	57	231	213	-
23 ...	308	259	41	-	8	75 ...	481	59	208	213	1
24 ...	353	276	71	1	5	76 ...	463	61	192	210	-
25 ...	324	239	71	2	12	77 ...	465	59	191	212	3
26 ...	363	252	102	3	6	78 ...	453	53	184	215	1
27 ...	341	192	134	8	7	79 ...	361	42	132	185	2
28 ...	346	195	146	5	-	80 ...	327	34	123	170	-
29 ...	343	177	159	4	3	81 ...	275	31	87	156	1
30 ...	347	171	166	1	9	82 ...	287	33	90	164	-
31 ...	302	145	152	1	4	83 ...	216	25	63	123	-
32 ...	332	132	193	5	2	84 ...	222	26	75	121	-
33 ...	308	128	174	6	-	85 ...	188	18	64	106	-
34 ...	302	113	178	10	1	86 ...	141	12	38	91	-
35 ...	309	118	174	11	6	87 ...	121	15	27	79	-
36 ...	282	83	183	12	4	88 ...	96	7	25	64	-
37 ...	281	95	181	4	1	89 ...	69	6	15	48	-
38 ...	281	106	165	8	2	90 ...	60	8	14	38	-
39 ...	284	81	190	11	2	91 ...	46	4	13	29	-
40 ...	298	105	174	11	8	92 ...	32	3	13	16	-
41 ...	290	73	202	15	-	93 ...	27	3	7	17	-
42 ...	332	97	218	17	-	94 ...	9	-	3	6	-
43 ...	325	92	209	22	2	95 ...	5	1	3	1	-
44 ...	320	81	221	18	-	96 ...	8	-	3	5	-
45 ...	356	109	223	17	7	97 ...	13	-	1	12	-
46 ...	336	85	230	20	1	98 ...	3	-	1	2	-
47 ...	355	93	229	30	3	99 ...	3	-	-	3	-
48 ...	358	96	221	37	4	100 and over	3	-	1	2	-
49 ...	390	92	271	26	1	Not Stated	23	1	-	-	22
50 ...	361	88	229	35	9	Total ...	39,144	19,929	13,540	5,469	206
51 ...	367	92	230	45	-						

and by Condition as to Marriage, in Scotland, 1918.

FEMALES.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	4209	4209	-	-	-	52 ...	354	71	224	59	-
1 ...	1846	1846	-	-	-	53 ...	341	67	199	75	-
2 ...	899	899	-	-	-	54 ...	394	78	249	67	-
3 ...	714	714	-	-	-	55 ...	336	77	186	73	-
4 ...	483	483	-	-	-	56 ...	391	87	212	92	-
5 ...	331	331	-	-	-	57 ...	372	77	206	89	-
6 ...	287	287	-	-	-	58 ...	461	85	238	141	-
7 ...	235	235	-	-	-	59 ...	384	76	212	96	-
8 ...	187	187	-	-	-	60 ...	454	95	217	141	1
9 ...	193	193	-	-	-	61 ...	389	77	192	119	1
10 ...	185	185	-	-	-	62 ...	478	106	207	165	-
11 ...	157	157	-	-	-	63 ...	502	110	227	164	1
12 ...	174	174	-	-	-	64 ...	498	103	206	189	-
13 ...	200	200	-	-	-	65 ...	510	85	204	220	1
14 ...	215	215	-	-	-	66 ...	440	81	165	194	-
15 ...	275	275	-	-	-	67 ...	509	92	184	233	-
16 ...	293	292	1	-	-	68 ...	545	108	183	254	-
17 ...	262	259	3	-	-	69 ...	509	103	171	235	-
18 ...	256	249	7	-	-	70 ...	505	114	139	252	-
19 ...	260	241	18	1	-	71 ...	471	89	110	272	-
20 ...	286	253	32	1	-	72 ...	591	136	135	320	-
21 ...	332	266	64	2	-	73 ...	624	105	133	386	-
22 ...	308	223	79	6	-	74 ...	646	115	139	391	1
23 ...	335	216	116	3	-	75 ...	627	130	97	400	-
24 ...	327	198	123	6	-	76 ...	647	131	118	398	-
25 ...	392	211	174	7	-	77 ...	587	117	78	391	1
26 ...	378	188	182	8	-	78 ...	614	111	72	431	-
27 ...	350	153	187	9	1	79 ...	483	93	47	343	-
28 ...	376	156	210	10	-	80 ...	507	108	57	342	-
29 ...	363	128	221	14	-	81 ...	384	70	34	280	-
30 ...	396	133	248	15	-	82 ...	396	87	37	272	-
31 ...	329	101	216	12	-	83 ...	357	86	29	242	-
32 ...	344	105	221	18	-	84 ...	345	62	25	258	-
33 ...	309	83	208	18	-	85 ...	292	79	19	194	-
34 ...	328	94	215	19	-	86 ...	282	82	9	191	-
35 ...	336	89	234	13	-	87 ...	217	44	11	162	-
36 ...	293	67	209	17	-	88 ...	187	49	10	128	-
37 ...	319	85	212	22	-	89 ...	139	28	3	108	-
38 ...	290	77	187	26	-	90 ...	116	21	5	90	-
39 ...	304	72	215	17	-	91 ...	91	30	-	61	-
40 ...	289	73	195	21	-	92 ...	76	12	4	60	-
41 ...	255	65	178	12	-	93 ...	47	12	-	35	-
42 ...	298	61	210	27	-	94 ...	36	9	-	27	-
43 ...	270	73	176	21	-	95 ...	27	6	-	21	-
44 ...	295	64	212	19	-	96 ...	23	10	-	13	-
45 ...	329	81	220	27	1	97 ...	17	5	1	11	-
46 ...	309	74	205	30	-	98 ...	8	-	-	8	-
47 ...	326	67	216	43	-	99 ...	7	2	-	5	-
48 ...	291	60	201	30	-	100 and over	16	4	-	12	-
49 ...	339	71	216	52	-	Not stated	2	-	-	-	2
50 ...	319	71	197	51	-	Total ...	39,228	18,871	11,005	9,342	10
51 ...	315	57	203	55	-						

TABLE 30.—Deaths at various Age-periods in the Larger Burghs in 1918.

Age.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Glydebank.	Perth.	Kilmarnock.	Falkirk.	Avg.
Under 1 Year	2600	453	366	390	142	173	233	126	86	78	107	119	61	81	61	70
1—	2566	363	320	266	123	144	251	126	60	62	105	97	48	45	70	72
5—	627	143	111	68	30	52	39	44	16	20	29	24	16	18	26	26
10—	462	92	93	48	22	36	26	18	17	19	14	25	7	12	18	19
15—	1212	337	217	175	81	110	89	53	30	44	49	36	27	49	43	32
25—	1547	416	253	178	117	97	108	71	44	66	34	66	48	50	53	40
35—	1431	333	224	156	100	85	97	60	39	49	52	70	33	51	43	44
45—	1873	562	325	200	142	129	123	50	58	49	51	53	60	57	48	44
55—	2208	722	433	285	173	167	162	75	48	68	43	64	77	63	60	60
65—	2246	817	441	380	170	205	156	82	56	111	72	51	88	93	71	74
75 and over	1530	802	385	422	121	135	138	59	43	83	51	32	102	63	46	71
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
All Ages	18362	5090	3198	2568	1221	1333	1422	764	497	649	612	637	572	587	539	544

TABLE 31.—Death-rate per 1000 of Population in the Larger Burghs at various Age-periods in 1918.

Age.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Glydebank.	Perth.	Kilmarnock.	Falkirk.	Avg.
Under 1 Year	101.8	74.9	89.6	104.3	72.0	83.6	107.2	99.3	69.9	85.0	89.0	84.4	85.2	102.4	71.3	87.1
1—	26.0	15.0	21.3	17.7	15.8	18.5	33.8	26.8	12.7	17.1	23.8	18.1	17.9	13.6	19.9	23.1
5—	5.4	4.7	6.0	3.7	3.2	5.6	4.7	8.1	3.1	4.6	5.7	4.1	4.9	4.4	6.2	5.1
10—	4.3	3.1	5.1	2.6	2.4	4.2	3.3	3.8	3.6	4.6	3.2	5.0	2.1	2.9	4.6	3.6
15—	5.7	5.3	6.3	5.5	4.4	7.3	6.0	6.6	3.9	5.9	6.7	4.1	4.0	6.6	6.9	5.6
25—	8.1	7.3	8.9	7.3	8.0	7.2	8.1	9.7	6.2	10.3	5.3	8.0	8.3	8.9	9.2	8.1
35—	9.7	8.2	9.4	7.6	9.2	7.9	9.6	10.7	7.5	9.4	10.7	11.1	7.8	11.0	9.5	10.1
45—	17.9	16.2	17.7	13.2	16.8	16.4	17.4	13.1	17.6	12.8	17.3	14.6	16.2	16.1	15.0	16.1
55—	34.6	31.2	36.2	27.7	33.4	33.3	35.0	35.3	28.1	26.2	27.3	37.2	30.4	30.1	35.1	32.1
65—	67.9	61.0	62.8	59.4	59.9	70.4	54.7	71.4	67.4	73.5	75.9	62.9	56.4	77.8	72.8	68.1
75 and over	172.1	166.4	178.2	169.8	158.8	162.1	163.9	203.4	208.7	155.4	187.5	174.9	164.0	158.3	165.5	165.1
All Ages	16.5	15.2	17.4	15.4	13.7	15.9	17.9	17.2	11.8	16.0	15.5	13.5	16.0	15.7	15.3	15.1

TABLE 32.—Deaths in each Age-group from various Diseases in Scotland in 1918.
(Both Sexes.)

Causes of Death.	All Ages.	AGE											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	125	-	2	9	15	35	20	22	15	6	1	-	
Typhus Fever - - - - -	15	-	-	2	1	3	2	3	3	1	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1198	236	869	60	6	16	2	6	1	1	1	-	
Scarlet Fever - - - - -	168	7	83	45	13	13	3	1	3	-	-	-	
Whooping-cough - - - - -	1603	620	906	73	2	1	1	-	-	-	-	-	
Diphtheria and Croup - - - - -	756	51	425	211	41	15	7	-	3	2	1	-	
Influenza - - - - -	1878	135	193	113	92	217	258	174	167	146	178	205	
Erysipelas - - - - -	83	12	5	1	3	7	6	4	9	12	10	14	
Phthisis, Pulmonary Tuberculosis - - - - -	5217	23	110	112	237	1234	1211	1015	748	392	118	17	
Tuberculous Meningitis - - - - -	834	123	406	135	62	60	17	19	10	2	-	-	
Abdominal Tuberculosis - - - - -	738	79	253	92	69	99	52	50	23	12	8	1	
Other Tuberculous Diseases - - - - -	911	32	128	106	100	196	111	67	73	47	43	8	
Cancer, Malignant Disease - - - - -	5472	-	11	5	8	36	105	411	1058	1561	1475	802	
Rheumatic Fever - - - - -	151	1	3	14	29	27	17	18	16	15	8	3	
Meningitis - - - - -	991	250	368	109	55	66	46	36	24	24	10	3	
Organic Heart Disease - - - - -	6576	19	18	35	66	241	318	467	789	1347	1787	1489	
Bronchitis - - - - -	5217	673	349	56	37	95	162	253	458	825	1187	1122	
Pneumonia (all forms) - - - - -	14344	1302	2468	686	472	1966	2895	1401	1078	890	736	450	
Other Diseases of Respiratory Organs - - - - -	1220	129	151	43	20	74	92	93	106	154	205	153	
Diarrhoea and Enteritis (under 2 years) - - - - -	1046	844	202	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	402	2	12	60	78	90	42	35	39	26	12	6	
All Liver Diseases (not Malignant) - - - - -	392	6	4	6	4	11	19	29	71	115	84	43	
Other Diseases of Digestive System - - - - -	2300	254	219	97	50	86	116	209	274	340	353	302	
Nephritis and Bright's Disease - - - - -	2107	22	43	34	30	94	143	220	357	431	461	272	
Puerperal Sepsis - - - - -	113	-	-	-	-	27	53	32	1	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	575	-	-	-	-	126	269	173	7	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3744	3694	32	6	4	7	1	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	*2673	107	268	163	123	435	366	282	285	230	198	193	
Suicide - - - - -	190	-	-	-	5	20	30	37	47	28	19	4	
Other Defined Diseases - - - - -	15832	1053	393	116	134	402	475	811	1294	2181	3480	5493	
Diseases Ill-defined or Unknown - - - - -	1501	162	94	18	10	26	34	83	130	284	336	324	
Total - - - - -	*78372	9836	8015	2407	1766	5725	6873	5951	7089	9072	10711	10904	

* Including 23 of unstated age.

TABLE 33.—Death-rate per 100,000 of Population in each Age-group from various Causes in Scotland in 1918.

Causes of Death.	All Ages	AGE											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.	
Enteric Fever .. - - -	3	-	0	2	3	4	3	4	3	2	1	-	
Typhus Fever - - - -	0	-	-	0	0	0	0	0	1	0	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	25	212	199	11	1	2	0	1	0	0	1	-	
Scarlet Fever - - - -	3	6	19	9	3	1	0	0	1	-	-	-	
Whooping-cough - - -	33	557	208	14	0	0	0	-	-	-	-	-	
Diphtheria and Croup -	15	46	98	40	8	2	1	-	1	1	1	-	
Influenza - - - - -	38	121	44	21	18	24	34	28	36	48	94	276	
Erysipelas - - - - -	2	11	1	0	1	1	1	1	2	4	5	19	
Phthisis, Pulmonary Tuberculosis -	107	21	25	21	47	136	159	165	163	129	62	23	
Tuberculous Meningitis - -	17	111	93	26	12	7	2	3	2	1	-	-	
Abdominal Tuberculosis - -	15	71	58	17	14	11	7	8	5	4	4	1	
Other Tuberculous Diseases -	19	29	29	20	20	22	15	11	16	15	23	11	
Cancer, Malignant Disease - -	112	-	3	1	2	4	14	67	231	514	777	1079	
Rheumatic Fever - - - -	3	1	1	3	6	3	2	3	4	5	4	4	
Meningitis - - - - -	20	225	85	21	11	7	6	6	5	8	5	4	
Organic Heart Disease - - -	135	17	4	7	13	27	42	76	172	443	941	2003	
Bronchitis - - - - -	107	605	80	11	7	10	21	41	100	272	625	1509	
Pneumonia (all forms) - - -	293	1170	567	130	94	217	380	227	235	293	388	605	
Other Diseases of Respiratory Organs	25	116	35	8	4	8	12	15	23	51	108	206	
Diarrhoea and Enteritis (under 2 years)	21	759	46	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	8	2	3	11	15	10	6	6	8	8	6	8	
All Liver Diseases (not Malignant) -	8	5	1	1	1	1	3	5	16	38	44	58	
Other Diseases of Digestive System -	47	228	50	19	10	10	15	34	60	112	186	406	
Nephritis and Bright's Disease - -	43	20	10	6	6	10	19	35	78	142	243	366	
Puerperal Sepsis - - - - -	2	-	-	-	-	3	7	5	0	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	12	-	-	-	-	14	35	28	2	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	77	3320	7	1	1	1	0	-	-	-	-	-	
Violent Deaths, excluding Suicide -	55	96	61	31	24	48	48	46	62	76	104	259	
Suicide - - - - -	4	-	-	-	1	2	4	6	10	9	10	5	
Other Defined Diseases - - -	324	947	91	22	27	44	62	132	282	718	1833	7383	
Diseases Ill-defined or Unknown -	31	146	22	3	2	3	5	13	28	94	177	436	
Total - - - - -	1604	8842	1840	456	351	632	903	966	1546	2987	5641	14666	

TABLE 34. — Percentage of Deaths from various Causes in 1918.

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever -	0.16	-	0.03	0.37	0.85	0.61	0.31	0.37	0.21	0.07	0.01	-
Typhus Fever -	0.02	-	-	0.08	0.06	0.05	0.03	0.05	0.04	0.01	-	-
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	1.53	2.40	10.84	2.49	0.34	0.28	0.03	0.10	0.01	0.01	-	-
Scarlet Fever -	0.21	0.07	1.04	1.87	0.74	0.23	0.04	0.23	0.04	-	-	-
Whooping-cough -	2.05	6.30	11.30	3.63	0.11	0.02	0.02	0.03	-	-	-	-
Diphtheria and Croup -	0.97	0.52	5.80	8.77	2.32	0.26	0.10	-	0.04	0.02	0.01	-
Infuenza -	2.40	1.37	2.41	4.70	5.21	3.79	3.75	2.92	0.04	0.02	0.01	-
Erysipelas -	0.11	0.24	0.06	0.04	0.17	0.12	0.09	0.07	2.36	1.60	1.66	1.88
Phthisis, Pulmonary Tuberculosis -	6.66	0.24	1.37	4.95	13.42	21.56	17.61	17.05	0.13	0.13	0.09	0.13
Tuberculous Meningitis -	1.06	1.25	5.07	5.61	3.51	1.05	0.25	0.32	10.55	4.32	1.10	0.16
Abdominal Tuberculosis -	0.94	0.80	3.16	3.82	3.91	1.73	0.76	0.84	0.14	0.02	-	-
Other Tuberculous Diseases -	1.16	0.33	1.60	4.41	5.66	3.43	1.61	1.13	0.82	0.13	0.08	0.01
Cancer, Malignant Diseases -	-	-	0.14	0.21	0.45	0.43	1.32	6.90	1.03	0.52	0.40	0.07
Rheumatic Fever -	0.19	0.04	0.04	0.58	1.64	0.47	0.25	0.30	14.93	17.21	13.77	7.36
Meningitis -	2.54	4.59	4.63	3.11	1.15	0.67	0.60	0.34	0.03	0.17	0.08	0.03
Organic Heart Disease -	8.39	0.19	0.22	1.45	3.74	4.21	4.63	7.85	0.34	0.26	0.09	0.03
Bronchitis -	6.68	6.34	4.35	2.33	2.09	1.66	2.36	4.25	11.13	14.85	16.68	13.66
Pneumonia (all forms) -	18.30	13.24	30.79	28.50	26.73	34.34	42.12	23.54	6.46	9.09	11.08	10.29
Other Diseases of Respiratory Organs -	1.56	1.88	1.79	1.13	1.29	1.32	1.56	1.51	15.21	9.81	6.87	4.13
Diarrhea and Enteritis (under 2 years) -	1.34	8.53	2.52	-	-	-	-	-	1.50	1.70	1.91	1.40
Appendicitis and Typhlitis -	0.51	0.02	0.15	2.49	4.42	0.61	0.28	0.59	0.55	0.29	0.11	0.05
All Liver Diseases (not Malignant) -	0.50	0.06	0.05	0.25	0.23	0.19	0.28	0.40	1.00	1.27	0.78	0.39
Other Diseases of Digestive System -	2.93	2.83	2.73	4.03	2.83	1.60	1.69	3.51	3.87	3.75	3.30	2.77
Nephritis and Bright's Disease -	2.69	0.54	1.41	1.70	-	1.64	2.08	3.70	5.04	4.75	4.30	2.49
Puerperal Sepsis -	0.14	-	-	-	-	0.47	0.77	0.54	0.01	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition -	0.73	-	-	-	-	2.20	3.91	2.91	0.10	-	-	-
Congenital Debility and Malformation, including Premature Birth -	4.78	37.56	0.40	0.25	0.23	0.12	0.01	-	-	-	-	-
Violent Deaths, excluding Suicide -	3.41	1.09	3.33	6.77	6.96	7.60	5.33	4.74	4.02	2.63	1.85	1.77
Other Defined Diseases -	0.24	-	-	0.24	0.28	0.35	0.44	0.62	0.66	0.31	0.18	0.04
Diseases Ill-defined or Unknown -	20.20	10.71	4.92	4.82	7.59	7.02	6.91	13.63	18.25	24.04	32.50	50.37
	1.92	1.65	1.17	0.75	0.57	0.46	0.50	1.39	1.83	3.14	3.14	2.37
Total -	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 35.—Deaths from various Causes in Scotland and its Groups of Public Health Districts, in 1918.

Causes of Death.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts	Unallocated Deaths.*
	Both Sexes.	Males.	Females.				
Enteric Fever - - - - -	125	61	64	61	14	47	3
Typhus Fever - - - - -	15	7	8	11	3	1	-
Small-pox - - - - -	-	-	-	-	-	-	-
Measles - - - - -	1,198	603	595	632	234	331	1
Scarlet Fever - - - - -	168	82	86	92	25	47	4
Whooping-cough - - - - -	1,603	755	848	855	335	413	-
Diphtheria and Croup - - - - -	756	377	379	400	173	182	1
Influenza - - - - -	1,878	831	1,047	718	422	724	14
Erysipelas - - - - -	83	42	41	44	17	21	1
Phthisis, Pulmonary Tuberculosis - - - - -	5,217	2,554	2,663	2,767	878	1,330	242
Tuberculous Meningitis - - - - -	834	402	432	494	141	196	3
Abdominal Tuberculosis - - - - -	738	350	388	381	152	200	5
Other Tuberculous Diseases - - - - -	911	471	440	494	179	215	23
Cancer, Malignant Disease - - - - -	5,472	2,289	3,183	2,675	1,182	1,564	51
Rheumatic Fever - - - - -	151	64	87	66	27	58	-
Meningitis - - - - -	991	532	459	490	230	266	5
Organic Heart Disease - - - - -	6,576	3,077	3,499	2,983	1,467	2,077	49
Bronchitis - - - - -	5,217	2,532	2,685	2,823	1,021	1,366	7
Pneumonia (all forms) - - - - -	14,344	7,542	6,802	7,581	2,506	3,891	366
Other Diseases of Respiratory Organs - - - - -	1,220	642	578	582	245	375	18
Diarrhoea and Enteritis (under 2 years) - - - - -	1,046	604	442	606	162	278	-
Appendicitis and Typhlitis - - - - -	402	217	185	180	79	131	12
All Liver Diseases (not Malignant) - - - - -	392	181	211	158	103	125	6
Other Diseases of Digestive System - - - - -	2,300	1,153	1,147	1,099	452	721	28
Nephritis and Bright's Disease - - - - -	2,107	1,148	959	1,138	370	547	52
Puerperal Sepsis - - - - -	113	-	113	75	11	27	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	575	-	575	268	124	183	-
Congenital Debility and Malformation, including Premature Birth - - - - -	3,744	2,132	1,612	1,879	742	1,123	-
Violent Deaths, excluding Suicide - - - - -	2,673	1,986	687	1,125	426	824	298
Suicide - - - - -	180	113	67	86	33	61	5
Other Defined Diseases - - - - -	15,832	7,561	8,271	7,148	3,481	5,036	167
Diseases ill-defined or Unknown - - - - -	1,501	826	675	654	254	591	2
Total - - - - -	78,372	39,144	39,228	38,565	15,493	22,951	1363

* Vide Note—Table 26.

TABLE 36.—Death-rates from various Causes per 100,000 of the Population in Scotland and its Groups of Public Health Districts in 1918.

Causes of Death.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever - - - - -	3	3	3	3	1	3
Typhus Fever - - - - -	0	0	0	0	0	0
Small-pox - - - - -	-	-	-	-	-	-
Measles - - - - -	25	25	24	26	24	22
Scarlet Fever - - - - -	3	4	3	4	3	3
Whooping-cough - - - - -	33	32	34	36	35	27
Diphtheria and Croup - - - - -	15	16	15	17	18	12
Influenza - - - - -	38	35	42	30	44	47
Erysipelas - - - - -	2	2	2	2	2	1
Phthisis, Pulmonary Tuberculosis - - - - -	107	108	106	115	92	87
Tuberculous Meningitis - - - - -	17	17	17	21	15	13
Abdominal Tuberculosis - - - - -	15	15	15	16	16	13
Other Tuberculous Diseases - - - - -	19	20	17	21	19	14
Cancer, Malignant Disease - - - - -	112	96	126	111	123	103
Rheumatic Fever - - - - -	3	3	3	3	3	4
Meningitis - - - - -	20	22	18	20	24	17
Organic Heart Disease - - - - -	135	130	139	124	153	136
Bronchitis - - - - -	107	107	107	117	106	90
Pneumonia (all forms) - - - - -	293	318	270	316	261	255
Other Diseases of Respiratory Organs - - - - -	25	27	23	24	26	25
Diarrhoea and Enteritis (under 2 years) - - - - -	21	25	18	25	17	18
Appendicitis and Typhlitis - - - - -	8	9	7	7	8	9
All Liver Diseases (not Malignant) - - - - -	8	8	8	7	11	8
Other Diseases of Digestive System - - - - -	47	49	46	46	47	47
Nephritis and Bright's Disease - - - - -	43	43	38	47	39	36
Puerperal Sepsis - - - - -	2	-	5	3	1	2
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	12	-	23	11	13	12
Congenital Debility and Malformation, including Premature Birth - - - - -	77	90	64	78	77	74
Violent Deaths, excluding Suicide - - - - -	55	84	27	47	45	54
Suicide - - - - -	4	5	3	4	4	4
Other Defined Diseases - - - - -	324	319	325	295	363	330
Diseases Ill-defined or Unknown - - - - -	31	35	27	27	26	39
Total - - - - -	1604	1652	1559	1605	1616	1505

TABLE 37.—Deaths from various Causes in the Larger Burghs, 1918.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever	25	1	2	14	1	1	1	1	1	2	9	1	1	1	4	1
Typhus Fever	10	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Small-pox	—	—	—	—	—	—	—	31	4	—	—	12	—	4	1	7
Measles	369	10	2	48	9	7	100	1	6	—	83	8	—	2	—	—
Scarlet Fever	25	27	1	3	2	16	1	1	31	—	4	3	—	8	—	—
Whooping-cough	413	44	95	34	81	31	27	9	9	23	23	8	12	8	20	26
Diphtheria and Croup	189	61	39	21	9	10	3	6	5	20	9	5	7	3	4	9
Influenza	302	111	96	38	86	17	15	9	5	34	9	14	10	2	15	5
Erysipelas	23	5	8	6	2	2	—	—	—	—	2	—	—	—	—	1
Phthisis, Pulmonary Tuberculosis	1,383	321	256	185	82	101	38	61	38	31	36	42	32	46	37	28
Tuberculous Meningitis	228	67	25	36	8	25	24	11	9	4	10	13	6	7	11	10
Abdominal Tuberculosis	182	38	26	29	15	24	24	10	2	1	13	5	8	5	6	4
Other Tuberculous Diseases	236	58	39	21	22	24	18	10	3	7	6	7	10	12	12	9
Cancer, Malignant Disease	1,210	454	211	184	77	96	92	42	32	48	18	39	52	47	32	41
Rheumatic Fever	31	8	6	7	1	1	4	3	4	—	1	1	—	—	—	—
Meningitis	249	38	19	19	23	15	33	20	8	8	5	25	4	4	5	15
Organic Heart Disease	1,096	503	337	277	115	117	124	43	22	68	47	43	70	34	49	38
Bronchitis	1,401	298	227	174	105	88	119	76	30	67	46	30	36	56	40	30
Pneumonia (all forms)	3,905	943	583	426	193	246	245	154	103	97	111	141	95	111	132	96
Other Diseases of Respiratory Organs	278	100	40	30	11	20	30	9	3	16	16	12	7	8	6	7
Diarrhoea and Enteritis (under 2 years)	349	39	52	41	7	17	17	10	9	1	16	16	5	15	6	6
Appendicitis and Typhitis	107	18	10	3	6	9	2	2	2	1	5	6	3	4	—	2
All Liver Diseases (not Malignant)	78	21	10	7	9	9	5	2	3	3	3	4	4	2	1	1
Other Diseases of Digestive System	513	161	94	70	46	39	31	18	9	24	17	17	18	16	10	16
Nephritis and Bright's Disease	667	152	72	68	30	27	15	16	19	15	12	16	11	15	5	8
Puerperal Sepsis	45	5	4	5	2	—	1	3	3	—	2	2	—	2	1	—
Other Diseases and Accidents of Pregnancy and Parturition	114	44	14	17	11	16	17	4	5	3	3	5	2	8	3	2
Congenital Debility and Malformation, including Premature Birth	918	196	136	158	46	58	74	59	32	37	33	41	20	32	19	20
Violent Deaths, excluding Suicide	537	138	96	58	31	36	41	23	25	15	19	27	11	12	22	34
Suicide	35	16	17	6	1	7	1	—	—	—	—	1	1	1	—	—
Other Defined Diseases	3,088	1,176	569	537	276	276	248	123	75	115	112	87	132	125	92	117
Diseases Ill-defined or Unknown	3,363	37	84	31	13	15	22	9	10	9	7	15	16	6	6	11
Total	18,362	5,090	3,168	2,568	1,221	1,333	1,422	764	497	649	612	637	572	587	539	544

TABLE 33.—Death-rates per 100,000 from various Causes in the Larger Burghs in 1918.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever	8	—	8	8	1	—	1	—	—	6	13	—	—	—	11	—
Typhus Fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	33	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria and Croup	37	13	52	32	85	37	34	20	74	57	58	17	33	5	57	77
Indienua	17	18	22	13	10	12	4	13	12	49	23	11	20	8	11	27
Erysipelas	27	33	53	23	40	20	19	20	12	84	23	30	28	5	43	15
Phtthisis, Pulmonary Tuberculosis	2	2	4	4	2	2	—	—	—	—	5	—	—	—	—	3
Tuberculous Meningitis	124	96	141	111	92	130	111	137	90	77	91	89	87	123	105	83
Abdominal Tuberculosis	21	20	14	22	9	30	30	25	21	10	25	27	19	19	31	30
Other Tuberculous Diseases	16	11	14	17	17	16	30	22	5	2	33	11	22	13	17	12
Cancer, Malignant Disease	21	17	22	13	25	29	23	22	7	17	15	15	28	32	34	27
Rheumatic Fever	109	136	116	111	86	115	116	94	76	118	46	82	145	126	91	122
Meningitis	3	2	3	4	1	5	5	7	10	—	3	2	—	—	—	—
Organic Heart Disease	22	11	11	11	26	18	41	45	19	20	13	53	11	—	14	45
Bronchitis	99	151	185	166	129	140	156	97	52	163	119	91	135	91	139	113
Pneumonia (all forms)	126	89	125	105	117	105	150	171	71	165	116	63	100	150	113	89
Other Diseases of Respiratory Organs	351	282	321	256	216	233	307	347	246	239	281	297	265	297	373	287
Diarrhoea and Enteritis (under 2 years)	25	30	22	18	12	24	38	20	7	39	13	25	20	21	17	21
Appendicitis and Typhlitis	31	12	29	25	8	20	21	22	21	3	40	34	14	40	17	18
All Liver Diseases (not Malignant)	10	5	6	2	7	11	3	4	5	3	13	13	8	11	—	6
Other Diseases of Digestive System	7	7	6	4	10	6	6	4	7	7	8	11	—	5	3	8
Nephritis and Bright's Disease	46	48	52	42	51	47	39	40	21	59	43	36	50	43	28	48
Puerperal Sepsis	59	46	40	41	34	32	19	36	45	37	30	34	31	40	14	24
Other Diseases	4	2	2	3	2	7	1	7	7	5	5	4	—	5	3	—
Pregnancy and Accidents of	10	13	8	10	12	19	21	9	12	7	8	11	6	21	9	6
Fatigue and Parturition	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Constitutional Debility and Malformation, including Premature Birth	83	59	75	95	51	69	93	133	76	91	83	86	56	86	54	60
Violent Deaths, excluding Suicide	48	41	53	35	35	43	52	52	59	37	48	57	31	32	62	101
Other Defined Diseases	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases Ill-defined or Unknown	278	352	313	322	308	329	311	277	179	284	—	2	3	33	261	348
Total	33	11	46	19	15	18	28	20	24	22	18	32	45	16	17	33
	1652	1524	1743	1542	1365	1590	1787	1716	1182	1600	1548	1347	1596	1570	1529	1620

TABLE 39.—DEATHS in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES in each of the Years 1855-1918.

YEAR	NUMBER OF DEATHS FROM															
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrheal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.	
1855	1309	1180	2138	873	1903	3017	2419	79	871	10,007	7129	2094	3036	1913		
1856	1306	1033	3011	1020	2331	2425	2363	81	908	9,077	6247	1970	2762	2003		
1857	845	1028	2235	1148	1539	4132	3087	90	960	10,326	7184	1890	2867	2068		
1858	332	1538	2671	1494	1963	3169	2790	86	963	10,265	7264	2355	3935	1980		
1859	682	972	3614	1336	2660	2736	2436	90	1004	9,951	7172	1900	3228	2054		
1860	1495	1587	2927	1485	1812	2379	2344	96	1014	11,212	8165	2416	5400	2186		
1861	766	971	1764	1571	2204	2416	2579	122	1165	10,582	7571	1974	5017	2089		
1862	426	1404	1281	2393	2799	2350	3021	126	1152	11,429	8211	1932	5764	2057		
1863	1646	2212	3413	3615	1649	2493	3441	139	1162	10,981	7614	2212	5484	2260		
1864	1741	1102	3411	3156	1993	2581	4804	125	1300	11,445	8083	2268	6383	2291		
1865	383	1195	2244	2010	2318	3180	3272 1048	158	1257	11,417	8089	1969	6194	2382		
1866	200	1038	2706	1588	1860	3954	2172 1404	156	1327	11,653	8283	2207	6629	2245		
1867	100	1341	2253	1535	1728	2811	1745 1378	156	1288	11,668	8248	2070	6777	2196		
1868	15	1149	3141	1688	2490	3267	1561 1404	135	1327	11,487	8154	2098	6261	2247		
1869	64	1670	4680	1639	2461	2880	2059 1335	215	1426	12,079	8525	2630	8030	2313		
1870	114	834	4356	1487	1783	3150	1460 1207	186	1373	13,027	9148	2415	7777	2363		
1871	1442	2057	2586	1850	1504	2839	1129 1234	227	1432	13,011	9102	2655	8663	2361		
1872	2448	925	2101	2190	2850	2732	795 1223	193	1559	12,596	8715	2570	7897	2571		
1873	1126	1450	2227	2335	1598	3491	628 1495	180	1537	11,952	8286	3012	8308	2839		
1874	1246	1103	6321	2234	1690	3343	726 1455	193	1646	11,303	7873	3440	8667	3103		
1875	76	1022	4720	1842	2431	3604	615 1625	212	1672	12,450	8699	3685	9864	2908		
1876	39	1241	2364	1672	2250	3321	471 1448	210	1695	12,219	8491	3296	8194	2990		
1877	38	1019	1874	1871	1571	2665	265 1427	222	1732	12,193	8342	3144	9182	2906		
1878	4	1372	1870	1892	2788	3576	263 1477	207	1829	12,567	8445	2964	8689	2595		
1879	8	769	1592	1590	2483	2374	210 1013	225	1830	12,098	8336	3067	9185	2400		
1880	10	1427	2165	1639	2641	3367	170 1338	228	1873	11,989	8074	3203	8562	2537		
1881	19	1012	1573	1615	1620	2552	229 1004	225	1914	11,275	7739	3237	8765	2955		
1882	3	1289	1583	1867	2103	3119	180 1204	244	2056	11,608	8012	3342	7715	2566		
1883	11	1629	1336	1699	2968	2528	152 998	240	2037	11,092	8401	4824	7983	2382		
1884	14	1440	1266	1775	2511	3147	138 1050	276	2110	10,795	7915	4539	7220	2743		
1885	39	1426	944	1445	2157	2485	111 889	243	2173	10,724	7922	4432	7899	2477		
1886	24	681	1058	1251	1882	2846	80 755	248	2313	10,942	7959	4040	7908	2444		
1887	17	1598	1179	1605	3212	2863	126 835	244	2373	10,275	7418	4220	7409	2587		
1888	3	1406	732	1614	1722	2190	102 665	229	2450	9,725	7044	4171	7140	2455		
1889	8	1948	701	1882	2268	3028	69 795	226	2643	9,722	7098	3994	7033	2794		
1890	—	2509	739	1762	3039	2743	77 777	196	2428	10,294	7660	4923	8057	2859		
1891	—	1775	736	1450	2437	2989	107 799	214	2703	10,141	7361	5642	9309	2940		
1892	11	2280	871	1347	1792	2504	59 644	204	2715	9,318	6765	4901	7260	2776		
1893	68	3639	832	1679	2026	4312	51 932	181	2816	9,801	6921	5446	7119	2756		
1894	129	791	834	1823	2552	2272	36 702	164	2928	9,729	7108	4551	6111	2775		
1895	47	2063	782	1260	1948	4000	34 730	208	2993	10,688	7688	5606	8202	2963		
1896	2	1515	669	1126	1970	2854	38 662	217	3013	9,685	6893	4745	5579	2811		
1897	10	2056	716	812	2877	3849	29 655	200	3212	10,085	7200	5942	6768	3019		
1898	2	2290	909	850	2476	4351	63 814	229	3453	10,140	7090	5613	5789	3186		
1899	1	1599	831	856	1894	4771	29 803	202	3572	10,497	7275	5712	6140	3204		
1900	53	1825	654	961	1812	3301	35 644	215	3503	10,336	7299	6270	6914	3422		

TABLE 39—continued.

YEAR.	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.	Whooping-Cough.	All Diarrheal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1901	278	1655	595	878	2751	4336	35	717	206	3662	9,911	6776	5784	5818	3242
1902	80	1388	524	787	1765	2396	18	552	180	3711	9,536	6572	6976	6092	3167
1903	41	1133	407	715	1946	2996	13	552	213	3798	9,726	6630	6475	5421	3114
1904	185	1512	277	750	2405	3158	14	410	184	3920	10,158	6738	6984	5698	2949
1905	4	1662	211	721	2243	2945	44	373	248	4132	9,619	6374	6672	4821	2949
1906	1	1445	230	862	1363	3345	10	400	245	4509	9,999	6491	6392	4730	3060
1907	1	1153	223	729	2435	2177	14	367	226	4551	10,070	6415	6934	5167	3123
1908	6	2503	381	748	2144	3081	8	282	230	4611	9,462	6079	6928	5177	3067
1909	-	890	555	917	2215	2171	26	296	246	4782	9,274	6000	7003	5307	2730
1910	-	2243	595	939	999	2711	10	264	199	4863	8,517	5409	6329	4704	2725
1911	5	923	451	931	2347	2909	8	272	210	4948	8,387	5451	5905	4546	2888
1912	17	1983	439	824	1427	1851	14	196	218	5195	8,149	5306	6109	4796	2931
1913	-	1829	591	794	1819	2648	7	171	213	5212	8,005	5103	5551	4662	3124
1914	1	1458	815	901	1342	2753	6	225	227	5388	7,696	4917	5703	4729	3127
1915	2	2221	950	836	2820	2348	5	171	173	5291	7,819	5291	7393	6495	3457
1916	1	1603	588	813	718	2305	8	149	175	5431	7,672	5126	5243	4477	3335
1917	-	1804	212	648	2128	1827	2	94	199	5544	7,625	5073	5353	4776	2968
1918	-	1198	168	756	1603	1507	15	125	177	5472	7,700	5217	4344	5217	2863

TABLE 40.—DEATH-RATE per 100,000 in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1918.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.	Whooping-cough.	All Diarrheal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1855	49	44	79	32	71	112	90	3	31	372	265	73	112	71	71
1856	47	37	108	37	33	87	85	3	31	325	224	71	99	72	72
1857	30	37	79	41	55	147	110	3	34	367	255	67	109	73	73
1858	12	54	94	52	69	111	93	3	34	360	255	83	138	60	60
1859	24	34	126	47	98	96	85	3	35	347	250	66	113	72	72
1860	52	55	101	51	63	82	81	3	35	380	283	84	187	76	76
Mean 1855-1860	35	43	98	44	72	106	91	3	34	360	255	75	126	72	72
1861	26	33	60	54	75	83	88	4	41	362	255	68	172	73	73
1862	15	48	44	81	95	80	103	4	39	380	277	66	190	70	70
1863	55	74	115	121	55	84	116	5	39	369	266	74	184	76	76
1864	58	37	113	105	96	86	160	4	43	380	268	75	212	76	76
1865	13	39	74	66	76	105	108	35	5	41	376	266	65	204	78
1866	7	34	88	52	61	120	71	46	5	43	380	270	72	216	78
1867	3	43	73	50	56	91	56	45	5	42	377	267	67	219	81
1868	0	37	100	54	80	104	50	45	6	42	367	261	67	202	82
1869	2	62	147	51	77	90	65	42	7	45	380	268	83	262	73
1870	4	26	135	46	65	98	45	37	6	43	404	283	75	241	73
Mean 1861-1870	18	42	96	68	70	95	165	142	5	42	379	268	71	210	73

† Mean 1865-1870.

TABLE 40—continued.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1871	44	63	79	57	46	87	35	38	7	44	398	278	81	265	72
1872	74	28	64	66	86	83	24	37	6	47	381	264	78	239	78
1873	33	43	66	69	47	104	19	44	5	46	355	246	89	247	84
1874	37	32	186	66	50	98	21	43	6	48	332	231	101	254	91
1875	2	30	137	53	70	104	18	47	6	48	361	252	107	286	84
1876	1	36	68	48	64	95	13	41	6	49	350	243	94	235	86
1877	1	29	39	53	45	76	8	41	6	49	347	237	89	261	83
1878	0	39	52	53	78	100	7	41	6	51	353	237	83	244	73
1879	0	21	44	44	69	66	6	28	6	51	336	231	85	255	67
1880	0	39	59	45	72	92	5	37	6	51	329	221	88	235	70
Mean 1871-1880	19	36	79	55	63	90	15	40	6	49	354	244	90	252	76
1881	1	27	43	44	44	69	6	27	6	42	290	210	88	238	80
1882	0	35	42	50	57	84	5	32	7	55	311	215	90	207	69
1883	0	43	36	45	79	67	4	27	6	54	296	224	129	213	77
1884	0	38	33	47	66	83	4	28	7	56	285	159	120	191	73
1885	1	37	25	88	57	65	3	23	6	57	282	208	116	207	65
1886	1	18	28	33	49	74	2	20	6	60	235	207	105	206	64
1887	0	41	30	41	33	74	3	22	6	61	265	191	109	191	67
1888	0	36	19	41	44	56	3	17	6	63	249	181	107	183	63
1889	0	49	18	48	58	77	2	20	6	67	247	180	101	179	71
1890	-	63	19	44	77	69	2	20	5	61	260	193	124	203	72
Mean 1881-1890	0	39	29	43	61	72	3	23	6	59	278	202	109	201	70
1891	-	44	18	36	61	75	3	20	5	68	254	184	141	233	74
1892	0	56	22	33	44	62	1	16	5	67	231	168	121	180	69
1893	2	89	20	41	50	105	1	23	4	69	240	169	133	174	67
1894	3	19	20	44	62	55	1	17	4	71	235	172	110	148	67
1895	1	40	19	30	47	96	1	17	5	72	256	184	134	196	71
1896	0	36	16	27	47	68	1	16	5	71	229	163	112	132	67
1897	0	48	17	19	67	90	1	15	5	75	237	169	139	169	71
1898	0	53	21	20	57	101	1	19	5	80	235	164	130	134	74
1899	0	37	19	20	44	110	1	18	5	82	241	167	131	141	74
1900	1	42	15	22	41	76	1	15	5	89	235	168	113	157	78
Mean 1891-1900	1	47	19	29	53	84	1	18	5	74	239	171	130	165	71
1901	6	37	13	20	62	98	1	16	5	83	223	153	130	131	73
1902	2	31	12	18	40	54	0	12	4	83	214	147	156	136	71
1903	1	25	9	16	43	67	0	12	5	84	216	147	144	121	69
1904	4	33	6	17	53	70	0	9	4	87	224	151	154	126	65
1905	0	36	5	16	49	65	1	8	5	91	211	140	146	106	65
1906	0	31	5	19	30	73	0	9	5	98	218	141	139	103	67
1907	0	25	5	16	54	47	0	8	5	99	218	139	150	112	63
1908	0	54	8	16	46	66	0	6	5	99	204	131	149	111	66
1909	-	19	12	20	47	46	1	6	5	102	198	128	150	113	58
1910	-	48	13	20	21	53	0	6	4	103	181	115	134	100	58
Mean 1901-1910	1	34	9	18	44	64	0	9	5	93	211	139	145	116	66
1911	0	19	9	20	49	61	0	6	4	104	177	115	124	96	61
1912	0	42	9	17	30	39	0	4	5	110	172	112	129	101	63
1913	-	25	12	17	38	56	0	4	5	110	170	108	117	99	66
1914	0	31	17	19	23	53	0	5	5	113	162	104	120	100	65
1915	0	46	20	17	59	49	0	4	4	111	163	111	154	136	72
1916	0	33	12	17	15	48	0	3	4	113	158	106	109	93	70
1917	-	37	4	13	44	38	0	2	4	114	157	104	110	98	61
1918	-	25	3	15	33	31	0	3	4	112	158	107	293	107	59

TABLE 41.—Deaths and Death-rate from Puerperal Conditions in 1918.

	Births.	Deaths from Puerperal Con- ditions.	Death-rate per 1000 Births.
SCOTLAND . . .	98,554	688	7.0
LARGER BURGHS .	47,447	343	7.2
SMALLER BURGHS .	18,715	135	7.2
COUNTY DISTRICTS .	32,392	210	6.5
Glasgow	23,524	159	6.8
Edinburgh . . .	4,828	49	10.1
Dundee	2,901	18	6.2
Aberdeen	2,721	22	8.1
Paisley	1,774	13	7.3
Leith	1,699	16	9.4
Greenock	2,112	18	8.5
Coatbridge . . .	1,242	7	5.6
Motherwell . . .	1,153	8	6.9
Kirkcaldy	704	3	4.3
Hamilton	1,091	5	4.6
Clydebank	1,244	7	5.6
Perth	455	2	4.4
Kilmarnock . . .	701	10	14.3
Falkirk	703	4	5.7
Ayr	595	2	3.4

TABLE 42. Deaths from Malignant Disease in 1918.

LOCATION.	MALES.								FEMALES.							
	All Ages.	Under 25	25-	35-	45-	55-	65-	75 and over	All Ages.	Under 25	25-	35-	45-	55-	65-	75 and over
Lip	33	-	-	1	5	7	9	11	8	-	-	-	-	-	4	4
Mouth	29	-	-	-	3	10	8	8	7	-	-	-	-	1	3	3
Tongue	108	-	-	7	32	29	31	9	14	1	1	3	3	4	4	2
Jaw	56	2	-	6	12	18	11	7	22	1	2	1	2	5	6	5
Pharynx, Throat	41	2	-	2	10	10	12	5	27	1	4	4	7	5	4	2
Esophagus	86	-	-	6	23	30	19	8	57	-	4	5	8	19	15	6
Stomach	608	1	6	35	120	192	187	67	585	-	3	26	83	178	190	105
Intestine	328	2	3	20	58	99	101	45	479	-	12	28	57	135	156	91
Rectum	173	1	1	11	29	51	50	30	141	2	6	15	18	28	50	22
Salivary Glands	5	-	-	-	-	2	1	2	2	-	-	1	1	-	-	-
Liver	234	1	4	13	41	67	74	34	331	1	2	17	48	98	106	59
Pancreas	30	-	-	2	5	11	10	2	19	-	-	1	4	8	5	1
Peritoneum	23	1	2	4	4	5	4	3	37	1	1	3	6	15	8	3
Abdomen	47	-	1	6	10	12	15	3	101	1	3	9	21	19	33	15
Larynx	29	-	-	-	9	7	8	5	24	-	1	3	5	6	7	2
Lung	27	2	2	2	4	14	2	1	21	-	-	4	6	5	2	4
Pleura	2	-	-	-	1	-	-	1	2	-	-	-	-	1	1	-
Heart	1	-	-	-	-	-	-	1	6	-	-	-	1	5	-	1
Mediastinum	30	2	-	1	9	11	5	2	22	-	-	2	4	7	8	1
Thorax	9	-	-	-	3	2	4	-	10	-	-	2	1	2	1	4
Kidney	10	4	-	2	1	3	7	5	27	4	-	4	6	6	4	3
Bladder, Urethra	51	1	-	2	8	12	19	9	25	-	1	-	4	11	5	4
Testis, Penis, Scrotum	29	2	3	1	8	6	8	1	-	-	-	-	-	-	-	-
Prostate	50	-	-	-	1	10	28	11	-	-	-	-	-	-	-	-
Breast	5	-	-	-	1	2	2	-	445	-	5	60	114	122	79	65
Ovary	-	-	-	-	-	-	-	-	44	4	4	3	11	17	4	1
Uterus	-	-	-	-	-	-	-	-	489	1	22	72	168	129	70	27
Vagina	-	-	-	-	-	-	-	-	50	-	-	3	2	9	10	6
Pelvis	13	-	-	1	-	5	3	4	24	1	2	2	9	5	3	2
Brain	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Spinal Cord	3	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-
Eye and Orbit	9	3	-	-	-	2	3	1	3	1	-	-	-	-	-	2
Ear	8	-	-	-	2	2	-	4	1	-	-	-	-	-	1	-
Nose	5	1	1	1	-	-	1	1	4	-	-	1	-	1	-	2
Skull and Spinal Column	4	-	1	1	-	-	2	-	8	-	-	-	-	7	1	-
Spleen	6	2	1	-	-	2	-	1	4	2	-	-	-	2	-	2
Thyroid	5	-	-	1	1	2	1	-	10	-	-	-	3	2	3	-
Lymphatic Glands	85	-	-	7	20	33	13	12	56	1	4	2	7	19	11	12
Rib and Sternum	4	-	-	-	1	-	2	1	4	-	-	-	-	2	1	1
Arm and Leg	34	4	1	2	10	7	7	3	36	2	2	2	8	3	11	8
Scalp and Face	47	-	-	-	5	8	12	22	43	4	-	2	5	6	7	19
Skin	4	-	1	-	1	1	1	-	4	-	-	-	1	1	1	1
Other Locations	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	-	1	3	1	-	-	10	-	-	2	2	4	-	2
TOTAL	2289	33	27	136	441	675	661	316	3183	27	79	275	616	886	814	486

TABLE 43.—DEATHS FROM SUICIDE IN 1918.

TABLE 43.—Deaths from

	TOTAL.		Cut ; Stab.		Drowning.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.
SCOTLAND - - - - -	123	67	42	15	15	13
COUNTIES.						
Aberdeen	6	4	4	1	-	-
Argyll	2	-	1	-	-	-
Ayr	7	1	4	1	-	-
Banff	2	3	-	-	-	-
Berwick	-	-	-	-	-	-
Bute	2	-	1	-	-	-
Caithness	2	1	-	-	-	-
Clackmannan	1	-	-	-	1	-
Dumbarton	2	-	1	-	-	-
Dumfries	3	4	-	-	1	1
Edinburgh (Midlothian)	16	12	7	2	4	4
Elgin	1	1	1	-	-	-
Fife	6	3	2	1	1	1
Forfar	16	10	3	2	3	-
Haddington	-	1	-	-	-	-
Inverness	1	-	1	-	-	-
Kincardine	2	1	-	1	2	-
Kinross	-	-	-	-	-	-
Kirkcudbright	3	2	1	1	-	1
Lanark	32	16	12	5	3	5
Linlithgow	2	1	1	-	-	1
Nairn	1	-	-	-	-	-
Orkney	2	-	-	-	-	-
Peebles	-	-	-	-	-	-
Perth	1	3	-	-	-	-
Renfrew	2	2	1	1	-	-
Ross and Cromarty	1	1	1	-	-	-
Roxburgh	-	1	-	-	-	-
Selkirk	-	-	-	-	-	-
Shetland	3	-	-	-	-	-
Stirling	1	-	-	-	-	-
Sutherland	-	-	-	-	-	-
Wigtown	1	-	-	-	-	-
Unallocated	5	-	1	-	-	-
LARGER BURGHS.						
Glasgow	24	11	9	1	2	4
Edinburgh	10	6	4	1	4	2
Dundee	9	8	2	1	-	-
Aberdeen	4	2	4	-	-	-
Paisley	-	1	-	1	-	-
Leith	3	4	1	1	-	1
Greenock	1	-	-	-	-	-
Coatbridge	-	-	-	-	-	-
Motherwell	-	-	-	-	-	-
Kirkcaldy	-	-	-	-	-	-
Hamilton	-	-	-	-	-	-
Clydebank	1	-	-	-	-	-
Perth	-	1	-	-	-	-
Kilmarnock	1	-	1	-	-	-
Falkirk	-	-	-	-	-	-
Ayr	-	-	-	-	-	-
TOTAL, Larger Burghs	53	33	21	5	6	7

SUICIDE in 1918.

Gunshot Wounds.		Hanging.		Poison.		Precipitation.		Railways.		Otherwise or Not Stated.	
Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
12	1	34	16	9	15	5	5	6	-	-	2
-	-	2	-	-	2	-	1	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	1	-	-	-	-	-
1	1	1	1	-	-	-	-	-	-	-	1
-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	2	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
1	-	1	1	-	1	-	1	-	-	-	-
-	-	2	3	1	2	1	1	1	-	-	-
-	-	3	1	-	1	-	-	-	-	-	-
-	-	3	2	6	6	-	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-
5	-	9	5	-	1	2	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-
-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	1	-	1	-	-	-	-
1	-	-	1	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	3	-	-	-	-	-	1	-	-	-
4	-	7	5	-	1	1	-	1	-	-	-
-	-	2	1	-	1	-	1	-	-	-	-
-	-	2	1	5	6	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	1	1	1	1	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
5	-	12	8	6	10	2	3	1	-	-	-

TABLE 44.—Deaths from Poison in Scotland in 1918.

ACCIDENTAL POISONING.

Name of Poison.	Males.	Females.	TOTAL.
Opium, Laudanum or Morphia, -	5	2	7
Strychnine, - - - - -	1	2	3
Ammonia, - - - - -	2	1	3
Arsenic, - - - - -	2	-	2
Oxalic Acid, - - - - -	-	2	2
Sodium Nitrate, - - - - -	1	-	1
Chloral, - - - - -	1	-	1
Hydrochloric Acid, - - - - -	1	-	1
Sulphuric Acid, - - - - -	1	-	1
Methyl Salicylate Compound, - - - - -	-	1	1
Formalin, - - - - -	-	1	1
Total, - - - - -	14	9	23

SUICIDAL POISONING.

Coal Gas, - - - - -	8	10	18
Cyanide of Potassium, - - - - -	1	-	1
Corrosive Sublimate, - - - - -	-	1	1
Nicotine, - - - - -	-	1	1
Morphia, - - - - -	-	1	1
Carbolic Acid, - - - - -	-	1	1
"Disinfectant," - - - - -	-	1	1
Total, - - - - -	9	15	24

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

Chloroform, - - - - -	22	21	43
Ether, - - - - -	-	2	2
Chloroform and Ether, - - - - -	17	7	24
Ethyl Chloride, - - - - -	-	1	1
Total, - - - - -	39	31	70

TABLE 45.—Age in Completed Months of Children aged under One Year dying from Selected Causes in Scotland in 1918.

CAUSES OF DEATH.	SEXES.		Under 1 Month.	AGE IN COMPLETED MONTHS.										
	Males.	Females.		1	2	3	4	5	6	7	8	9	10	11
Measles - - - - -	118	118	3	2	1	3	2	8	12	29	17	49	46	64
Whooping-cough - - - - -	320	300	26	56	56	38	37	37	56	56	67	68	71	62
Diphtheria (including Croup) - - - - -	30	21	-	1	2	3	1	4	3	3	8	6	8	12
Tuberculous Meningitis - - - - -	67	56	1	4	7	6	7	9	17	14	15	15	16	12
Abdominal Tuberculosis - - - - -	48	31	2	7	11	4	9	3	5	7	5	8	10	8
Other Tuberculous Diseases - - - - -	34	21	2	5	2	5	4	7	3	5	4	7	5	6
Syphilis - - - - -	75	55	41	30	23	12	8	3	5	4	-	1	1	2
Cerebro-spinal Meningitis - - - - -	11	3	-	-	2	2	1	2	2	1	-	1	2	1
Basal Meningitis - - - - -	141	109	13	16	12	27	25	26	24	23	18	23	24	19
Convulsions - - - - -	276	181	138	61	34	45	28	18	29	20	23	16	20	25
Bronchitis - - - - -	392	281	134	87	77	75	46	56	35	42	33	25	40	23
Broncho-pneumonia - - - - -	542	412	56	54	52	74	79	91	87	95	109	73	100	84
Pneumonia - - - - -	200	148	26	16	26	21	23	30	36	25	33	31	44	37
Pulmonary Congestion - - - - -	51	36	18	7	3	5	9	8	11	8	5	2	4	10
Other Diseases of Stomach, Gastritis - - - - -	88	63	22	34	26	20	13	8	8	5	7	2	3	3
Diarrhoea, - - - - -	510	334	93	106	111	109	108	75	62	40	48	38	24	30
Congenital Malformations - - - - -	208	177	253	34	18	27	13	6	10	7	4	3	7	3
Premature Birth - - - - -	1104	794	1789	75	15	10	3	2	2	-	1	1	-	-
Congenital Debility, Icterus Sclerema - - - - -	791	620	868	187	112	87	71	34	15	13	7	5	6	6
Other Infantile Diseases - - - - -	150	105	246	6	-	1	1	-	-	1	-	-	-	-
Overlying - - - - -	19	17	13	7	6	8	-	2	-	-	-	-	-	-
Suffocation (otherwise) - - - - -	14	15	17	6	4	-	1	-	1	-	-	-	-	-
All Other Causes - - - - -	435	312	212	78	62	54	62	54	40	42	37	31	32	43
Total - - - - -	9,836	3,973	879	662	636	551	483	463	440	431	405	463	450	
Males - - - - -	5627	-	2309	518	378	366	327	266	250	262	232	224	255	240
Females - - - - -	-	4209	1664	361	284	270	224	217	213	178	199	181	208	210

TABLE 46.—Month of Registration of Deaths of Children aged under One Year from Selected Causes in Scotland in 1918.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Measles - - - - -	236	31	27	24	48	43	28	13	3	2	6	6	5
Whooping-cough - - - - -	620	56	61	69	68	84	52	46	48	31	29	34	42
Diphtheria - - - - -	51	3	2	-	5	1	2	6	4	5	6	9	8
Tuberculous Meningitis - - - - -	123	9	8	12	16	14	10	8	5	5	9	11	
Abdominal Tuberculosis - - - - -	79	13	2	7	1	5	9	9	5	4	6	11	7
Other Tuberculous Diseases - - - - -	55	4	3	9	5	8	3	6	1	3	5	5	3
Syphilis - - - - -	130	9	6	12	11	10	6	7	11	15	15	17	11
Cerebro-spinal Meningitis - - - - -	14	1	2	2	2	1	2	1	-	-	1	2	-
Basal Meningitis - - - - -	250	26	23	27	13	24	12	21	23	20	19	24	18
Convulsions - - - - -	457	46	44	38	41	66	27	29	19	26	38	35	48
Bronchitis - - - - -	673	108	68	65	57	39	22	27	19	26	48	67	127
Broncho-pneumonia - - - - -	954	117	85	66	63	58	29	27	32	28	156	157	136
Pneumonia - - - - -	348	32	29	24	19	16	18	19	6	11	75	64	35
Pulmonary Congestion - - - - -	90	9	11	4	9	11	2	2	4	3	9	8	18
Other Diseases of Stomach, Gastritis - - - - -	151	9	8	15	17	10	13	12	15	12	11	13	16
Diarrhoea - - - - -	844	66	44	51	60	52	47	65	145	119	77	55	63
Congenital Malformations - - - - -	385	31	28	35	41	41	28	37	20	34	29	34	27
Premature Birth - - - - -	1898	166	146	128	172	177	128	156	116	141	213	198	157
Congenital Debility, Icterus Sclerema - - - - -	1411	141	105	131	117	129	115	99	102	101	117	110	144
Other Infantile Diseases - - - - -	255	31	29	26	20	15	15	19	21	12	21	18	28
Overlying - - - - -	36	10	2	3	2	4	2	3	-	3	1	2	4
Suffocation (otherwise) - - - - -	29	2	3	2	4	3	1	3	2	1	2	3	3
All Other Causes - - - - -	747	68	49	59	48	58	47	48	49	52	94	104	71
Total - - - - -	9,836	938	785	809	839	871	622	665	653	654	933	985	982

TABLE 47.—Deaths (uncorrected for Transfers) from Certified and Uncertified Causes in 1918.

	TOTAL DEATHS (UNCORRECTED).	DEATHS FROM CERTIFIED CAUSES.	DEATHS FROM UNCERTIFIED CAUSES.	PERCENTAGE OF UNCERTIFIED TO TOTAL DEATHS.		
				1918.	1917.	Mean of Five Years 1913-1917.
SCOTLAND,	78,372	77,156	1,216	1·6	2·0	1·9
NORTHERN DIVISION,	1,602	1,416	186	11·6	13·3	13·9
NORTH WESTERN Do. . . .	2,671	2,237	434	16·2	17·1	18·2
NORTH-EASTERN Do. . . .	7,071	7,040	31	0·4	0·5	0·3
EAST-MIDLAND Do. . . .	11,577	11,535	42	0·4	0·9	0·3
WEST-MIDLAND Do. . . .	5,790	5,721	69	1·2	1·7	1·3
SOUTH-WESTERN Do. . . .	34,977	34,866	111	0·3	0·4	0·6
SOUTH-EASTERN Do. . . .	11,455	11,118	337	2·9	4·4	2·1
SOUTHERN Do. . . .	3,229	3,223	6	0·2	0·1	0·5
<i>Counties.</i>						
Aberdeen,	4,810	4,802	8	0·2	0·2	0·6
Argyll,	1,100	1,046	54	4·9	6·3	5·9
Ayr,	4,240	4,229	11	0·3	0·3	0·3
Banff,	908	900	8	0·9	0·3	1·0
Berwick,	370	370	0	0·0	0·6	0·5
Bute,	243	240	3	1·2	1·5	1·6
Caithness,	495	481	14	2·8	3·0	3·3
Clackmannan,	500	497	3	0·6	0·3	0·5
Dumbarton,	2,043	2,038	5	0·2	0·7	1·0
Dumfries,	1,451	1,450	1	0·1	0·1	0·3
Edinburgh (Midlothian),	8,624	8,293	331	3·8	5·5	2·6
Elgin,	667	663	4	0·6	1·0	1·0
Fife,	4,010	3,992	18	0·4	0·5	0·8
Forfar,	5,036	5,027	9	0·2	1·3	0·6
Haddington,	657	657	0	0·0	0·6	1·2
Inverness,	1,484	1,296	188	12·7	13·1	14·3
Kincardine,	549	548	1	0·2	0·4	0·5
Kinross,	121	119	2	1·7	4·2	1·5
Kirkcudbright,	519	518	1	0·2	0·2	0·4
Lanark,	26,175	26,104	71	0·3	0·3	0·5
Lindisfarne,	1,318	1,314	4	0·3	0·3	0·3
Nairn,	137	127	10	7·3	6·4	6·5
Orkney,	405	378	27	6·7	7·2	6·1
Peebles,	196	194	2	1·0	0·0	0·2
Perth,	1,910	1,900	10	0·5	0·6	1·1
Renfrew,	4,562	4,533	29	0·6	0·7	1·3
Ross and Cromarty,	1,187	945	242	20·7	22·0	23·1
Roxburgh,	759	758	1	0·1	0·0	0·3
Selkirk,	290	290	0	0·0	0·0	0·1
Shetland,	389	310	79	20·3	20·9	24·0
Stirling,	2,404	2,397	7	0·3	0·4	0·4
Sutherland,	313	247	66	21·1	26·2	23·1
Wigtown,	500	497	3	0·6	0·5	0·5

TABLE 48.—Meteorology of Scotland for 1918; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1918.

	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer (inch)	29.769	29.871	30.007	30.023	30.017	29.976	29.825	29.859	29.545	29.791	29.863	29.592	29.845
Mean of Max. Temp.	40°.9	46°.5	46°.7	50°.1	59°.1	61°.6	64°.1	63°.7	55°.4	52°.5	46°.2	45°°.0	52°°.6
" Min. "	30°°.1	37°°.9	35°°.0	35°°.3	44°°.4	45°°.3	49°°.2	51°°.5	41°°.9	41°°.6	34°°.6	35°°.8	40°°.2
Mean Temperature.	35°°.5	42°°.2	40°°.9	42°°.7	51°°.8	53°°.5	56°°.7	57°°.6	48°°.7	47°°.1	40°°.4	40°°.4	46°°.4
Absolute Maximum.	57°°.0	60°°.0	65°°.0	72°°.0	82°°.0	81°°.0	79°°.0	79°°.0	70°°.0	65°°.0	60°°.0	60°°.0	82°°.0
Absolute Minimum.	-3°°.0	25°°.0	4°°.0	20°°.0	25°°.0	27°°.0	23°°.0	37°°.0	23°°.0	21°°.0	15°°.0	13°°.0	-3°°.0
Number of Rainy Days	20	22	13	10	14	13	18	20	21	22	16	22	211
Amount of Rain (inch)	4.02	4.60	1.47	0.95	2.67	1.44	4.25	5.36	5.55	4.79	3.83	1.05	40.64
Births	8176	7154	7891	8061	8073	8088	8842	8111	7747	8784	7853	7942	98554
Deaths	6768	5216	5901	5970	6179	4535	6161	4456	4571	10330	10711	7578	78372
Marriages	3504	2217	2519	3033	1500	3523	3723	5070	3042	2894	2477	3537	34600
Rates per 1000 of													
Estimated													
Population													
Births	19.7	19.1	19.0	22.7	21.6	20.0	21.3	19.5	19.3	21.2	19.6	19.1	20.2
Deaths	16.3	13.9	14.2	14.9	14.9	11.3	14.8	10.7	11.4	24.9	26.7	18.3	16.0
Marriages	8.4	5.9	6.1	7.5	3.6	8.8	9.0	6.4	7.6	7.0	6.2	8.5	7.1

TABLE 49.—Deaths, Temperature, and Fall of Rain in the Larger Burghs of Scotland during each Week of 1918.

No of Week.	Week ending	Deaths (Corrected for Transfers)	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers)	Death-rate (Corrected) per 1000 of Population	TEMPERATURE.			RAIN in inches		
				Maxi- mum.	Mini- mum.	Mean.						Maxi- mum.	Mini- mum.	Mean.			
1	January	5	737	16.0	47.2	26.9	37.7	0.00	27	July	6	840	13.9	78.0	43.8	35.4	0.10
2		12	739	16.0	44.8	17.0	32.0	0.38	28		13	893	15.0	78.8	35.5	34.7	0.73
3		19	809	17.5	43.0	1.5	26.5	1.22	29		20	904	17.4	74.5	41.5	60.3	2.16
4		26	791	17.1	60.0	20.0	43.3	1.88	30		27	654	14.2	69.5	46.5	58.0	1.33
5	February	2	680	14.7	56.0	27.5	15.4	0.28	31	August	3	602	13.1	77.9	45.0	57.5	0.00
6		9	642	13.9	59.0	34.0	44.7	0.77	32		10	542	11.8	76.5	49.0	60.6	0.41
7		16	593	12.9	53.0	32.0	42.5	1.01	33		17	462	10.0	75.8	49.0	59.0	0.63
8		23	685	14.8	61.0	31.8	42.7	1.66	34		24	458	9.9	71.0	45.5	58.9	0.72
9	March	2	647	14.0	60.0	26.5	40.3	0.62	35		31	432	9.4	72.0	42.8	56.0	1.19
10		9	674	14.6	52.0	27.1	37.4	0.27	36	September	7	504	10.9	68.0	31.5	51.9	0.27
11		16	643	13.9	68.0	27.5	42.1	0.16	37		14	489	10.6	63.0	35.5	50.4	1.17
12		23	752	16.3	65.0	32.0	46.4	0.08	38		21	537	11.6	63.0	31.0	48.7	2.60
13		30	673	14.6	58.5	30.0	43.1	0.81	39		28	660	14.3	60.3	37.4	48.9	1.07
14	April	6	642	13.9	58.0	28.5	43.8	0.34	40	October	5	877	19.0	59.0	35.8	48.4	1.65
15		13	635	13.7	62.0	30.5	43.6	0.18	41		12	1141	24.7	62.0	30.5	48.7	1.60
16		20	633	13.7	58.0	26.5	40.6	0.24	42		19	1303	23.3	57.1	30.7	47.1	0.65
17		27	706	15.3	65.7	28.1	45.1	0.02	43		26	1358	29.4	56.0	30.5	45.6	0.12
18	May	4	663	14.4	57.1	30.5	43.7	0.42	44	November	2	1407	30.5	58.5	36.0	49.5	1.02
19		11	719	15.6	67.0	34.0	47.9	1.05	45		9	1244	27.0	53.0	27.5	43.0	1.51
20		18	784	17.0	72.8	39.2	53.0	0.42	46		16	1103	23.9	53.0	26.5	39.4	0.30
21		25	713	15.5	79.5	45.0	56.7	0.95	47		23	1121	24.3	49.0	24.0	35.5	0.19
22	June	1	570	12.4	78.0	42.0	57.7	0.02	48		30	1094	23.7	53.0	23.5	42.3	0.65
23		8	553	12.0	77.2	39.5	57.2	0.26	49	December	7	911	19.8	57.0	29.5	49.0	0.73
24		15	503	10.9	71.0	40.4	54.1	0.32	50		14	758	16.4	58.0	27.5	44.9	0.54
25		22	546	11.8	65.7	40.4	52.2	0.23	51		21	683	14.8	44.7	20.5	35.7	0.54
26		29	582	11.5	74.8	39.0	54.4	0.07	52		28	744	16.1	50.0	21.5	37.2	1.02

This Table is compiled from Weekly Returns for 1918. Deaths and Death-rates have been corrected by allocation to place of usual residence.

TABLE 50.—VACCINATIONS in SCOTLAND, 1907-1917.

Years		Success-fully Vacci-nated.	Insusceptible of Vaccination.			Died before Vaccina-tion.	Statutory Declarations of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise un-accounted for.	TOTAL BIRTHS.
			From previous Vacci-nation.	FromCon-stitutional Insuscep-tibility.	From hav-ing had Small-pox					
1907	Numbers .	96,842	611	744	1	12,187	7,258	3,864	7,384	128,891
1908	Numbers .	90,374	820	796	0	12,689	15,846	3,722	7,159	131,406
1909	Numbers .	83,289	746	784	0	11,594	22,746	3,354	6,207	128,720
1910	Numbers .	76,068	647	739	0	10,662	26,954	3,054	5,990	124,114
1911	Numbers .	70,472	648	1143	0	11,137	29,582	2,775	6,140	121,897
1912	Numbers .	69,179	476	454	0	10,788	33,166	2,908	5,910	122,876
1913	Numbers .	63,952	460	424	0	10,826	36,479	2,712	5,769	120,622
1914	Numbers .	62,942	491	723	0	11,738	33,673	2,782	6,550	123,904
1915	Numbers .	61,072	384	329	0	10,159	35,231	2,317	4,757	114,249
1916	Numbers .	58,172	289	387	0	9,092	35,553	2,382	4,259	110,071
10 Years	Average .	78,236	557	653	0	11,081	28,149	2,987	6,012	122,675
1917	Numbers	50,030	199	444	0	7,848	32,816	2,469	3,674	97,480
1907	Percentage	75.135	0.474	0.577	0.001	9.536	0.192	2.351	4.366	100.000
1908	Percentage	68.775	0.624	0.606	0.000	9.455	5.631	2.998	5.729	100.000
1909	Percentage	64.706	0.579	0.609	0.000	9.666	12.059	2.832	5.448	100.000
1910	Percentage	61.289	0.521	0.595	0.000	9.007	17.671	2.606	4.822	100.000
1911	Percentage	57.813	0.531	0.938	0.000	8.591	21.717	2.461	4.826	100.000
1912	Percentage	56.300	0.387	0.369	0.000	9.136	24.268	2.277	5.037	100.000
1913	Percentage	52.019	0.381	0.352	0.000	8.780	26.991	2.363	4.810	100.000
1914	Percentage	50.799	0.396	0.588	0.000	8.975	30.242	2.248	4.783	100.000
1915	Percentage	53.455	0.336	0.288	0.000	8.892	30.837	2.028	4.164	100.000
1916	Percentage	52.850	0.262	0.352	0.000	8.203	32.300	2.164	3.869	100.000
10 Years	Percentage	59.699	0.454	0.532	0.000	9.033	22.946	2.435	4.901	100.000
1917	Percentage	51.323	0.204	0.456	0.000	8.051	33.664	2.533	3.769	100.000

TABLE 51.—VACCINATIONS in SCOTLAND, 1907-1917, deducting from the Births those who died before they could be Vaccinated.

Years.		Successfully Vaccinated.	Insusceptible of Vaccination.			Statutory Declaration of Conscientious Objection.	Vaccination Postponed	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
			From Previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox				
1907	Numbers	96,842	611	744	1	7,258	3,864	7,384	116,704
1908	Numbers	90,374	820	796	0	15,846	3,722	7,159	118,717
1909	Numbers	83,289	746	784	0	22,746	3,354	6,207	117,126
1910	Numbers	76,068	647	739	0	26,954	3,054	5,990	113,452
1911	Numbers	70,472	648	1,143	0	29,582	2,775	6,140	110,760
1912	Numbers	69,179	476	454	0	33,166	2,908	5,910	112,088
1913	Numbers	63,952	460	424	0	36,479	2,712	5,769	109,796
1914	Numbers	62,942	491	728	0	33,673	2,782	6,550	112,166
1915	Numbers	61,072	384	329	0	35,231	2,317	4,757	104,090
1916	Numbers	58,172	289	387	0	35,553	2,382	4,259	101,142
10 Years	Average	78,236	557	653	0	28,149	2,987	6,012	111,594
1917	Numbers	50,030	199	444	0	32,816	2,469	3,674	89,632
1907	Percentage	82.981	0.524	0.637	0.001	6.219	3.311	6.327	100.000
1908	Percentage	76.126	0.691	0.670	0.000	13.348	3.135	6.030	100.000
1909	Percentage	71.111	0.637	0.669	0.000	19.420	2.864	5.239	100.000
1910	Percentage	67.049	0.570	0.651	0.000	23.758	2.692	5.280	100.000
1911	Percentage	63.626	0.585	1.032	0.000	26.708	2.505	5.544	100.000
1912	Percentage	61.718	0.425	0.405	0.000	29.589	2.590	5.273	100.000
1913	Percentage	58.246	0.419	0.386	0.000	33.224	2.470	5.255	100.000
1914	Percentage	56.115	0.438	0.649	0.000	34.478	2.480	5.840	100.000
1915	Percentage	58.672	0.369	0.316	0.000	33.847	2.226	4.570	100.000
1916	Percentage	57.572	0.286	0.383	0.000	35.187	2.357	4.215	100.000
10 Years	Percentage	65.627	0.499	0.585	0.000	25.225	2.677	5.387	100.000
1917	Percentage	55.817	0.222	0.495	0.000	36.612	2.755	4.099	100.000

TABLE 52.—Deaths from Small-pox in Scotland, 1855-1917, with Vaccination Particulars, 1864-1917.

State of Vaccination of Children whose Births were Registered in each Year from 1864 to 1917: Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox in each Year from 1855 to 1917.					Deaths from Small-pox and Effects of Vaccination, 1855-1917.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total.	0-5 Years.	5-24 Years.	25-64 Years.	65 Years and upwards.	
1855						11,309	983	224	99	2	
1856						11,306	982	218	99	5	
1857						845	657	123	65		
1858						332	249	53	23		
1859						682	473	130	78	1	
1860						11,495	991	301	104	6	
1861						1706	635	139	89	3	
1862						426	305	79	41	1	
1863						11,646	1,036	377	227	5	
1864	95.3	0.7	0.3		2.7	11,741	983	435	313	9	
1865	96.3	0.7	0.5		2.5	383	199	107	73	4	
1866	96.5	0.6	0.3		2.6	200	128	45	27		
1867	96.8	0.6	0.2		2.4	100	62	25	13		
1868	96.5	0.9	0.3		2.3	15	12	2	1		
1869	96.2	0.9	0.2		2.7	64	33	16	15		
1870	96.6	0.8	0.2		2.4	114	46	39	29		
1871	96.4	0.8	0.4		2.4	1,442	307	659	462	14	
1872	96.9	0.7	0.2		2.2	12,448	552	1,005	864	26	
1873	96.4	1.0	0.2		2.4	11,126	263	486	367	9	
1874	96.2	1.1	0.2		2.5	11,246	291	551	395	8	
1875	96.4	1.1	0.2		2.3	76	17	33	23	3	
1876	96.7	0.9	0.2		2.2	39	7	13	18	1	
1877	96.7	1.1	0.2		2.0	38	4	22	12		
1878	96.7	1.0	0.2		2.1	4	1	2	1		
1879	96.6	1.1	0.2		2.1	8	1	1	6		
1880	96.6	1.2	0.1		2.1	10	2	6	2		
1881	96.3	1.4	0.1		2.2	19	2	10	6	1	
1882	96.0	1.5	0.2		2.3	3		3	3		
1883	96.0	1.6	0.2		2.2	11	2	3	6		
1884	95.7	1.7	0.2		2.4	14	2	6	5	1	
1885	95.5	1.8	0.2		2.5	59	3	13	23		1
1886	95.2	2.0	0.2		2.6	24	4	10	9		3
1887	94.9	2.2	0.2		2.7	17		6	11		6
1888	95.0	2.1	0.2		2.7	3	1	1	1		2
1889	94.5	2.4	0.2		2.9	8	1	1	6		2
1890	94.6	2.5	0.2		2.7						4
1891	94.8	2.3	0.2		2.7						6
1892	94.3	2.2	0.3		2.7	11	2	2	7		3
1893	94.3	2.2	0.4		2.6	68	11	13	43	1	1
1894	94.9	2.3	0.4		2.4	129	19	81	75	4	3
1895	94.9	2.3	0.4		2.4	47	4	8	85		1
1896	94.2	2.4	0.5		2.9	2	1	1	1		1
1897	94.1	2.5	0.5		2.9	10	3	1	5		3
1898	93.4	2.7	0.5		3.4	2		1	1		1
1899	93.6	2.5	0.5		3.4	1			1		
1900	94.5	2.0	0.4		3.1	53	10	7	36		1
1901	93.5	2.4	0.3		3.2	278	36	32	205	6	
1902	93.9	2.4	0.4		3.3	80	11	13	53	3	
1903	94.5	2.1	0.3		3.1	41	6	5	29	1	1
1904	93.9	2.4	0.4		3.3	135	35	18	128	4	
1905	93.8	2.4	0.4		3.4	4	2		2		1
1906	91.9	2.6	0.5	0.2	4.8	1			1		1
1907	83.5	3.3	0.7	6.2	6.3	1			1		
1908	76.3	3.1	0.7	13.4	6.0	6		1	5		
1909	71.7	2.9	0.7	19.4	5.3						1
1910	67.6	2.7	0.6	23.8	5.3						2
1911	64.2	2.5	1.0	26.7	5.6	5		2	8		
1912	62.1	2.6	0.4	29.6	5.3	17	1	3	12	1	
1913	58.6	2.5	0.4	33.2	5.3						
1914	56.6	2.5	0.6	34.5	5.3	1			1		1
1915	59.0	2.2	0.3	33.9	4.6	2	2				
1916	57.8	2.4	0.4	35.2	4.2	1			1		
1917	56.0	2.3	0.5	36.6	4.1						

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth. ‡ Including 1 of unstated age.

§ Including 2 of unstated age.

|| Including 3 of unstated age.

TABLE 53.—Deaths from Small-pox in Scotland in Decennial Periods since 1855.

AGES.	SMALL-POX DEATHS, 1915-1917.		SMALL-POX DEATHS, 1905-1914.		SMALL-POX DEATHS, 1895-1904.		SMALL-POX DEATHS, 1885-1894.		SMALL-POX DEATHS, 1875-1884.		SMALL-POX DEATHS, 1865-1874.		SMALL-POX DEATHS, 1855-1864.	
	Number.	Percent- age at each age.	Number.	Percent- age at each age.	Number.	Percent- age at each age.	Number.	Percent- age at each age.	Number.	Percent- age at each age.	Number.	Percent- age at each age.	Number.	Percent- age at each age.
0-5	2	66.7	3	8.6	106	15.2	41	13.7	88	17.1	1893	26.5	7194	68.3
5-24	..	..	6	17.1	85	12.1	77	25.8	96	43.3	2935	41.1	2079	19.7
25-64	1	33.3	25	71.4	494	70.7	175	58.5	82	36.9	2246	31.5	1233	11.7
65 and above	..	..	1	2.9	14	2.0	6	2.0	6	2.7	61	0.9	33	0.3
Total.	3	100.0	35	100.0	699	100.0	299	100.0	222	100.0	*7138	100.0	†10548	100.0

* Including 3 of unstated age.

† Including 9 of unstated age.

1. EVENTS REGISTERED IN 1918. 2. VACCINATIONS OF CHILDREN REGISTERED IN 1917.

(Figures in this Table show actual numbers as registered, and are not "Corrected for Transfers.")

No. of District.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1918.				VACCINATIONS, 1917.						Total Births for 1917.	
	1901	1911	Births.		Deaths.	Marriages.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.		Unaccounted for through removal from District before Vaccination, or otherwise.
			Total.	Illegitimate.			On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the children having already had Small-pox.					
1	1. SHETLAND.													
2	Bressay,	680	641	12	0	8	1	3	0	0	0	0	0	8
3	Delting,	1389	1338	14	1	14	3	0	0	1	17	0	0	18
	Dunrossness, etc.—													
	(1) Dunrossness,	1375	1381	13	0	14	0	1	0	1	15	0	1	18
	(2) Sandwick and Cunningsburgh,	2116	2241	16	0	32	3	6	1	0	17	2	0	26
	(3) Fair Isle,	147	139	1	0	2	0	0	0	0	0	0	0	0
4	Fetlar,	347	279	2	0	6	0	0	0	0	2	0	0	2
5	Lerwick—(1) Lerwick,	5661	6402	99	7	117	106	6	4	1	0	97	2	105
	(2) Burra Isles,	858	894	27	0	9	0	2	1	0	13	0	1	17
6	Yell—(1) Mid and South Yell,	1792	1690	18	0	22	1	1	0	0	11	0	11	23
	(2) North Yell,	691	658	6	0	10	0	0	0	0	6	0	0	6
7	Nesting, etc.—(1) Nesting,	726	605	5	0	5	2	0	0	1	4	0	0	5
	(2) Lunnasting,	655	559	9	0	8	0	0	0	0	1	0	0	1
	(3) Whalsay,	975	1042	10	1	12	1	1	0	0	5	0	0	6
	(4) Whalsay Skerries,	124	144	1	0	2	0	0	0	0	1	0	0	1
8	Northmaine,	2014	1866	13	1	25	1	1	0	0	17	0	2	17
9	Sandsting and Aithsting,	2396	2100	17	0	23	2	3	0	0	16	0	0	20
10	Tingwall, etc.—(1) Tingwall,	1502	1406	21	2	23	1	2	0	1	12	0	0	15
	(2) Whiteness and Weisdale,	771	704	7	0	7	1	1	0	0	2	0	0	2
11	Unst,	1946	2077	21	1	24	1	2	0	1	12	2	0	17
12	Walls, etc.—(1) Walls,	990	852	5	0	14	2	0	0	0	3	0	1	4
	(2) Sandness,	503	497	6	0	10	0	0	0	0	4	0	1	5
	(3) Papa-Stour,	272	212	2	0	2	0	0	0	0	0	0	0	0
	(4) Foula,	230	184	2	0	0	0	0	0	0	1	0	0	1
	Total,	28166	27911	327	13	389	125	27	10	7	159	96	19	318

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.			VACCINATIONS, 1917.								
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1917.
				Total.	Illegit- imate.			On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
13	2. ORKNEY.	1329	1164	14	0	18	1	0	0	0	6	0	0	12	
14	Birsay,	742	642	10	0	7	1	0	0	0	0	0	0	10	
15	Deerness,	643	559	8	1	8	1	0	0	5	0	0	0	10	
16	Eday and Pharay,	1084	955	24	2	9	4	0	0	13	0	0	0	15	
17	Evie and Rendall,	700	693	7	0	8	4	0	0	8	0	0	0	10	
17	Firth and Stennes—(1) Firth,	570	517	5	1	5	2	0	0	1	0	0	0	9	
	(2) Stennes,	675	608	5	0	16	4	0	0	1	0	0	0	8	
18	Harray,	818	763	17	1	14	2	0	0	6	0	0	1	11	
19	Holm and Paplay,	485	393	1	0	5	2	0	0	9	0	0	0	0	
20	Hoy and Græmsay,	4522	4595	112	12	97	63	0	0	56	11	5	117	3	
21	Kirkwall and St. Ola,	442	436	1	0	4	1	0	0	2	0	0	0	13	
22	North Ronaldshay,	877	798	14	1	20	9	0	0	8	0	0	0	12	
23	Orphir,	710	698	4	0	7	3	0	0	6	0	0	0	8	
24	Rousay and Egilshay,	737	698	4	0	7	3	0	0	1	0	1	0	27	
25	St. Andrews,	1727	1529	15	2	18	9	0	0	5	1	0	1	11	
26	Sanday,	1071	986	17	2	20	4	0	0	3	0	0	0	8	
27	Sandwick,	769	718	13	3	10	1	0	0	23	0	0	1	27	
28	Shapinshay,	2707	2395	39	4	36	19	0	0	3	1	0	0	11	
29	South Ronaldshay and Burray,	3180	2348	49	3	29	16	0	0	7	0	0	0	8	
30	Stromness,	1184	1217	16	1	20	2	0	0	4	3	0	0	56	
31	Stronsay,	926	843	8	1	10	2	0	0	19	0	0	0	35	
32	Walls, etc.—(1) Walls,	431	404	7	1	4	0	0	0	11	0	0	1	23	
	(2) Flotta,	1956	1668	24	1	25	4	0	0	11	0	0	0	19	
33	Westray, etc.—(1) Westray,	295	258	3	1	3	0	0	0	14	1	0	0	6	
	(2) Papa-Westray,	28669	25897	427	37	405	154	0	2	3	0	0	0	26	
	Total,							153	0	31	231	27	8	452	

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1918.			VACCINATIONS, 1917.									
		1901.	1911.	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1917.	
				Total.	Illegitimate.			On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.						
	5. ROSS AND CROMARTY. <i>Mainland.</i>															
57	Alness,	956	898	23	2	20	8	7	0	0	0	1	5	0	4	18
58	Applecross—(1) Applecross,	813	703	4	0	11	0	6	0	0	0	1	4	1	0	12
	(2) Shielraig,	864	801	9	1	11	1	1	0	0	0	0	1	0	0	7
59a	Avoch,	1852	1782	21	2	29	7	14	11	0	5	1	1	1	1	35
59b	Carnoch,	235	224	2	0	9	1	2	0	0	1	0	0	0	0	3
60	Contin—(1) Contin,	516	445	3	1	2	2	1	0	0	0	2	0	2	2	5
	(2) Kinlochluichart,	589	512	4	0	4	0	7	0	0	0	1	0	1	0	9
61	Cromarty,	1848	5637	56	1	65	15	34	6	0	3	3	6	3	3	49
62	Dingwall,	2758	2898	55	4	58	42	15	15	0	2	2	15	0	8	41
63	Edderton,	577	545	3	0	10	0	3	0	0	0	0	2	1	0	6
64	Fearn,	1761	1785	38	3	26	4	24	0	0	6	0	3	0	0	39
65	Fodderty,	1787	1692	23	0	49	7	8	0	0	2	0	11	0	2	23
66	Garloch—(1) Northern,	1118	944	15	0	21	5	2	0	0	0	0	4	0	0	8
	(2) Southern,	2617	2310	32	1	30	2	5	0	0	0	0	11	4	9	29
67	Glenshiel,	343	339	4	0	7	1	1	0	0	0	0	0	0	0	1
68	Killearnan,	933	782	15	0	11	1	12	0	0	0	0	3	0	2	17
69	Kilmuir-Easter,	985	887	17	2	17	3	5	0	0	0	0	11	0	1	17
70	Kiltearn,	1258	1138	16	1	22	2	14	0	0	0	0	9	1	2	26
71	Kincardine—(1) Kincardine,	1005	971	12	0	12	3	1	0	0	0	0	14	1	0	16
	(2) Strathoykel,	260	227	5	1	2	0	0	0	0	0	0	2	0	0	2
72	Kintail,	491	414	9	0	10	0	1	0	0	0	0	3	0	0	4
73	Knockbain,	1504	1356	16	1	19	4	7	0	0	1	1	7	1	4	20
74	Lochalsh,	1830	1761	13	2	33	3	5	0	0	0	0	7	3	0	15
75	Lochbroom—(1) Lochbroom,	2322	2042	20	2	23	4	16	0	0	0	1	2	0	5	24
	(2) Coigach,	885	752	5	0	13	0	8	0	0	0	0	1	0	0	9
76	Lochcarron,	1442	1108	8	1	13	3	0	0	0	0	0	1	1	1	7
77	Logie-Easter,	819	700	19	1	11	3	9	0	0	0	0	5	0	0	14

78	Nigg,	892	827	18	0	14	2	15	0	0	0	0	2	3	0	7	27
79	Resolis,	1036	954	16	1	14	4	11	0	0	0	0	4	1	0	0	14
80	Rosemarkie,	1465	1309	15	1	19	2	13	0	0	0	0	1	4	0	0	18
81	Roskeen,	3460	3362	147	13	85	32	49	0	0	0	0	3	23	5	9	89
82	Tain,	2756	2507	45	6	36	41	25	0	0	0	0	0	7	0	7	39
83	Tarbat,	1358	1224	15	2	12	2	14	0	0	0	0	3	4	2	0	23
84	Tarharr and Logie-Wester,	2102	2006	33	3	36	5	11	0	0	0	0	1	15	0	0	27
85	Urray,	2064	1919	21	0	27	9	11	0	0	0	0	2	3	5	0	21
86a	Insular,																
86b	Barvas,	5915	6040	77	5	85	21	28	0	0	0	0	1	47	7	1	84
87	Carloway,	3076	3022	41	1	37	13	4	0	0	0	0	3	7	0	21	35
88	Loclis,	4708	4774	64	0	72	8	58	0	0	0	0	7	7	5	2	79
89	Stornoway,	12983	13438	211	5	177	74	155	0	0	0	0	6	13	0	32	206
89	Uig,	2207	2220	26	0	35	1	3	0	0	0	0	2	5	0	18	28
Total,		76450	77364	1176	63	1187	335	495	0	3	0	0	56	281	52	149	1146
6. INVERNESS.																	
Mainland.																	
90a	Abernethy and Kincardine,	1279	1228	16	1	15	10	8	0	0	0	0	1	5	0	5	19
90b	Alvie,	533	590	11	0	13	3	6	0	0	0	0	0	2	0	0	8
91a	Ardsier,	1594	1913	20	1	10	4	26	0	0	0	0	2	2	0	0	30
91b	Arisaig,	1079	1009	7	0	11	1	7	0	0	0	0	1	4	1	0	13
91c	Balachulish and Onich,	466	481	4	0	32	2	4	0	0	0	0	0	0	0	0	4
92a	Boleskine, etc.— (1) Edleskine,	838	1013	16	2	9	2	15	0	0	0	0	0	2	0	0	17
92b	(2) Fort-Augustus or Aberarff, Cannich,	1005	883	11	0	13	3	2	0	0	0	0	0	2	4	0	8
	(93 Cromdale and Inverallan.— Now 128 <i>infra</i> .)	484	442	6	0	6	0	3	0	0	0	0	0	0	0	3	6
94	Croy and Dalcross— <i>Inverness garrison.</i>	579	542	3	0	5	1	1	0	0	0	0	0	1	0	0	2
95	Daviot and Dunlichy,	999	907	11	1	9	0	7	0	0	0	0	0	2	0	2	11
96a	Dores,	835	781	6	0	11	3	1	0	0	0	0	0	1	0	0	2
96b	Duthil, etc.—(1) Duthil, (2) Rothiemurehus,	1788	1700	30	3	47	10	15	0	0	0	0	2	8	0	1	26
97	Glenelg—(1) Glenelg, (2) Knoydart, (3) North Morar,	207	243	6	0	3	8	2	0	0	0	0	0	1	0	0	3
		543	481	1	0	3	0	3	0	0	0	0	0	0	0	0	3
		300		3	0	4	0	0	0	0	0	0	0	1	0	0	1
		651	881	22	0	11	4	3	0	0	0	0	2	13	0	0	18

No. of District.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.			VACCINATIONS, 1917.									
	1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1917.	
			Total.	Illegit- imate.			On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.						
INVERNESS—continued.															
98a Inverness.	27046	25952	458	58	609	332	1	0	0	31	185	19	29	442	
98b Kilmallie—Inverness portion.	3331	3223	38	2	50	13	0	0	0	2	32	7	1	59	
99 Kilmonivaig—(1) Glengarry.	617	466	8	0	3	2	0	0	0	0	1	0	0	4	
(2) Lochaber.	1435	1234	19	0	13	3	1	0	0	0	2	5	2	22	
100 Kilmorack.	1814	1881	27	1	27	9	0	0	0	0	2	1	3	24	
101 Kiltarlity.	1628	1627	26	2	19	5	0	0	0	1	4	0	5	17	
102 Kingussie and Insh.	2194	2464	33	1	35	7	0	0	0	2	3	0	8	26	
103 Kirkhill.	1296	1237	12	0	17	2	0	0	0	0	0	0	2	20	
104 Laggan.	738	754	4	0	5	0	0	0	0	0	1	0	0	6	
105 Moy and Dalarossie.	761	688	11	1	9	2	0	0	0	0	0	0	0	4	
106 Petty.	1291	1263	27	3	17	2	0	0	0	1	6	0	4	22	
107 Urquhart, etc.—(1) Urquhart.	1499	1382	15	0	26	3	0	0	0	2	0	0	2	15	
(2) Glenmoriston.	329	293	3	0	5	0	0	0	0	0	0	0	0	2	
Aharacle—Inverness portion.	599	562	7	0	8	1	0	0	0	0	1	0	1	8	
Insular.															
108 Barra.	2545	2620	41	3	41	5	0	0	0	2	23	0	3	41	
109 Bracadale—(1) Bracadale.	384	346	4	1	6	0	0	0	0	1	0	0	1	6	
(2) Minginish.	488	439	5	0	10	1	0	0	0	0	1	0	3	9	
110 Duirinish—(1) Duirinish.	2610	2385	30	2	43	4	0	0	0	0	1	0	9	34	
(2) Waternish.	757	708	12	0	1	1	0	0	0	0	0	0	2	7	
111 Harris—(1) North Harris.	3191	3223	58	2	38	6	0	0	0	3	4	0	40	51	
(2) South Harris.	1476	1641	18	1	21	2	0	0	0	1	9	0	12	22	
(3) Bernera.	527	505	12	0	7	3	0	0	0	1	3	0	2	7	
(4) St. Kilda.	77	80	2	0	1	1	0	0	0	0	0	0	0	0	
112 Kilmuir—(1) Kilmuir.	948	887	11	0	12	3	0	0	0	1	0	0	1	15	
(2) Stenschoil.	1185	1077	15	1	12	3	0	0	0	0	0	0	2	23	
113 North Uist.	3891	3677	55	1	40	2	0	0	0	0	11	0	3	51	
114 Portree—(1) Portree.	2152	1923	18	0	22	11	0	0	0	2	12	0	1	23	
(2) Raasay.	629	508	18	1	13	3	0	0	0	1	4	0	13	18	

1115	Sléat,	1665	1373	10	1	19	2	1	0	0	0	0	0	0	1	0	0	0	0	13	15
1116	Small Isles,	495	396	5	0	3	0	2	0	0	0	0	0	0	3	1	0	0	0	0	8
1117	Snizort—(1) North,	614	634	9	2	11	1	0	0	0	0	0	0	0	7	0	0	0	0	0	0
	(2) South,	1035	1060	11	0	19	3	1	0	0	0	0	0	0	15	0	0	4	4	20	
1118	South Uist—(1) Benbecula,	1497	1384	18	2	17	6	1	0	0	0	0	0	0	17	0	0	1	1	21	20
	(2) Howmore,	1726	1639	27	3	22	6	3	0	0	0	0	0	0	4	21	0	1	1	30	
	(3) Boisdale,	2293	2360	37	0	43	4	26	0	0	0	0	0	0	1	2	0	1	20	49	
1119	Strath,	2152	1959	25	1	29	5	3	0	0	0	0	0	0	15	0	0	0	20	41	
	Total,	90104	87272	1302	97	1484	504	571	1	2	0	68	419	59	219	1339					
120	7. NAIRN,																				
120	Arclach,	772	759	8	0	4	3	6	0	0	0	2	3	0	0	0	0	0	0	0	11
121	Auldearn,	1292	1248	25	1	20	5	23	0	0	0	0	2	0	0	0	0	0	0	0	25
122	Cawdor,	925	847	18	2	9	6	8	0	0	0	0	0	0	3	0	0	1	1	14	
123	Nairn,	5732	5906	98	15	101	54	66	0	0	0	7	17	1	3	0	0	3	3	94	
94	Croy and Dalcross—Nairn portion,	570	559	5	0	3	4	2	0	0	0	0	2	0	0	0	0	0	0	4	
	Total,	9291	9319	154	18	137	72	105	0	0	0	11	27	1	4	148					
125	8. ELGIN (or MORAY).																				
	(124 Abernethy and Kincardine.																				
	—Now 90a supra.)																				
125	Alves,	1025	1109	30	4	12	3	21	0	0	0	1	0	1	0	0	0	0	0	23	
126	Bellie,	1801	1749	26	5	31	7	12	0	0	0	0	7	0	0	0	0	0	0	19	
127	Birnie,	356	363	6	0	6	2	8	0	0	0	0	0	0	0	0	0	0	0	8	
128	Cromdale, etc.—																				
	(1) Cromdale & Advie	1048	898	8	0	8	2	9	0	0	0	1	4	0	0	0	0	0	0	14	
	(2) Inverallan,	2181	1989	29	0	37	8	27	0	0	0	0	5	1	0	0	0	0	0	33	
129	Dallas,	738	656	14	0	7	4	8	0	0	0	0	0	0	0	0	0	0	0	8	
130	Drainie,	4380	4700	99	9	63	34	53	0	0	0	4	12	2	2	29	100	0	0	100	
131	Duffus—(1) Burchhead,	2125	2056	39	4	41	1	29	0	0	0	3	2	2	0	0	36	0	0	36	
	(2) Duffus,	1940	1949	37	2	33	7	24	0	0	0	4	1	3	0	0	32	0	0	32	
	(132 Duthel, etc.—Now 96b supra.)																				
133	Dyke,	1049	1020	20	2	15	0	18	0	0	0	6	3	1	1	0	29	1	0	29	
134	Edinkillie,	869	832	20	4	5	5	11	0	0	0	2	1	0	0	0	14	0	0	14	
135	Elgin,	11560	11692	181	31	178	134	118	0	2	0	15	20	3	28	186					

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.			VACCINATIONS, 1917.									
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccin- ation, or otherwise.	Total Births for 1917.		
				Total.	Illegit- imate.			On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.						
136	ELGIN (or MORAY)—continued.															
137	New Spynie, . . .	661	612	22	7	15	2	0	0	0	0	0	2	26		
138	Forres, . . .	5241	4932	102	25	92	48	0	0	0	6	0	14	88		
139	Kinloss, . . .	929	851	21	1	13	6	0	0	0	2	0	0	17		
140	Knockando, . . .	1756	1488	20	4	18	8	0	0	0	0	0	0	33		
141	Rafford, . . .	934	895	21	5	10	3	0	0	0	1	1	1	24		
142	Roches, . . .	2361	2016	39	3	33	12	0	0	0	9	0	0	32		
143	St. Andrews-Lhanbryde, . . .	1209	1155	10	2	17	4	0	0	0	2	0	1	20		
144	Speymouth, . . .	619	595	15	3	6	4	0	0	0	1	0	0	15		
145	Urquhart—(1) Urquhart, . . .	977	899	9	1	10	3	0	0	0	1	0	1	11		
146	Urquhart—(2) Garmouth, . . .	740	690	13	1	12	4	0	0	0	0	0	0	5		
152	Enzie—Elgin portion, . . .	301	281	4	0	5	0	0	0	0	3	0	0	9		
	Total,	44800	43427	785	113	667	301	0	2	0	80	14	77	782		
145	9. BANFF.															
146	Aberlour, . . .	2538	2569	26	4	30	11	0	0	0	4	1	0	30		
147	Alvah, . . .	1281	1200	19	2	10	0	0	0	0	2	0	0	27		
147a	Banff, . . .	4546	4570	76	11	92	37	0	0	0	25	5	0	76		
147b	Boharm, . . .	1128	990	12	1	7	1	0	0	0	5	0	0	17		
148	Botriphnie, . . .	754	732	11	0	6	1	0	0	0	1	0	0	9		
149a	Boydrie, . . .	2005	2178	49	5	53	8	0	0	0	20	1	0	42		
149b	Cabrach, . . .	581	534	10	1	4	13	0	0	0	0	0	1	13		
150	Cullen, . . .	1936	1992	33	2	30	3	0	0	0	19	2	0	35		
151	Deskford, . . .	714	695	4	0	6	3	0	0	0	1	1	0	11		
152	Enzie—Banff portion, . . .	1976	2154	59	9	30	6	0	0	0	28	0	0	44		
153	Fordyce—(1) Fordyce, . . .	1850	1808	38	4	20	5	0	0	0	3	1	0	31		
154	Fordyce—(2) Portsoy, . . .	2091	2172	39	9	35	9	0	0	0	19	1	0	41		
154	Forglen, . . .	653	620	23	3	9	1	0	0	0	1	0	2	20		

	2537	2462	45	2	40	5	31	0	0	0	0	0	4	21	0	0	28	1170	
155a Gamrie—(1) Gamrie, (2) Macduff,	2537	2462	79	11	73	13	26	0	0	0	0	0	0	40	2	0	3	59	
155b Glenrines,	3852	3798	4	1	2	1	4	0	0	0	0	0	0	1	0	0	0	73	
156 Grange,	337	280	35	4	18	8	13	0	0	0	0	0	0	5	0	0	0	5	
157 Inveravon—(1) Inveravon, (2) Glenlivet,	1673	1461	19	0	3	1	9	0	0	0	0	0	4	2	1	0	0	22	
158 Inverkeithny,	760	754	15	2	14	3	8	0	0	0	0	0	1	12	0	0	0	13	
159 Keith,	1441	1263	16	2	6	5	9	0	0	0	0	0	1	0	0	0	6	21	
160 Kirkmichael, etc.— (1) Kirkmichael, (2) Tomintoul,	6828	6359	110	14	120	40	56	0	0	0	0	0	3	32	0	0	7	16	
161 Marnoch,	353	312	1	0	4	1	0	0	0	0	0	0	0	8	1	0	0	9	
162 Mortlach,	682	637	12	2	6	1	3	0	0	0	0	0	0	4	0	0	0	7	
163 Ordiquhill,	2851	2532	49	14	43	9	32	0	0	0	0	0	4	2	1	2	2	41	
164 Rathven,	3170	2816	41	16	33	7	32	0	0	0	0	0	0	4	1	4	4	41	
165 Rothiemay,	642	644	15	1	8	0	7	0	0	0	0	0	0	0	0	0	0	7	
(166 St. Fergus—Now 237c infra.)	10133	11767	262	8	147	71	63	0	0	0	0	0	16	202	0	0	3	284	
167 Seafield,	1252	1143	16	3	14	6	19	0	0	0	0	0	2	1	1	0	0	23	
	2135	2235	56	0	45	12	20	0	0	0	0	0	4	30	1	0	0	55	
Total,	61488	61402	1174	121	908	278	548	0	0	0	0	0	82	492	20	28		1170	
10. ABERDEEN.																			
168 Aberdeen—(1) St. Nicholas, (2) St. Machar, (3) Rubislaw (4) Woodside, (5) Old Aberdeen,	52053	50424	1097	208	1182	847	823	43	4	0	0	0	165	114	31	18		1198	
169 Aberdeen,	38665	42436	590	41	537	404	426	1	0	0	0	0	44	82	22	13		588	
170 Aboyne,	42335	47819	675	77	778	257	502	8	2	2	2	2	62	84	20	6		684	
171a Alford,	8115	8714	145	13	97	50	100	6	1	1	1	1	19	18	2	0		146	
171b Ardallie,	2949	3070	51	3	50	23	34	0	0	0	0	0	5	12	2	0		54	
172 Auchindoir,	1496	1431	38	4	18	9	16	0	0	0	0	0	3	8	0	0		27	
173 Auchtermless,	1477	1525	18	0	19	6	13	0	0	0	0	0	0	2	2	0		19	
174 Belhelvie,	1486	1464	32	3	27	7	28	0	0	0	0	0	0	4	1	0		33	
175 Birse,	1080	896	19	1	11	1	15	0	0	0	0	0	1	7	0	0		23	
176 Bourbie,	1216	1058	24	5	26	2	17	0	0	0	0	0	1	5	0	0		23	
(177 Cairnack—Now 149b supra.)	1623	1469	25	4	14	4	22	0	1	1	0	0	3	1	0	3		30	
178 Cairney,	1491	1491	26	1	11	4	24	0	0	0	0	0	1	8	1	1		35	
179 Chapel of Garioch,	1085	1047	18	3	16	3	10	0	0	0	0	0	0	3	0	0		13	
	408	413	9	0	5	0	5	0	0	0	0	0	0	0	1	0		6	
	1283	1212	15	2	19	5	26	0	0	0	0	0	0	0	2	0		28	
	1559	1492	25	1	13	6	21	0	0	0	0	0	2	2	0	3		28	

No. of District.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.				VACCINATIONS, 1917.								
	1901	1911	Births.		Deaths.	Marriages.	Total Births for 1917.	Unaccounted for through removal from District before Vaccination, or otherwise.	Medical Certificate of Postponement.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Inasceptible of Vaccine Disease.			Successfully Vaccinated.
			Total.	Illegitimate.								In respect of the Children having already had Small-pox.	On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	
ABERDEEN—continued.															
180		425	6	0	8	1	6	0	0	1	0	0	0	5	
181		1207	16	3	9	4	23	0	0	2	0	0	0	21	
182		684	15	3	8	0	13	0	0	0	0	0	0	8	
183		846	6	0	7	1	2	0	0	0	0	0	0	2	
		606	1	0	5	1	2	0	0	0	0	0	0	2	
		719	15	3	10	1	33	1	0	3	1	0	0	12	
184		3060	44	2	32	8	33	0	0	7	1	0	0	11	
		683	10	1	4	1	6	0	0	1	0	0	0	6	
185		568	10	3	6	1	13	0	0	1	0	0	0	16	
186		883	15	3	5	0	19	0	0	1	0	0	0	17	
187		948	9	1	9	3	60	0	0	1	0	0	0	12	
188		865	10	1	20	4	21	0	0	1	0	0	0	42	
189		1482	25	1	17	3	42	0	0	1	0	0	0	35	
190		3395	61	14	29	24	55	0	0	0	0	0	0	260	
191		866	14	1	9	1	3	0	0	0	0	0	0	55	
192		1107	30	6	14	2	14	0	0	0	0	0	0	14	
193		1793	21	3	10	4	2	0	0	2	0	0	0	2	
194		9715	228	14	135	51	20	0	0	10	0	0	3	21	
195		2774	79	10	47	11	2	0	0	2	2	2	3	42	
196		862	19	2	7	2	4	0	0	2	4	0	3	55	
197		809	15	2	8	2	0	0	0	1	0	1	1	14	
198		403	3	0	5	1	0	0	0	1	0	0	0	14	
199		2347	25	1	28	8	0	0	0	1	0	0	0	2	
200		4899	95	25	81	38	0	0	0	5	0	1	0	30	
201		1408	33	4	27	1	3	0	0	4	3	9	5	81	
202		3491	71	10	58	31	33	0	0	13	3	0	0	39	
203		626	11	3	10	3	35	0	0	6	6	15	5	74	
204		803	19	3	13	2	5	0	0	3	3	0	0	8	
205							10	0	0	1	1	0	4	15	
206															

No. of District.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.				VACCINATIONS, 1917.									
			Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1917.		
			Total.	Illegit- imate.			On the ground of previous Successful Vaccination	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.							
ABERDEEN—continued.																
237 ^c St. Fergus,	1194	970	24	0	17	4	12	0	0	0	0	0	3	1	0	16
238 Skene,	1546	1437	34	5	16	8	16	0	0	0	0	0	1	0	0	20
239 Slains,	936	846	26	6	13	1	9	0	0	0	0	0	0	0	0	15
240 Strathdon,	1096	1014	20	1	7	3	4	0	0	0	0	0	0	0	0	13
241 Strichen,	2083	2085	43	6	33	11	30	0	0	0	0	0	1	0	0	42
242 Tarland,	733	741	13	4	11	4	12	0	0	0	0	0	0	0	0	19
243 Tarnes,	2101	1946	41	6	19	2	40	0	0	0	0	0	6	0	0	47
244 Tough,	675	613	14	7	2	2	8	0	0	0	0	0	0	0	0	8
245 Towie,	938	728	15	2	3	4	14	0	0	0	0	0	0	0	0	23
246 Tullynessle and Forbes,	903	872	8	0	11	5	18	0	0	0	0	0	1	1	0	22
247 Turriff,	4139	4128	93	20	63	27	54	0	0	0	0	0	7	0	0	72
248 Tyrie,	747	719	16	2	8	3	13	0	0	0	0	0	0	0	0	18
249 ^a Uday,	1564	1469	33	4	24	5	19	0	0	0	0	0	2	2	0	28
249 ^b Ythan Wells,	1005	895	21	4	13	2	13	0	0	0	0	0	0	0	0	14
Total,			304439	312177	5548	719	4810	2269	3801	61	17	0	509	934	172	5674
11. KINCARDINE.																
250 Arbuthnot,	698	674	14	2	9	3	9	0	0	0	0	0	2	8	0	19
251 Banchory-Devenick— (1) Banchory-Devenick, (2) Portlethen,	508	504	6	0	3	1	6	0	0	0	0	0	1	0	0	7
252 Banchory-Ternan,	1218	996	20	1	7	1	12	0	0	0	0	0	1	0	0	13
253 Benholm,	3449	3377	51	5	52	12	38	0	0	0	0	0	1	0	0	41
254 Bervie,	1426	1276	21	2	21	7	6	0	0	0	0	0	0	0	0	12
255 Dunnottar,	2523	2391	42	3	50	12	15	0	0	0	0	0	4	26	0	45
256 Durriss,	2533	2255	45	5	23	14	16	0	0	0	0	0	1	11	2	33
257 Fettercairn,	884	872	12	2	4	5	7	0	0	0	0	0	1	2	0	10
	1390	1301	35	2	24	3	25	0	0	0	1	0	0	0	0	27

	44	77	20	23	8	1	0	5	9	4	20	774
258 Fetteresso—(1) Fetteresso, (2) Cookney,	3653	77	20	23								
259 Fordoun,	1479	11	5	15	0	0	0	0	1	2	7	48
260 Garyock,	1800	3	5	28	0	0	0	0	3	0	0	21
261 Glenbarrie,	368	1	2	17	0	0	0	0	7	0	0	38
262 Kinell and Catterline,	870	5	2	17	0	0	0	0	0	1	1	7
263 Laurence Kirk,	835	7	1	11	0	0	0	2	2	1	0	20
264 Maryculter,	2011	32	3	32	0	0	0	4	2	1	0	16
265 Marykirk,	951	3	1	9	0	0	0	0	2	0	0	37
266 Nigg,	1209	18	2	27	0	0	0	3	1	1	0	11
267 St Cyrus,	10914	17	54	202	8	0	0	31	37	6	12	296
268 Strachan,	1222	19	7	29	0	0	0	2	2	0	0	33
	625	4	0	5	0	0	0	1	2	0	0	8
Total,	40923	67	180	539	8	1	0	73	116	17	20	774
12. FORFAR.												
269 Aberlemno,	804	2	8	8	0	0	0	0	2	1	0	11
270 Airlie,	698	0	2	8	0	1	0	0	0	0	0	9
271 Arbroth,	800	0	1	17	0	0	0	0	5	0	0	23
272 Arbroath, etc.—(1) Arbroath, (2) St. Vigeanis,	22569	15	144	89	0	0	0	29	181	2	4	305
273 Auchterhouse,	2108	3	12	12	0	0	0	3	32	0	0	27
274 Barry,	547	2	3	10	0	0	0	1	11	0	0	11
275 Brechin,	4652	8	20	39	0	0	0	3	18	0	1	61
276 Carnyllie,	10444	19	63	54	0	0	0	8	62	2	1	127
277 Carseston,	847	1	5	14	0	0	0	1	1	0	0	16
278 Cortachy and Clova, (279 Coupar-Angus.— <i>Novo 341b</i> <i>infra.</i>)	221	1	0	2	0	0	0	0	2	0	0	4
	569	0	0	5	0	0	0	0	0	0	0	5
280 Craig,	2019	1	14	14	0	0	0	4	15	0	0	33
281 Dnn,	526	4	2	10	0	0	0	0	1	0	0	11
282 Dundee—(1) St. Peter, (2) St. Mary,	29343	32	383	103	1	1	0	0	254	3	22	425
(3) St. Clement, (4) St. Andrew, (5) Lochee,	29222	176	435	118	4	2	0	96	360	5	77	652
	28077	31	517	84	5	0	0	0	301	17	17	435
	60403	85	1061	262	1	1	0	101	540	8	61	974
	14790	8	125	39	0	0	0	17	93	0	52	201
283 Dunnichen,	1132	4	4	19	0	0	0	0	1	0	0	20
284 Fannie and Nevay,	474	1	1	11	0	0	0	1	0	0	0	13
285 Pabell,	822	0	5	8	0	0	0	0	0	1	0	9
286 Farnell,	595	3	1	12	0	0	0	2	1	0	0	15
287 Fern,	322	0	1	6	0	0	0	1	2	0	0	9

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1918.			VACCINATIONS, 1917.									
		1901	1911	Births.		Deaths.	Marriages.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1917.	
				Total.	Illegitimate.			On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.						
	Forfar—continued.															
288a	Forfar,	12879	12254	162	10	230	75	0	0	0	10	23	0	0	178	
288b	Fowls-Easter,	254	249	8	1	2	1	0	0	0	1	2	0	1	10	
289	Glamis,	1351	1159	14	1	12	2	0	0	0	0	1	0	0	22	
290	Glenisla,	409	344	1	0	4	2	0	0	0	0	0	0	0	6	
291	Guthrie,	264	257	4	0	2	4	0	0	0	0	1	0	0	5	
292	Inverarity,	823	861	14	1	4	5	0	0	0	0	2	0	0	13	
293	Inverkeilor,	1397	1377	32	4	9	3	0	0	0	0	10	0	0	23	
294a	Kettins,	704	689	10	0	4	2	0	0	0	1	3	0	0	10	
294b	Kilry,	324	278	5	0	5	1	0	0	0	0	0	0	0	1	
295	Kingoldrum,	355	349	5	0	2	0	0	0	0	0	1	1	0	5	
296	Kinnell,	574	589	9	1	8	2	0	0	0	0	7	0	0	12	
297	Kinnettles,	323	310	7	0	4	2	0	0	0	0	0	0	0	4	
298	Kirkden,	1491	1337	26	3	11	8	0	0	0	0	1	0	0	11	
299	Kirriemuir,	5902	5391	53	8	87	24	0	0	0	1	14	0	3	65	
300	Lethnott and Navar,	238	205	4	0	2	0	0	0	0	0	1	0	0	4	
301	Liff, Benvie, and Invergowie,	1834	1923	14	1	91	3	0	0	0	2	10	0	2	30	
302	Lintrathen,	495	507	8	2	6	2	0	1	0	0	1	0	0	11	
303	Lochee,	326	295	0	0	4	0	0	0	0	0	0	0	0	4	
304	Logie-Pert,	982	1002	15	2	6	7	0	0	0	1	4	0	2	24	
305	Lunan,	302	312	3	0	4	0	0	0	0	0	2	0	1	9	
306	Lundie,	288	256	9	1	4	2	0	0	0	1	2	0	4	10	
307	Mains and Strathmartine,	5443	6631	80	3	115	35	0	0	0	1	37	0	4	92	
308	Marytown,	278	262	7	1	1	2	0	0	0	0	1	1	0	5	
309	Menmuir,	704	627	17	1	6	0	0	0	0	1	4	1	1	16	
310	Monifieth—(1) East,	2614	3546	37	1	49	22	0	0	0	2	20	0	0	46	
	(2) West,	9058	9599	131	4	119	42	0	1	0	6	39	2	0	123	
311	Monikie,	1299	1184	25	3	20	3	0	0	0	1	10	0	0	26	
312	Montrose,	14027	12669	166	17	353	74	0	0	0	15	49	2	2	159	
313	Murroes,	1041	898	15	0	12	4	0	0	0	2	5	1	0	16	

	818	840	15	1	15	0	12	0	0	0	0	0	0	0	378	2111	35	252	4412
314 Newtyle,	818	840	15	1	15	0	12	0	0	0	0	0	0	0	378	2111	35	252	4412
315 Outhlaw,	365	324	7	1	3	1	6	0	0	0	0	0	0	0	1	0	0	0	16
316 Panbride,	1885	1806	17	1	22	11	12	0	0	0	0	0	0	0	1	0	0	0	7
317 Rescobie,	594	595	10	0	4	3	10	0	0	0	0	0	0	0	0	6	0	0	19
318 Ruthven,	169	172	3	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	11
(319 <i>St. Vigens—Now 272 (2)</i> <i>supra.</i>)																			1
320 Stracathro,	430	398	9	0	3	2	6	0	0	0	0	0	0	0	1	0	0	0	7
321 Tannadice,	1106	1013	13	1	10	3	7	0	0	0	0	0	0	0	0	1	0	1	9
322 Tealing,	615	588	17	2	3	2	6	0	0	0	0	0	0	0	0	1	0	0	8
Total,	281482	281417	1403	462	5036	1925	1619	11	6	0	0	0	0	0	378	2111	35	252	4412
13. PERTH.																			
323 Aberdalgie,	278	278	7	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	2
324 Aberfeldy,	2198	2248	21	2	38	3	22	0	0	0	0	0	0	0	1	1	0	2	26
325 Aberfoyle,	1052	1147	10	0	8	3	7	0	0	0	0	0	0	0	0	1	1	1	10
326 Abernethy,	1276	1267	17	2	14	5	8	0	0	0	0	0	0	0	0	2	0	0	11
327 Abernyte,	241	209	7	1	2	0	1	0	0	0	0	0	0	0	1	0	0	0	3
328a Alyth,	2943	2858	26	2	45	12	27	0	0	0	0	0	0	0	2	4	0	0	33
328b Ardoch,	916	863	11	0	9	5	12	0	0	0	0	0	0	0	2	1	0	0	15
328c Arngask,	593	652	10	0	11	2	4	0	1	0	0	0	0	0	0	4	0	0	10
329 Auchtermarder,	3159	3175	43	7	69	13	34	0	0	0	0	0	0	0	2	3	0	2	41
330 Auchtergaven,	1288	1299	19	0	17	3	19	0	0	0	0	0	0	0	0	2	0	0	22
331 Balquhider,	709	734	7	0	7	2	5	0	0	0	0	0	0	0	0	2	0	1	8
332 Bendochy,	473	542	10	0	11	1	15	0	0	0	0	0	0	0	0	2	0	0	5
333 Blackford,	1539	1374	25	1	18	6	15	0	0	0	0	0	0	0	1	2	0	0	18
334 Blair-Athol,	1501	1342	21	2	18	2	11	0	0	0	0	0	0	0	1	2	0	0	14
335 Blairgowrie,	4282	4122	58	6	78	19	48	0	0	0	0	0	0	0	4	13	2	0	67
336 Callander,	2171	2215	21	3	35	16	21	0	0	0	0	0	0	0	0	2	0	4	27
337 Caputh,	1005	986	15	1	4	1	14	0	0	0	0	0	0	0	0	2	0	0	16
338 Cargill,	1411	1411	30	0	30	3	18	0	0	0	0	0	0	0	1	2	0	0	21
339 Clunie,	561	508	12	2	7	6	2	0	0	0	0	0	0	0	1	0	0	0	3
340 Collace,	440	366	2	0	5	1	5	0	0	0	0	0	0	0	0	1	0	0	6
341a Comrie,	1964	1675	21	2	24	11	13	0	0	0	0	0	0	0	0	6	0	3	22
341b Coupar-Angus,	2468	2523	39	7	42	12	22	0	0	0	0	0	0	0	2	11	0	0	35
342 Crieff,	5706	6089	62	3	87	25	32	0	0	0	0	0	0	0	7	22	5	0	66
(343 <i>Culross—Now 418b infra.</i>)																			
344 Dowally,	304	283	3	1	2	0	4	0	0	0	0	0	0	0	0	0	0	0	4
345 Dron,	232	256	3	0	2	0	8	0	0	0	0	0	0	0	0	2	1	0	11

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1918.			VACCINATIONS, 1917.													
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.												
				Total.	Illegit- imate.			On the ground of previous Successful Vaccination.	Constitutional Insusceptibility.	On the ground of Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1917.					
346	<i>Perth—continued.</i>																			
347	Dull,	355	287	3	0	9	0	3	0	0	0	0	0	0	2	0	0	0	0	5
348	Dunbarney,	909	862	15	1	9	3	19	6	0	0	0	0	0	4	0	0	0	0	11
349	Dunblane and Leacroft,	3812	4591	50	2	63	16	3	11	0	0	0	0	0	0	0	0	0	0	60
350	Dunkeld,	897	798	16	1	10	3	6	3	0	0	0	0	0	0	0	0	0	0	13
351	Dunning,	1141	1145	19	2	18	3	7	3	0	0	0	0	0	2	0	0	0	0	16
352	Errol,	2070	2083	29	2	27	7	7	3	0	0	0	0	0	1	0	1	1	0	35
353	Findo-Gask,	323	357	12	4	3	3	3	0	0	0	0	0	0	0	0	0	0	0	7
354	Forgandenny,	527	540	8	0	5	1	1	0	0	0	0	0	0	0	0	0	0	0	6
355a	Forteviot,	562	549	11	0	5	1	1	0	0	0	0	0	0	0	0	0	0	0	11
355b	Fortingall— (1) Innerwick in Glenlyon, (2) Forthgall, (3) Kinloch-Rannoch,	312 465 807	272 465 787	1 8 13	0 1 5	2 6 7	0 0 1	0 0 1	0 0 2	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 5 13
356	Foss, (356 Fowlis-Easter.—Now 2886 supra.)	197	161	2	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	2
357	Fowlis-Wester,	1000	1007	13	1	4	3	0	3	0	0	0	0	0	0	0	0	0	0	13
358	Glendevon,	147	148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
359	Inchture,	552	545	3	1	5	1	1	3	0	0	0	0	0	0	0	0	0	0	4
360	Kenmore,	971	826	12	1	7	3	3	11	0	0	0	0	0	2	0	0	0	0	13
361	Killin,	1269	1192	12	1	30	4	8	0	0	0	0	0	0	1	0	0	0	0	9
362	Kilmadock,	2705	2428	33	2	31	12	29	12	0	0	0	0	0	1	5	0	0	0	35
363	Kilspindie,	568	498	9	0	1	1	11	0	0	0	0	0	0	1	1	0	0	0	13
364	Kincardine,	1309	1150	22	3	24	5	22	0	0	0	0	0	0	3	2	0	0	0	27
365	Kinclaven,	562	468	9	1	1	1	7	0	0	0	0	0	0	0	0	0	0	0	7
366	Kinfauns, (367 Kinloch-Rannoch.—Now 355a (3) supra.)	611	571	10	0	2	2	8	0	0	0	0	0	0	0	0	0	0	0	8
368	Kinnaird,	217	172	5	0	3	0	2	0	0	0	0	0	0	0	0	0	0	0	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1918.				VACCINATIONS, 1917.						
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccin- ation, or otherwise.	Total Births for 1917.		
				Total.	Illegit- imate.									
													Insusceptible of Vaccine Disease.	On the ground of Constitutional Insusceptibility.
400	14. FIFE. (399 <i>Abbotshall</i> .— <i>Merged in</i> 442.)	664	647	15	1	4	1			0	0	8		
401	Abdie,	1997	2147	57	2	29	12	21	10	2	3	39		
402	Aberdour,	1190	1147	13	1	11	9	6	3	1	0	10		
403	Anstruther-Easter,	558	613	7	0	14	0	4	4	0	0	9		
403	Anstruther-Wester,													
404	(404 <i>Arngask</i> .— <i>Now 328c supra</i> .)													
405	Auchterderran— (1) Auchterderran, (2) Lochgelly,	3068	7351	232	19	90	36	60	148	6	8	232		
406	Auchtermuchty,	5558	10196	284	16	141	40	76	149	2	2	259		
407	Auchtertool,	1884	1893	14	0	39	6	14	5	0	1	21		
408	Ballingry—(1) Lochore,	742	781	24	1	11	1	7	7	0	0	17		
408	(2) Lumphmians,	1218	5106	172	13	64	28	75	55	0	11	153		
409	Balmerino,	2938	4108	119	7	64	22	43	58	0	5	114		
409	Beath—(1) Cowdenbeath, (2) Kelty,	576	568	11	2	11	3	5	2	0	0	9		
410	Burntisland,	9904	15509	385	13	161	82	87	273	10	2	397		
411	Cameron,	5908	8842	244	3	91	29	62	118	29	4	204		
412	Carbee,	5599	5505	112	4	72	32	38	40	15	3	87		
413	Carnock,	738	785	7	2	6	2	10	1	6	0	13		
414	Ceres,	910	843	11	1	14	4	11	1	0	0	15		
415	Colleslie,	1349	1315	45	2	10	8	21	5	3	1	30		
416	Crail,	1545	1467	24	1	20	7	17	7	0	0	26		
417	Creich,	2161	2215	32	6	36	7	15	6	1	0	21		
418a	Culross,	1534	1547	29	3	32	8	11	4	0	0	15		
418b	Cults,	309	309	3	1	6	2	2	1	0	0	4		
419	Cupar,	1120	1499	102	3	39	10	32	33	0	6	86		
420		628	617	12	1	4	3	6	1	0	0	7		
		6768	6736	71	13	246	31	34	27	0	1	66		

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.			VACCINATIONS, 1917.										
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.				Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1917.	
				Total.	Illegit- imate.			On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Successfully Vaccinated.						
459	Fife—continued. Wemyss—(1) Wemyss, . (2) Buckhaven, . Total,	4587 10444 218840	6213 16891 267739	124 388 5668	2 24 341	63 227 4010	28 103 1536	0 0 3	0 0 0	12 30 398	61 253 2452	4 2 127	0 16 131	128 393 5364	0 0 0	10 11 64 40 17	142
460	15. KINROSS.																
461	Cleish, .	631	546	10	2	5	1	8	0	1	5	0	0	4	0	10	
462	Fossway and Tulliebole, .	1046	1059	16	3	9	4	40	0	0	2	1	0	8	0	11	
463	Kinross, .	2655	3094	54	6	58	14	22	0	1	17	0	6	2655	0	64	
464	Orwell, .	1822	1983	25	3	30	10	15	0	0	14	2	0	1822	0	40	
464	Portmoak, .	827	845	17	1	19	4	15	0	0	2	0	0	827	0	17	
	Total,	6981	7527	122	15	121	33	89	0	3	40	3	6				
465a	16. CLACKMANNAN.																
465b	Alloa .	16858	17130	362	30	267	111	121	0	18	179	6	4	333	4	333	
466	Alva, .	5641	5265	88	10	97	32	56	0	3	14	1	1	5641	1	75	
466	Clackmannan, .	2501	2203	41	1	26	12	25	0	3	19	0	0	2501	0	47	
467	Dollar, .	2042	1874	14	1	27	13	12	0	1	3	0	0	2042	0	16	
468	Tillicoultry, .	4987	4649	89	1	85	30	28	0	7	28	0	1	4987	0	64	
	Total,	32029	31121	594	43	500	198	242	3	32	243	7	6				

17. STIRLING.											
469	Airth,	1360	1515	50	1	11	9	17	0	0	0
	(470 <i>Alva</i> .— <i>Now 465b supra</i> .)										
471	Baldernock,	582	747	15	12	4	1	13	0	0	0
472	Balfour,	1092	1155	22	6	26	0	11	0	0	0
473	Bonnybridge,	4264	5611	133	5	58	25	55	0	0	0
474	Buchanan—(1) Buchanan,	365	371	14	2	6	1	5	0	0	0
	(2) Inversnaid,	122	424	0	0	0	1	1	0	0	0
475	Campsie,	5424	5304	86	5	70	18	48	0	0	0
476	Denny—(1) Denny,	4710	4591	92	2	66	30	38	0	2	0
	(2) <i>Huges</i> ,	2147	2882	74	1	28	14	13	0	0	0
477	Drymen,	1390	1289	18	0	15	5	12	0	1	0
478	Dunipace,	2010	1870	43	2	17	9	17	0	0	0
479	Falkirk,	33815	38571	785	08	641	263	152	0	4	0
480	Finty,	314	280	5	0	5	2	0	0	0	0
481a	Gargunnoch,	633	573	8	0	6	0	8	0	0	0
481b	Graingemouth—(1) Bothkennar,	1964	1869	40	4	21	5	19	0	0	0
	(2) Grangemouth,	9146	10244	171	7	115	55	85	0	0	0
	(3) Polmont,	6353	7357	178	10	78	54	53	0	0	0
482	Killearn,	929	1085	10	0	16	4	8	0	0	0
483	Kilsyth,	9840	11052	293	24	126	58	89	0	3	0
484	Kippen,	1456	1365	13	2	24	7	14	0	0	0
485a	Larbert,	11684	12984	208	8	270	55	63	0	0	0
485b	Logie,	4432	4373	54	4	73	17	34	0	0	0
486	Muiravonside,	5332	5706	153	9	65	21	59	0	11	0
	(487 <i>Polmont</i> .— <i>Now 481b supra</i> .)										
488	St. Ninians—(1) St. Ninians,	6611	12275	300	12	164	49	184	2	1	0
	(2) Cambusbarron,	1541	1593	31	2	25	7	20	0	0	0
489	Slamannan,	5286	3440	91	4	42	15	23	0	0	0
490	Stirling,	18609	21461	417	43	420	166	241	1	1	0
491	Strathblane,	880	1024	13	1	12	2	10	0	0	0
Total,		142291	160991	3581	224	2404	893	1297	3	24	0
18. DUMBARTON.											
492	Arrochar,	605	537	11	0	7	3	6	0	0	0
493	Bonhill,	14581	15969	370	17	209	120	128	0	0	0
494	Cardross—(1) Cardross,	1372	1520	29	6	13	9	15	0	0	0
	(2) Renton,	5114	4977	144	7	56	22	37	0	2	0

Total,

18. DUMBARTON.

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.			VACCINATIONS, 1917.										
		1901	1911	Births.		Deaths.	Marr- riages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccina- tion, or otherwise.	Total Births for 1917.	
				Total.	Illegit- imate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.						
534	ARGYLL—continued. Stralochlan, etc.— (1) Stralochlan, (2) Strachur, . . .	238 496	217 483	1 3	0 0	4 5	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 4	0 19
535 98b	Tarbert, . . . Kilmallie—Argyll portion, Insular.	2128 249	1983 272	31 3	2 0	32 3	4 0	0 0	0 0	0 0	0 0	0 0	3 0	2 0	5 0	0 0	0 0
536	Bowmore (or Kilarrow), . . .	1813	1765	12	5	29	2	5	0	0	0	4	10	2	0	21	4
537	Gigha, . . .	374	326	7	1	4	0	3	0	0	0	0	0	1	0	4	
539	(538 Iona—Merged in 542.) Jura, etc.—(1) Jura, (2) Colonsay, . . .	562 313	509 273	7 3	1 2	6 8	0 0	5 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	5 1	1 22
540	Kilchoman, . . .	1632	1459	17	1	19	1	17	0	0	0	1	3	1	0	20	
541	Kildalton and Oa, . . .	1872	1648	7	1	25	2	18	0	0	0	0	2	0	0	17	
542	Kilfinichen and Kilvieken, . . .	1529	1403	19	4	22	3	4	0	0	0	0	11	2	0	17	
543	Kilmeny, . . .	822	787	9	3	15	1	7	0	0	0	2	1	1	0	11	
544	Kilminian and Kilmore— (1) Ulva, . . . (2) Kilminian and Kilmore,	242 624	193 539	0 5	0 0	3 8	1 0	1 5	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 6	2 2
545	Kinlochspelve, . . . (546 Oa—Merged in 541.)	259	258	1	1	2	0	1	0	0	0	0	0	1	0		
547	Portnahaven, . . .	728	628	12	0	18	0	5	0	0	0	1	0	0	0	6	
548	Salen, . . .	441	419	1	0	6	1	1	0	0	0	0	1	0	0	5	
549	Tobermory, . . .	1301	1079	10	0	15	2	5	0	0	0	0	3	1	1	10	
550	Torosa, . . .	316	282	1	0	1	2	1	0	0	0	0	1	0	2	4	
551	Tyree, etc.—(1) Tyree, . . . (2) Coll, . . .	2195 432	1825 389	25 7	2 0	37 12	7 2	7 1	0 0	0 0	0 0	1 0	10 2	8 1	0 0	26 4	4 4
	Total,	73642	70902	863	84	1100	250	501	2	9	0	48	149	56	47		812

20. BUTE.		1769	1707	18	0	15	2	17	0	0	0	0	1	7	0	5	24	202
552	Cumbræ,		1707	18	0	15	2	17	0	0	0	0	0	7	0	5	24	202
553	Kilbride—(1) Brodick,	1769	992	3	0	14	1	1	0	1	0	0	0	2	0			
	(2) Kilbride,	1048	1323	10	1	26	7	10	0	0	0	0	0	3	1			
554	Kilmory—(1) Kilmory,	1335	954	4	1	13	0	9	0	0	0	0	0	0	4			
	(2) Shiskine,	978	764	7	1	10	1	6	0	0	0	0	0	0	0			
555	Kingarth,	831	967	13	2	9	2	8	0	0	0	0	0	0	0			
556	Lochranza,	1056	595	9	0	9	1	2	0	0	0	0	0	2	0			
557	North Bute,	645	1747	3	0	29	6	15	0	0	0	0	1	2	0			
558	Rothessy,	1747	9299	20	6	5	37	52	0	1	0	0	10	21	0			
		9378		96	6	122			0	0	0	0						
	Total,	18787	18186	171	10	243	57	120	0	2	0	0	12	39	5	24	202	
21. RENFREW.																		
(559a Abbey—Merged in 572																		
(559b (2) and 573, <i>infra</i> .)																		
559b	Bridge of Weir,	2316	2716	43	3	38	9	21	0	1	0	0	2	16	4			44
560	Cathcart—now 633b <i>infra</i> ,																	
561	Eaglesham,	1075	1138	22	0	13	4	14	0	0	0	0	0	7	1			22
562	Eastwood—Renfrew portion,	4183	5573	64	2	78	58	51	0	0	0	0	3	17	4			75
563	Erskine,	1519	1712	36	4	28	4	20	0	0	0	0	2	13	0			35
564	Greenock—(1) East,	34599	33027	1228	54	555	174	408	7	2	0	0	66	657	10			1159
	(2) West,	33618	36267	844	31	755	372	297	5	2	0	0	70	544	1			929
565	Houston and Killelan,	1402	1345	36	3	27	5	21	0	0	0	0	3	5	0			32
566	Inchinnan,	573	592	24	2	9	10	7	0	0	0	0	1	2	0			10
567	Inverkip—(1) Inverkip,	1151	1168	13	1	17	5	15	0	1	0	0	0	1	0			17
	(2) Gourcock,	6112	8458	236	16	290	38	98	0	1	0	0	16	103	1			233
568	Kilbarchan—(1) Kilbarchan,	3450	3462	49	0	44	19	38	0	0	0	0	2	16	0			57
	(2) Linwood,	2099	2055	46	0	53	3	26	0	0	0	0	4	23	1			54
569	Kilmacolm,	4420	5462	50	5	59	10	29	0	0	0	0	3	6	2			68
570	Lochwinnoch,	4402	4254	71	4	47	22	42	0	0	0	0	9	15	0			41
571	Mearns—(1) Busby,	1297	1058	24	1	9	6	12	0	0	0	0	3	3	0			19
	(2) Newton-Mearns,	2112	2143	36	1	30	9	19	0	1	0	0	2	14	5			41
572	Neilston—(1) Neilston,	4459	4616	76	2	61	16	53	1	0	0	0	6	15	3			79
	(2) Barrhead and Levern,	12051	14210	308	21	163	71	136	1	1	0	0	19	126	0			292
573	Paisley—(1) Paisley,	83459	91001	1836	99	1529	690	756	3	13	0	0	144	851	34			1860
	(2) Johnstone & Elderslie,	13613	15132	365	17	200	105	160	0	1	0	0	37	132	17			357
574	Port-Glasgow,	17337	18555	577	21	308	138	268	4	0	0	0	44	236	10			565

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1918.			VACCINATIONS, 1917.								
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1917.
				Total.	Illegit- imate.			On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
575	RENFREW—continued. Renfrew—(1) Renfrew. (2) Scotstoun and Yoker— Renfrew portion	9616	12902	329	7	154	89	0	0	16	154	2	1	330	
633b	Cathcart—Renfrew portion	1619 1403	4816 2404	113 44	1 3	63 41	35 29	0	0	8	67	1	6	137 39	
	Total,	247918	279103	6470	298	4562	1921	21	27	460	3032	96	127	6495	
576	22. AYR. Ardrossan—(1) Old Ardrossan, (2) New Ardrossan,	5834 6054	6124 5627	160 163	5 16	79 113	53 32	0	0	8	65	3	1	157 175	
577	Auchinleck—(1) Auchinleck, (2) Lugar,	2828 3777	3616 3808	125 83	10 7	72 54	21 8	0	0	17	86	1	11	125 86	
578	Ayr—(1) Ayr, (2) St. Quivox, (3) Alloway,	28697 1219 2011	32986 1438 2221	613 36 21	60 3 2	595 21 107	313 4 7	15	0	64	109	20	14	682 33 20	
579	Ballantrae,	1124	1080	21	3	14	4	0	0	1	1	2	0	14	
580	Barr,	581	521	9	3	6	6	0	0	0	0	0	0	3	
581	Beith,	7523	6699	135	5	104	29	0	0	7	32	0	6	108	
582	Colmonell—(1) Colmonell, (2) Barrhill,	993 961	996 936	7 11	1 1	15 19	9 5	0	0	3	1	0	0	23	
583	Coylton—(1) Coylton, (2) Rankinston,	1875 667	2112 931	47 28	2 1	23 6	7 4	0	0	9	10	2	2	17 58	
584a	Craigie,	509	538	12	0	5	1	0	0	0	2	0	0	23	
584b	Crosshill,	1108	1040	22	0	12	2	0	0	0	2	0	0	16	
585	Daily,	1673	1940	48	3	22	9	0	0	4	14	2	1	48	
586	Dalmellington— (1) Dalmellington, (2) Waterside,	2585 2533	3161 2853	84 66	7 1	47 37	24 10	0	0	7	44	4	0	113 63	

587	Dalry,	.	.	.	.	8212	7418	152	10	91	39	81	.	0	0	0	9	68	1	3	0	159
588	Dalrymple,	.	.	.	.	931	1031	23	1	6	4	14	0	0	0	0	1	1	2	0	21	
589	Dreghorn,	.	.	.	.	4332	4373	123	8	48	25	25	0	1	0	0	9	92	6	0	133	
590	Dundonald—(1) Dundonald, (2) Troon,	.	.	.	.	1260	1481	31	2	19	6	22	0	1	0	0	6	15	0	6	50	
591	Dunlop,	.	.	.	.	5181	7172	127	7	70	35	56	0	0	0	0	4	29	2	0	108	
592	Fenwick,	.	.	.	.	1542	1353	21	1	13	8	13	0	0	0	0	3	6	0	0	23	
593	Galston,	.	.	.	.	1063	1062	11	0	14	2	17	0	0	0	0	3	6	0	0	26	
594	Girvan,	.	.	.	.	6939	7171	133	9	108	39	54	0	4	0	0	11	72	0	1	142	
595	Irvine,	.	.	.	.	4872	5331	108	9	94	27	60	0	0	0	0	16	37	4	1	118	
596	Kilbirnie,	.	.	.	.	11267	12030	330	25	304	86	45	0	1	0	0	37	213	8	10	314	
597	Kilmarnock,	.	.	.	.	7207	7618	263	14	123	48	97	0	0	0	0	13	59	10	2	181	
598	Kilmaurs,	.	.	.	.	33142	33817	688	63	577	282	219	1	1	0	0	49	346	17	4	637	
599	Kilwinning,	.	.	.	.	4549	4349	105	9	62	22	39	0	0	0	0	10	65	0	1	115	
600	Kirkmichael,	.	.	.	.	8125	8411	212	14	116	51	96	0	1	0	0	21	115	0	2	235	
601	Kirkoswald,	.	.	.	.	839	807	11	2	13	2	11	0	0	0	0	0	1	1	0	13	
602	Largs—(1) Largs, (2) Skelmorlie,	.	.	.	.	1452	1562	35	1	37	6	15	0	0	0	0	1	9	4	3	32	
603	Londoun—(1) Newmilns, (2) Darvel,	.	.	.	.	4405	4770	43	1	66	21	27	0	0	0	0	1	12	5	0	45	
604	Mauchline,	.	.	.	.	1096	1259	12	0	18	3	12	0	0	0	0	0	1	0	0	13	
605	Maybole,	.	.	.	.	4920	5213	78	4	64	25	7	0	0	0	0	4	53	0	10	74	
606	Monkton and Prestwick,	.	.	.	.	3325	3796	34	0	36	24	13	0	0	0	0	0	30	3	0	46	
607	Muirkirk,	.	.	.	.	2572	2441	42	5	28	9	20	0	0	0	0	1	14	0	2	37	
608	New Cumnock,	.	.	.	.	7462	6455	115	12	92	28	67	0	0	0	0	6	28	0	1	102	
609	Ochiltree,	.	.	.	.	3854	5645	148	9	93	40	54	0	1	0	0	1	52	8	3	119	
610a	Old Cumnock,	.	.	.	.	5670	4982	122	7	71	28	47	1	0	0	0	15	43	2	2	110	
610b	Patna,	.	.	.	.	5367	5661	173	17	86	45	89	0	1	0	0	9	42	8	5	154	
611	Riccarton—(1) Riccarton, (2) Hurlford, (612 St. Quivox.—Now 578 (2) supra.)	.	.	.	.	1932	2024	54	4	32	9	23	0	0	0	0	5	24	0	0	52	
613	Sorn—(1) Sorn, (2) Catrine,	.	.	.	.	5144	5465	137	12	100	29	65	0	0	0	0	16	56	1	3	141	
614	Stair,	.	.	.	.	906	1062	31	4	12	9	14	0	0	0	0	0	8	0	2	25	
615	Stevenson,	.	.	.	.	4028	3765	94	7	67	24	20	1	0	0	0	13	35	3	0	72	
616	Stewarton,	.	.	.	.	4052	3825	101	2	50	20	34	0	0	0	0	7	37	3	0	81	
617	Straiton,	.	.	.	.	1267	1421	24	0	9	5	12	0	0	0	0	0	7	0	0	19	
618	Symington,	.	.	.	.	2340	2337	44	3	40	10	18	0	0	0	0	5	28	0	0	51	
						1175	959	39	7	12	8	12	0	0	0	0	4	10	0	0	26	
						9497	10733	348	17	160	48	176	0	0	0	0	27	103	34	4	344	
						3958	3889	62	2	53	17	21	0	0	0	0	2	38	0	1	63	
						545	657	8	0	5	3	9	0	0	0	0	0	0	0	0	9	
						592	639	11	3	5	4	6	0	0	0	0	0	2	0	0	9	

632	Carnwath—(1) Carnwath, (2) Forth, and (3) Haywood Tarbrax,	1780 1790 2267	1737 2031 2678	31 48 106	1 3 3	20 34 50	9 12 12	18 13 48	0 0 0	0 0 0	0 0 0	4 7 6	9 44 35	0 6 4	0 0 1	0 0 0	31 70 94
633a	Carstairs,	1893	1878	41	3	23	14	18	0	0	0	2	6	0	1	0	27
633b	Cathcart— <i>Lanark portion</i> ,	26955	44284	658	19	850	370	484	0	4	0	22	143	3	18	0	674
634	Covington and Thankerton,	314	385	9	0	7	1	2	0	0	0	0	0	0	0	0	12
635	Crawford—(1) Crawford, (2) Leadhills,	719 895	681 839	16 12	1 1	7 23	3 2	8 5	0 0	0 0	0 0	0 1	4 1	0 1	0 0	0	9
636	Crawfordjohn,	707	617	11	1	10	1	9	0	0	0	1	0	0	0	0	10
637	Culter,	392	372	5	0	11	3	4	0	0	0	0	0	0	0	0	4
638	Dalserf—(1) Larkhall, (2) Dalserf,	12034 4088	14202 4427	479 131	19 6	183 67	89 12	167 58	0 0	0 0	0 0	36 18	231 32	11	18	0	463
639	Dalziel,	37257	47503	1412	60	711	275	617	0	0	0	114	549	53	15	0	1352
640	Dolphinton,	250	245	6	0	2	3	3	0	1	0	0	1	0	0	0	5
641	Douglas,	2397	2509	85	7	28	11	57	0	0	0	6	28	0	0	0	91
642	Dunsyre,	200	175	2	0	0	1	1	0	0	0	0	0	0	0	0	1
643	East Kilbride,	3948	3977	77	4	103	9	34	0	0	0	3	19	1	5	0	62
644	Glasgow—(1) Bridgeton, (2) Camlachie, (3) Calton, (4) Dennistoun, (5) Garnagadhill, (6) Springburn, (7) Possilpark, (8) St. Rollox, (9) Milton, (10) Blythswood, (11) Anderston, (12) Hillhead, (13) Kelvin, (14) Maryhill, (15) Hutchesontown, (16) Govanhill, (17) Gorbals, (18) Pollokshields, (19) Shettleston (20) Plantation (21) Govan (22) Partick	49900 51508 67861 31903 28126 25988 17801 42886 30188 58030 34279 52688 25878 33612 66300 34161 21955 31980 51850 54298	52062 1439 1533 1266 60372 38209 34583 30438 21421 37064 43957 1166 424 31755 1244 57991 39449 817 603 32046 34031 1756 66849	1439 1533 1266 692 1003 683 538 1878 947 424 38601 1027 738 52257 817 603 732 450 746 438 438 1577 784	84 87 105 64 97 22 40 559 177 77 89 9 50 84 43 109 27 72 110 68	1089 742 776 2027 1202 623 750 662 744 316 1038 1235 572 358 732 450 746 438 438 1577 784	186 348 1040 344 201 238 415 2670 816 383 473 208 432 174 412 408 148 173 415 484	854 892 879 441 352 306 514 249 800 334 555 411 666 500 701 342 457 417 715 992	0 1 0 0 3 0 0 5 1 1 0 2 0 6 0 0 0 0 0 0 0	8 18 3 6 2 0 7 8 2 0 6 0 0 0 0 0 0 0 15 32	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	148 407 445 255 193 284 311 176 390 189 68 209 76 274 255 347 367 1281 173 253 276 705 437	28 55 13 10 14 10 16 18 38 4 15 14 32 41 10 54 22 17 21 100 44	37 55 86 30 31 11 15 172 61 31 68 68 32 14 131 15 67 27 14 53 90 69	1482 1582 1385 735 946 738 566 1755 913 415 1213 461 971 779 1365 899 1281 627 813 861 1766 1703	

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1918.			VACCINATIONS, 1917.										
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1917.			
				Total.	Illegitimate.			On the ground of previous Successful Vaccination.	Constitutional Insusceptibility.	On the ground of Children having already had Small-pox.							
645	LANARK—continued.	1321	1312	32	1	18	6	18	0	0	0	0	0	10	0	0	28
647	Glasford, (646 Govan—Now merged in 644 supra.)	40372	46419	1327	71	666	281	459	1	3	0	98	12	639	8	1220	
648	Hamilton,	8103	8978	165	9	150	73	67	0	1	0	7	3	51	6	135	
649	Lesmahagow—(1) Lesmahagow, (2) Kirkfieldbank,	9808	10641	314	18	167	55	133	0	0	0	22	1	135	9	300	
650	Libberton,	432	1349	17	4	24	3	14	0	0	0	0	0	4	0	18	
651	New Monkland,	36786	461	7	2	5	2	6	0	0	0	0	0	2	0	8	
652	Old Monkland—(1) Western, (2) Coatbridge, (3) Eastern,	10653	38116	1064	49	577	233	548	3	5	0	80	26	375	26	1063	
653	Pettinain,	271	12472	347	5	169	91	226	0	0	0	32	12	57	3	330	
654	Rutherglen,	20934	46058	1313	74	802	253	733	3	0	0	100	12	414	17	1279	
655	Shotts—(1) Middle District, (2) Eastern do., (3) Western do., (4) Northern do.,	2823	2496	80	4	42	6	16	0	2	0	2	4	37	1	62	
656	Stonehouse,	3665	261	2	0	1	1	6	0	0	0	0	0	0	0	6	
657	Symington,	388	28343	578	18	318	224	256	0	1	0	47	26	247	6	583	
658	Walston,	283	3270	66	6	212	10	30	0	0	0	3	5	32	0	70	
659	Wandell and Lamington,	362	3690	166	5	57	20	46	0	0	0	4	3	80	1	134	
660	Wiston and Robertson,	412	4559	151	12	91	29	49	0	0	0	8	2	54	7	120	
			1263	33	0	24	16	11	0	0	0	1	7	8	0	27	
			3688	107	5	56	15	14	0	0	0	8	10	62	0	94	
			420	3	0	6	2	4	0	0	0	1	0	2	0	7	
			255	3	0	5	1	3	0	0	0	1	0	0	0	4	
			271	4	0	1	1	0	0	0	0	0	0	0	0	0	
			400	3	0	4	2	2	0	0	1	0	0	1	0	3	

	14717	18942	313	16	211	80	163	0	1	0	18	120	12	2	316
562 Eastwood— <i>Lanark portion</i> , .															
575 (2) Scotstoun and Yoker— <i>Lanark portion</i> , .	3907	9716	172	4	166	46	92	0	3	0	13	67	5	11	191
Total,	1362815	1486081	37083	2758	26175	13193	19265	53	205	0	3404	11828	937	1374	37066
24. LINLITHGOW.															
661 Abercorn, .	866	933	14	1	15	0	14	0	1	0	4	2	0	0	21
662 Bathgate—(1) Bathgate, .	9371	11812	317	17	138	56	138	0	0	0	28	115	2	6	289
663 Borrowstounness, etc.—	4633	5847	158	5	104	27	65	0	0	0	16	92	7	1	181
(1) Borrowstounness, .	7921	9260	223	9	105	49	106	0	0	0	17	83	5	1	212
(2) Carriden, .	3552	4774	130	4	58	29	77	0	0	0	10	32	8	0	127
(664 Carriden.— <i>Now 663 (2) supra.</i>)															
665 Dalmeny—(1) Dalmeny, .	1523	1629	53	2	25	10	17	0	0	0	0	10	0	6	33
666 Ecclesmachan, .	2557	3510	111	1	100	20	16	0	0	0	5	26	0	10	57
667 Kirkliston— <i>Linlithgow portion</i> , .	681	1449	16	0	78	4	6	0	0	0	2	4	0	0	12
668 Linlithgow, .	3169	4467	138	6	55	52	81	0	0	0	5	13	3	1	103
669 Livingstone—(1) Livingstone, .	8076	7567	179	8	185	52	92	0	0	0	7	27	2	31	159
(2) Blackburn, .	906	1641	72	2	36	9	32	0	0	0	8	11	2	6	59
(670 Queensferry.— <i>Now 665 (2) supra.</i>)	1858	2073	73	9	29	3	30	0	0	0	7	27	1	1	66
671 Torphichen—(1) Torphichen, .	1377	1562	31	0	19	3	14	0	1	0	2	19	0	0	36
(2) Blackridge, .	1848	2486	87	4	45	10	13	0	2	0	8	58	3	2	86
672 Uphall, .	10535	12766	380	20	180	61	171	0	2	0	13	117	3	4	310
673 Whitburn—(1) Whitburn, .	3318	4456	221	11	91	29	79	0	2	0	9	100	12	1	203
(2) Fauldhouse, .	3517	3923	148	11	56	21	60	0	0	0	6	69	0	6	141
Total,	65708	80155	2313	108	1319	403	1011	0	8	0	147	805	48	76	2095

No. of District.	REGISTRATION DISTRICTS.			POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.			VACCINATIONS, 1917.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	674	675	676	677	678	679	680	681	682	683	685	686	687	688	689	690	691	692	Total Births for 1917.	Unaccounted for through removal from District before Vaccination, or otherwise.	Medical Certificate of Postponement.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Insusceptible of Vaccine Disease.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
																								Total	Births.	Deaths.	Marr- riages.	On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
																															1901	1911																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
25. EDINBURGH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	Borthwick,	1237	1304	23	1	13	3	0	0	0	0	0	0	0	0	0	0	0	16	3	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	5301	6017	92	4	101	21	52	0	47	0	674	1964	266	330	8853
693 Liberton,	5301	6017	92	4	101	21	52	0	1	0	0	16	6	0	80
694 Mid-Caldor,	3132	3500	83	1	32	12	44	0	0	0	2	9	3	1	59
695a Newbattle,	3754	3997	165	6	45	21	73	0	0	0	8	23	27	0	131
695b New Craighall,	2114	2818	74	4	38	7	29	0	0	0	12	45	0	8	94
696 Newton,	1098	1136	24	2	16	8	14	0	0	0	3	2	1	0	20
697 Penicuik,	0090	2305	75	1	55	20	60	0	0	0	7	18	0	5	90
698a Ratho,	1096	1888	31	2	22	11	24	0	0	0	0	4	2	0	30
698b Stobhill,	4231	1317	118	4	61	17	23	0	0	0	6	72	0	0	101
699 Stow,	1560	1317	16	0	22	5	10	0	0	0	2	6	0	0	18
700 Temple,	385	363	6	2	4	1	7	0	0	0	0	2	0	0	9
701 West Calder,	8092	7710	203	8	100	49	118	0	0	0	20	34	0	10	182
667 Kirkliston—Edinburgh portion,	735	831	8	1	6	2	13	0	0	0	0	0	0	0	13
Total,	488796	507666	9012	1006	8624	4913	3565	7	47	0	674	1964	266	330	8853
26. HADDINGTON.															
702 Aberlady,	950	963	14	1	14	1	11	0	1	0	1	0	0	1	14
703 Athelstaneford,	635	666	12	0	13	1	6	0	0	0	1	1	0	1	9
704 Bolton,	288	256	3	0	2	0	2	0	0	0	0	0	0	0	2
705 Dirleton,	1810	2062	40	2	39	11	36	0	1	0	0	3	0	2	42
706 Dunbar,	5031	4830	78	7	68	34	56	0	0	0	10	12	7	0	85
707 Garvald,	628	511	9	0	9	0	10	0	0	0	0	0	0	0	10
708 Gladsmuir,	1481	1433	40	3	15	5	15	0	0	0	1	8	1	0	25
709 Haddington,	5126	5424	60	5	140	32	56	0	0	0	12	7	1	0	76
710 Humbie,	720	679	13	1	4	1	9	0	0	0	0	2	0	0	11
711 Innerwick,	782	676	13	2	13	2	8	0	0	0	0	0	1	0	9
712 Morham,	201	199	4	0	4	0	3	0	0	0	0	0	0	0	3
713 North Berwick,	3649	3968	48	6	47	19	34	0	0	0	1	1	0	0	36
714 Oldhamstocks,	429	404	6	1	7	0	0	0	0	0	0	0	0	0	10
715 Ormiston,	1190	1598	45	2	17	9	33	0	0	0	3	16	0	2	54
716 Pentcatland,	1112	1273	30	1	14	4	8	0	1	0	0	14	0	0	23
717 Prestontkirk,	1673	1634	25	1	38	2	19	0	0	0	1	0	0	0	20
718 Prestonpans,	3382	4722	137	6	55	33	88	0	0	0	3	42	0	5	138
719 Salton,	431	386	6	0	6	4	2	0	0	0	0	0	0	1	3
720 Spott,	423	386	5	0	9	1	7	0	0	0	1	2	0	0	10
721 Stenton,	511	461	12	3	2	2	9	0	0	0	0	2	0	0	11
722 Trautent,	6117	8677	249	5	112	31	107	0	0	0	22	119	3	1	252
723 Whitekirk and Tynninghame,	835	776	9	0	6	2	7	0	0	0	1	1	0	0	9

No. of District.	REGISTRATION DISTRICTS.		POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.			VACCINATIONS, 1917.							
			1911		Births.	Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1917.
			1901	1911				Total.	Illegit- imate.	On the ground of Constitutional Insusceptibility.					
724	HADDINGTON—continued.		521	523	5	1	5	2	0	0	0	0	0	0	9
725	Whittinghame,		730	747	14	1	18	1	0	0	0	0	1	0	15
	Yester,								3	0	0	57	231	13	876
	Total,		38665	43254	877	48	657	197	0	0	0				
27. BERWICK.															
726	Abbey St. Bathans,		213	229	2	1	2	1	0	0	0	0	3	0	4
727	Ayton,		1629	1577	15	1	21	6	0	0	0	0	4	0	33
728	Bankle and Preston,		629	562	13	0	7	5	0	0	0	0	0	0	5
729	Channellkirk,		568	478	7	0	6	0	0	0	0	2	0	0	22
730	Chrisside,		1580	1508	27	2	22	7	0	0	0	0	4	0	10
731	Cockburnspath,		982	997	12	1	9	3	0	0	0	0	0	0	33
732	Coldingham—(1) Coldingham, (2) Grantshouse,		2315	2313	35	5	32	7	1	0	0	1	12	2	11
			495	436	4	1	2	1	0	0	0	1	2	0	27
			2281	2182	37	1	34	11	0	0	0	1	0	0	1
733	Coldstream,		159	125	0	0	1	0	0	0	0	0	0	0	24
734	Cranshaws,		3189	3042	49	3	44	7	0	0	0	0	7	3	19
735	Duns,		1077	1749	22	3	29	14	0	0	0	0	8	0	22
736	Earlston,		1433	1449	21	1	15	8	0	0	0	1	4	0	11
737	Eccles,		1290	1204	21	4	12	6	0	0	0	1	1	0	54
738	Edrom,		2487	2561	49	4	34	19	0	0	0	2	27	3	5
739	Eyemouth,		445	389	4	0	3	3	0	0	0	0	0	0	3
740	Fogo,		386	313	4	0	2	1	1	0	0	0	0	0	2
741	Foulden,		791	711	17	3	11	8	0	0	0	0	0	0	4
742	Gordon,		1015	941	14	1	8	5	0	0	0	1	5	0	15
743	Greenlaw,		311	298	2	1	5	2	0	0	0	0	0	0	5
744	Hume,														

745	Hutton,	750	682	9	1	10	0	6	0	0	0	0	0	0	0	6
746	Lady Kirk,	316	315	7	0	4	1	2	0	0	0	0	0	0	0	2
747	Langton,	398	408	6	0	3	4	3	0	0	0	0	0	0	0	3
748	Lauder,	1401	1336	16	0	20	3	15	0	0	0	0	0	0	1	17
749	Legerwood,	431	401	2	0	6	2	5	0	0	0	1	1	0	0	8
750	Loughnamana,	281	263	1	0	5	0	0	0	0	0	0	0	0	0	0
751	Merton,	576	532	8	0	8	2	12	0	0	0	1	0	0	0	13
752	Mordington,	254	292	4	0	4	0	4	0	0	0	1	0	0	1	6
753	Nenthorn,	416	356	5	0	2	0	6	0	0	0	0	0	0	0	0
754	Polwarth,	203	197	0	0	1	0	0	0	0	0	0	0	0	0	0
755	Swinton,	791	727	11	2	1	3	14	0	0	0	0	1	0	0	15
756	Westruther,	504	503	9	0	1	1	5	0	0	0	0	0	0	0	5
757	Whitsome,	525	492	12	1	6	2	8	0	0	0	0	0	0	1	10
	Total,	30824	29643	445	38	370	137	288	0	3	0	11	82	13	7	404
28. PEBBLES.																
(758 Broughton.—Merged in 763.)																
759	Drumelzier,	194	164	5	0	3	0	2	0	0	0	0	0	0	0	2
760	Eddlestone,	535	589	9	0	4	1	5	0	0	0	0	3	1	0	9
762	(761 Glenholm.—Merged in 763.)															
	Inverleithen—(1) Innerleithen,	2410	2788	29	2	24	12	22	0	0	0	2	9	0	0	33
	(2) Walkerburn,	1217	1331	9	1	16	8	10	0	0	0	0	0	0	0	10
763	Kilbucho, Broughton, and															
	Glenholm,	862	668	10	0	5	3	5	0	1	0	0	1	0	0	7
764	Kirkurd,	293	253	2	0	5	0	3	0	0	0	0	1	0	0	4
765	Lyne,	98	125	2	0	2	0	2	0	0	0	0	0	1	0	3
766	Manor,	257	261	3	0	5	1	1	0	0	0	0	2	0	0	3
767	Newlands,	564	590	11	0	7	3	8	0	0	0	1	0	0	0	9
768	Peebles,	5810	6112	64	4	94	25	44	0	0	0	2	17	0	10	73
769	Skirling,	230	241	3	2	6	1	4	0	0	0	0	2	0	0	6
770	Stobo,	401	350	3	0	3	0	2	0	0	0	0	2	1	0	5
771	Traquair,	618	559	8	1	9	2	5	0	0	0	1	1	0	0	7
772	Tweedsmuir,	435	198	1	0	2	1	0	0	0	0	0	0	0	0	0
773a	West Linton,	1110	1000	12	2	10	3	10	0	0	0	0	2	0	0	12
774a	Caddonfoot—Peebles portion, . .	32	29	2	0	1	0	0	0	0	0	0	0	0	0	0
	Total,	15066	15258	173	12	196	60	123	0	1	0	6	40	3	10	183

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.	BIRTHS, DEATHS, AND MARRIAGES. 1918.	VACCINATIONS, 1917.									
				Births.	Deaths.	Mar- riages.	In- suscip- tible of Vaccine Disease.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccina- tion, or otherwise.	Total Births for 1917.	
				Total.	Illegi- timate.		On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the children having already had Small-pox.				
	29. SELKIRK.	1901	1911										
773b	Ashkirk,	404	329	7	0	3	0	0	1	0	0	5	
774a	Caddonfoot— <i>Selkirk portion</i> ,	663	709	13	2	3	0	0	2	0	0	8	
774b	Ettrick,	331	344	9	0	6	0	0	1	0	0	6	
775	Galashiels,	13969	14919	181	15	192	0	0	90	1	0	178	
776	Kirkhope,	339	384	7	1	4	0	0	0	0	0	4	
	(777 <i>Roberton</i> .— <i>Now 802b infra</i> .)												
778	Selkirk,	7090	7406	65	3	78	0	0	20	4	0	75	
779	Yarrow—(1) Yarrow,	427	436	3	0	3	0	1	1	0	0	5	
	(2) Megget,	73	74	1	0	1	0	0	0	0	0	3	
	Total,	23556	24601	286	21	290	0	1	115	5	0	284	
	30. ROXBURGH.												
780	Ancrum,	973	968	10	0	13	0	0	1	1	0	11	
	(781 <i>Ashkirk</i> .— <i>Now 773b supra</i> .)												
782	Bedrule,	206	188	3	1	2	0	0	0	0	0	3	
783	Bowden,	660	659	10	2	5	0	0	0	0	1	6	
784	Castleton,	1872	1934	33	7	29	0	0	5	1	0	24	
785	Cavers—(1) Cavers,	559	588	9	1	8	0	0	1	0	0	7	
	(2) Kirktown,	691	709	8	1	17	0	0	2	0	0	7	
786	Crailing,	501	465	10	3	6	0	0	1	0	0	9	
787a	Eckford,	707	711	13	0	9	0	0	1	0	0	8	
787b	Edgerston,	262	214	2	0	1	0	0	0	0	0	1	
788	Ednam,	523	495	6	1	5	0	0	0	0	0	6	

	18502	18021	243	21	280	134	129	0	0	0	20	92	4	2	247
789 Hawick,	552	545	14	1	5	1	8	0	0	0	1	1	2	0	12
790 Hobkirk,	192	193	5	0	0	0	3	0	0	0	0	0	0	0	3
791 Hownam,	4318	3806	41	4	80	33	29	0	0	0	2	11	0	1	43
792 Jedburgh,	4525	4471	54	2	99	25	25	0	0	0	2	17	2	0	46
793 Kelso,	(794 Kirkcubbin.—Now 785 (2) <i>supra</i> .)														
795 Lilliesleaf,	592	547	6	0	14	3	5	0	0	0	0	2	2	0	9
796 Linton,	405	407	5	1	6	5	5	0	0	0	0	0	0	0	5
797 Makerston,	337	295	6	0	1	3	4	0	0	0	0	0	0	0	4
798 Maxton,	411	380	8	1	1	4	9	0	0	0	0	0	0	0	9
799 Melrose—(1) Melrose	4148	4150	42	3	93	16	35	0	0	0	1	0	1	0	37
(2) Langshaw,	559	500	8	0	8	1	4	0	0	0	0	1	2	0	8
800 Minto,	427	348	7	1	6	2	3	0	0	0	0	1	0	0	5
801 Morebattle,	779	740	10	1	9	9	6	0	0	0	0	0	0	1	7
802a Oxburn,	624	566	6	1	1	3	7	0	0	0	0	0	0	0	7
802b Oxburn,	397	436	12	3	7	0	2	0	0	0	0	1	0	1	4
803 Roxburgh,	835	793	12	1	7	4	9	0	0	0	0	0	0	0	11
804 St. Boswells,	940	977	12	1	7	3	8	0	0	0	1	2	0	0	7
805 Smalholm,	341	292	4	1	5	1	4	0	0	0	0	0	3	0	8
806 Southdean,	530	507	3	0	5	1	8	0	0	0	0	0	0	0	8
807 Sprouston,	911	876	15	2	8	4	7	0	0	0	1	0	0	0	7
808 Stichel,	304	275	3	1	6	0	5	0	0	0	1	0	1	0	10
809 Teviothead,	419	381	2	0	4	2	6	0	0	0	0	4	0	0	6
(810 Wilton.—Merged in 789.)															
811 Yetholm,	802	755	6	2	12	2	5	0	0	0	1	0	0	0	6
Total,	48804	47192	625	63	759	284	287	0	0	0	38	143	19	8	505

	18502	18021	243	21	280	134	129	0	0	0	20	92	4	2	247
812 Annan,	6378	6261	128	13	104	68	66	0	0	0	7	58	0	16	147
813a Applegarth,	807	821	12	2	14	3	7	0	0	0	0	1	0	0	8
813b Brydekirk,	832	751	18	3	18	2	13	0	0	0	0	3	0	1	17
814 Camulbie,	1959	1838	45	6	33	14	26	0	0	0	4	4	0	0	34
815 Carlaverock,	841	811	17	2	12	3	6	0	1	0	0	8	2	0	17
816 Closeburn,	1275	1244	15	1	16	9	15	0	0	0	1	0	1	1	18
817 Cummertrees,	938	1027	16	4	13	2	11	0	0	0	3	5	0	1	20

31. DUMFRIES.

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.			VACCINATIONS 1917.									
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1917.		
				Total.	Illegitimate.			On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the children having already had Small-pox.						
818	DUMFRIES—continued.															
819	Dalton,	563	589	9	1	8	4	0	0	0	0	0	0	0	9	
820	Dornock,	871	820	75	1	22	22	0	0	0	14	2	2	42		
821	Dryfesdale,	3130	3188	58	9	56	18	0	0	0	9	0	2	54		
822	Dumfries,	18146	19076	358	35	519	228	2	0	0	155	6	13	352		
823	Dunscore,	1055	1027	15	4	20	4	0	0	0	1	0	0	14		
824	Dunsdeer,	970	849	18	2	9	6	0	0	0	2	0	0	11		
825	Eskdalemuir,	441	392	7	0	6	1	0	0	0	0	0	0	7		
826	Ewes,	261	247	1	0	1	0	0	0	0	0	0	0	3		
827	Glencairn,	1490	1410	13	2	20	7	0	0	0	0	0	0	10		
828	Graitney (or Gretna),	1250	1212	96	7	59	43	0	0	0	33	0	16	80		
829	Halfmorton,	346	319	11	2	2	2	0	0	0	0	0	0	3		
830	Hoddon,	1415	1258	17	3	15	8	0	0	0	2	0	3	30		
831	Hollywood,	938	865	22	1	18	1	0	0	0	1	2	0	13		
832	Hutton,	663	630	6	1	10	3	0	0	0	0	0	0	11		
833	Johnstone,	800	751	13	1	11	3	0	0	0	0	0	1	10		
834	Keir,	540	538	3	0	5	0	0	0	0	2	0	0	10		
835	Kirkconnel,	1248	2144	97	10	63	14	0	0	0	13	6	1	90		
836	Kirkmahoe,	1106	1080	23	3	9	4	0	0	0	6	0	0	20		
837	Kirkpatrick,	748	725	15	2	10	1	0	0	0	1	0	3	19		
	Kirkpatrick-Fleming— (1) Northern, (2) Southern,	355	298	6	0	2	1	0	0	0	5	0	0	8		
838	Kirkpatrick-Juxta,	1111	1056	29	3	26	9	0	0	0	3	3	2	21		
839	Langholm,	980	998	18	1	14	6	0	0	0	0	0	2	17		
840	Lochmaben,	3500	3302	42	4	52	18	0	0	0	5	3	1	42		
841	Middlebie— (1) Northern District, (2) Southern District,	2388	2355	36	5	47	6	0	0	0	5	4	1	38		
	Middlebie,	654	636	11	1	5	1	0	0	0	1	0	4	12		
		1169	1086	28	3	9	4	0	0	0	6	0	2	19		

	2799	2702	33	3	47	16	23	0	0	0	108	437	41	75	1432
842 Moffat,	2799	2702	33	3	47	16	23	0	0	0	0	2	9	0	34
843 Morton,	1872	1820	37	1	33	13	21	0	0	0	0	1	0	0	24
844 Monswald,	475	493	11	3	7	3	3	0	0	0	0	4	0	0	8
845 Penpont,	923	831	10	1	14	5	14	0	0	0	0	0	1	0	15
846 Ruthwell,	766	770	12	2	8	4	14	0	0	0	0	0	0	1	15
847 St. Mungo,	567	573	6	0	5	4	4	0	0	0	0	2	0	0	6
848 Saughbar,	2409	2428	50	2	37	14	31	0	0	0	3	21	0	0	55
849 Thirwald,	741	728	18	3	15	3	9	0	0	0	1	1	0	0	11
850 Torthorwald,	779	788	21	2	15	8	5	0	0	0	1	10	0	1	17
851 Tindergarth,	403	399	8	1	8	2	4	0	0	0	1	0	0	0	5
852 Tynron,	334	309	4	0	5	1	6	0	0	0	0	1	0	0	7
853a Wamphray,	396	369	11	1	1	1	6	0	0	0	2	1	0	0	9
853b Waulkerhead,	624	618	15	1	24	8	8	0	1	0	1	3	0	0	13
854 Westerkirk	415	393	3	0	4	2	7	0	0	0	0	0	0	0	7
Total,	72571	72825	1317	152	1451	599	766	2	3	0	108	437	41	75	1432
32. KIRKCOUDBRIGHT.															
855 Anwoth,	651	688	11	0	9	1	5	0	0	0	0	1	0	0	6
856 Balmacellan,	546	494	5	0	4	1	7	0	0	0	0	1	0	0	8
857a Balnaghie,	802	770	11	1	10	1	18	0	0	0	0	1	0	0	19
857b Bargreunan—Kirkcudbright- portion,	195	180	3	0	2	1	3	0	0	0	0	0	0	0	3
858 Borge,	1045	1023	20	6	13	4	26	0	0	0	1	0	0	0	27
859 Buttle,	879	825	14	2	9	4	9	0	0	0	0	4	0	0	13
860 Carsphairn,	351	360	2	0	5	2	3	0	0	0	0	2	0	0	5
861 Colvend—(1) Colvend, (2) Southwick,	695	696	6	0	12	4	9	0	0	0	1	1	0	1	12
862 Corsock Bridge,	476	447	6	0	3	4	4	0	0	0	0	0	0	0	4
863 Crossmichael,	406	356	2	4	7	3	2	0	0	0	0	3	0	1	6
864 Dalbeattie,	1231	1100	28	4	18	4	9	0	0	0	2	2	0	0	13
865 Dalry,	3670	3553	52	5	62	22	26	0	0	0	1	19	0	0	46
866 Girthon,	826	807	20	2	15	4	11	0	0	0	0	0	0	1	12
867 Irongray,	1299	1174	11	2	9	8	12	0	0	0	0	1	0	0	14
868 Kelso,	701	594	15	4	8	3	9	0	0	0	1	0	0	0	10
869 Kilton,	878	847	8	0	10	5	12	0	0	0	0	0	0	0	12
870 Kirkbean,	3734	3746	57	6	53	22	39	0	0	0	3	12	0	2	56
	685	711	15	3	8	4	6	0	0	0	2	0	0	0	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1918.				VACCINATIONS, 1917.					
		1901	1911	Births.		Deaths.	Marr- iages.	Insusceptible of Vaccine Disease.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1917.
				Total.	Illegit- imate.								
KIRKCUDBRIGHT—continued.													
871	Kirkcudbright,	3309	3116	49	11	42	11	0	4	8	1	0	40
872	Kirkgunzeon,	527	497	17	3	6	3	0	2	0	0	0	9
873	Kirkmabreck,	1859	1549	18	1	19	8	0	0	0	0	0	17
874	Kirkpatrick-Durham,	818	795	6	1	20	6	0	1	1	0	2	6
875	Lochnut,	497	484	8	1	5	2	0	0	0	1	0	6
876	Minnigaff,	1114	1022	13	2	15	5	0	1	0	0	0	16
877	New Abbey,	957	742	17	0	17	4	0	1	3	0	0	21
878	Parton,	436	421	3	1	2	2	0	0	0	1	0	7
879	Rerrick,	1356	1293	27	3	17	6	0	2	0	0	0	19
880	Terregies,	454	439	10	0	4	2	0	1	2	0	0	8
881	Tongland,	693	751	6	0	2	3	0	0	3	0	0	19
882	Troqueer,	6599	7050	141	16	91	23	0	11	51	1	10	124
883	Twynholm,	718	758	9	0	10	5	0	0	0	0	0	12
884	Urr,	1066	983	17	1	12	2	0	0	1	0	1	9
Total,				627	75	519	181	0	35	118	4	18	587
33. WIGTOWN.													
885	Glasserton,	887	920	20	3	10	3	0	1	0	0	0	10
886	Inch,	1987	1860	35	2	28	13	0	5	5	1	2	39
887	Kirkcolm,	1506	1507	40	5	22	8	0	2	2	0	2	24
888	Kirkcowan,	1153	1244	20	0	23	4	0	2	2	1	2	23
889	Kirkinner,	1255	1206	20	3	10	10	0	4	2	1	1	24
890	Kirkmaiden,	1943	1792	30	10	34	4	0	0	3	2	0	38

891	Leswalk,	979	987	17	3	16	4	11	0	1	0	2	4	66	14	17	513
892	Meelrum,	1958	1822	23	1	19	8	22	0	0	0	4	2	2	2	0	20
893	New Luce,	557	481	9	0	5	2	6	0	0	0	0	0	0	0	0	31
894	Old Luce (or Glenluce),	2157	2096	40	6	24	9	24	0	0	0	0	0	0	0	2	8
895	Penninghame,	3223	2965	47	6	49	18	37	0	0	0	1	2	2	1	0	30
896	Portpatrick,	1136	1097	13	0	14	6	15	0	0	0	0	0	3	0	0	41
897	Sorlie,	1373	1354	21	2	21	8	17	0	0	0	1	1	5	0	0	19
898	Stoneykirk,	2430	2279	33	5	27	11	41	0	0	0	5	4	4	0	1	13
899	Stranraer,	6086	6444	129	15	142	35	54	0	0	0	8	26	3	3	7	51
900	Whithorn,	2235	2140	39	4	28	5	19	0	0	0	1	0	0	0	0	98
901	Wigtown,	1747	1710	29	1	24	5	18	0	0	0	2	2	2	0	1	20
857b	Bargrennan—Wigtown portion,	128	94	4	0	4	1	1	0	0	0	0	0	0	0	0	23
	Total,	32685	31998	578	66	500	154	374	0	3	0	39	0	0	0	0	1

CAUSES OF DEATH IN SCOTLAND IN 1918—BOTH SEXES.

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
All Causes - - - -	78,372	9836	8015	2407	1766	5725	6873	5951	7039	9072	10,711	10,904	23	
I. GENERAL DISEASES.														
1 Enteric Fever - - - -	125	-	2	9	15	35	20	22	15	6	1	-	-	
2 Typhus Fever - - - -	15	-	2	1	3	2	3	3	1	-	-	-	-	
4 Malaria - - - -	15	-	-	-	-	4	4	3	3	-	1	-	-	
5 (a) { Vaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Smallpox { Unvaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) { Vaccination Doubtful - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 Measles - - - -	1198	236	869	60	6	16	2	6	1	1	1	-	-	
7 Scarlet Fever - - - -	168	7	83	45	13	13	3	1	3	-	-	-	-	
8 Whooping-cough - - - -	1603	620	906	73	2	1	1	-	-	-	-	-	-	
9 (a) Diphtheria - - - -	699	45	391	195	41	15	7	-	2	2	1	-	-	
(c) Croup, Membr. Laryngitis (b) - - - -	57	6	34	16	-	-	-	-	1	-	-	-	-	
10 Influenza - - - -	1878	135	193	113	92	217	253	174	167	146	178	205	-	
13 Cholera Nostras - - - -	8	4	1	-	-	1	1	-	-	-	-	1	-	
14 Dysentery - - - -	10	1	1	-	-	1	3	1	2	-	-	1	-	
18 Erysipelas - - - -	83	12	5	1	3	7	6	4	9	12	10	14	-	
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - -	24	7	6	-	-	3	4	-	1	-	3	-	-	
20 (a) Pyæmia, Septicæmia (not Puer- peral) (b) - - - -	119	14	7	9	5	11	8	13	13	13	18	8	-	
(c) Vaccinia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
21 Glanders - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
22 Anthrax - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
23 Rabies, Hydrophobia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
24 Tetanus - - - -	20	6	3	2	-	1	-	1	2	2	3	-	-	
28 Pulmonary Tuberculosis, Phthisis - - - -	5053	20	99	109	221	1181	1181	994	728	386	117	17	-	
29 (a) Acute Phthisis - - - -	164	3	11	3	16	53	30	21	20	6	1	-	-	
(b) Acute Miliary Tuberculosis - - - -	65	3	6	10	7	18	14	-	1	3	3	-	-	
30 Tuberculous Meningitis - - - -	834	123	406	135	62	60	17	19	10	2	-	-	-	
31 Abdominal Tuberculosis - - - -	738	79	253	92	69	99	52	50	23	12	8	1	-	
32 Tuberculosis of Spine - - - -	172	-	10	20	28	35	25	20	10	9	13	2	-	
33 Tuberculosis of Joints - - - -	55	-	1	10	7	9	6	6	5	6	5	-	-	
35 Tuberculosis of other Organs, Dis- seminated Tuberculosis (34) - - - -	619	29	111	66	58	134	66	41	57	29	22	6	-	
36 Rickets, Osteomalacia - - - -	26	8	15	1	-	-	-	1	-	-	1	-	-	
37 Syphilis - - - -	177	130	7	1	-	2	5	7	10	11	3	1	-	
38 Other Venereal Diseases - - - -	9	6	-	-	-	1	1	-	1	-	-	-	-	
45 (a) Carcinoma - - - -	3213	-	-	-	1	7	49	248	640	923	896	449	-	
(b) Sarcoma - - - -	251	-	10	4	6	21	19	23	46	51	39	27	-	
(c) Malignant Disease, other or not defined - - - -	2008	-	1	1	1	8	37	135	372	587	540	326	-	
46 Other Tumours (Situation un- defined) - - - -	27	1	1	-	-	-	3	3	4	5	8	2	-	
47 Rheumatic Fever - - - -	151	1	3	14	29	27	17	18	16	15	8	3	-	
48 (a) Chronic Rheumatism - - - -	69	-	-	-	-	-	-	-	2	14	21	32	-	
(b) Osteo-arthritis - - - -	77	-	-	-	-	1	1	5	9	20	17	24	-	
(c) Gout - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
49 Scurvy - - - -	4	-	1	-	-	-	1	1	-	-	1	-	-	
50 Diabetes - - - -	440	1	4	2	14	48	46	41	40	105	100	39	-	
51 Exophthalmic Goitre - - - -	65	-	-	1	-	7	9	16	19	10	2	1	-	
52 Addison's Disease - - - -	23	-	-	-	-	2	4	5	3	6	2	1	-	
53 (a) Leucocythæmia - - - -	41	1	2	1	3	4	6	6	5	5	5	3	-	
(b) Lymphadenoma - - - -	45	1	-	3	2	5	6	8	10	5	3	2	-	
54 Anæmia, Chlorosis - - - -	463	9	3	4	4	18	25	52	88	116	114	30	-	
55 (b) Purpura - - - -	40	7	6	5	4	6	4	1	2	-	-	5	-	
(c) Hemophilia - - - -	7	4	1	-	-	-	1	1	-	-	-	-	-	
(d) Other General Diseases (a) - - - -	14	3	3	2	-	2	1	-	-	1	2	-	-	
56 Alcoholism - - - -	48	-	-	-	-	-	-	-	-	-	-	-	-	
57 Chronic Lead Poisoning - - - -	4	-	-	-	-	1	3	14	15	10	3	2	-	
58 Other Chronic Occupational Poisonings - - - -	3	-	-	-	-	1	2	-	2	1	-	-	-	
59 Other Chronic Poisonings - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	

Note.—Numbers in parentheses after names of Causes of Death indicate numbers of International Headings which have been included. Letters indicating sub-headings agree with those of the extended list of the Registrar-General of England and Wales.

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.													
60. Encephalitis - - - - -	96.	4	14	8	9	14	10	17	9	7	3	1	-
61. (a) Cerebro-spinal Meningitis -	124	14	24	7	13	45	11	6	2	2	-	-	-
(c) Meningitis, Basal, Nature unspecified (b)	991	250	368	109	55	66	46	36	24	24	10	3	-
62. Locomotor Ataxy - - - - -	81	-	-	-	-	-	5	14	27	21	12	2	-
63. Other Diseases of Spinal Cord -	393	2	9	4	9	18	32	43	67	79	88	42	-
64. Cerebral Hemorrhage, Apoplexy	4492	11	3	3	3	12	40	136	458	1061	1513	1252	-
65. Softening of Brain - - - - -	235	-	-	-	-	1	2	7	14	54	80	77	-
66. (a) Hemiplegia - - - - -	510	1	1	-	-	4	6	20	33	101	174	170	-
(c) Paralysis, Cause or Nature unspecified (b)	32	1	-	1	1	-	1	3	3	8	5	9	-
67. General Paralysis of Insane -	273	-	-	-	1	5	25	121	78	33	7	3	-
68. Other Insanity - - - - -	163	-	-	-	-	11	17	29	24	35	35	12	-
69. Epilepsy - - - - -	294	5	10	8	19	65	54	38	40	35	14	6	-
71. Convulsions (not Puerperal) (70)	672	457	195	10	2	3	-	2	1	2	-	-	-
72. Chorea - - - - -	14	-	-	2	2	3	2	-	-	2	3	-	-
73. Neuralgia, Neuritis - - - - -	32	-	-	-	-	3	-	2	7	5	7	8	-
74. (c) Cerebral Tumour - - - - -	118	2	6	5	7	10	15	27	24	14	6	2	-
(d) Other Diseases of Nervous System (a, b)	90	1	7	1	2	5	8	12	10	10	21	13	-
75. Diseases of Eye and Annexa -	10	2	-	-	-	1	1	1	-	2	2	1	-
76. (a) Mastoid Disease - - - - -	23	3	5	1	1	3	4	4	1	-	1	-	-
(b) Diseases of Ear - - - - -	93	13	12	9	8	18	12	8	9	3	1	-	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77. Pericarditis - - - - -	43	-	1	3	3	6	7	7	6	7	2	1	-
78. Acute Endocarditis - - - - -	179	1	5	7	12	22	23	30	50	26	3	-	-
79. (a) Valvular Disease - - - - -	3260	5	6	19	37	170	198	266	418	647	856	638	-
(b) Fatty Degeneration of Heart -	236	-	-	-	-	1	8	14	26	72	74	41	-
(c) Other Organic Diseases of Heart	2637	13	6	6	13	42	81	139	265	533	777	762	-
80. Angina Pectoris - - - - -	221	-	-	-	1	-	1	11	24	62	75	47	-
81. (a) Aneurysm - - - - -	123	-	-	-	-	4	2	19	42	34	15	7	-
(b) Arterio-sclerosis - - - - -	425	-	-	-	-	-	-	2	12	55	148	208	-
(c) Other Diseases of Arteries -	9	-	1	-	-	-	-	1	1	-	2	4	-
82. (a) Cerebral Embolism, Thrombosis	502	1	-	-	1	8	16	24	60	88	140	164	-
(b) Embolism and Thrombosis, not Cerebral	98	2	5	-	1	10	12	8	12	14	23	11	-
83. Diseases of Veins - - - - -	14	-	-	-	-	-	2	2	4	2	4	-	-
84. (a) Lymphatism, Status Lymphaticus	5	5	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	13	3	2	-	1	1	1	1	2	2	-	-	-
85. Hemorrhage, Other Diseases of Circulatory System	33	3	-	3	-	-	1	-	7	6	4	9	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86. Diseases of Nose - - - - -	7	2	2	-	-	1	-	-	1	-	-	1	-
87. (b) Laryngitis - - - - -	108	20	45	19	2	4	3	3	6	4	2	-	-
(c) Other Diseases of Larynx (a) -	36	15	16	2	-	-	1	1	1	-	-	-	-
88. Diseases of Thyroid - - - - -	33	-	-	-	1	1	2	-	4	7	13	5	-
90. Bronchitis (89) - - - - -	5217	673	349	56	37	95	162	253	458	825	1187	1122	-
91. Broncho-pneumonia - - - - -	5063	954	1569	293	133	381	563	293	241	237	229	170	-
92. Pneumonia - - - - -	9281	348	899	393	339	1585	2332	1108	837	658	507	230	-
93. Pleurisy - - - - -	322	1	21	6	12	33	33	38	35	53	59	31	-
94. (a) Pulmonary Apoplexy - - - -	6	-	-	-	-	-	1	2	1	2	-	-	-
(b) Pulmonary Congestion (c, d) -	507	90	66	14	3	30	37	25	29	37	80	96	-
95. Gangrene of Lung - - - - -	15	-	-	-	-	-	-	3	4	5	2	1	-
96. Asthma - - - - -	81	-	1	1	1	1	6	9	13	20	19	10	-
97. Pulmonary Emphysema - - - - -	25	-	-	-	1	-	3	3	-	8	5	5	-
98. (a) Fibroid Diseases of Lung - -	56	-	-	-	-	2	4	7	9	14	17	3	-
(b) Other Diseases of Respiratory System	24	1	-	1	-	2	2	2	3	4	8	1	-

	All Ages.	Age												75 and over	Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-				
V. DIS. OF DIGESTIVE SYSTEM.															
99 Dis. of Mouth, Teeth. Oral Sepsis	23	6	4	2	-	1	1	3	1	3	1	1	-	-	
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	67	7	15	13	4	5	2	3	7	4	3	4	-	-	
102 Gastric Ulcer - - - -	367	5	2	4	2	18	40	75	71	77	48	25	-	-	
103 Other Dis. of Stomach. Gastritis	524	151	59	13	6	17	13	21	34	58	68	84	-	-	
104 Diarrhoea, Enteritis (under 2 years)	1046	844	202	-	-	-	-	-	-	-	-	-	-	-	
105 Diarrhoea, Enteritis (over 2 years)	443	-	91	34	22	14	10	22	39	49	78	84	-	-	
107 Intestinal Parasites (106) - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis - - -	402	2	12	60	78	90	42	35	39	26	12	6	-	-	
109 (a) Hernia - - - - -	222	15	9	-	-	2	4	13	26	56	53	44	-	-	
(b) Intestinal Obstruction - - -	314	53	13	15	8	14	17	24	40	38	55	37	-	-	
110 Other Diseases of Intestine - -	219	11	8	3	1	9	15	38	40	43	37	14	-	-	
111 Acute Yellow Atrophy of Liver -	14	1	-	-	1	4	3	1	-	2	1	1	-	-	
112 Hydatids of Liver - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
113 Cirrhosis of Liver - - - -	139	-	1	3	1	2	6	11	30	50	30	5	-	-	
114 Gallstones - - - - -	92	-	-	-	-	2	1	4	18	29	21	17	-	-	
115 Other Diseases of Liver - - -	146	5	3	3	2	3	9	13	23	33	32	20	-	-	
116 Diseases of Spleen - - - -	9	-	1	-	2	-	2	1	-	2	1	-	-	-	
117 Peritonitis, cause not specified -	88	6	17	11	5	5	9	2	11	7	7	8	-	-	
118 Other Diseases of Digestive System	23	-	-	1	-	1	3	7	5	3	2	1	-	-	
VI. DISEASES OF GENITO- URINARY SYSTEM.															
119 Acute Nephritis - - - -	323	19	35	30	14	38	30	36	46	38	25	12	-	-	
120 (a) Bright's Disease - - - -	1700	2	7	4	16	51	105	175	294	381	418	247	-	-	
(b) Uremia - - - - -	84	1	1	-	-	5	8	9	17	12	18	13	-	-	
122 Other Dis. of Kidney, Chyluria (121)	62	3	5	2	3	-	6	6	10	7	12	8	-	-	
123 Urinary Calculus - - - -	30	-	-	-	-	1	3	5	4	5	8	4	-	-	
124 Diseases of Bladder - - - -	208	1	-	-	1	3	3	9	18	35	56	82	-	-	
125 Dis. of Urethra, Urinary Abscess	47	-	-	-	-	1	5	7	14	11	7	2	-	-	
126 Diseases of Prostate - - - -	237	-	-	-	-	-	-	2	7	31	90	107	-	-	
127 Diseases of Male Genital Organs (not Venereal)	8	2	1	-	-	-	-	-	2	2	1	-	-	-	
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	6	-	-	-	-	2	1	1	-	-	2	-	-	-	
129 Uterine Tumour (non-Cancerous)	48	-	-	-	-	-	3	14	15	11	2	3	-	-	
130 Other Diseases of Uterus - - -	25	-	-	-	-	1	8	5	6	2	1	2	-	-	
131 Cysts, and Other Tumours of Ovary	48	-	-	-	-	2	8	4	6	12	10	6	-	-	
132 Other Dis. of Female Genit. Organs	27	-	-	-	-	7	9	7	2	2	-	-	-	-	
133 Non-Puerperal Diseases of Breast	3	-	-	-	-	1	-	1	-	1	-	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134 (a) Abortion, Miscarriage - - -	102	-	-	-	-	22	56	24	-	-	-	-	-	-	
(c) Uncontrollable Vomiting - - -	8	-	-	-	-	-	4	4	-	-	-	-	-	-	
(d) Ectopic Gestation - - - -	7	-	-	-	-	1	1	5	-	-	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	27	-	-	-	-	6	10	9	2	-	-	-	-	-	
135 Puerperal Hæmorrhage - - -	83	-	-	-	-	7	37	36	3	-	-	-	-	-	
136 Other Accidents of Childbirth -	55	-	-	-	-	16	26	13	-	-	-	-	-	-	
137 Puerperal Sepsis - - - -	113	-	-	-	-	27	53	32	1	-	-	-	-	-	
138 Puerp. Albuminuria, Convulsions	100	-	-	-	-	34	42	22	2	-	-	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	20	-	-	-	-	5	6	9	-	-	-	-	-	-	
140 (a) Puerperal Insanity - - -	2	-	-	-	-	2	-	-	-	-	-	-	-	-	
(b) Other Puerperal Diseases - -	171	-	-	-	-	33	87	51	-	-	-	-	-	-	
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142 (a) Senile Gangrene - - - -	179	-	-	-	-	-	-	-	-	9	61	109	-	-	
(b) Noma, Cancrum Oris - - - -	10	1	6	3	-	-	-	-	-	-	-	-	-	-	
(d) Other Gangrene (c) - - - -	21	2	-	-	-	-	1	2	4	9	3	-	-	-	
143 Carbuncle, Boil - - - - -	24	2	1	-	-	2	-	3	6	2	4	4	-	-	
144 Phlegmon, Acute Abscess - - -	117	23	12	3	3	6	6	13	14	16	14	7	-	-	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	58	20	2	-	-	2	3	-	1	2	12	16	-	-	

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	73	7	11	13	14	9	1	2	4	6	4	4	-
147 Diseases of Joints	21	3	-	1	1	3	1	2	-	3	4	1	-
149 Other Dis. of Locomotor Syst. (148)	3	-	-	1	-	-	-	-	1	-	1	-	-
X. MALFORMATIONS.													
150 Congenital Malformations	435	385	32	6	4	7	1	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (a) Premature Birth	1898	1898	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1411	1411	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	255	255	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care	1	1	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (a) Senile Dementia	82	-	-	-	-	-	-	-	1	15	24	42	-
(b) Senile Decay	3191	-	-	-	-	-	-	-	-	-	749	2042	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162)	190	-	-	-	5	20	30	37	47	28	19	4	-
164 Poisoning by Food	15	1	4	3	1	2	1	1	2	-	-	-	-
165 Other Accidental Poisonings	23	-	1	2	-	1	2	4	8	2	3	-	-
167 Burns and Scalds (166)	375	14	165	50	20	26	15	15	11	14	19	26	-
168 Exposure to Poisonous Vapours	30	1	-	1	1	4	4	4	2	3	4	6	-
169 Drowning	434	1	35	26	19	60	63	64	64	46	26	9	21
170 Accidents with Fire Arms	29	-	1	2	3	6	5	1	6	2	3	-	-
171 Accidents with Instruments and Weapons	9	-	-	-	2	3	1	2	1	-	-	-	-
172 Accidental Falls	197	4	3	14	11	15	18	20	30	25	26	21	-
173 (a) Accidents in Coal Mines	143	-	-	-	6	38	81	28	28	7	5	-	-
(b) Accidents in Other Mines	3	-	-	-	-	1	1	1	-	-	-	-	-
(c) Accidents in Quarries	1	-	-	-	-	-	-	-	-	1	-	-	-
174 Accidents with Machinery	34	-	-	-	3	15	5	6	8	2	-	-	-
175 (a) Accidents on Railways	109	-	2	3	9	25	10	10	20	16	13	1	-
(b) Acc. with Horses and Vehicles	47	-	7	4	7	3	-	4	7	7	7	1	-
(c) Accidents with Motor Vehicles	79	-	7	19	5	7	8	6	8	10	7	2	-
(d) Accidents with Tramways	32	-	8	3	1	-	3	3	6	1	4	3	-
(e) Other Crushing Accidents	137	-	-	1	4	75	32	9	6	6	4	-	-
177 Hunger	1	-	-	-	-	-	-	-	-	1	-	-	-
180 Weather Agencies (178, 179)	23	-	-	-	1	2	1	1	3	5	4	5	1
183 (a) Overlying	36	36	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise)	53	29	4	-	1	2	3	5	4	2	2	1	-
(c) Other Accidents (176, 181, 185)	615	7	30	34	28	52	66	59	72	78	71	118	-
184 Homicide (182, 183)	23	14	1	1	1	1	2	-	1	2	-	-	-
190 Execution	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness)	225	-	-	-	-	97	95	29	3	-	-	-	1
XIV. ILL-DEFINED CAUSES.													
187 Dropsy	23	2	-	1	-	-	1	-	1	6	6	6	-
188 (a) Syncope	188	16	4	2	-	3	6	13	22	43	49	30	-
(b) Sudden Death (not otherwise defined)	14	1	-	-	-	-	1	-	-	4	2	5	-
189 (a) Heart Failure	736	32	11	5	-	9	14	45	72	155	218	175	-
(c) Teething	7	4	3	-	-	-	-	-	-	-	-	-	-
(d) Other Ill-defined Diseases (b, d)	93	1	56	3	-	2	-	2	2	25	1	1	-
(f) Dis. not Specified, Nat. Causes	440	106	20	7	10	12	12	23	32	51	60	107	-

CAUSES OF DEATH IN SCOTLAND IN 1918—MALES.

	All Ages	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
All Causes - - - - -	39,144	5627	4073	1174	835	2791	3308	3002	3772	4304	5361	4376	21	
I. GENERAL DISEASES.														
1 Enteric Fever - - - - -	61	-	2	5	7	11	12	11	8	4	1	-	-	
2 Typhus Fever - - - - -	7	-	-	1	-	3	1	1	1	-	-	-	-	
4 Malaria - - - - -	16	-	-	-	-	4	4	3	3	-	1	-	-	
5 (a) Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Smallpox { Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Vaccination { Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 Measles - - - - -	603	118	441	26	4	12	1	1	-	-	-	-	-	
7 Scarlet Fever - - - - -	82	6	39	21	9	5	2	-	-	-	-	-	-	
8 Whooping Cough - - - - -	755	320	402	31	1	1	-	-	-	-	-	-	-	
9 (a) Diphtheria - - - - -	337	26	191	91	18	8	3	-	-	-	-	-	-	
(c) Croup, Membr. Laryngitis (b)	40	4	24	11	-	-	-	-	1	-	-	-	-	
10 Influenza - - - - -	831	83	85	49	46	98	115	71	76	60	75	73	-	
13 Cholera Nostralis - - - - -	5	3	1	-	-	-	-	1	-	-	-	-	-	
14 Dysentery - - - - -	8	-	1	-	-	1	3	-	2	-	-	1	-	
18 Erysipelas - - - - -	42	5	2	-	3	2	2	1	5	9	7	6	-	
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	15	3	2	-	-	3	4	-	1	-	2	-	-	
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	60	9	4	5	2	8	4	5	5	8	7	3	-	
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
22 Anthrax - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
24 Tetanus - - - - -	17	4	3	2	-	1	-	-	2	2	3	-	-	
28 Pulmonary Tuberculosis, Phthisis	2,485	10	48	46	63	487	534	515	450	257	68	7	-	
29 (a) Acute Phthisis - - - - -	69	2	4	1	5	24	8	8	13	3	1	-	-	
(b) Acute Miliary Tuberculosis - - - - -	24	-	2	1	3	13	2	-	1	2	-	-	-	
30 Tuberculous Meningitis - - - - -	402	67	210	64	23	12	8	10	7	1	-	-	-	
31 Abdominal Tuberculosis - - - - -	350	48	137	39	30	41	18	21	7	5	4	-	-	
32 Tuberculosis of Spine - - - - -	80	-	4	10	17	21	11	5	4	3	4	1	-	
33 Tuberculosis of Joints - - - - -	27	-	1	6	2	3	3	4	1	5	2	-	-	
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	340	22	67	38	32	65	33	20	35	17	10	1	-	
36 Rickets, Osteomalacia - - - - -	15	4	10	1	-	-	-	-	-	-	-	-	-	
37 Syphilis - - - - -	101	75	2	1	-	2	2	5	3	10	1	-	-	
38 Other Venereal Diseases - - - - -	8	6	-	-	-	-	1	-	1	-	-	-	-	
45 (a) Carcinoma - - - - -	1,298	-	-	-	-	4	7	75	254	380	405	173	-	
(b) Sarcoma - - - - -	125	-	7	1	5	9	9	14	27	26	19	8	-	
(c) Malignant Disease, other or not defined	866	-	1	-	1	5	10	47	161	269	237	135	-	
46 Other Tumours (Situation undefined)	13	-	1	-	-	-	2	1	3	4	2	-	-	
47 Rheumatic Fever - - - - -	64	1	1	9	11	8	6	10	6	6	5	1	-	
48 (a) Chronic Rheumatism - - - - -	23	-	-	-	-	-	-	-	-	7	8	8	-	
(b) Osteo-arthritis - - - - -	12	-	-	-	-	-	1	1	1	3	4	2	-	
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
49 Scurvy - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
50 Diabetes - - - - -	210	-	3	2	8	23	25	30	17	43	41	18	-	
51 Exophthalmic Goitre - - - - -	8	-	-	-	-	2	2	2	2	2	-	-	-	
52 Addison's Disease - - - - -	10	-	-	-	-	2	1	3	-	3	1	-	-	
53 (a) Leucocythæmia - - - - -	19	-	2	-	3	2	3	1	3	3	1	1	-	
(b) Lymphadenoma - - - - -	28	1	2	1	4	4	3	6	5	1	1	1	-	
54 Anæmia, Chlorosis - - - - -	184	5	3	3	2	6	6	17	36	51	44	11	-	
55 (b) Purpura - - - - -	19	3	3	2	3	2	2	1	-	-	-	3	-	
(c) Hæmophilia - - - - -	5	2	1	-	-	-	1	1	-	-	-	-	-	
(d) Other General Diseases (a)	7	1	1	2	-	1	-	-	-	-	2	-	-	
56 Alcoholism - - - - -	30	-	-	-	-	-	3	7	9	8	1	2	-	
57 Chronic Lead Poisoning - - - - -	4	-	-	-	-	-	-	1	2	1	-	-	-	
58 Other Chronic Occupational Poisonings - - - - -	2	-	-	-	-	-	2	-	-	-	-	-	-	
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis - - - -	45	1	4	4	6	5	3	10	5	6	1	-	-
61 (a) Cerebro-Spinal Meningitis -	101	11	18	4	9	41	10	5	1	2	-	-	-
(c) Meningitis, Basal, Nature un- specified, (b)	532	141	203	49	27	31	24	17	16	16	7	1	-
62 Locomotor Ataxy - - - -	67	-	-	-	-	-	4	10	22	17	12	2	-
63 Other Diseases of Spinal Cord -	199	-	6	1	5	10	12	22	36	51	39	17	-
64 Cerebral Hemorrhage, Apoplexy	2,011	9	1	1	1	4	17	61	213	486	717	501	-
65 Softening of Brain - - - -	121	-	-	-	-	-	2	4	7	31	43	34	-
66 (a) Hemiplegia - - - -	204	1	1	-	-	3	2	7	20	39	78	53	-
(c) Paralysis, Cause or Nature unspecified, (b)	19	1	-	-	1	-	1	3	1	4	3	5	-
67 General Paralysis of Insane -	224	-	-	-	-	2	18	103	69	26	5	1	-
68 Other Insanity - - - -	75	-	-	-	-	5	8	12	10	21	14	5	-
69 Epilepsy - - - -	167	2	6	4	12	37	28	18	23	20	13	4	-
71 Convulsions (not Puerperal) (70)	384	276	98	5	1	3	-	-	1	-	-	-	-
72 Chorea - - - -	3	-	-	-	-	-	-	-	-	2	1	-	-
73 Neuralgia, Neuritis - - - -	15	-	-	-	-	2	-	1	2	4	4	2	-
74 (c) Cerebral Tumour - - - -	69	1	4	3	4	5	7	18	15	8	4	-	-
(d) Other Diseases of Nervous System (a, b)	48	-	4	-	2	4	6	5	6	5	11	5	-
75 Diseases of Eye and Annexa -	6	1	-	-	-	1	-	1	-	2	1	-	-
76 (a) Mastoid Disease - - - -	17	1	4	1	-	3	2	4	1	-	1	-	-
(b) Diseases of Ear - - - -	55	6	6	7	4	11	6	6	7	2	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis - - - -	14	-	-	-	1	2	2	1	3	3	2	-	-
78 Acute Endocarditis - - - -	90	1	4	2	6	10	11	15	27	13	1	-	-
79 (a) Valvular Disease - - - -	1,465	5	2	7	9	66	78	125	169	325	427	252	-
(b) Fatty Degeneration of Heart	92	-	-	-	-	1	4	2	7	26	30	22	-
(c) Other Organic Diseases of Heart	1,277	6	3	3	5	17	34	69	136	290	398	316	-
80 Angina Pectoris - - - -	139	-	-	-	1	-	-	9	19	37	52	21	-
81 (a) Aneurysm - - - -	95	-	-	-	-	3	2	17	32	28	10	3	-
(b) Arterio-sclerosis - - - -	235	-	-	-	-	-	-	1	9	34	91	100	-
(c) Other Diseases of Arteries -	2	-	-	-	-	-	-	-	-	-	-	2	-
82 (a) Cerebral Embolism, Thrombosis	215	1	-	-	-	-	5	10	24	42	54	79	-
(b) Embolism and Thrombosis, not Cerebral	44	1	2	-	-	4	3	3	4	11	11	5	-
83 Diseases of Veins - - - -	8	-	-	-	-	-	1	2	2	1	2	-	-
84 (a) Lymphatism, Status Lym- phaticus - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	6	1	1	-	-	-	-	1	1	2	-	-	-
85 Hemorrhage, Other Diseases of Circulatory System	16	1	-	1	-	-	-	-	5	3	3	3	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose - - - -	2	-	1	-	-	-	-	-	1	-	-	-	-
87 (b) Laryngitis - - - -	61	15	23	11	2	2	1	1	4	-	2	-	-
(c) Other Diseases of Larynx (a)	23	10	11	2	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-
90 Bronchitis (89) - - - -	2,532	392	173	27	18	45	65	126	243	453	577	413	-
91 Broncho-pneumonia - - - -	2,618	542	791	136	64	220	311	152	118	123	104	67	-
92 Pneumonia - - - -	4,924	200	465	189	153	776	1179	637	500	414	294	117	-
93 Pleurisy - - - -	190	-	15	4	9	18	16	25	26	28	39	10	-
94 (a) Pulmonary Apoplexy - - -	3	-	-	-	-	-	1	-	1	1	-	-	-
(b) Pulmonary Congestion (c, d)	224	54	29	5	3	12	17	7	9	20	40	28	-
95 Gangrene of Lung - - - -	12	-	-	-	-	-	-	3	4	4	1	-	-
96 Asthma - - - -	44	-	1	1	1	-	1	6	6	11	10	7	-
97 Pulmonary Emphysema - - -	20	-	-	-	1	-	3	2	-	7	4	3	-
98 (a) Fibroid Diseases of Lung -	43	-	-	-	-	-	2	6	8	12	14	1	-
(b) Other Diseases of Respiratory System	18	1	-	1	-	2	2	-	3	2	6	1	-

	All Ages.	Age											Age not stated
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	12	4	2	1	-	-	1	1	-	1	1	1	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	35	4	10	4	1	3	2	3	3	2	1	2	-
102 Gastric Ulcer - - -	191	-	-	2	1	7	23	31	42	48	24	13	-
103 Other Dis. of Stomach. Gastritis	236	88	28	6	2	7	4	11	14	27	24	25	-
104 Diarrhoea, Enteritis (under 2 years)	604	510	94	-	-	-	-	-	-	-	-	-	-
105 Diarrhoea, Enteritis (over 2 years)	197	-	52	19	9	4	4	7	18	23	40	21	-
107 Intestinal Parasites (106)	1	-	-	1	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	217	2	8	35	43	48	26	16	21	11	4	3	-
109 (a) Hernia - - -	102	13	8	-	-	2	1	8	10	23	21	16	-
(b) Intestinal Obstruction - -	171	39	7	11	8	7	8	9	17	20	30	15	-
110 Other Diseases of Intestine -	142	7	4	-	1	7	10	23	32	32	21	5	-
111 Acute Yellow Atrophy of Liver -	7	-	-	-	1	1	2	1	-	1	1	-	-
112 Hydatids of Liver - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
113 Cirrhosis of Liver - - -	81	-	-	2	1	-	4	6	20	29	17	2	-
114 Gallstones - - -	20	-	-	-	-	1	-	-	3	8	6	2	-
115 Other Diseases of Liver - -	72	4	1	1	1	2	6	4	9	19	16	9	-
116 Diseases of Spleen - - -	6	-	1	-	-	-	1	1	-	1	1	-	-
117 Peritonitis, cause not specified -	51	4	10	8	2	2	4	-	8	4	4	5	-
118 Other Diseases of Digestive System	10	-	-	-	-	-	2	2	2	2	1	1	-
VI. DISEASES OF GENITO- URINARY SYSTEM.													
119 Acute Nephritis - - -	159	11	18	15	5	16	18	16	23	20	15	2	-
120 (a) Bright's Disease - - -	946	1	4	2	8	24	64	84	159	221	253	126	-
(b) Uræmia - - -	43	1	-	-	-	-	3	2	9	8	14	6	-
122 Other Dis. of Kidney, Chyluria (121)	31	1	1	1	2	-	2	3	6	6	6	3	-
123 Urinary Calculus - - -	22	-	-	-	-	1	3	4	2	2	6	4	-
124 Diseases of Bladder - - -	155	1	-	-	1	1	2	6	12	26	45	61	-
125 Dis. of Urethra, Urinary Abscess	46	-	-	-	-	1	5	7	14	11	7	1	-
126 Diseases of Prostate - - -	237	-	-	-	-	-	-	2	7	31	90	107	-
127 Diseases of Male Genital Organs (not Venereal)	8	2	1	-	-	-	-	-	2	2	1	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Uncontrollable Vomiting -	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Ectopic Gestation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	-	-	-	-	-	-	-	-	-	-	-	-
136 Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-
137 Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-
140 (a) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Puerperal Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (a) Senile Gangrene - - -	87	-	-	-	-	-	-	-	-	6	33	48	-
(b) Noma, Cancrum Oris - -	4	1	2	1	-	-	-	-	-	-	-	-	-
(d) Other Gangrene (c) - -	11	2	-	-	-	-	-	-	4	5	-	-	-
143 Carbuncle, Boil - - -	18	1	1	-	-	1	-	3	4	2	3	3	-
144 Phlegmon, Acute Abscess - -	52	9	8	2	1	1	1	9	5	7	6	3	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	30	15	1	-	-	-	3	-	1	1	3	6	-

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	51	4	8	9	10	9	1	1	2	4	3	-	-	
147 Diseases of Joints	15	2	-	1	-	3	1	2	-	2	2	2	-	
149 Other Dis. of Locomotor Sys. (148)	1	-	-	-	-	-	-	-	1	-	-	-	-	
X. MALFORMATIONS.														
150 Congenital Malformations - -	237	208	17	3	4	5	-	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.														
151 (a) Premature Birth - - -	1,104	1104	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	791	791	-	-	-	-	-	-	-	-	-	-	-	
152 Other Diseases peculiar to Early Infancy	150	150	-	-	-	-	-	-	-	-	-	-	-	
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.														
154 (a) Senile Dementia - - -	35	-	-	-	-	-	-	-	1	4	12	18	-	
(b) Senile Decay - - - -	1,335	-	-	-	-	-	-	-	-	-	231	1104	-	
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	123	-	-	-	4	14	15	25	32	16	13	4	-	
164 Poisoning by Food - - -	5	-	2	2	-	1	-	-	-	-	-	-	-	
165 Other Accidental Poisonings	14	-	1	1	-	1	1	3	4	1	2	-	-	
167 Burns and Scalds (166) - -	157	5	90	13	3	7	6	9	6	6	7	5	-	
168 Exposure to Poisonous Vapours	17	-	-	-	1	3	2	3	2	2	2	2	-	
169 Drowning - - - -	353	1	23	23	13	43	54	62	50	36	23	6	19	
170 Accidents with Fire Arms - -	26	-	-	1	3	6	5	-	6	2	3	-	-	
171 Accidents with Instruments and Weapons	9	-	-	-	2	3	1	2	1	-	-	-	-	
172 Accidental Falls - - - -	149	3	1	10	10	12	17	23	24	22	18	9	-	
173 (a) Accidents in Coal Mines -	143	-	-	-	6	38	31	28	28	7	5	-	-	
(b) Accidents in Other Mines -	3	-	-	-	-	1	1	1	-	-	-	-	-	
(c) Accidents in Quarries - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
174 Accidents with Machinery - -	30	-	-	-	2	12	5	6	3	2	-	-	-	
175 (a) Accidents on Railways - -	94	-	2	3	9	18	9	7	20	14	11	1	-	
(b) Acc. with Horses and Vehicles	41	-	5	3	7	3	-	4	7	4	7	1	-	
(c) Accidents with Motor Vehicles	45	-	4	12	4	5	5	3	2	6	3	1	-	
(d) Accidents with Tramways - -	20	-	5	1	1	-	2	2	4	1	2	2	-	
(e) Other Crushing Accidents - -	133	-	-	1	4	74	22	9	5	6	2	-	-	
177 Hunger - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
180 Weather Agencies (178, 179)	19	-	-	-	1	2	1	-	3	5	3	3	1	
186 (a) Overlaying - - - -	19	19	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) - -	31	14	4	-	1	2	2	3	3	-	2	-	-	
(c) Other Accidents (176, 181, 185)	437	3	15	31	25	17	61	23	25	65	35	27	-	
184 Homicide (182, 183) - - -	14	5	1	1	1	1	2	-	1	2	-	-	-	
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
191 War Casualties (not Sickness) -	225	-	-	-	-	97	25	29	3	-	-	-	1	
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - -	8	1	-	1	-	-	1	-	-	2	2	1	-	
188 (a) Syncope - - - -	96	9	2	-	-	1	2	5	10	24	30	13	-	
(b) Sudden Death (not otherwise defined)	8	-	-	-	-	-	1	-	-	3	2	2	-	
189 (a) Heart Failure - - - -	434	15	6	2	-	4	8	27	52	97	129	94	-	
(c) Teething - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	48	1	29	2	-	2	-	1	1	12	-	-	-	
(f) Dis. not Specified, Nat. Causes	230	61	14	5	3	5	5	12	19	29	31	46	-	

CAUSES OF DEATH IN SCOTLAND IN 1918—FEMALES.

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
All Causes - - - - -	39,228	4209	3942	1233	931	2934	3565	2949	3317	4268	5350	6528	2	
I. GENERAL DISEASES.														
1 Enteric Fever - - - - -	64	-	-	4	8	24	8	11	7	2	-	-	-	
2 Typhus Fever - - - - -	8	-	-	1	1	-	1	2	2	1	-	-	-	
3 Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 (a) Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Smallpox														
(c) Smallpox														
5 (a) Measles - - - - -	595	118	428	34	2	4	1	5	1	1	1	-	-	
6 Scarlet Fever - - - - -	86	1	44	24	4	8	1	1	3	-	-	-	-	
7 Whooping-cough - - - - -	848	300	504	42	1	-	1	-	-	-	-	-	-	
8 (a) Diphtheria - - - - -	362	19	200	104	23	7	4	-	2	2	1	-	-	
(c) Croup, Membr. Laryngitis (b)	17	2	10	5	-	-	-	-	-	-	-	-	-	
10 Influenza - - - - -	1047	52	108	64	46	119	143	103	91	86	103	132	-	
13 Cholera Nostras - - - - -	3	1	-	-	-	-	1	-	-	-	-	1	-	
14 Dysentery - - - - -	2	1	-	-	-	-	-	1	-	-	-	-	-	
15 Erysipelas - - - - -	41	7	3	1	-	5	4	3	4	3	3	8	-	
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	9	4	4	-	-	-	-	-	-	-	1	-	-	
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	59	5	3	4	3	3	4	8	8	5	11	5	-	
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
24 Tetanus - - - - -	3	2	-	-	-	-	-	1	-	-	-	-	-	
28 Pulmonary Tuberculosis, Phthisis	2,568	10	51	63	158	694	647	479	278	129	49	10	-	
29 (a) Acute Phthisis - - - - -	95	1	7	2	11	29	22	13	7	3	-	-	-	
(b) Acute Miliary Tuberculosis - - - - -	41	3	4	9	4	5	12	-	1	2	1	-	-	
30 Tuberculous Meningitis - - - - -	432	56	196	71	39	48	9	9	3	1	-	-	-	
31 Abdominal Tuberculosis - - - - -	388	31	116	53	39	58	34	29	16	7	4	1	-	
32 Tuberculosis of Spine - - - - -	92	-	6	10	11	14	14	15	6	6	9	1	-	
33 Tuberculosis of Joints - - - - -	25	-	-	4	5	6	3	2	4	1	3	-	-	
35 Tuberculosis of Other Organs, Dis- seminated Tuberculosis (34)	279	7	44	28	26	69	33	21	22	12	12	5	-	
36 Rickets, Osteomalacia - - - - -	11	4	5	-	-	-	-	1	-	-	1	-	-	
37 Syphilis - - - - -	76	55	5	-	-	-	3	2	7	1	2	1	-	
38 Other Venereal Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
45 (a) Carcinoma - - - - -	39-44	1,915	-	-	1	3	42	173	386	543	491	276	-	
(b) Sarcoma - - - - -		126	-	3	3	1	12	10	14	19	25	20	19	
(c) Malignant Disease, other or not defined		1,142	-	-	1	-	3	27	88	211	318	303	191	
46 Other Tumours (Situation un- defined)	14	1	-	-	-	-	1	2	1	1	6	2	-	
47 Rheumatic Fever - - - - -	87	-	2	5	18	19	11	8	10	9	3	2	-	
48 (a) Chronic Rheumatism - - - - -	46	-	-	-	-	-	-	-	2	7	13	24	-	
(b) Osteo-arthritis - - - - -	65	-	-	-	-	1	-	4	8	17	13	22	-	
(c) Gout - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
49 Scurvy - - - - -	3	-	1	-	-	-	-	1	1	-	-	-	-	
50 Diabetes - - - - -	230	1	1	-	6	25	21	11	23	62	59	21	-	
51 Exophthalmic Goitre - - - - -	57	-	-	1	-	7	7	14	17	8	2	1	-	
52 Addison's Disease - - - - -	13	-	-	-	-	-	3	2	3	3	1	1	-	
53 (a) Leucocythæmia - - - - -	22	1	-	1	-	2	3	5	2	2	4	2	-	
(b) Lymphadenoma - - - - -	17	-	-	1	1	1	2	5	4	-	2	1	-	
54 Anæmia, Chlorosis - - - - -	279	4	-	1	2	12	19	35	52	65	70	19	-	
55 (b) Purpura - - - - -	21	4	3	3	1	4	2	-	2	-	-	2	-	
(c) Hæmophilia - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	
(d) Other General Diseases (a) - - - - -	7	2	2	-	-	1	1	-	-	1	-	-	-	
56 Alcoholism - - - - -	18	-	-	-	-	1	-	7	6	2	2	-	-	
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
58 Other Chronic Occupational Poisonings - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
59 Other Chronic Poisonings - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	

	All Ages.	Age											Age not stated.
		-1	1-	.5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis - - - -	51	3	10	4	3	9	7	7	4	1	2	1	-
61 (a) Cerebro-spinal Meningitis -	23	3	6	3	4	4	1	1	1	-	-	-	-
(c) Meningitis, Basal, Nature unspecified (b)	459	109	165	60	28	35	22	19	8	8	3	2	-
62 Locomotor Ataxy - - - -	14	-	-	-	-	-	1	4	5	4	-	-	-
63 Other Diseases of Spinal Cord -	194	2	3	3	4	8	20	21	31	28	49	25	-
64 Cerebral Hemorrhage, Apoplexy	2,481	2	2	2	2	8	23	75	245	575	796	751	-
65 Softening of Brain - - - -	114	-	-	-	-	1	-	3	7	23	37	43	-
66 (a) Hemiplegia - - - -	306	-	-	-	-	1	4	13	13	62	96	117	-
(c) Paralysis, Cause or Nature unspecified (b)	13	-	-	1	-	-	-	-	2	4	2	4	-
67 General Paralysis of Insane -	49	-	-	-	1	3	7	18	9	7	2	2	-
68 Other Insanity - - - -	88	-	-	-	-	6	9	17	14	14	21	7	-
69 Epilepsy - - - -	127	3	4	4	7	28	26	20	17	15	1	2	-
71 Convulsions (not Puerperal) (70)	288	181	97	5	1	-	-	2	-	2	-	-	-
72 Chorea - - - -	11	-	-	2	2	3	2	-	-	-	2	-	-
73 Neuralgia, Neuritis - - - -	17	-	-	-	-	1	-	1	5	1	3	6	-
74 (c) Cerebral Tumour - - - -	49	1	2	2	3	5	8	9	9	6	2	2	-
(d) Other Diseases of Nervous System (a, b)	42	1	3	1	-	1	2	7	4	5	10	8	-
75 Diseases of Eye and Annexa -	4	1	-	-	-	-	1	-	-	-	1	1	-
76 (a) Mastoid Disease - - - -	6	2	1	-	1	-	2	-	-	-	-	-	-
(b) Diseases of Ear - - - -	38	7	6	2	4	7	6	2	2	1	1	-	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis - - - -	29	-	1	3	2	4	5	6	3	4	-	1	-
78 Acute Endocarditis - - - -	89	-	1	5	6	12	12	15	23	13	2	-	-
79 (a) Valvular Disease - - - -	1,795	-	4	12	28	104	120	141	249	322	429	386	-
(b) Fatty Degeneration of Heart	144	-	-	-	-	-	4	12	19	46	44	19	-
(c) Other Organic Diseases of Heart	1,360	7	3	3	8	25	47	70	129	243	379	446	-
80 Angina Pectoris - - - -	82	-	-	-	-	-	1	2	5	25	23	26	-
81 (a) Aneurysm - - - -	28	-	-	-	-	1	-	2	10	6	5	4	-
(b) Arterio-sclerosis - - - -	190	-	-	-	-	-	-	1	3	21	57	108	-
(c) Other Diseases of Arteries -	7	-	1	-	-	-	1	1	-	-	2	2	-
82 (a) Cerebral Embolism, Thrombosis	287	-	-	-	1	8	11	14	36	46	86	85	-
(b) Embolism and Thrombosis, not Cerebral	54	1	3	-	1	6	9	5	8	3	12	6	-
83 Diseases of Veins - - - -	6	-	-	-	-	-	1	-	2	1	2	-	-
84 (a) Lymphatism, Status Lymphaticus -	3	3	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	7	2	1	-	1	1	-	1	-	-	-	-	-
85 Hemorrhage, Other Diseases of Circulatory System	17	2	-	2	-	-	1	-	2	3	1	6	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Inflammation of Nose - - - -	5	2	1	-	-	1	-	-	-	-	-	1	-
87 (b) Laryngitis - - - -	47	5	22	8	-	2	2	2	2	4	-	-	-
(c) Other Diseases of Larynx (a)	13	5	5	-	-	-	1	1	1	-	-	-	-
88 Diseases of Thyroid - - - -	31	-	-	-	1	1	2	-	3	7	12	5	-
90 Bronchitis (89) - - - -	2,685	281	176	29	19	50	97	127	215	372	610	709	-
91 Broncho-pneumonia - - - -	2,445	412	778	157	79	161	252	141	123	114	125	103	-
92 Pneumonia - - - -	4,357	148	434	204	186	809	1153	471	337	239	213	163	-
93 Pleurisy - - - -	132	1	6	2	3	15	17	13	9	25	20	21	-
94 (a) Pulmonary Apoplexy - - - -	3	-	-	-	-	-	-	2	-	1	-	-	-
(b) Pulmonary Congestion (c, d)	283	36	37	9	-	18	20	18	20	17	40	63	-
95 Gangrene of Lung - - - -	3	-	-	-	-	-	-	-	1	1	1	1	-
96 Asthma - - - -	37	-	-	-	-	1	5	3	7	9	9	3	-
97 Pulmonary Emphysema - - - -	5	-	-	-	-	-	-	1	-	1	1	2	-
98 (a) Fibroid Diseases of Lung -	13	-	-	-	-	2	2	1	1	2	3	2	-
(b) Other Diseases of Respiratory System	6	-	-	-	-	-	-	2	-	2	2	-	-

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	11	2	2	1	-	1	-	2	1	2	-	-	-
101 Diseases of Pharynx, Oesophagus.	32	3	5	9	3	2	-	-	4	2	2	2	-
Tonsillitis (100)													
102 Gastric Ulcer - - -	176	5	2	2	1	11	17	44	29	29	24	12	-
103 Other Dis. of Stomach. Gastritis	288	63	31	7	4	10	9	10	20	31	44	59	-
104 Diarrhoea, Enteritis (under 2 years)	442	334	108	-	-	-	-	-	-	-	-	-	-
105 Diarrhoea, Enteritis (over 2 years)	246	-	39	15	13	10	6	15	21	26	38	63	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	185	-	4	25	35	42	16	19	18	15	8	3	-
109 (a) Hernia - - - -	120	2	1	-	-	-	3	5	16	33	32	28	-
(b) Intestinal Obstruction - -	143	14	6	4	-	7	9	15	23	18	25	22	-
110 Other Diseases of Intestine - -	77	4	4	3	-	2	5	15	8	11	16	9	-
111 Acute Yellow Atrophy of Liver -	7	1	-	-	-	3	1	-	-	1	-	1	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	58	-	1	1	-	2	2	5	10	21	13	3	-
114 Gallstones - - - -	72	-	-	-	-	1	1	4	15	21	15	15	-
115 Other Diseases of Liver - -	74	1	2	2	1	1	3	9	14	14	16	11	-
116 Diseases of Spleen - - -	4	-	-	-	2	-	1	-	-	1	-	-	-
117 Peritonitis, cause not specified	37	2	7	3	3	3	5	2	3	3	3	3	-
118 Other Diseases of Digestive System	13	-	-	1	-	1	1	5	3	1	1	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - -	164	8	17	15	9	22	12	20	23	18	10	10	-
120 (a) Bright's Disease - - -	754	1	3	2	8	27	41	91	135	160	165	121	-
(b) Uræmia - - - -	41	-	1	-	-	5	5	7	8	4	4	7	-
122 Other Dis. of Kidney, Chyluria (121)	31	2	4	1	1	-	4	3	4	1	6	5	-
123 Urinary Calculus - - -	8	-	-	-	-	-	-	1	2	3	2	-	-
124 Diseases of Bladder - - -	53	-	-	-	-	2	1	3	6	9	11	21	-
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	-	-	-	-	-	1	-
126 Diseases of Prostate - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	6	-	-	-	-	2	1	1	-	-	2	-	-
129 Uterine Tumour (non-Cancerous)	48	-	-	-	-	-	3	14	15	11	2	3	-
130 Other Diseases of Uterus - -	25	-	-	-	-	1	8	5	6	2	1	2	-
131 Cysts, and Other Tumours of Ovary	43	-	-	-	-	2	8	4	6	12	10	6	-
132 Other Dis. of Female Genit. Organs	27	-	-	-	-	7	9	7	2	2	-	-	-
133 Non-Puerperal Diseases of Breast	3	-	-	-	-	1	-	1	-	1	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (a) Abortion, Miscarriage - -	102	-	-	-	-	22	56	24	-	-	-	-	-
(c) Uncontrollable Vomiting - -	8	-	-	-	-	-	4	4	-	-	-	-	-
(d) Ectopic Gestation - - -	7	-	-	-	-	1	1	5	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	27	-	-	-	-	6	10	9	2	-	-	-	-
135 Puerperal Hæmorrhage - - -	83	-	-	-	-	7	37	36	3	-	-	-	-
136 Other Accidents of Childbirth -	55	-	-	-	-	16	26	13	-	-	-	-	-
137 Puerperal Sepsis - - - -	113	-	-	-	-	27	53	32	1	-	-	-	-
138 Puerp. Albuminuria, Convulsions	100	-	-	-	-	34	42	22	2	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	20	-	-	-	-	5	6	9	-	-	-	-	-
140 (a) Puerperal Insanity - -	2	-	-	-	-	2	-	-	-	-	-	-	-
(b) Other Puerperal Diseases - -	171	-	-	-	-	33	87	51	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (a) Senile Gangrene - - -	92	-	-	-	-	-	-	-	-	3	28	61	-
(b) Noma, Cancrum Oris - - -	6	-	4	2	-	-	-	-	-	-	-	-	-
(d) Other Gangrene (c) - - -	10	-	-	-	-	-	1	2	-	-	3	-	-
143 Carbuncle, Boil - - - -	6	1	-	-	-	1	-	-	2	-	1	1	-
144 Phlegmon, Acute Abscess - -	65	14	4	1	2	5	5	4	9	9	8	4	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	23	5	1	-	-	2	-	-	-	1	9	10	-

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.													
46 Dis. of Bones (Mastoid excluded)	22	3	2	4	4	-	-	1	2	2	1	2	-
47 Diseases of Joints - - -	6	1	-	-	1	-	-	-	-	1	2	1	-
49 Other Dis. of Locomotor Syst. (148)	2	-	-	1	-	-	-	-	-	-	1	-	-
X. MALFORMATIONS.													
50 Congenital Malformations - -	198	177	15	3	-	2	1	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
51 (a) Premature Birth - - - -	794	794	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	620	620	-	-	-	-	-	-	-	-	-	-	-
52 Other Diseases peculiar to Early Infancy	105	105	-	-	-	-	-	-	-	-	-	-	-
53 Lack of Care - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
54 (a) Senile Dementia - - -	47	-	-	-	-	-	-	-	-	11	12	24	-
(b) Senile Decay - - - -	2156	-	-	-	-	-	-	-	-	-	318	1838	-
XIII. VIOLENT CAUSES.													
56 Suicide (155, 162) - - -	67	-	-	-	1	6	15	12	15	12	6	-	-
564 Poisoning by Food - - -	10	1	2	1	1	1	1	1	2	-	-	-	-
565 Other Accidental Poisonings	9	-	-	1	-	-	1	1	4	1	1	-	-
567 Burns and Scalds (166) - -	118	9	75	37	17	19	9	6	5	8	12	11	-
568 Exposure to Poisonous Vapours -	13	1	-	1	-	1	2	1	-	1	2	4	-
569 Drowning - - - - -	81	-	12	3	6	17	9	2	14	10	3	3	2
570 Accidents with Fire Arms - -	3	-	1	1	-	-	-	1	-	-	-	-	-
571 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-
572 Accidental Falls - - -	48	1	2	4	1	3	1	7	6	3	8	12	-
573 (a) Accidents in Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
574 Accidents with Machinery - -	4	-	-	-	1	3	-	-	-	-	-	-	-
575 (a) Accidents on Railways - -	15	-	-	-	-	7	1	3	-	2	2	-	-
(b) Acc. with Horses and Vehicles	6	-	2	1	-	-	-	-	-	3	-	-	-
(c) Accidents with Motor Vehicles	34	-	3	7	1	2	3	3	6	4	4	1	-
(d) Accidents with Tramways - -	12	-	3	2	-	-	1	1	2	-	2	1	-
(e) Other Crushing Accidents - -	4	-	-	-	-	1	-	-	1	-	2	-	-
577 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
580 Weather Agencies (178, 179)	4	-	-	-	-	-	-	1	-	-	1	2	-
586 (a) Overlaying - - - - -	17	17	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	22	15	-	-	-	-	1	2	1	2	-	1	-
(c) Other Accidents (176, 181, 185)	178	4	15	3	3	5	5	6	7	13	36	11	-
584 Homicide (182, 183) - - -	9	9	-	-	-	-	-	-	-	-	-	-	-
590 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
591 War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
87 Dropsy - - - - -	15	1	-	-	-	-	-	-	1	4	4	5	-
88 (a) Syncope - - - - -	92	7	2	2	-	2	4	8	12	19	19	17	-
(b) Sudden Death (not otherwise defined)	6	1	-	-	-	-	-	-	1	1	-	3	-
89 (a) Heart Failure - - - - -	302	17	5	3	-	5	6	18	20	58	89	81	-
(c) Teething - - - - -	5	4	1	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	45	-	27	1	-	-	-	1	1	13	1	1	-
(f) Dis. not Specified, Nat. Causes	210	45	6	2	7	7	7	11	13	22	29	61	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1918.

All Causes.	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
I. GENERAL DISEASES.	78,372	4,670	1,046	4,198	913	411	241	502	537	2,043	1,366	7,990	675	4,069	4,834	706	1,392
1 Enteric Fever	125	18	4	3	3	-	-	-	-	-	-	4	2	7	5	-	3
2 Typhus Fever	15	-	-	1	-	-	-	-	-	-	-	1	-	3	-	-	-
4 Malaria	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
5 Small-pox { (a) Vaccinated (b) Unvaccinated (c) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	1,198	49	2	69	7	1	3	-	10	49	19	44	-	22	6	13	2
7 Scarlet Fever	168	6	2	6	2	1	1	-	-	7	49	4	-	4	1	1	-
8 Whooping-Cough	1,603	90	10	79	13	3	2	9	1	53	19	91	8	119	115	8	4
9 (a) Diphtheria	699	30	5	46	2	2	3	-	6	12	9	89	-	72	53	11	7
(c) Croup, Membranous Laryngitis (b)	57	1	6	3	-	1	-	1	-	2	1	3	-	2	5	-	1
10 Influenza	1878	101	50	79	39	11	-	18	9	42	37	181	34	126	159	38	49
13 Cholera Nostras	8	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
14 Dysentery	10	-	-	1	1	-	-	-	-	-	-	-	2	-	6	-	-
18 Erysipelas	83	7	1	1	1	-	-	-	1	3	1	8	-	4	2	1	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	24	1	1	1	-	1	-	1	-	-	-	7	-	-	-	-	-
20 (a) Pyæmia, Septicæmia (not Puer- peral (b)	119	9	1	7	-	-	2	-	1	3	-	16	2	7	6	1	5
(c) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	20	1	-	3	1	1	-	-	-	1	-	3	-	-	1	-	-
28 Pulmonary Tuberculosis, Phthisis .	5,053	286	71	237	45	17	16	17	36	118	88	484	81	186	334	42	106
29 (a) Acute Phthisis	164	10	1	11	2	-	2	3	1	1	2	19	2	8	5	1	3
(b) Acute Miliary Tuberculosis .	65	3	-	2	-	1	-	1	-	2	4	13	6	6	4	-	1
30 Tuberculous Meningitis	834	45	4	44	6	1	7	1	12	29	6	110	6	38	35	3	7
31 Abdominal Tuberculosis	738	38	7	48	5	1	2	4	8	21	7	62	2	31	37	5	6
32 Tuberculosis of Spine	172	10	1	10	1	-	2	1	-	5	1	10	4	5	13	-	1
33 Tuberculosis of Joints	55	3	2	5	1	-	1	1	1	-	-	4	2	2	4	-	1
35 Tuberculosis of Other Organs, Dis- seminated Tuberculosis (34)	619	27	5	43	8	4	1	4	4	8	7	68	2	22	41	6	3

All Causes	539	Kinross.	140	Kirkend- bright.	25,888	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
I. GENERAL DISEASES.																				
1 Enteric Fever	1	-	-	-	47	3	-	-	1	-	-	5	4	1	-	-	9	-	-	3
2 Typhus Fever	-	-	-	-	11	-	-	-	-	-	-	1	-	-	-	-	-	-	-	9
4 Malaria	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Small-pox { (a) Vaccinated. (b) Unvaccinated (c) Vaccination Doubtful.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	4	1	1	-	646	39	-	-	2	1	1	162	7	2	-	2	33	1	-	1
7 Scarlet Fever	-	-	-	-	55	4	-	-	1	-	3	11	1	2	-	2	4	-	1	4
8 Whooping Cough	7	2	-	8	653	46	3	39	10	4	39	111	19	2	2	8	63	2	1	-
9 (a) Diphtheria	3	-	-	5	250	15	1	1	1	-	10	29	-	4	1	-	31	-	1	1
(c) Croup, Membranous Laryngitis (b)	-	-	-	2	15	8	-	-	-	-	2	-	3	-	-	-	1	-	-	-
10 Influenza.	22	6	-	9	440	80	1	1	19	13	43	88	59	22	1	10	63	2	13	14
13 Cholera Nostras	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3
18 Erysipelas	-	-	-	1	33	-	-	-	2	-	2	4	3	1	1	-	1	-	-	1
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	4
20 (a) Pyæmia, Septicæmia (not Puer- peral) (b)	-	1	-	-	36	1	-	-	3	-	-	5	4	-	-	1	-	2	1	5
(c) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	27	6	-	36	1756	80	1	8	25	13	102	284	96	36	18	37	139	19	22	235
29 (a) Acute Phthisis	-	-	-	1	57	3	-	-	1	-	3	6	2	1	-	2	9	1	-	7
(b) Acute Miliary Tuberculosis	1	-	-	2	11	1	-	-	-	-	1	4	1	1	-	1	2	1	-	3
30 Tuberculous Meningitis	5	2	-	7	336	16	-	-	2	-	12	48	7	3	3	1	29	3	4	3
31 Abdominal Tuberculosis	2	-	-	8	284	17	-	-	3	-	20	57	4	6	3	3	34	5	3	5
32 Tuberculosis of Spine	2	-	-	2	62	1	-	-	1	2	6	17	4	5	3	2	5	1	-	-
33 Tuberculosis of Joints	-	-	-	2	20	-	-	-	1	7	1	2	-	1	-	-	-	-	1	3
35 Tuberculosis of Other Organs, Dis- seminated Tuberculosis (34)	3	1	-	8	204	16	-	-	2	-	13	46	11	6	4	4	20	1	3	17

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1918—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	96	3	1	7	-	-	-	1	2	4	2	11	1	-	1	-	2
61 (a) Cerebro-spinal Meningitis	124	7	-	4	-	-	3	-	-	3	-	17	1	11	1	-	2
(c) Meningitis, Basal, Nature un- specified (b)	991	32	9	47	15	5	1	9	12	49	14	75	8	58	30	7	15
62 Locomotor Ataxy	81	5	1	3	1	-	-	-	-	4	2	8	2	5	3	2	1
63 Other Diseases of Spinal Cord	393	23	5	22	7	-	-	4	4	6	3	52	3	24	31	2	3
64 Cerebral Hemorrhage, Apoplexy	4,492	299	80	253	47	27	25	39	41	143	117	507	41	207	282	45	93
65 Softening of Brain	235	8	4	12	7	2	2	1	-	4	11	36	-	19	24	4	3
66 (a) Hemiplegia	510	38	11	20	9	4	-	4	3	8	2	81	4	13	39	3	14
(c) Paralysis, Cause or Nature un- specified (b)	32	1	1	-	2	-	-	-	-	-	1	1	1	1	-	-	1
67 General Paralysis of Insane	273	16	2	17	-	-	2	1	1	4	6	40	2	11	9	3	-
68 Other Insanity	163	4	1	1	3	2	-	-	2	4	2	9	-	5	5	6	8
69 Epilepsy	294	18	4	15	3	2	-	4	1	7	9	35	1	15	15	3	6
71 Convulsions (not Puerperal) (70)	672	66	2	35	6	1	2	7	3	22	12	63	6	30	23	5	18
72 Chorea	14	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
73 Neuralgia, Neuritis	32	1	1	4	1	-	-	2	-	-	2	2	1	2	1	-	-
74 (a) Cerebral Tumour	118	5	2	6	-	1	-	-	4	7	1	17	3	7	5	1	2
(c) Other Diseases of Nervous Sys- tem (a, b)	90	5	-	3	3	1	1	4	1	3	-	9	-	4	4	1	1
75 Diseases of Eye and Annexa	10	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	-
76 (a) Mastoid Disease	23	1	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-
(b) Diseases of Ear	93	5	2	1	2	1	-	-	-	4	2	3	1	5	8	2	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1918—continued.

II. DISEASES OF NERVOUS SYSTEM.	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
60 Encephalitis	2			39	2			1	2	7	1			1	4			2
61 (a) Cerebro-spinal Meningitis			2	45	1					1	2				1		1	21
(c) Meningitis, Basal, Nature unspecified (b)	4	3	7	386	20	6		1	22	88	5	6	2	6	34	7	3	5
62 Locomotor Ataxy			1	33					2	4	1	1			2			
63 Other Diseases of Spinal Cord	1		2	106	8			2	17	29	9	2	4	2	12			
64 Cerebral Hæmorrhage, Apoplexy	39	14	35	1324	59	7	22	11	149	245	61	60	33	19	112	20	3	8
65 Softening of Brain	1	3	6	63	10	2	4	1	5	5	4	7	1	8	7		28	
66 (a) Hemiplegia	7			117	10				16	36	17	13	5	1	11	1	2	
(c) Paralysis, Cause or Nature unspecified (b)				9						2	9	1						
67 General Paralysis of Insane			3	91	4				7	9	2	2		1	6		1	30
68 Other Insanity	1			70	5				4	7	10				4		1	6
69 Epilepsy			1	88	7	1	3		6	22	6	2	1		13		1	2
71 Convulsions (not Puerperal) (70)	6		4	245	11		2		6	50	15	4		2	19	3	5	
72 Chorea				5				1		1					1		1	
73 Neuralgia, Neuritis			1	6	1		1		2	2			1		3		1	
74 (c) Cerebral Tumour				37			1		3	3					5	1		1
(d) Other Diseases of Nervous System (a, b)	1	2		28	2		1		1	3		1						
75 Diseases of Eye and Annexe				2														
76 (a) Mastoid Disease		1		8						1	1				1			
(b) Diseases of Ear	1		1	43	1				2	5	1				2			

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
III. DISEASES OF CIRCULATORY SYSTEM.																	
77 Pericarditis	43	3	4	1	1	—	—	—	—	2	—	6	—	3	12	—	1
78 Acute Endocarditis	179	2	12	2	2	—	—	—	—	5	—	20	—	9	17	—	3
79 (a) Valvular Disease	3,260	291	43	174	34	21	14	22	26	74	52	389	31	196	298	28	56
(b) Fatty Degeneration of Heart	236	8	7	15	3	9	1	—	2	4	15	40	2	13	11	3	—
(c) Other Organic Diseases of Heart	2,637	223	35	99	51	23	18	25	21	56	47	276	34	148	175	26	67
80 Angina Pectoris	221	23	4	14	1	4	1	1	—	3	2	23	2	11	12	1	1
81 (a) Aneurysm	123	9	3	3	—	1	—	—	—	2	1	19	—	2	8	—	1
(b) Arterio-sclerosis	425	35	27	—	19	1	2	1	8	8	23	57	6	39	21	5	3
(c) Other Diseases of Arteries	9	—	—	—	—	—	—	—	—	—	—	3	—	1	2	—	—
82 (a) Cerebral Embolism, Thrombosis	502	20	11	30	4	5	1	3	3	5	2	70	3	41	66	5	4
(b) Embolism and Thrombosis, not Cerebral	98	4	11	—	—	—	2	—	—	1	1	13	3	4	8	—	1
83 Diseases of Veins	14	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—
84 (a) Lymphatism, Status Lymphaticus	5	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—
(b) Other Dis. of Lymphatic System	13	1	—	—	—	—	1	—	—	—	1	1	—	2	—	—	—
85 Haemorrhage, Other Diseases of Circulatory System	33	2	1	—	—	—	—	—	—	—	1	5	—	3	1	—	—
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86 Diseases of Nose	7	1	—	5	—	—	—	1	—	1	—	—	—	—	1	—	—
87 (b) Laryngitis	108	5	2	6	—	1	—	1	—	6	—	7	—	7	4	—	3
(c) Other Diseases of Larynx (a)	36	—	—	—	1	—	—	—	—	—	—	6	—	1	1	1	—
88 Diseases of Thyroid	33	2	—	3	—	—	—	—	—	—	—	—	—	4	—	—	—
90 Bronchitis (89)	5,217	293	66	259	54	19	5	48	45	109	89	484	41	286	341	30	59
91 Broncho-pneumonia	5,063	273	37	288	74	12	9	10	31	156	97	395	13	216	364	43	33
92 Pneumonia	9,281	486	79	517	128	58	16	47	74	237	173	1089	101	503	432	95	147
93 Pleurisy	322	22	4	18	2	3	—	5	—	10	5	39	1	12	18	1	11
94 (a) Pulmonary Apoplexy	6	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
(b) Pulmonary Congestion (c, d)	507	40	1	26	4	—	1	1	5	17	13	54	4	27	29	2	4
95 Gangrene of Lung	15	—	—	2	—	—	—	—	—	—	—	2	—	1	—	—	1
96 Asthma	81	4	—	5	1	—	—	1	1	3	4	14	—	3	4	1	3
97 Pulmonary Emphysema	25	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
98 (a) Fibroid Diseases of Lung	56	—	1	—	1	—	—	—	—	—	—	1	—	4	—	—	—
(b) Other Diseases of Respiratory System	24	—	—	5	—	—	—	—	—	—	—	6	—	—	—	—	—

	Unallocated Deaths	Wigtown.	Sutherland.	Stirling.	Shetland.	Selkirk.	Roxburgh.	Ross and Cromarty.	Renfrew	Perth.	Peebles.	Orkney.	Nairn.	Linlithgow.	Lanark.	Kirkcudbright.	Kinross.	Kincardine.
III. DISEASES OF CIRCULATORY SYSTEM.	6	1	-	3	-	-	-	-	1	1	-	-	2	1	12	-	-	1
77 Pericarditis	27	35	13	87	24	18	35	52	17	2	-	3	-	5	60	-	3	1
78 Acute Endocarditis	2	3	-	11	1	3	4	4	179	106	15	3	12	27	773	47	-	24
79 (a) Valvular Disease	13	24	11	97	21	14	33	28	9	5	1	10	6	38	46	3	6	23
(b) Fatty Degeneration of Heart	9	4	-	12	1	1	7	3	176	127	9	2	1	3	660	17	1	2
(c) Other Organic Diseases of Heart	9	1	-	5	-	1	-	2	13	13	-	1	1	1	53	2	-	2
80 Angina Pectoris	1	2	-	9	-	4	3	2	6	4	-	1	1	4	42	1	1	4
81 (a) Aneurysm	1	1	-	9	-	4	3	2	25	25	-	2	1	1	79	2	-	-
(b) Arterio-sclerosis	1	2	-	-	-	10	5	2	18	16	4	4	-	3	120	5	-	3
(c) Other Diseases of Arteries	3	8	2	18	1	3	2	1	3	4	-	1	-	4	18	2	-	-
82 (a) Cerebral Embolism, Thrombosis	4	1	-	5	1	3	2	1	1	-	-	-	-	-	6	1	-	1
(b) Embolism and Thrombosis, not Cerebral	1	-	-	-	-	-	-	-	1	-	-	-	-	-	6	1	-	-
83 Diseases of Veins	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	-	-
84 (a) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-
85 Hemorrhage. Other Diseases of Circulatory System	-	-	-	2	-	-	1	-	2	2	-	2	-	1	-	-	-	3
IV. DISEASES OF RESPIRATORY SYSTEM.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
87 (b) Laryngitis	-	-	-	-	-	-	-	-	7	1	-	-	-	7	46	1	-	-
(c) Other Diseases of Larynx (a)	-	-	-	-	-	-	-	-	3	-	-	-	-	3	17	-	-	1
88 Diseases of Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-
90 Bronchitis (84)	-	-	-	-	-	-	-	-	343	125	7	16	5	98	1966	30	7	35
91 Broncho-pneumonia	-	-	-	-	-	-	-	-	238	66	12	9	2	62	2143	12	-	35
92 Pneumonia	-	-	-	-	-	-	-	-	452	210	28	36	11	124	3234	66	21	80
93 Pleurisy	-	-	-	-	-	-	-	-	23	10	1	2	-	5	87	1	1	2
94 (a) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
(b) Pulmonary Congestion (c, d)	-	-	-	-	-	-	-	-	30	11	-	2	1	4	190	3	1	2
95 Congestion of Lungs	-	-	-	-	-	-	-	-	1	-	-	-	-	-	7	-	-	-
96 Asthma	-	-	-	-	-	-	-	-	2	5	-	-	-	-	16	-	-	-
97 Pulmonary Emphysema	-	-	-	-	-	-	-	-	1	5	1	-	-	1	9	-	-	1
98 (a) Fibroid Diseases of Lung	-	-	-	-	-	-	-	-	2	4	-	2	-	-	13	-	-	-
(b) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	2	-	-	1	-	-	8	-	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1918—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth. Oral Sepsis	23	-	1	-	-	2	-	1	-	-	1	4	-	2	-	1	-
101 Diseases of Pharynx, Esophagus. Tonsillitis (100)	67	8	-	3	2	2	-	-	1	1	-	4	-	7	4	1	1
102 Gastric Ulcer	367	26	8	16	5	1	1	1	4	10	6	39	5	15	22	3	9
103 Other Diseases of Stomach. Gastritis.	524	34	12	22	6	-	2	3	8	12	2	48	8	28	40	5	6
104 Diarrhoea, Enteritis (under 2 years)	1,046	65	12	60	8	-	1	3	4	46	10	79	5	29	60	6	6
105 Diarrhoea, Enteritis (over 2 years)	443	19	8	29	3	2	-	2	3	11	5	50	7	24	40	6	4
107 Intestinal Parasites (106)	1	-	-	-	-	-	2	-	-	-	8	-	-	-	-	-	-
108 Appendicitis, Typhlitis.	402	19	4	30	3	1	2	-	-	17	-	33	4	21	21	2	4
109 (a) Hernia	222	14	4	6	-	3	-	7	-	5	3	29	-	13	23	-	3
(b) Intestinal Obstruction	314	21	5	16	1	1	2	2	2	12	3	32	5	19	18	-	5
110 Other Diseases of Intestine	219	14	3	18	1	4	2	1	-	10	2	28	2	12	11	2	9
111 Acute Yellow Atrophy of Liver	14	1	1	-	1	-	-	-	-	1	-	1	-	1	1	-	-
112 Hydatids of Liver	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver	139	5	7	12	1	-	-	-	1	7	-	16	-	6	6	2	4
114 Gallstones	92	9	2	7	1	-	-	-	-	3	1	9	2	3	8	-	-
115 Other Diseases of Liver	146	2	1	15	-	1	1	4	2	3	4	15	3	7	8	4	4
116 Diseases of Spleen	9	2	1	-	-	-	-	-	-	1	1	1	1	2	-	-	-
117 Peritonitis, cause not specified	88	6	2	11	1	-	-	-	-	2	1	13	1	3	4	-	-
118 Other Diseases of Digestive System	23	2	-	1	-	-	-	-	-	2	-	5	-	-	2	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1918—continued.

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
V.—DISEASES OF DIGESTIVE SYSTEM.																		
100 Diseases of Mouth, Teeth. Oral	-	-	-	10	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Sepsis	-	-	-	18	2	1	1	-	-	1	-	1	-	-	5	-	1	3
101 Diseases of Pharynx, Esophagus.																		
Tonsillitis (100)	3	-	4	100	5	1	2	-	11	28	7	3	3	1	11	3	1	12
102 Gastric Ulcer	4	-	3	176	8	1	1	3	16	29	7	-	1	5	19	2	1	3
103 Other Dis. of Stomach. Gastritis	2	1	2	316	28	4	3	1	9	51	4	9	1	2	17	1	12	12
104 Diarrhoea, Enteritis (under 2 years)	-	-	3	147	5	-	1	2	14	32	4	4	4	4	7	-	4	1
105 Diarrhoea, Enteritis (over 2 years)	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	2	-
107 Intestinal Parasites (106)	-	-	-	159	5	1	-	2	13	15	4	4	-	3	10	-	1	12
108 Appendicitis, Typhlitis	2	-	-	72	2	1	1	-	4	17	2	1	-	-	5	-	2	-
109 (a) Hernia	1	1	1	104	8	1	1	1	6	21	7	1	2	-	5	2	5	1
(b) Intestinal Obstruction	3	1	3	61	2	-	3	1	4	7	2	2	-	-	4	-	3	7
110 Other Diseases of Intestine	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2
111 Acute Yellow Atrophy of Liver	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
112 Hydatids of Liver	-	-	2	37	2	-	2	-	3	9	1	2	1	-	3	-	2	1
113 Cirrhosis of Liver	-	1	1	25	-	-	1	-	4	10	2	-	1	1	2	1	-	3
114 Gallstones	1	-	1	42	3	-	1	-	8	7	2	2	-	1	2	1	-	-
115 Other Diseases of Liver	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
116 Diseases of Spleen	1	-	-	1	2	-	1	-	1	2	-	-	-	1	2	1	-	3
117 Peritonitis, cause not specified	-	1	1	30	1	1	-	-	1	2	-	1	-	-	3	1	2	-
118 Other Diseases of Digestive System	-	-	-	6	2	-	-	-	-	1	-	-	-	-	-	-	-	1

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
VI. DISEASES OF GENITO- URINARY SYSTEM.																	
119 Acute Nephritis	323	24	5	15	3	1	-	2	4	9	3	32	5	9	13	5	5
120 (a) Bright's Disease	1700	94	24	91	13	13	10	12	11	31	25	170	9	78	97	12	35
(b) Uræmia	84	3	4	9	1	-	-	1	2	1	1	11	1	7	6	-	-
122 Other Diseases of Kidney, Chyluria (121)	62	1	1	2	-	-	-	-	1	-	1	12	2	2	1	1	-
123 Urinary Calculus	30	1	1	-	-	1	-	-	1	-	-	5	-	1	3	-	-
124 Diseases of Bladder	208	20	2	9	3	3	1	3	1	-	3	22	4	13	9	1	3
125 Diseases of Urethra, Urinary Abscess	47	2	1	2	-	-	-	-	-	3	-	2	1	-	1	-	-
126 Diseases of Prostate	237	14	3	9	7	-	4	-	2	12	1	18	3	13	11	1	8
127 Diseases of Male Genital Organs (not Venereal)	8	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	6	-	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-
129 Uterine Tumour (non-Cancerous) .	48	4	-	5	1	-	-	-	-	2	2	6	1	-	3	-	-
130 Other Diseases of Uterus	25	2	-	3	-	-	-	-	-	-	2	1	-	1	1	-	-
131 Cysts, and Other Tumours of Ovary .	48	4	2	4	1	2	-	-	-	1	-	4	1	3	4	-	-
132 Other Diseases of Female Genital Organs	27	3	-	2	-	-	-	-	-	-	-	6	1	1	3	-	-
133 Non-Puerperal Diseases of Breast .	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																	
134 (a) Abortion, Miscarriage	102	9	2	14	7	-	-	1	2	-	1	10	1	6	3	-	3
(c) Uncontrollable Vomiting	8	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
(d) Ectopic Gestation	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	27	2	-	2	-	-	-	-	1	4	-	1	-	2	-	-	-
135 Puerperal Hæmorrhage	83	3	-	4	-	-	-	-	-	3	2	12	1	4	8	1	3
136 Other Accidents of Childbirth . .	55	4	1	5	-	1	-	-	-	-	1	7	-	4	5	1	2
137 Puerperal Sepsis	113	7	-	4	-	1	-	1	1	6	1	7	-	1	5	-	1
138 Puerperal Albuminuria, Convul- sions	100	2	-	5	-	4	-	1	1	5	1	15	-	8	6	-	5
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	20	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1
140 (a) Puerperal Insanity	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Puerperal Diseases	171	8	3	11	3	1	-	-	-	5	1	27	-	8	-	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1918—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- Lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (a) Senile Gangrene . . .	179	8	3	9	5	2	—	1	2	3	3	25	4	15	9	4	3
(b) Noma, Cancrum Oris . . .	10	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
(c) Other Gangrene (c) . . .	21	—	—	1	—	1	—	—	—	—	—	2	—	1	—	—	—
143 Carbuncle, Boil . . .	24	—	2	—	—	—	—	—	—	—	—	4	—	3	2	—	—
144 Phlegmon, Acute Abscess . .	117	9	—	6	1	—	—	1	—	2	—	9	—	9	9	—	1
145 Ulcer, Other Diseases of Skin and Cellular Tissue . . .	58	5	4	2	—	—	—	2	—	1	1	5	1	2	2	—	2
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Diseases of Bones (Mastoid ex- cluded) . . .	73	3	1	2	1	1	—	—	—	5	1	7	—	5	1	1	—
147 Diseases of Joints . . .	21	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	1
149 Other Dis. of Locomotor Syst. (148)	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
X. MALFORMATIONS.	435	20	3	29	5	4	1	1	3	14	6	42	2	31	29	3	5
150 Congenital Malformations . .																	
XI. DISEASES OF EARLY INFANCY.																	
151 (a) Premature Birth . . .	1898	116	12	119	20	6	6	4	14	60	39	162	12	139	103	22	20
(b) Congenital Debility, Icterus, Scurra (c, d, e) . . .	1411	128	10	83	11	3	—	4	6	38	21	128	11	89	75	13	20
152 Other Diseases peculiar to Early Infancy . . .	255	12	2	19	3	2	—	1	1	8	4	25	4	12	17	1	3
153 Lack of Care . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. OLD AGE.																	
154 (a) Senile Dementia . . .	82	9	—	1	5	—	—	—	—	—	2	10	—	2	2	1	8
(b) Senile Decay . . .	3491	249	89	181	33	34	15	64	12	71	87	339	36	214	222	29	157

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																		
142 (a) Senile Gangrene	1	1	4	40	-	1	-	-	9	5	5	8	1	1	5	1	1	-
(b) Noma, Cancrum Oris	-	-	-	7	-	-	-	-	1	1	-	-	-	-	-	-	2	-
(c) Other Gangrene	-	-	-	5	1	-	-	-	1	3	3	1	-	-	1	-	1	1
143 Carbuncle, Boil	-	-	-	3	2	-	-	-	1	2	-	-	-	-	7	-	-	-
144 Phlegmon, Acute Abscess	-	-	-	44	2	-	-	-	1	5	1	-	-	1	1	-	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	1	-	1	17	-	-	-	-	1	6	1	1	-	-	1	-	-	-
IX. DISEASES OF ORGANS OF LOCOMOTION.																		
146 Diseases of Bones (Mastoid excluded)	-	-	-	28	-	-	1	-	1	2	2	3	-	-	6	-	2	3
147 Diseases of Joints	-	-	-	11	-	-	-	-	-	1	-	-	-	-	-	-	-	-
149 Other Diseases of Locomotor System (148)	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.																		
150 Congenital Malformations	5	-	1	160	11	-	-	-	6	23	6	3	2	1	14	-	5	-
XI. DISEASES OF EARLY INFANCY.																		
151 (a) Premature Birth	4	5	6	730	50	1	7	1	36	120	8	8	6	1	54	1	6	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	8	1	8	507	34	1	5	-	32	88	5	16	2	4	45	3	12	-
152 Other Diseases peculiar to Early Infancy	7	-	2	89	8	-	1	-	5	17	1	-	3	1	5	-	2	-
153 Lack of Care	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.																		
154 (a) Senile Dementia	2	-	3	14	-	3	-	-	3	3	9	-	-	-	2	2	1	-
(b) Senile Decay	39	12	35	663	36	21	50	10	113	161	147	32	14	72	129	78	47	-

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
XIII. VIOLENT CAUSES.																	
163 Suicide (155-162)	190	10	2	8	5	-	2	3	1	2	7	28	2	9	26	1	1
164 Poisoning by Food	15	-	-	1	-	-	-	-	-	-	1	1	-	3	1	-	-
165 Other Accidental Poisonings	23	1	-	-	-	-	-	-	-	1	1	4	-	-	4	-	-
166 Burns and Scalds (166)	375	22	2	23	3	-	1	-	1	11	6	34	1	14	24	1	3
167 Exposure to Poisonous Vapours	30	-	1	2	-	-	1	-	2	16	6	9	2	1	4	1	1
168 Drowning	434	17	33	27	5	1	1	8	-	1	1	15	2	17	20	4	16
169 Accidents with Fire Arms	29	6	-	2	-	-	-	-	-	1	1	3	-	2	2	-	2
170 Accidents with Instruments and Weapons	9	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
171 Accidents with Instruments and Weapons	197	9	-	5	1	-	-	-	-	6	4	36	2	5	5	2	2
172 Accidental Falls	143	-	-	13	-	-	-	-	1	1	1	10	-	11	-	1	-
173 (a) Accidents in Coal Mines	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries	34	1	-	4	-	-	-	-	-	4	1	3	1	8	1	1	1
174 Accidents with Machinery	109	3	-	9	1	1	1	-	-	3	-	11	1	1	2	2	-
175 (a) Accidents on Railways	47	7	-	2	1	1	-	-	-	1	-	5	3	1	1	-	-
(b) Acc. with Horses and Vehicles	79	3	-	4	1	1	-	-	-	3	-	8	1	1	1	-	-
(c) Accidents with Motor Vehicles	32	1	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-
(d) Accidents with Tramways	137	3	-	35	-	-	-	-	-	-	-	13	1	7	26	17	-
(e) Other Crushing Accidents	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger	23	1	-	2	1	1	-	-	1	1	1	-	2	-	1	2	3
180 Weather Agencies (178, 179)	36	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (a) Overlaying	53	5	-	1	1	-	-	-	-	1	-	1	1	4	12	1	-
(b) Suffocation (otherwise)	615	30	9	42	4	3	3	3	4	17	12	63	4	42	57	5	9
(c) Other Accidents (176, 181, 185)	23	1	-	1	-	-	-	-	-	1	-	5	-	-	3	-	-
184 Homicide (182, 183)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution	225	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
191 War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

XIV. ILL-DEFINED CAUSES.

187 Dropsy	23
188 (a) Syncope	188
(b) Sudden Death (not otherwise defined)	14
189 (a) Heart Failure	736
(c) Teething	7
(d) Other Ill-defined Diseases (b, d) (e) Other Ill-defined Diseases (b, d)	93
(f) Other Ill-defined Diseases (b, d)	440

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. DISEASES OF NERVOUS SYSTEM.													
Encephalitis - - - -	96	4	1	6	6	12	14	13	5	6	16	6	7
(a) Cerebro-Spinal Meningitis -	124	11	8	9	12	13	8	17	9	5	20	5	7
(c) Meningitis, Basal, Nature unspecified (b)	991	85	66	86	70	85	64	91	71	64	122	104	83
Locomotor Ataxy - - - -	81	7	3	6	5	9	5	4	6	9	7	7	13
Other Diseases of Spinal Cord -	393	41	39	29	20	34	29	30	21	37	31	43	39
Cerebral Hæmorrhage, Apoplexy	4492	473	368	398	409	388	317	355	302	300	358	418	406
Softening of Brain - - - -	235	22	18	20	20	21	15	19	9	18	24	26	23
(a) Hemiplegia - - - -	510	56	45	48	42	45	43	37	37	27	45	33	52
(c) Paralysis, Cause or Nature unspecified (b)	32	3	1	1	3	1	-	-	-	2	5	7	9
General Paralysis of Insane -	273	32	11	20	27	25	17	17	11	24	22	35	32
Other Insanity - - - -	163	21	8	17	6	10	17	11	15	11	12	16	19
Epilepsy - - - -	294	24	19	31	23	29	27	30	20	11	21	29	30
Convulsions (not Puerperal) (70)	672	60	66	54	65	94	43	52	33	34	58	51	62
Chorea - - - -	14	2	1	2	2	-	2	1	1	1	1	-	1
Neuralgia, Neuritis - - - -	32	2	3	3	4	4	4	2	1	3	1	3	2
(c) Cerebral Tumour - - - -	118	14	7	6	9	14	11	9	5	14	13	5	11
(d) Other Diseases of Nervous System (a, b)	90	10	10	10	2	7	6	2	10	4	12	14	8
Diseases of Eye and Annæra -	10	-	2	-	2	1	2	-	1	-	1	-	1
(a) Mastoid Disease - - - -	23	1	1	2	4	4	3	2	1	1	-	2	2
(b) Diseases of Ear - - - -	93	10	7	4	13	9	9	7	4	7	12	3	8
III. DISEASES OF CIRCULATORY SYSTEM.													
Pericarditis - - - -	43	4	6	5	3	1	-	1	2	1	10	7	3
Acute Endocarditis - - - -	179	15	13	15	11	25	12	22	8	8	16	20	14
(a) Valvular Disease - - - -	3260	304	188	256	262	258	245	311	229	220	345	373	269
(b) Fatty Degeneration of Heart -	236	28	11	19	27	32	8	15	14	13	21	29	19
(c) Other Organic Diseases of Heart	2637	269	189	220	242	241	172	249	157	169	226	265	238
Angina Pectoris - - - -	221	23	18	21	18	15	18	17	20	18	13	22	18
(a) Aneurysm - - - -	123	11	12	9	5	15	8	9	8	11	11	13	11
(b) Arterio-sclerosis - - - -	425	40	19	37	34	35	27	28	21	41	45	57	41
(c) Other Diseases of Arteries -	9	-	-	-	1	3	1	1	1	1	1	-	-
(a) Cerebral Embolism, Thrombosis	502	55	40	54	54	49	29	28	36	46	40	26	45
(b) Embolism and Thrombosis, not Cerebral	98	13	8	11	6	5	11	10	4	8	6	10	6
Diseases of Veins - - - -	14	-	-	-	-	1	-	3	4	2	1	2	1
(a) Lymphatism, Status Lymphaticus	5	1	1	-	-	-	1	-	-	1	-	1	-
(b) Other Dis. of Lymphatic System	13	2	2	1	1	2	1	1	2	1	-	-	-
Hæmorrhage, Other Diseases of Circulatory System	33	3	2	4	2	2	2	3	6	5	3	1	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
Diseases of Nose - - - -	7	1	-	-	-	1	-	2	-	-	2	-	1
(b) Laryngitis - - - -	108	14	5	8	8	6	1	8	4	5	19	19	11
(c) Other Diseases of Larynx (a) -	36	2	6	8	5	5	1	4	-	-	-	4	1
Diseases of Thyroid - - - -	33	2	3	-	3	2	3	-	5	3	4	6	2
Bronchitis (89) - - - -	5217	657	364	426	428	349	194	343	148	195	638	801	674
Broncho-pneumonia - - - -	5063	290	198	228	196	219	98	220	115	156	1324	1315	704
Pneumonia - - - -	9281	319	227	257	281	366	187	708	205	273	2702	2726	1030
Pleurisy - - - -	322	31	22	21	18	37	22	29	13	18	32	41	38
(a) Pulmonary Apoplexy - - - -	6	1	-	-	-	2	-	-	-	-	1	-	2
(b) Pulmonary Congestion (c, d) -	507	37	25	37	34	43	22	31	26	25	99	63	65
Gangrene of Lung - - - -	15	3	1	1	1	4	-	-	1	-	1	1	2
Asthma - - - -	81	10	6	8	5	5	1	9	2	4	8	18	5
Pulmonary Emphysema - - - -	25	5	3	1	1	1	-	3	1	2	4	-	4
(a) Fibroid Diseases of Lung -	56	4	4	12	3	3	5	2	1	5	4	10	3
(b) Other Diseases of Respiratory System	24	3	5	1	3	-	1	-	3	2	3	2	1

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	23	3	3	2	1	2	3	1	2	1	2	1	2
101 Diseases of Pharynx, Oesophagus.	67	4	6	3	9	4	4	5	5	7	11	6	3
From 1911 to 1918													
102 Gastric Ulcer - - -	367	39	43	41	21	40	23	28	17	26	35	28	26
103 Other Dis. of Stomach. Gastritis	524	40	35	54	54	51	47	47	37	36	36	37	50
104 Diarrhoea, Enteritis (under 2 years)	1046	80	58	60	73	63	63	76	178	154	95	69	77
105 Diarrhoea, Enteritis (over 2 years)	443	39	33	30	45	41	34	32	52	47	38	28	24
107 Intestinal Parasites (106) - -	1	-	-	-	-	-	-	1	-	-	-	-	-
108 Appendicitis, Typhlitis - - -	402	38	26	32	35	33	28	37	26	40	42	26	39
109 (a) Hernia - - - - -	222	18	27	15	21	24	17	22	12	18	6	17	25
(b) Intestinal Obstruction - -	314	35	22	26	30	35	23	20	27	21	26	26	23
110 Other Diseases of Intestine - -	219	20	29	21	20	12	21	10	22	13	17	20	14
111 Acute Yellow Atrophy of Liver -	14	2	1	1	-	4	1	1	1	-	2	1	-
112 Hydatids of Liver - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
113 Cirrhosis of Liver - - - - -	139	11	17	12	17	10	13	11	11	12	11	9	5
114 Gallstones - - - - -	92	9	7	16	9	8	9	5	9	-	4	7	9
115 Other Diseases of Liver - - -	146	16	13	14	12	18	9	11	9	11	14	11	8
116 Diseases of Spleen - - - - -	9	-	-	3	1	-	-	-	-	-	4	1	-
117 Peritonitis, cause not specified	88	9	4	6	8	15	7	7	11	5	5	6	5
118 Other Diseases of Digestive System	23	4	1	2	1	4	-	3	2	4	-	-	1
VI. DISEASES OF GENITO- URINARY SYSTEM.													
119 Acute Nephritis - - - - -	323	30	34	34	36	18	19	26	20	22	37	22	25
120 (a) Bright's Disease - - - -	1700	176	128	144	124	148	138	144	119	124	170	154	131
(b) Uremia - - - - -	84	8	5	13	8	4	4	10	4	9	2	5	8
122 Other Dis. of Kidney, Chyluria (121)	62	6	1	4	8	4	6	4	11	6	2	4	6
123 Urinary Calculus - - - - -	30	2	4	2	6	2	1	3	1	1	2	3	3
124 Diseases of Bladder - - - -	205	23	16	21	22	13	9	18	15	12	15	15	23
125 Dis. of Urethra, Urinary Abscess	47	3	5	7	1	-	6	4	4	3	2	6	6
126 Diseases of Prostate - - - -	237	22	19	29	24	27	13	21	17	16	18	16	15
127 Diseases of Male Genital Organs (not Venereal)	8	1	-	2	2	-	1	-	-	-	-	-	2
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	6	-	1	1	-	-	1	1	1	-	1	-	-
129 Uterine Tumour (non-Cancerous)	48	3	2	5	6	7	3	4	1	3	7	3	4
130 Other Diseases of Uterus - - -	25	2	4	2	1	4	-	2	1	2	2	-	5
131 Cysts, and Other Tumours of Ovary	48	4	3	8	3	6	3	2	2	2	9	3	3
132 Other Dis. of Female Genit. Organs	27	5	3	2	2	3	1	3	2	3	-	1	2
133 Non-Puerperal Diseases of Breast	3	-	-	-	-	1	-	1	-	-	1	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (a) Abortion, Miscarriage - -	102	4	3	5	3	1	2	5	6	3	33	22	15
(c) Uncontrollable Vomiting - -	8	-	2	1	-	-	-	-	-	-	1	3	1
(d) Ectopic Gestation - - - -	7	-	-	-	-	1	-	-	1	-	4	1	-
(e) Other Diseases and Accidents of Pregnancy (b)	27	1	1	3	1	3	1	2	3	2	6	4	-
135 Puerperal Hæmorrhage - - -	83	7	5	6	9	5	10	11	6	4	10	5	5
136 Other Accidents of Childbirth -	55	1	5	2	4	3	5	5	2	3	10	9	6
137 Puerperal Sepsis - - - - -	113	17	13	8	6	9	8	10	10	5	8	6	13
138 Puerp. Albuminuria, Convulsions	100	6	5	6	9	6	8	11	7	12	14	10	6
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	20	3	2	3	1	2	2	-	1	2	1	1	2
140 (a) Puerperal Insanity - - -	2	-	-	1	-	-	-	-	-	-	-	1	-
(b) Other Puerperal Diseases -	171	7	4	10	5	9	6	10	8	6	59	35	12
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (a) Senile Gangrene - - - -	179	17	31	17	10	15	18	17	9	10	12	11	12
(b) Noma, Cancrum Oris - - -	10	1	1	-	1	-	1	-	-	2	2	1	1
(c) Other Gangrene (c) - - -	21	2	3	5	1	1	1	1	1	-	1	4	1
143 Carbuncle, Boil - - - - -	24	2	3	1	1	3	1	-	1	3	4	3	2
144 Phlegmon, Acute Abscess - - -	117	13	12	8	6	10	5	12	7	12	7	13	12
145 Ulcer, Other Diseases of Skin and Cellular Tissue	58	7	5	7	2	8	2	5	11	1	6	3	1

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	73	9	1	4	15	5	2	6	5	6	11	5	4
147 Diseases of Joints	21	4	1	2	4	2	2	1	1	-	-	4	-
149 Other Dis. of Locomotor Syst. (148)	3	-	1	1	-	-	-	-	-	-	-	1	-
X. MALFORMATIONS.													
150 Congenital Malformations	435	40	33	38	43	45	31	41	24	39	35	36	30
XI. DISEASES OF EARLY INFANCY.													
151 (a) Premature Birth	1998	166	146	127	172	177	128	156	116	141	214	198	157
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1411	141	105	131	117	129	115	99	102	101	117	110	144
152 Other Diseases peculiar to Early Infancy	255	31	29	26	20	15	15	19	21	12	21	18	28
153 Lack of Care	1	-	1	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (a) Senile Dementia	82	7	1	10	11	5	1	7	2	4	10	9	15
(b) Senile Decay	3491	456	299	331	310	291	192	238	205	217	236	326	340
XIII. VIOLENT CAUSES.													
163 Suicide (155-162)	190	14	16	11	17	24	18	15	18	13	13	10	21
164 Poisoning by Food	15	-	1	4	1	1	3	1	1	2	-	-	1
165 Other Accidental Poisonings	23	2	1	-	1	1	4	2	2	1	6	2	1
167 Burns and Scalds (166)	375	55	41	35	29	34	20	13	17	18	29	45	39
168 Exposure to Poisonous Vapours	30	5	1	4	1	2	3	-	4	-	1	3	6
169 Drowning	434	28	41	36	34	48	32	39	33	22	39	42	40
170 Accidents with Fire Arms	29	1	1	5	2	1	8	2	3	2	2	1	-
171 Accidents with Instruments and Weapons	9	8	-	1	-	-	-	-	-	-	-	-	-
172 Accidental Falls	197	29	16	18	9	17	20	16	16	13	17	13	13
173 (a) Accidents in Coal Mines	143	8	11	9	9	12	9	8	35	9	8	9	16
(b) Accidents in Other Mines	3	-	-	1	-	-	-	1	1	-	-	-	-
(c) Accidents in Quarries	1	1	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery	34	-	5	2	1	5	3	4	6	2	3	-	3
175 (a) Accidents on Railways	109	12	10	10	11	14	5	10	3	6	9	7	12
(b) Acc. with Horses and Vehicles	47	4	3	2	7	2	7	2	3	6	4	3	4
(c) Accidents with Motor Vehicles	79	4	7	1	7	3	4	6	5	8	10	11	13
(d) Accidents with Tramways	32	2	4	3	2	3	2	2	3	1	2	3	5
(e) Other Crushing Accidents	137	5	5	10	18	15	11	16	12	14	18	6	7
177 Hunger	1	-	1	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179)	23	6	1	1	1	3	-	1	1	-	2	3	4
186 (a) Overlying	36	10	2	3	2	4	2	3	-	3	1	2	4
(b) Suffocation (otherwise)	53	3	8	6	6	5	3	4	3	4	2	3	6
(c) Other Accidents (176, 181, 185)	615	48	54	51	46	42	48	55	51	54	69	43	54
184 Homicide (182, 183)	23	2	-	1	3	4	-	1	4	2	1	5	-
190 Execution	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness)	225	14	7	8	24	36	18	11	7	15	30	35	20
XIV. ILL-DEFINED CAUSES.													
187 Dropsy	23	1	2	2	-	2	4	2	-	5	1	-	4
188 (a) Syncope	188	25	14	16	14	14	14	15	11	13	16	22	14
(b) Sudden Death (not otherwise defined)	14	-	1	1	2	2	1	3	1	-	-	1	2
189 (a) Heart Failure	736	97	55	74	55	46	43	59	42	40	75	75	75
(c) Teething	7	-	-	-	1	1	2	1	-	1	-	-	1
(d) Other Ill-defined Diseases (b, d)	93	9	5	11	4	9	11	7	7	3	7	12	8
(f) Dis. not Specified, Nat. Causes	440	41	23	33	32	36	27	24	26	32	39	62	65

CAUSES OF DEATH IN GLASGOW IN 1918.

	SEXES.		Age.													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
All Causes - - - - -	9270	9092	2660	2566	627	462	1212	1547	1431	1873	2208	2246	1530	-		
I. GENERAL DISEASES.																
1 Enteric Fever - - - - -	15	13	-	-	3	4	2	5	8	5	1	-	-	-		
2 Typhus Fever - - - - -	3	7	-	-	2	1	1	1	2	2	1	-	-	-		
4 Malaria - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-		
5 (a) Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Smallpox } Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Vaccination } Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Measles - - - - -	181	188	70	276	20	1	-	1	-	1	-	-	-	-		
7 Scarlet Fever - - - - -	15	10	1	15	8	-	1	-	-	-	-	-	-	-		
8 Whooping-cough - - - - -	200	213	141	255	17	-	-	-	-	-	-	-	-	-		
9 (a) Diphtheria - - - - -	84	97	18	103	48	4	6	2	-	-	-	-	-	-		
(c) Croup, Membr. Laryngitis (b)	5	3	-	6	2	-	-	-	-	-	-	-	-	-		
10 Influenza - - - - -	138	164	35	47	19	14	34	32	26	27	25	32	11	-		
13 Cholera Nostras - - - - -	3	2	3	1	-	-	-	-	-	-	-	-	1	-		
14 Dysentery - - - - -	2	1	-	-	-	-	-	-	1	1	-	-	1	-		
18 Erysipelas - - - - -	15	8	5	2	1	1	2	1	3	4	2	1	-	-		
19 Oth. Epid. Dis. (8, 11, 12, 15, 16, 17, 25, 26, 27)	2	-	-	1	-	-	1	-	-	-	-	-	-	-		
20 (a) Pyæmia, Septicæmia (not Puer-peral) (b)	15	14	2	3	2	-	1	1	8	3	4	5	-	-		
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24 Tetanus - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
28 Pulmonary Tuberculosis, Phthisis	679	660	5	41	43	72	302	273	255	212	116	19	2	-		
29 (a) Acute Phthisis - - - - -	18	25	1	6	1	3	9	9	5	6	3	-	-	-		
(b) Acute Miliary Tuberculosis - - - - -	3	5	-	1	2	1	2	-	-	-	1	-	-	-		
30 Tuberculous Meningitis - - - - -	100	128	30	107	40	25	14	4	6	2	-	-	-	-		
31 Abdominal Tuberculosis - - - - -	87	95	27	56	23	22	29	9	7	6	3	-	-	-		
32 Tuberculosis of Spine - - - - -	27	26	-	6	7	13	12	5	4	2	3	1	-	-		
33 Tuberculosis of Joints - - - - -	6	9	-	-	5	1	-	2	3	2	2	-	-	-		
35 Tuberculosis of other Organs, Dis-seminated Tuberculosis (34)	96	64	8	33	19	24	32	11	11	13	4	5	-	-		
36 Rickets, Osteomalacia - - - - -	5	2	2	5	-	-	-	-	-	-	-	-	-	-		
37 Syphilis - - - - -	28	23	33	5	1	-	-	1	-	3	2	1	-	-		
38 Other Venereal Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
45 (a) Carcinoma - - - - -	306	463	-	-	-	1	2	16	79	174	226	197	74	-		
(b) Sarcoma - - - - -	26	22	-	2	1	2	2	3	5	8	13	10	2	-		
(c) Malignant Disease, other or not defined	170	223	-	-	-	-	1	12	29	83	120	95	53	-		
46 Other Tumours (Situation un-defined)	7	5	-	-	-	-	-	1	2	1	3	4	1	-		
47 Rheumatic Fever - - - - -	12	19	-	-	2	6	5	4	5	5	4	-	-	-		
48 (a) Chronic Rheumatism - - - - -	-	11	-	-	-	-	-	-	-	-	5	2	4	-		
(b) Osteo-arthritis - - - - -	-	11	-	-	-	-	-	-	-	1	5	2	3	-		
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
49 Scurvy - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
50 Diabetes - - - - -	32	52	-	1	1	4	9	10	8	10	21	15	5	-		
51 Exophthalmic Goitre - - - - -	1	9	-	-	-	-	2	3	2	2	1	-	-	-		
52 Addison's Disease - - - - -	2	3	-	-	-	-	-	1	2	1	-	1	-	-		
53 (a) Leucocythæmia - - - - -	4	2	1	-	-	2	-	-	1	-	1	1	-	-		
(b) Lymphadenoma - - - - -	7	4	-	-	-	2	-	-	2	5	1	1	-	-		
54 Anæmia, Chlorosis - - - - -	29	49	1	-	-	1	4	8	9	16	20	16	3	-		
55 (b) Purpura - - - - -	2	4	1	1	-	1	1	1	-	-	-	-	1	-		
(c) Hæmophilia - - - - -	2	-	1	-	-	-	-	1	-	-	-	-	-	-		
(d) Other General Diseases (a)	-	2	1	-	-	-	-	1	-	-	-	-	-	-		
56 Alcoholism - - - - -	7	4	-	-	-	-	-	-	3	5	2	-	-	-		
57 Chronic Lead Poisoning - - - - -	1	-	-	-	-	-	-	1	-	1	-	-	-	-		
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

	SEXES.		Age.													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over			
II. DISEASES OF NERVOUS SYSTEM.																
60 Encephalitis - - - - -	13	14	-	5	4	5	5	1	6	1	-	-	-	-	-	
61 (a) Cerebro-Spinal Meningitis - -	26	12	9	16	3	1	5	1	2	-	1	-	-	-	-	
(c) Meningitis, Basal, Nature unspecified (b)	150	99	74	99	25	9	16	7	8	4	6	1	-	-	-	
62 Locomotor Ataxy - - - - -	20	5	-	-	-	-	-	2	8	7	5	2	1	-	-	
63 Other Diseases of Spinal Cord - -	42	37	-	2	-	3	6	8	7	17	13	15	8	-	-	
64 Cerebral Haemorrhage, Apoplexy	477	501	2	-	1	-	4	8	39	132	245	350	197	-	-	
65 Softening of Brain - - - - -	21	18	-	-	-	-	-	1	-	3	7	18	10	-	-	
66 (a) Hemiplegia - - - - -	41	52	-	-	-	-	3	-	6	7	24	36	17	-	-	
(c) Paralysis, Cause or Nature unspecified (b)	4	2	-	-	-	-	-	1	-	2	2	1	-	-	-	
67 General Paralysis of Insane - -	62	22	-	-	-	-	2	13	39	21	8	1	-	-	-	
68 Other Insanity - - - - -	33	32	-	-	-	-	3	5	9	6	16	19	7	-	-	
69 Epilepsy - - - - -	26	32	1	3	-	4	18	11	11	6	7	2	-	-	-	
71 Convulsions (not Puerperal) (70)	100	80	111	62	3	1	-	-	1	1	1	-	-	-	-	
72 Chorea - - - - -	1	2	-	-	-	-	1	1	-	-	-	1	-	-	-	
73 Neuritis, Neuritis - - - - -	3	3	-	-	-	-	-	-	-	2	2	1	1	-	-	
74 (c) Cerebral Tumour - - - - -	12	9	1	2	1	2	3	3	7	2	-	-	-	-	-	
(d) Other Diseases of Nervous System (a, b)	18	6	-	2	-	1	-	1	7	3	5	3	2	-	-	
75 Diseases of Eye and Annexa - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
76 (a) Mastoid Disease - - - - -	6	1	-	2	-	-	1	2	2	-	-	-	-	-	-	
(b) Diseases of Ear - - - - -	15	15	4	2	2	2	8	4	4	3	1	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.																
77 Pericarditis - - - - -	2	7	-	-	2	-	1	3	2	1	2	-	-	-	-	
78 Acute Endocarditis - - - - -	27	21	-	1	1	4	5	7	8	13	9	-	-	-	-	
79 (a) Valvular Disease - - - - -	234	298	3	1	3	10	37	50	67	76	123	110	52	-	-	
(b) Fatty Degeneration of Heart	15	18	-	-	-	-	-	1	4	3	6	14	5	-	-	
(c) Other Organic Diseases of Heart	242	197	4	1	1	2	13	23	36	60	91	120	91	-	-	
80 Angina Pectoris - - - - -	15	17	-	-	-	1	-	-	1	3	15	8	4	-	-	
81 (a) Aneurysm - - - - -	28	8	-	-	-	-	1	-	4	16	11	3	1	-	-	
(b) Arterio-sclerosis - - - - -	34	20	-	-	-	-	-	-	-	3	11	18	22	-	-	
(c) Other Diseases of Arteries - -	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	
82 (a) Cerebral Embolism, Thrombosis	32	69	-	-	-	1	1	4	5	18	16	28	28	-	-	
(b) Embolism and Thrombosis, not Cerebral	8	7	1	1	-	-	-	2	1	1	5	3	1	-	-	
83 Diseases of Veins - - - - -	4	1	-	-	-	-	-	1	2	-	1	1	-	-	-	
84 (a) Lymphatism, Status Lympha- ticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	1	2	-	-	-	1	-	-	1	1	-	-	-	-	-	
85 Haemorrhage, Other Diseases of Circulatory System	2	2	1	-	-	-	-	-	-	1	1	-	1	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.																
86 Diseases of Nose - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
87 (b) Laryngitis - - - - -	15	7	5	8	1	2	1	-	1	3	1	-	-	-	-	
(c) Other Diseases of Larynx (a)	11	3	9	4	-	-	-	-	-	1	-	-	-	-	-	
88 Diseases of Thyroid - - - - -	1	6	-	-	-	-	1	-	-	1	2	2	1	-	-	
90 Bronchitis (89) - - - - -	716	685	167	118	11	10	26	45	76	145	250	321	232	-	-	
91 Broncho-pneumonia - - - - -	770	812	307	627	91	30	82	142	72	66	70	64	31	-	-	
92 Pneumonia - - - - -	1186	1137	134	331	102	72	320	536	206	253	192	132	45	-	-	
93 Pleurisy - - - - -	37	22	-	2	2	2	7	3	6	9	11	13	4	-	-	
94 (a) Pulmonary Apoplexy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Congestion (c, d)	57	78	35	33	8	1	6	7	4	7	8	14	12	-	-	
95 Gangrene of Lung - - - - -	5	1	-	-	-	-	-	-	-	2	4	-	-	-	-	
96 Asthma - - - - -	8	7	-	-	1	-	-	3	-	-	6	4	1	-	-	
97 Pulmonary Emphysema - - - - -	6	1	-	-	-	-	-	2	1	-	2	1	1	-	-	
98 (a) Fibroid Diseases of Lung - -	5	1	-	-	-	-	1	1	1	2	-	1	-	-	-	
(b) Other Diseases of Respiratory System	5	1	1	-	-	-	-	1	-	-	-	3	1	-	-	

	SEXES.		Age.												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.															
99. Dis. of Mouth, Teeth, Oral Sepsis	4	5	2	2	-	-	-	1	1	1	2	-	-	-	-
101. Diseases of Pharynx, Oesophagus, Trachea, Larynx	7	9	1	7	3	2	1	-	1	1	-	-	-	-	-
102 Gastric Ulcer	38	40	-	1	2	1	6	6	15	22	15	6	4	-	-
103 Other Dis. of Stomach. Gastritis	52	71	43	15	2	1	6	2	4	9	12	11	18	-	-
104 Diarrhoea, Enteritis (under 2 years)	204	145	279	70	-	-	-	-	-	-	-	-	-	-	-
105 Diarrhoea, Enteritis (over 2 years)	43	45	-	17	6	7	3	2	7	6	9	13	18	-	-
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis	52	55	1	5	15	23	22	7	11	10	8	4	1	-	-
109 (a) Hernia	25	27	2	5	-	-	1	-	8	3	14	11	8	-	-
(b) Intestinal Obstruction	42	34	8	3	5	4	4	5	8	11	12	9	7	-	-
110 Other Diseases of Intestine	30	15	3	-	-	1	-	4	12	4	11	8	2	-	-
111 Acute Yellow Atrophy of Liver	1	2	-	-	-	-	2	-	-	-	1	-	-	-	-
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver	13	11	-	1	-	-	1	1	2	8	9	2	5	-	-
114 Gallstones	4	17	-	-	-	-	-	1	1	5	7	2	2	-	-
115 Other Diseases of Liver	15	15	2	1	1	-	-	1	6	4	5	8	2	-	-
116 Diseases of Spleen	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
117 Peritonitis, cause not specified	14	7	-	6	-	1	2	2	1	3	2	2	2	-	-
118 Other Diseases of Digestive System	2	2	-	-	-	-	1	1	-	1	-	1	-	-	-
VI. DISEASES OF GENITO- URINARY SYSTEM.															
119 Acute Nephritis	42	46	6	11	10	6	9	4	5	16	13	5	3	-	-
120 (a) Bright's Disease	312	240	-	1	-	3	17	22	49	87	142	148	83	-	-
(b) Uræmia	7	10	-	-	-	-	1	4	1	7	2	2	-	-	-
122 Other Dis. of Kidney, Chyluria (121)	8	10	2	2	-	1	-	2	3	5	1	2	-	-	-
123 Urinary Calculus	6	1	-	-	-	-	-	-	3	2	-	-	-	-	-
124 Diseases of Bladder	29	19	-	-	-	1	-	1	3	2	11	18	12	-	-
125 Dis. of Urethra, Urinary Abscess	20	1	-	-	-	-	-	1	4	5	7	2	2	-	-
126 Diseases of Prostate	50	-	-	-	-	-	-	-	-	2	6	28	14	-	-
127 Diseases of Male Genital Organs (not Venereal)	3	-	1	-	-	-	-	-	-	2	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	3	-	-	-	-	-	-	1	-	-	1	-	-	-
129 Uterine Tumour (non-Cancerous)	-	14	-	-	-	-	-	-	3	6	4	1	-	-	-
130 Other Diseases of Uterus	-	11	-	-	-	-	-	5	1	3	1	1	-	-	-
131 Cysts, and Other Tumours of Ovary	-	11	-	-	-	-	-	3	1	1	3	3	-	-	-
132 Other Dis. of Female Genit. Organs	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134 (a) Abortion, Miscarriage	-	18	-	-	-	-	4	8	6	-	-	-	-	-	-
(c) Uncontrollable Vomiting	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
(d) Ectopic Gestation	-	4	-	-	-	-	-	-	4	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	-	6	-	-	-	-	1	1	4	-	-	-	-	-	-
135 Puerperal Hæmorrhage	-	19	-	-	-	-	1	11	7	-	-	-	-	-	-
136 Other Accidents of Childbirth	-	9	-	-	-	-	5	2	2	-	-	-	-	-	-
137 Puerperal Sepsis	-	45	-	-	-	-	6	25	13	1	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	20	-	-	-	-	4	11	4	1	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 (a) Puerperal Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Puerperal Diseases	-	36	-	-	-	-	4	22	10	-	-	-	-	-	-
141 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142 (a) Senile Gangrene	18	13	-	-	-	-	-	-	-	-	1	16	14	-	-
(b) Noma, Cancrum Oris	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-
(c) Other Gangrene	2	2	-	-	-	-	-	1	-	-	3	-	-	-	-
143 Carbuncle, Boil	2	1	1	-	-	-	-	-	-	1	-	1	-	-	-
144 Phlegmon, Acute Abscess	12	18	10	5	-	2	2	1	2	3	4	1	-	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	8	4	9	-	-	-	1	1	-	-	1	-	-	-	-

	SEXES.		Age.												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
146 Dis. of Bones (Mastoid excluded)	9	6	1	1	2	2	3	-	-	2	1	2	1	-	-
147 Diseases of Joints - - -	2	2	2	-	-	1	-	-	-	-	-	1	-	-	-
149 Other Dis. of Locomotor Syst. (148)	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-
X. MALFORMATIONS.															
150 Congenital Malformations - -	58	40	82	12	2	1	1	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
151 (a) Premature Birth - - -	293	186	479	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	190	151	341	-	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	22	25	47	-	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
154 (a) Senile Dementia - - -	7	7	-	-	-	-	-	-	-	-	2	6	6	-	-
(b) Senile Decay - - - -	149	250	-	-	-	-	-	-	-	-	-	80	319	-	-
XIII. VIOLENT CAUSES.															
163 Suicide (155-162) - - -	24	11	-	-	-	3	3	8	4	9	5	3	-	-	-
164 Poisoning by Food - - -	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings	7	1	-	1	-	-	1	-	2	2	1	1	-	-	-
167 Burns and Scalds (166) - -	52	60	7	37	12	7	5	4	5	4	3	4	4	-	-
168 Exposure to Poisonous Vapours	3	1	-	-	-	1	1	2	-	-	-	-	-	-	-
169 Drowning - - - -	48	10	-	2	6	4	8	9	5	12	6	6	-	-	-
170 Accidents with Fire Arms -	3	-	-	-	-	-	1	1	-	-	-	1	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	70	24	2	3	7	6	7	5	14	10	14	12	8	-	-
173 (a) Accidents in Coal Mines	8	-	-	-	-	-	-	3	2	-	-	-	-	-	-
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery -	17	1	-	-	-	1	9	3	2	-	1	-	-	-	-
175 (a) Accidents on Railways -	33	1	-	-	-	4	6	-	2	9	2	1	-	-	-
(b) Acc. with Horses and Vehicles	22	4	-	3	4	4	1	-	3	5	3	2	1	-	-
(c) Accidents with Motor Vehicles	12	14	-	1	6	3	2	6	6	2	3	1	-	-	-
(d) Accidents with Tramways -	10	6	-	-	1	1	-	2	1	1	4	3	-	-	-
(e) Other Crushing Accidents -	14	-	-	-	-	-	1	5	5	2	1	-	-	-	-
177 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179)	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
186 (a) Overlaying - - - -	4	6	10	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) -	3	7	6	1	-	-	2	1	2	2	1	-	-	-	-
(c) Other Accidents (176, 181, 185)	61	23	1	3	5	4	6	11	6	12	13	11	12	-	-
184 Homicide (182, 183) - - -	4	2	3	-	-	-	1	1	-	-	1	-	-	-	-
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.															
187 Dropsy - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
188 (a) Syncope - - - -	17	18	6	1	-	-	2	-	-	6	4	12	4	-	-
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 (a) Heart Failure - - - -	124	100	16	2	1	-	1	8	22	31	57	54	32	-	-
(c) Teething - - - -	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Ill-defined Diseases (b, d)	10	15	-	17	1	-	1	-	1	1	4	-	-	-	-
(f) Dis. not Specified, Nat. Causes	42	32	22	8	3	2	-	3	7	7	9	9	4	-	-

CAUSES OF DEATH IN EDINBURGH IN 1918.

	SEXES.		Age													75 and over	Age not defined
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over				
All Causes - - - - -	2366	2724	453	363	143	92	337	416	383	562	722	817	802				
I. GENERAL DISEASES.																	
1 Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
2 Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Malaria - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
5 (a) Smallpox { Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) " { Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) " { Vaccination - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) " { Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Measles - - - - -	5	5	4	5	-	-	-	-	1	-	-	-	-	-	-		
7 Scarlet Fever - - - - -	11	16	-	13	7	3	3	-	-	1	-	-	-	-	-		
8 Whooping-cough - - - - -	25	19	14	26	4	-	-	-	-	-	-	-	-	-	-		
9 (a) Diphtheria - - - - -	27	34	3	5	17	4	1	-	-	1	-	-	-	-	-		
(c) Croup, Membr. Laryngitis (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
10 Influenza - - - - -	42	44	10	5	7	3	14	16	10	11	9	13	13	-	-		
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14 Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Erysipelas - - - - -	2	3	1	-	-	-	-	2	-	-	1	1	-	-	-		
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	4	1	3	-	-	-	-	-	-	-	1	-	-	-		
20 (a) Pyæmia, Septicæmia (not Puer- peral) (b)	6	5	2	1	-	-	1	1	-	1	-	-	2	-	-		
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24 Tetanus - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
28 Pulmonary Tuberculosis, Phthisis	132	176	2	5	10	12	55	55	69	60	31	9	-	-	-		
29 (a) Acute Phthisis - - - - -	8	5	1	1	-	4	1	1	2	2	1	-	-	-	-		
(b) Acute Military Tuberculosis - -	-	4	1	-	2	-	-	1	-	-	-	-	-	-	-		
30 Tuberculous Meningitis - - - - -	34	33	7	30	12	6	5	3	4	-	-	-	-	-	-		
31 Abdominal Tuberculosis - - - - -	15	23	-	18	4	3	2	5	2	1	-	1	-	1	-		
32 Tuberculosis of Spine - - - - -	2	5	-	1	-	-	1	-	1	2	1	1	-	1	-		
33 Tuberculosis of Joints - - - - -	2	2	-	-	1	-	1	1	1	-	1	-	-	-	-		
35 Tuberculosis of Other Organs, Dis- seminated Tuberculosis (34)	21	22	2	10	5	4	9	3	5	1	1	2	1	-	-		
36 Rickets, Osteomalacia - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
37 Syphilis - - - - -	10	8	14	-	-	-	1	-	1	-	2	-	-	-	-		
38 Other Venereal Diseases - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
45 (a) Carcinoma - - - - -	10	150	-	-	-	-	-	4	17	53	75	82	25	-	-		
(b) Sarcoma - - - - -	10	7	-	-	-	-	2	-	1	6	4	1	1	-	-		
(c) Malignant Disease, other or not defined	73	108	-	1	-	-	2	-	10	31	52	51	32	-	-		
46 Other Tumours (Situation un- defined)	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-		
47 Rheumatic Fever - - - - -	5	3	-	1	3	1	1	-	1	1	-	-	-	-	-		
48 (a) Chronic Rheumatism - - - - -	-	3	-	-	-	-	-	-	-	1	-	-	-	2	-		
(b) Osteo-arthritis - - - - -	2	5	-	-	-	-	-	1	2	-	1	2	1	-	-		
(c) Gout - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
50 Diabetes - - - - -	14	11	-	1	-	-	1	4	3	3	4	6	3	-	-		
51 Exophthalmic Goitre - - - - -	1	7	-	-	-	-	1	1	3	3	-	-	-	-	-		
52 Addison's Disease - - - - -	2	1	-	-	-	-	-	-	-	-	2	-	1	-	-		
53 (a) Leucocythæmia - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-		
(b) Lymphadenoma - - - - -	1	4	-	-	-	-	-	1	2	2	-	-	-	-	-		
54 Anæmia, Chlorosis - - - - -	15	22	-	-	-	-	2	1	1	8	6	11	8	-	-		
55 (b) Purpura - - - - -	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-		
(c) Hæmophilia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Other General Diseases (a)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
56 Alcoholism - - - - -	5	3	-	-	-	-	-	-	4	3	-	1	-	-	-		
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
58 Other Chronic Occupational Poisonings	2	1	-	-	-	-	1	2	-	-	-	-	-	-	-		
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
Encephalitis	1	6	-	1	-	-	1	1	1	1	1	1	-	-	
(a) Cerebro-spinal Meningitis	4	2	-	2	-	-	1	1	1	1	-	-	-	-	
(c) Meningitis, Basal, Nature unspecified (b)	20	18	7	7	5	4	3	5	1	2	3	1	-	-	
Locomotor Ataxy	4	1	-	-	-	-	-	-	1	3	1	-	-	-	
Other Diseases of Spinal Cord	16	20	-	-	-	-	-	1	3	6	7	12	7	-	
Cerebral Haemorrhage, Apoplexy	136	189	2	-	-	-	-	1	7	19	17	90	89	-	
Softening of Brain	10	14	-	-	-	-	-	-	2	6	8	8	8	-	
(a) Hemiplegia	26	35	-	-	-	-	-	-	3	7	10	24	17	-	
(c) Paralysis, Cause or Nature unspecified (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
General Paralysis of Insane	24	2	-	-	-	-	1	1	6	11	7	-	-	-	
Other Insanity	2	6	-	-	-	-	-	-	3	1	4	-	-	-	
Epilepsy	12	6	-	2	-	1	1	5	4	3	-	1	1	-	
Convulsions (not Puerperal) (70)	15	10	16	9	-	-	-	-	-	-	-	-	-	-	
Chorea	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
Neuralgia, Neuritis	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
(c) Cerebral Tumour	9	2	-	1	1	-	-	1	1	5	1	-	1	-	
(d) Other Diseases of Nervous System (a, b)	1	6	-	-	-	-	-	1	1	1	1	2	1	-	
Diseases of Eye and Annexa	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
(a) Maschoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Diseases of Ear	2	-	-	1	1	-	-	-	-	-	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.															
Pericarditis	3	2	-	-	-	-	1	1	1	2	-	-	-	-	
Acute Endocarditis	4	9	-	1	-	1	3	1	1	4	1	1	-	-	
(a) Valvular Disease	117	135	-	1	-	-	9	17	19	44	55	110	48	-	
(b) Fatty Degeneration of Heart	10	18	-	-	-	-	-	1	1	4	10	9	3	-	
(c) Other Organic Diseases of Heart	93	95	-	-	1	1	3	4	9	21	44	44	55	-	
Angina Pectoris	9	8	-	-	-	-	-	-	2	3	10	2	-	-	
(a) Aneurysm	10	4	-	-	-	-	-	1	4	6	3	-	-	-	
(b) Arterio-sclerosis	16	18	-	-	-	-	-	-	-	2	9	23	-	-	
(c) Other Diseases of Arteries	-	3	-	1	-	-	-	-	-	-	2	-	-	-	
(a) Cerebral Embolism, Thrombosis	19	29	-	-	-	-	1	1	5	10	14	17	-	-	
(b) Embolism and Thrombosis, not Cerebral	3	7	-	-	-	-	2	-	-	2	4	2	-	-	
Diseases of Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Lymphatism, Status Lympha- ticus	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	1	-	1	-	-	-	-	-	-	-	1	1	1	-	
Hæmorrhage, Other Diseases of Circulatory System	2	1	-	-	-	-	-	-	-	-	1	1	-	-	
V. DISEASES OF RESPIRATORY SYSTEM.															
Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Laryngitis	2	3	1	1	1	-	-	-	-	1	1	-	-	-	
(c) Other Diseases of Larynx (a)	1	1	-	1	-	-	-	-	1	-	-	-	2	-	
Diseases of Thyroid	-	4	-	-	-	-	-	1	-	-	-	1	-	-	
Bronchitis (89)	128	170	19	11	2	-	5	5	10	21	58	81	84	-	
Broncho-pneumonia	126	123	53	63	13	7	14	25	10	13	15	16	20	-	
Pneumonia	331	363	9	58	24	25	136	173	81	63	56	47	20	-	
Pleurisy	14	16	-	-	-	3	3	3	3	4	5	5	5	-	
(a) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Congestion (c, d)	11	24	3	2	2	-	1	2	2	1	4	4	14	-	
Gangrene of Lung	-	-	-	-	-	-	-	-	3	3	3	2	2	-	
Asthma	6	7	-	-	-	-	-	-	-	-	1	-	-	-	
Pulmonary Emphysema	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
(a) Fibroid Diseases of Lung	5	3	-	-	-	-	-	-	2	2	2	1	1	-	
(b) Other Diseases of Respiratory System	1	1	-	-	-	-	-	-	1	-	-	1	-	-	

	SEXES.		Age													75 and over	Age not Ascertained
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-					
V. DIS. OF DIGESTIVE SYSTEM.																	
99 Dis. of Mouth, Teeth. Oral Sepsis	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100)	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
102 Gastric Ulcer	9	18	-	-	-	-	1	5	3	3	3	4	5	5	5	5	
103 Other Dis. of Stomach. Gastritis	19	8	9	2	1	-	1	1	-	1	3	4	5	5	5	5	
104 Diarrhœa, Enteritis (under 2 years)	21	18	3	6	-	-	-	-	-	-	-	-	-	-	-	-	
105 Diarrhœa, Enteritis (over 2 years)	9	21	-	4	1	-	2	-	1	3	2	8	9	9	9	9	
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis	10	8	-	-	3	2	3	2	3	3	-	2	-	-	-	-	
109 (a) Hernia	8	12	-	2	-	-	-	-	-	-	4	4	5	5	5	5	
(b) Intestinal Obstruction	13	11	3	2	1	-	2	1	2	2	4	3	4	4	4	4	
110 Other Diseases of Intestine	10	10	1	-	1	-	1	-	2	5	4	5	1	-	-	-	
111 Acute Yellow Atrophy of Liver	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
113 Cirrhosis of Liver	5	3	-	-	-	-	-	-	-	1	4	3	-	-	-	-	
114 Gallstones	1	2	-	-	-	-	-	-	-	1	2	-	-	-	-	-	
115 Other Diseases of Liver	3	6	-	-	-	1	-	1	-	1	1	3	2	-	-	-	
116 Diseases of Spleen	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
117 Peritonitis, cause not specified	3	2	1	-	1	1	-	-	-	1	-	1	-	-	-	-	
118 Other Diseases of Digestive System	1	3	-	-	-	-	-	-	2	-	2	-	-	-	-	-	
VI. DISEASES OF GENITO-URINARY SYSTEM.																	
119 Acute Nephritis	9	13	3	1	2	-	5	2	2	2	1	2	2	2	2	2	
120 (a) Bright's Disease	60	60	-	-	-	-	2	7	9	28	29	23	22	22	22	22	
(b) Uræmia	5	5	-	-	-	-	-	1	1	1	1	1	1	1	1	1	
122 Other Dis. of Kidney, Chyluria (121)	4	4	-	1	-	-	-	-	-	1	2	2	2	2	2	2	
123 Urinary Calculus	2	2	-	-	-	-	-	-	1	-	2	-	-	-	-	-	
124 Diseases of Bladder	11	4	-	-	-	-	-	1	1	1	2	2	8	-	-	-	
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
126 Diseases of Prostate	14	-	-	-	-	-	-	-	1	-	1	5	7	-	-	-	
127 Diseases of Male Genital Organs (not Venereal)	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
129 Uterine Tumour (non-Cancerous)	-	5	-	-	-	-	-	1	-	1	1	1	1	1	1	1	
130 Other Diseases of Uterus	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
131 Cysts, and Other Tumours of Ovary	-	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	
132 Other Dis. of Female Genit. Organs	-	4	-	-	-	-	1	2	1	-	-	-	-	-	-	-	
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																	
134 (a) Abortion, Miscarriage	-	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	
(c) Uncontrollable Vomiting	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Ectopic Gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
135 Puerperal Hæmorrhage	-	6	-	-	-	-	2	4	-	-	-	-	-	-	-	-	
136 Other Accidents of Childbirth	-	4	-	-	-	-	1	1	2	-	-	-	-	-	-	-	
137 Puerperal Sepsis	-	5	-	-	-	-	1	2	2	-	-	-	-	-	-	-	
138 Puerp. Albuminuria, Convulsions	-	7	-	-	-	-	2	5	-	-	-	-	-	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
140 (a) Puerperal Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Puerperal Diseases	-	21	-	-	-	-	5	12	4	-	-	-	-	-	-	-	
141 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (a) Senile Gangrene	6	9	-	-	-	-	-	-	-	-	-	-	-	7	8	-	
(b) Noma, Cancrum Oris	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Gangrene (c)	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
143 Carbuncle, Boil	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
144 Phlegmon, Acute Abscess	5	2	-	1	1	-	1	-	1	2	1	1	-	-	-	-	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	4	1	1	-	-	-	-	-	-	-	1	-	3	-	-	-	

	SEXES.		Age												Are not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
46 Dis. of Bones (Mastoid excluded)	3	-	1	1	-	-	-	-	-	1	-	-	-	-	-
47 Diseases of Joints	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
49 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
50 Congenital Malformations	14	7	19	1	-	-	1	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
51 (a) Premature Birth	53	44	97	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	48	30	78	-	-	-	-	-	-	-	-	-	-	-	-
52 Other Diseases peculiar to Early Infancy	14	3	17	-	-	-	-	-	-	-	-	-	-	-	-
53 Lack of Care	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
54 (a) Senile Dementia	1	2	-	-	-	-	-	-	-	-	1	-	2	-	-
(b) Senile Decay	83	153	-	-	-	-	-	-	-	-	-	59	177	-	-
XIII. VIOLENT CAUSES.															
55 Suicide (155-162)	10	6	-	-	-	-	3	2	2	3	4	2	-	-	-
56 Poisoning by Food	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
55 Other Accidental Poisonings	1	3	-	-	-	-	-	-	-	4	-	-	-	-	-
57 Burns and Scalds (166)	8	14	1	9	4	2	-	-	1	-	2	1	2	-	-
58 Exposure to Poisonous Vapours	4	4	1	-	-	-	1	1	-	1	-	2	2	-	-
59 Drowning	5	1	-	-	-	-	-	-	3	2	1	-	-	-	-
60 Accidents with Fire Arms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 Accidents with Instruments and Weapons	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
62 Accidental Falls	18	6	-	-	2	1	3	1	6	3	3	2	3	-	-
63 (a) Accidents in Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64 Accidents with Machinery	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-
65 (a) Accidents on Railways	6	-	-	-	-	-	4	-	1	-	1	-	-	-	-
(b) Acc. with Horses and Vehicles	4	-	-	-	-	-	-	-	1	-	1	2	-	-	-
(c) Accidents with Motor Vehicles	1	4	-	1	-	-	1	-	-	-	2	1	-	-	-
(d) Accidents with Tramways	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(e) Other Crushing Accidents	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-
67 Hunger	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68 Weather Agencies (178, 179)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68 (a) Overlaying	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise)	1	3	2	1	-	-	-	-	1	-	-	-	-	-	-
(c) Other Accidents (176, 181, 185)	30	14	2	2	1	-	-	5	4	10	6	5	11	-	-
64 Homicide (182, 183)	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-
60 Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.															
67 Dropsy	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
68 (a) Syncope	3	2	1	-	-	-	-	-	-	-	-	2	-	2	-
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69 (a) Heart Failure	16	5	-	-	-	-	-	-	-	4	2	7	8	-	-
(c) Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Ill-defined Diseases (b, d)	4	4	-	5	1	-	-	-	-	1	1	-	-	-	-
(f) Dis. not Specified, Nat. Causes	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-

CAUSES OF DEATH IN DUNDEE IN 1918.

	SEXES.		Age												75 and over	Age not stated
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
All Causes - - - - -	1400	1768	366	320	111	93	217	253	224	325	433	441	385	-		
I. GENERAL DISEASES.																
1 Enteric Fever - - - - -	3	2	-	-	-	1	1	1	1	-	-	1	-	-		
2 Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 (a) { Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Smallpox { Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) { Vaccination - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
{ Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Measles - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	-		
7 Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
8 Whooping-cough - - - - -	43	52	36	58	1	-	-	-	-	-	-	-	-	-		
9 (a) Diphtheria - - - - -	10	26	1	25	8	2	-	-	-	-	-	-	-	-		
(c) Croup, Membr. Laryngitis (b)	3	-	1	2	-	-	-	-	-	-	-	-	-	-		
10 Influenza - - - - -	46	50	6	17	6	6	10	8	9	9	8	8	9	-		
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14 Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Erysipelas - - - - -	2	1	-	-	-	1	-	-	-	1	1	-	-	-		
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	2	-	-	-	-	-	-	-	-	1	-	-	-	-		
20 (a) Pyæmia, Septicæmia (not Puer- peral) (b)	1	3	1	-	-	1	-	-	-	-	-	1	-	-		
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24 Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
28 Pulmonary Tuberculosis, Phthisis	115	139	2	9	9	14	63	44	31	51	22	6	3	-		
29 (a) Acute Phthisis - - - - -	2	-	-	-	-	-	-	1	1	1	-	-	-	-		
(b) Acute Miliary Tuberculosis - - - - -	2	1	-	-	-	2	-	-	-	-	-	-	-	-		
30 Tuberculous Meningitis - - - - -	17	8	4	9	6	2	3	1	-	-	-	-	-	-		
31 Abdominal Tuberculosis - - - - -	12	14	3	6	4	3	3	1	3	2	-	1	-	-		
32 Tuberculosis of Spine - - - - -	2	5	-	-	1	3	-	1	1	-	-	1	-	-		
33 Tuberculosis of Joints - - - - -	2	-	-	-	1	-	1	-	-	-	-	-	-	-		
35 Tuberculosis of other Organs, Dis- seminated Tuberculosis (34)	16	11	1	2	5	2	8	1	1	4	3	-	-	-		
36 Rickets, Osteomalacia - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	-		
37 Syphilis - - - - -	6	6	8	-	-	-	1	1	1	1	-	-	-	-		
38 Other Venereal Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
45 (a) Carcinoma - - - - -	38	89	-	-	-	-	-	2	12	31	39	28	15	-		
(b) Sarcoma - - - - -	4	3	-	-	-	1	1	1	1	-	2	1	-	-		
(c) Malignant Disease, other or not defined	28	49	-	-	-	-	-	-	5	15	23	19	15	-		
46 Other Tumours (Situation un- defined)	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
47 Rheumatic Fever - - - - -	4	2	-	-	-	2	2	-	-	-	-	2	-	-		
48 (a) Chronic Rheumatism - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	-		
(b) Osteo-arthritis - - - - -	-	3	-	-	-	-	-	-	-	1	-	1	1	-		
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
50 Diabetes - - - - -	3	8	-	-	-	2	-	2	3	2	1	1	-	-		
51 Exophthalmic Goitre - - - - -	-	3	-	-	-	-	-	1	-	1	-	1	-	-		
52 Addison's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
53 (a) Leucocythæmia - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
(b) Lymphadenoma - - - - -	3	1	-	-	1	-	1	-	-	1	1	-	-	-		
54 Anæmia, Chlorosis - - - - -	9	14	1	1	1	-	-	1	2	5	4	8	-	-		
55 (b) Purpura - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-		
(c) Hæmophilia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Other General Diseases (a)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
56 Alcoholism - - - - -	3	2	-	-	-	-	-	1	3	-	1	-	-	-		
57 Chronic Lead Poisoning - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-		
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

		SEXES.		Age												Age not stated.
		Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.																
60	Encephalitis	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
61	(a) Cerebro-spinal Meningitis	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
	(c) Meningitis, Basal, Nature un- specified (b)	11	8	1	4	4	5	1	2	-	1	-	1	-	-	
62	Locomotor Ataxy	2	1	-	-	-	-	-	-	-	2	1	-	-	-	
63	Other Diseases of Spinal Cord	13	10	-	-	-	-	1	4	1	5	2	6	4	-	
64	Cerebral Hemorrhage, Apoplexy	66	96	-	-	1	-	2	2	7	14	43	44	44	-	
65	Softening of Brain	11	6	-	-	-	-	-	1	1	1	6	4	4	-	
66	(a) Hemiplegia	15	18	-	-	-	-	-	-	-	5	7	8	13	-	
	(c) Paralysis, Cause or Nature un- specified (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
67	General Paralysis of Insane	5	-	-	-	-	-	-	1	2	2	-	-	-	-	
68	Other Insanity	-	3	-	-	-	-	-	-	2	-	-	1	-	-	
69	Epilepsy	4	4	-	-	-	1	2	1	-	2	2	-	-	-	
71	Convulsions (not Puerperal) (70)	8	10	10	8	-	-	-	-	-	-	-	-	-	-	
72	Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
73	Neuralgia, Neuritis	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
74	(c) Cerebral Tumour	1	1	-	-	1	-	-	-	1	-	-	-	-	-	
	(d) Other Diseases of Nervous System (a, b)	1	3	-	1	-	-	-	1	-	-	-	1	1	-	
75	Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
76	(a) Mastoid Disease	2	1	-	1	1	1	-	-	-	-	-	-	-	-	
	(b) Diseases of Ear	1	2	-	1	-	-	2	-	-	-	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.																
77	Pericarditis	-	2	-	-	-	1	-	1	-	-	-	-	-	-	
78	Acute Endocarditis	2	9	-	-	-	-	1	-	1	5	4	-	-	-	
79	(a) Valvular Disease	89	117	-	1	1	1	11	11	14	23	45	62	37	-	
	(b) Fatty Degeneration of Heart	2	5	-	-	-	-	-	-	-	-	2	5	-	-	
	(c) Other Organic Diseases of Heart	46	58	-	1	1	-	3	4	6	11	26	26	26	-	
80	Angina Pectoris	3	4	-	-	-	-	-	-	-	1	1	3	2	-	
81	(a) Aneurysm	3	1	-	-	-	-	-	-	1	1	1	1	-	-	
	(b) Arterio-sclerosis	6	12	-	-	-	-	-	-	-	1	5	7	5	-	
	(c) Other Diseases of Arteries	-	2	-	-	-	-	-	-	1	-	-	-	1	-	
82	(a) Cerebral Embolism, Thrombosis	14	17	-	-	-	-	-	2	1	8	4	9	7	-	
	(b) Embolism and Thrombosis, not Cerebral	3	2	-	-	-	-	-	1	-	1	1	1	1	-	
83	Diseases of Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
84	(a) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
85	Hæmorrhage, Other Diseases of Circulatory System	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.																
86	Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
87	(b) Laryngitis	1	1	-	-	1	-	-	-	-	1	-	-	-	-	
	(c) Other Diseases of Larynx (a)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
88	Diseases of Thyroid	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
89	Bronchitis (89)	81	146	25	16	3	3	2	11	7	19	45	59	37	-	
91	Broncho-pneumonia	136	164	38	86	25	15	22	42	17	12	22	13	8	-	
92	Pneumonia	122	161	6	22	14	8	54	62	32	27	25	20	13	-	
93	Pleurisy	5	7	1	1	-	-	3	-	2	2	3	-	-	-	
94	(a) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Pulmonary Congestion (c, d)	9	12	1	1	1	1	-	2	6	3	2	2	2	-	
95	Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96	Asthma	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
97	Pulmonary Emphysema	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
98	(a) Fibroid Diseases of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Diseases of Respiratory System	-	2	-	-	-	-	-	-	1	-	1	-	-	-	

	SEXES.		Age												Age not stated
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.															
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-
102 Gastric Ulcer	5	6	-	-	-	-	-	-	3	2	4	2	-	-	-
103 Other Dis. of Stomach. Gastritis	4	15	4	1	1	-	1	1	2	2	2	4	1	-	-
104 Diarrhoea, Enteritis (under 2 years)	28	24	36	16	-	-	-	-	-	-	-	-	-	-	-
105 Diarrhoea, Enteritis (over 2 years)	11	17	-	7	1	2	-	-	2	1	1	6	8	-	-
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis	4	6	-	1	1	5	-	1	-	-	2	-	-	-	-
109 (a) Hernia	6	11	2	-	-	-	-	1	1	1	6	8	2	-	-
(b) Intestinal Obstruction	5	2	3	-	-	-	-	1	-	2	1	-	-	-	-
110 Other Diseases of Intestine	1	5	-	1	1	-	-	-	1	1	-	2	-	-	-
111 Acute Yellow Atrophy of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-
114 Gallstones	1	4	-	-	-	-	-	-	1	-	2	-	2	-	-
115 Other Diseases of Liver	1	2	-	-	-	-	-	-	1	1	1	-	-	-	-
116 Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-
118 Other Diseases of Digestive System	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.															
119 Acute Nephritis	3	5	1	-	1	-	-	2	2	1	1	-	-	-	-
120 (a) Bright's Disease	31	32	-	-	-	1	4	7	3	9	14	14	11	-	-
(b) Uræmia	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
122 Other Dis. of Kidney, Chyluria (121)	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
123 Urinary Calculus	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
124 Diseases of Bladder	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
126 Diseases of Prostate	8	-	-	-	-	-	-	-	-	-	2	3	3	-	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	3	-	-	-	-	-	3	-	-	-	-	-	-	-
130 Other Diseases of Uterus	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	3	-	-	-	-	-	-	1	1	1	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134 (a) Abortion, Miscarriage	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
(c) Uncontrollable Vomiting	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Ectopic Gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage	-	5	-	-	-	-	1	4	-	-	-	-	-	-	-
136 Other Accidents of Childbirth	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-
137 Puerperal Sepsis	-	4	-	-	-	-	2	2	-	-	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 (a) Puerperal Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Puerperal Diseases	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142 (a) Senile Gangrene	2	2	-	-	-	-	-	-	-	-	1	1	2	-	-
(b) Noma, Cancrum Oris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Gangrene (c)	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-
143 Carbuncle, Boil	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
144 Phlegmon, Acute Abscess	3	4	4	-	1	1	-	-	-	-	-	-	-	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
6 Dis. of Bones (Mastoid excluded)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
7 Diseases of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. MALFORMATIONS.															
0 Congenital Malformations -	7	9	15	1	-	-	-	-	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.															
1 (a) Premature Birth - - -	35	27	62	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	31	27	58	-	-	-	-	-	-	-	-	-	-	-	
2 Other Diseases peculiar to Early Infancy	8	3	11	-	-	-	-	-	-	-	-	-	-	-	
3 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.															
4 (a) Senile Dementia - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
(b) Senile Decay - - - -	35	58	-	-	-	-	-	-	-	-	-	12	81	-	
XIII. VIOLENT CAUSES.															
3 Suicide (155-162) - - -	9	8	-	-	-	-	-	4	3	5	3	2	-	-	
4 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Other Accidental Poisonings	-	2	-	-	-	-	-	-	1	1	-	-	-	-	
7 Burns and Scalds (166) -	4	14	1	5	2	-	2	3	1	1	-	3	-	-	
8 Exposure to Poisonous Vapours	-	3	-	1	-	-	-	-	-	-	-	-	2	-	
9 Drowning - - - - -	11	3	-	1	1	-	2	1	4	2	2	1	-	-	
0 Accidents with Fire Arms -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
1 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Accidental Falls - - -	1	2	-	-	-	-	-	-	2	1	-	-	-	-	
3 (a) Accidents in Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents in Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Accidents with Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 (a) Accidents on Railways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Acc. with Horses and Vehicles	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
(c) Accidents with Motor Vehicles	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
(d) Accidents with Tramways	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Crushing Accidents	3	-	-	-	-	-	2	1	-	-	-	-	-	-	
7 Hunger - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
0 Weather Agencies (178, 179)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 (a) Overlaying - - - -	6	5	11	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) -	2	-	1	-	-	-	-	-	-	1	-	-	-	-	
(c) Other Accidents (176, 181, 185)	20	9	2	1	-	4	1	3	-	6	6	7	5	-	
Homicide (182, 183) - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.															
7 Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 (a) Syncope - - - - -	7	8	-	1	-	-	-	-	2	1	3	6	2	-	
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Heart Failure - - - -	29	19	3	4	-	-	1	-	2	5	12	12	9	-	
(a) Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	2	2	-	3	-	-	-	-	-	-	1	-	-	-	
(f) Dis. not Specified, Nat. Causes	6	11	1	1	-	2	-	1	2	1	1	4	4	-	

CAUSES OF DEATH IN ABERDEEN IN 1918.

	SEXES.		Age													Age not over
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
All Causes - - - - -	1197	1371	390	266	68	43	175	178	156	200	285	380	422			
I. GENERAL DISEASES.																
1 Enteric Fever - - - - -	6	8	-	-	-	2	8	1	2	1	-	-	-			
2 Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
5 (a) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
(b) Smallpox { Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
(c) { Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
{ Vaccination - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
{ Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
6 Measles - - - - -	23	20	11	30	1	-	1	-	-	-	-	-	-			
7 Scarlet Fever - - - - -	2	1	-	-	2	1	-	-	-	-	-	-	-			
8 Whooping-cough - - - - -	26	28	19	33	2	-	-	-	-	-	-	-	-			
9 (a) Diphtheria - - - - -	9	12	2	13	5	-	-	-	-	1	-	-	-			
(c) Croup, Membr. Laryngitis (b) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
10 Influenza - - - - -	14	24	2	1	-	1	3	5	1	3	3	8	11			
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
14 Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
18 Erysipelas - - - - -	3	3	1	-	-	-	1	-	-	-	-	2	2			
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-			
20 (a) Pyæmia, Septicæmia (not Puer- peral) (b) - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1			
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
24 Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
28 Pulmonary Tuberculosis, Phthisis - - - - -	79	98	3	7	2	4	45	39	29	27	16	4	1			
29 (a) Acute Phthisis - - - - -	4	4	-	3	-	-	2	2	-	1	-	-	-			
(b) Acute Miliary Tuberculosis - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-			
30 Tuberculous Meningitis - - - - -	20	16	7	18	8	2	-	-	-	1	-	-	-			
31 Abdominal Tuberculosis - - - - -	13	16	1	14	8	2	3	1	-	-	-	-	-			
32 Tuberculosis of Spine - - - - -	1	4	-	-	-	1	1	-	1	1	-	1	-			
33 Tuberculosis of Joints - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-			
35 Tuberculosis of other Organs, Dis- seminated Tuberculosis (34) - - - - -	9	4	-	-	4	1	5	1	1	-	-	1	-			
36 Rickets, Osteomalacia - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-			
37 Syphilis - - - - -	6	2	8	-	-	-	-	-	-	-	-	-	-			
38 Other Venereal Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
45 (a) Carcinoma - - - - -	35	68	-	-	-	-	-	-	3	23	29	38	10			
(b) Sarcoma - - - - -	6	5	-	-	-	1	1	-	1	2	3	1	2			
(c) Malignant Disease, other or not defined } 39-44	20	50	-	-	-	-	-	1	3	11	16	24	15			
46 Other Tumours (Situation unde- fined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
47 Rheumatic Fever - - - - -	1	6	-	-	1	2	1	1	-	2	-	-	-			
48 (a) Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
(b) Osteo-arthritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
49 Scurvy - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-			
50 Diabetes - - - - -	11	8	-	-	-	1	3	-	2	1	8	2	2			
51 Exophthalmic Goitre - - - - -	-	2	-	-	-	-	-	-	-	2	-	-	-			
52 Addison's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
53 (a) Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
(b) Lymphadenoma - - - - -	2	2	-	-	-	-	-	1	-	-	1	1	1			
54 Anæmia, Chlorosis - - - - -	6	6	1	-	-	-	-	-	1	3	5	1	1			
55 (b) Purpura - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-			
(c) Hæmophilia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
(d) Other General Diseases (a) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
56 Alcoholism - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-			
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
Encephalitis - - - -	-	2	1	-	-	-	-	1	-	-	-	-	-	-	
(a) Cerebro-spinal Meningitis -	5	-	-	-	-	-	5	-	-	-	-	-	-	-	
(c) Meningitis, Basal, Nature unspecified (b)	12	7	8	7	2	-	1	-	-	-	-	1	-	-	
Locomotor Ataxy - - - -	4	-	-	-	-	-	-	1	-	1	1	1	-	-	
Other Diseases of Spinal Cord -	6	6	-	1	-	-	1	-	2	1	3	2	2	-	
Cerebral Hemorrhage, Apoplexy	58	102	-	-	-	-	-	-	4	13	36	53	49	-	
Softening of Brain - - - -	1	2	-	-	-	-	-	-	-	-	1	-	2	-	
(a) Hemiplegia - - - -	6	9	-	1	-	-	-	1	-	-	2	5	6	-	
(c) Paralysis, Cause or Nature unspecified (b)	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
General Paralysis of Insane -	11	4	-	-	-	-	-	2	4	7	1	1	-	-	
Other Insanity - - - -	1	1	-	-	-	-	-	-	-	1	1	1	-	-	
Epilepsy - - - -	4	5	-	-	-	-	3	2	-	2	2	-	-	-	
Convulsions (not Puerperal) (70)	26	18	32	11	-	1	-	-	-	-	-	-	-	-	
Chorea - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
Neuralgia, Neuritis - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
(c) Cerebral Tumour - - - -	2	1	-	-	1	-	1	-	1	-	-	-	-	-	
(d) Other Diseases of Nervous System, a, b	2	2	-	-	-	-	1	-	1	-	-	2	-	-	
Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Mastoid Disease - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
(b) Diseases of Ear - - - -	3	3	1	-	-	-	1	1	1	1	-	1	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.															
Pericarditis - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	-	
Acute Endocarditis - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
(a) Valvular Disease - - - -	66	82	-	-	1	4	6	6	15	12	27	47	30	-	
(b) Early Degeneration of Heart -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
(c) Other Organic Diseases of Heart	54	60	-	-	-	2	2	1	10	5	19	38	37	-	
Angina Pectoris - - - -	5	6	-	-	-	-	-	-	1	3	1	3	3	-	
(a) Aneurysm - - - -	5	1	-	-	-	-	-	-	-	1	2	2	1	-	
(b) Arterio-sclerosis - - - -	10	12	-	-	-	-	-	-	-	1	6	6	9	-	
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Cerebral Embolism, Thrombosis	5	5	-	-	-	-	-	-	1	2	2	1	4	-	
(b) Embolism and Thrombosis, not Cerebral	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Veins - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hemorrhage, Other Diseases of Circulatory System	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
IV. DISEASES OF RESPIRATORY SYSTEM.															
Diseases of Nose - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
(b) Laryngitis - - - -	1	2	-	1	1	-	-	-	1	-	-	-	-	-	
(c) Other Diseases of Larynx (a) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Thyroid - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Bronchitis (59) - - - -	82	92	24	14	-	-	3	7	2	7	29	31	57	-	
Broncho-pneumonia - - - -	101	85	46	50	9	2	17	18	11	5	7	12	9	-	
Pneumonia - - - -	98	142	5	29	9	12	38	53	25	24	19	15	11	-	
Pleurisy - - - -	2	6	-	-	-	1	2	-	-	2	1	1	1	-	
(a) Pulmonary Apoplexy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Congestion (c, d)	5	8	1	-	1	-	1	-	1	1	1	2	5	-	
Gangrene of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Asthma - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	-	
Pulmonary Emphysema - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	-	
(a) Fibroid Diseases of Lung -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
X. DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI. MALFORMATIONS.															
Congenital Malformations -	9	7	13	1	1	-	-	1	-	-	-	-	-	-	-
XII. DISEASES OF EARLY INFANCY.															
(a) Premature Birth -	39	27	66	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Scierema (c, d, e)	44	32	76	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases peculiar to Early Infancy	3	7	10	-	-	-	-	-	-	-	-	-	-	-	-
Lack of Care -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIII. OLD AGE.															
(a) Senile Dementia -	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
(b) Senile Decay -	32	75	-	-	-	-	-	-	-	-	-	9	98	-	-
XIV. VIOLENT CAUSES.															
Suicide (155-162) -	4	2	-	-	-	-	-	1	2	-	1	2	-	-	-
Poisoning by Food -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds (166) -	7	6	2	6	1	1	-	1	1	-	1	-	-	-	-
Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning -	14	-	-	-	-	1	2	3	2	3	2	1	-	-	-
Accidents with Fire Arms -	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Falls -	4	1	-	-	-	-	-	1	-	1	3	-	-	-	-
(a) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Machinery -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(a) Accidents on Railways -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(b) Acc. with Horses and Vehicles	5	-	-	-	-	2	1	-	-	-	1	1	-	-	-
(c) Accidents with Motor Vehicles	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-
(d) Accidents with Tramways -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(e) Other Crushing Accidents	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hunger -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178, 179)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Overlaying -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) -	2	2	3	-	-	-	-	1	-	-	-	-	-	-	-
(c) Other Accidents (176, 181, 185)	2	6	-	-	-	1	-	1	-	-	-	1	5	-	-
Homicide (182, 183) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV. ILL-DEFINED CAUSES.															
Dropsy -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
(a) Syncope -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Heart Failure -	9	9	1	-	1	-	-	-	-	1	7	4	4	-	-
(c) Teething -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(f) Dis. not Specified, Nat. Causes	4	6	1	1	1	-	-	-	1	3	-	1	2	-	-

	SEXES		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
II. DISEASES OF NERVOUS SYSTEM.																
Encephalitis - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	-		
(a) Cerebro-spinal Meningitis -	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
(c) Meningitis, Basal, Nature unspecified (b) -	15	8	6	9	2	-	2	1	1	1	1	-	-	-		
Locomotor Ataxy - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
Other Diseases of Spinal Cord -	5	6	-	-	-	-	2	-	2	1	3	1	2	-		
Cerebral Hemorrhage, Apoplexy -	39	43	-	-	-	-	-	2	8	11	22	25	14	-		
Softening of Brain - - - -	3	-	-	-	-	-	-	-	-	-	1	1	1	-		
(a) Hemiplegia - - - -	4	6	-	-	-	-	-	-	-	-	2	5	3	-		
(c) Paralysis, Cause or Nature unspecified (b) -	1	1	-	-	-	-	-	-	-	1	1	-	-	-		
General Paralysis of Insane -	2	2	-	-	-	-	-	1	1	1	1	-	-	-		
Other Insanity - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	-		
Epilepsy - - - -	4	3	-	-	-	-	2	-	4	1	-	-	-	-		
Convulsions (not Puerperal) (70) -	9	9	12	6	-	-	-	-	-	-	-	-	-	-		
Chorea - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
Neuralgia, Neuritis - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
(c) Cerebral Tumour - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	-		
(d) Other Diseases of Nervous System, (a, b) -	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(a) Mastoid Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Diseases of Ear - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	-		
III. DISEASES OF CIRCULATORY SYSTEM.																
Pericarditis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Acute Endocarditis - - - -	4	5	-	1	-	-	1	1	2	2	1	1	-	-		
(a) Valvular Disease - - - -	18	36	-	-	1	2	4	5	7	7	15	9	4	-		
(b) Fatty Degeneration of Heart -	1	2	-	-	-	-	-	-	1	-	-	1	1	-		
(c) Other Organic Diseases of Heart -	24	22	-	-	-	-	1	4	3	8	6	15	9	-		
Angina Pectoris - - - -	2	1	-	-	-	-	-	-	-	-	2	-	1	-		
(a) Aneurysm - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Arterio-sclerosis - - - -	5	3	-	-	-	-	-	-	-	-	-	3	5	-		
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(a) Cerebral Embolism, Thrombosis -	2	7	-	-	-	-	-	1	1	3	1	1	2	-		
(b) Embolism and Thrombosis, not Cerebral -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diseases of Veins - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(a) Lymphatism, Status Lymphaticus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Other Dis. of Lymphatic System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hemorrhage, Other Diseases of Circulatory System -	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
IV. DISEASES OF RESPIRATORY SYSTEM.																
Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Laryngitis - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-		
(c) Other Diseases of Larynx (a) -	-	2	1	1	-	-	-	-	-	-	-	-	-	-		
Diseases of Thyroid - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bronchitis (89) - - - -	49	56	12	5	4	1	4	4	4	16	19	20	16	-		
Broncho-pneumonia - - - -	35	24	14	18	3	2	3	2	3	7	1	6	-	-		
Pneumonia - - - -	65	69	2	10	2	4	24	39	18	10	15	7	3	-		
Pleurisy - - - -	4	-	-	-	-	-	1	-	1	-	-	2	-	-		
(a) Pulmonary Apoplexy - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-		
(b) Pulmonary Congestion (c, d) -	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
Gangrene of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Asthma - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pulmonary Emphysema - - - -	-	-	-	-	-	-	-	-	1	-	-	1	-	-		
(a) Fibroid Diseases of Lung -	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Other Diseases of Respiratory System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

	SEXES.		Age													Age not stated
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
V. DIS. OF DIGESTIVE SYSTEM.																
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
102 Gastric Ulcer	2	2	-	-	-	-	-	-	-	2	1	1	-	-		
103 Other Dis. of Stomach. Gastritis	7	4	3	-	-	-	-	-	2	2	4	-	-	-		
104 Diarrhoea, Enteritis (under 2 years)	5	2	6	1	-	-	-	-	-	-	-	-	-	-		
105 Diarrhoea, Enteritis (over 2 years)	3	9	3	-	-	-	-	-	-	1	4	3	1	-		
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
108 Appendicitis, Typhlitis	4	2	-	-	1	2	-	1	1	-	-	1	-	-		
109 (a) Hernia	5	2	1	-	-	-	-	-	2	2	-	-	-	-		
(b) Intestinal Obstruction	5	2	1	-	-	-	-	-	1	2	2	2	1	-		
110 Other Diseases of Intestine	1	3	-	-	-	-	-	-	1	1	2	-	-	-		
111 Acute Yellow Atrophy of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
113 Cirrhosis of Liver	1	2	-	-	-	1	-	1	-	1	2	-	-	-		
114 Gallstones	1	2	-	-	-	-	-	-	-	1	2	-	-	-		
115 Other Diseases of Liver	2	1	-	-	-	-	-	-	-	1	-	2	-	-		
116 Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
117 Peritonitis, cause not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
118 Other Diseases of Digestive System	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
VI. DISEASES OF GENITO- URINARY SYSTEM.																
119 Acute Nephritis	3	6	1	3	-	-	-	1	1	2	1	-	-	-		
120 (a) Bright's Disease	10	10	-	-	-	-	-	1	2	5	5	6	1	-		
(b) Uræmia	1	-	-	-	-	-	-	-	-	1	-	-	-	-		
122 Other Dis. of Kidney, Chyluria (121)	1	1	-	1	-	-	-	-	-	1	-	-	-	-		
123 Urinary Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124 Diseases of Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
126 Diseases of Prostate	2	-	-	-	-	-	-	-	-	-	-	1	1	-		
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
130 Other Diseases of Uterus	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
131 Cysts and Other Tumours of Ovary	-	1	-	-	-	-	-	-	-	1	-	-	-	-		
132 Other Dis. of Female Genit. Organs	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																
134 (a) Abortion, Miscarriage	-	2	-	-	-	-	-	1	1	-	-	-	-	-		
(c) Uncontrollable Vomiting	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Ectopic Gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(e) Other Diseases and Accidents of Pregnancy (b)	-	1	-	-	-	-	-	1	-	-	-	-	-	-		
135 Puerperal Hæmorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
136 Other Accidents of Childbirth	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
137 Puerperal Sepsis	-	2	-	-	-	-	-	1	1	-	-	-	-	-		
138 Puerp. Albuminuria, Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
140 (a) Puerperal Insanity	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
(b) Other Puerperal Diseases	-	5	-	-	-	-	1	4	-	-	-	-	-	-		
141 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																
142 (a) Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Noma, Cancrum Oris	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Other Gangrene (c)	1	1	1	-	-	-	-	-	-	1	-	-	-	-		
143 Carbuncle, Boil	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
144 Phlegmon, Acute Abscess	1	1	1	-	-	1	-	-	-	-	-	-	-	-		
145 Ulcer, Other Diseases of Skin and Cellular Tissue	1	1	1	-	-	-	-	-	-	-	-	1	-	-		

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI. MALFORMATIONS.															
Congenital Malformations -	3	2	4	-	-	-	1	-	-	-	-	-	-	-	
VII. DISEASES OF EARLY INFANCY.															
(a) Premature Birth - - -	9	21	30	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Scurvy, &c. &c.	9	2	11	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases peculiar to Early Infancy	4	4	8	-	-	-	-	-	-	-	-	-	-	-	
Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. OLD AGE.															
(a) Senile Dementia - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
(b) Senile Decay - - -	17	35	-	-	-	-	-	-	-	-	-	13	39	-	
IX. VIOLENT CAUSES.															
Selficide (155-162) - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Burns and Scalds (166) - -	1	3	-	4	-	-	-	-	-	-	-	-	-	-	
Exposure to Poisonous Vapours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Drowning - - - - -	4	1	-	1	2	-	-	1	-	-	1	-	-	-	
Accidents with Fire Arms -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidental Falls - - -	1	2	-	-	1	-	-	-	-	-	-	2	-	-	
(a) Accidents in Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents in Quarries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidents with Machinery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Accidents on Railways -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
(b) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents with Motor Vehicles	1	1	-	-	-	-	-	-	-	-	1	1	-	-	
(d) Accidents with Tramways	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
(e) Other Crushing Accidents	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Weather Agencies (178, 179)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Overlaying - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise)	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Accidents (176, 181, 185)	6	5	-	-	-	-	-	1	2	3	1	2	2	-	
Homicide 182, 183) - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	-	
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.															
Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Syncope - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Heart Failure - - -	5	3	-	1	-	-	-	1	-	-	2	4	-	-	
(c) Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
f) Dis. not Specified, Nat. Causes	1	2	2	-	-	-	-	1	-	-	-	-	-	-	

CAUSES OF DEATH IN LEITH IN 1918.

	SEXES.		Age												Age not 75 and over
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
All Causes - - - - -	661	672	173	144	52	36	110	97	85	129	167	205	135		
I. GENERAL DISEASES.															
1 Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 (a) Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Smallpox Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Measles - - - - -	5	2	-	7	-	-	-	-	-	-	-	-	-		
7 Scarlet Fever - - - - -	7	9	-	10	5	-	1	-	-	-	-	-	-		
8 Whooping-cough - - - - -	14	17	13	17	1	-	-	-	-	-	-	-	-		
9 (a) Diphtheria - - - - -	6	4	1	9	-	-	-	-	-	-	-	-	-		
(c) Croup, Membr. Laryngitis (b) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
10 Influenza - - - - -	7	10	1	3	1	2	3	3	1	1	1	1	-		
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
14 Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Erysipelas - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-		
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
20 (a) Pyæmia, Septicæmia (not Puerperal) (b) - - - - -	1	3	1	-	1	-	-	-	-	1	-	1	-		
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
24 Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
28 Pulmonary Tuberculosis, Phthisis - - - - -	43	54	-	2	1	7	26	18	13	21	7	2	-		
29 (a) Acute Phthisis - - - - -	2	2	-	-	-	-	4	-	-	-	-	-	-		
(b) Acute Miliary Tuberculosis - - - - -	3	3	1	2	1	-	1	-	-	-	1	-	-		
30 Tuberculous Meningitis - - - - -	9	16	4	12	4	4	-	-	-	1	-	-	-		
31 Abdominal Tuberculosis - - - - -	9	4	3	3	3	2	-	-	2	-	-	-	-		
32 Tuberculosis of Spine - - - - -	2	1	-	-	1	-	-	1	-	-	1	-	-		
33 Tuberculosis of Joints - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34) - - - - -	11	4	6	1	3	-	-	-	1	1	1	-	-		
36 Rickets, Osteomalacia - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
37 Syphilis - - - - -	5	2	5	-	-	-	-	1	-	-	1	-	-		
38 Other Venereal Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
45 (a) Carcinoma - - - - -	25	31	-	-	-	-	-	-	5	10	25	11	5		
(b) Sarcoma - - - - -	2	2	-	-	-	1	-	-	1	-	2	-	-		
(c) Malignant Disease, other or not defined - - - - -	18	18	-	-	-	1	-	-	2	5	10	15	3		
46 Other Tumours (Situation undefined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
47 Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
48 (a) Chronic Rheumatism - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
(b) Osteo-arthritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
50 Diabetes - - - - -	3	2	-	-	-	-	-	-	-	1	-	4	-		
51 Exophthalmic Goitre - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
52 Addison's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
53 (a) Leucocythæmia - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-		
(c) Lymphadenoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
54 Anæmia, Chlorosis - - - - -	4	5	1	1	-	1	-	-	-	3	-	3	-		
(b) Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Hæmophilia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Other General Diseases (a) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
56 Alcoholism - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
58 Other Chronic Occupationa Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
II. DISEASES OF NERVOUS SYSTEM.																
Encephalitis - - - - -	-	3	-	-	-	1	-	1	-	1	-	-	-	-	-	
(a) Cerebro-spinal Meningitis -	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	
(c) Meningitis, Basal, Nature unspecified (b) -	6	9	4	7	1	2	-	1	-	-	-	-	-	-	-	
Locomotor Ataxy - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	
Other Diseases of Spinal Cord -	1	4	-	-	1	-	-	-	-	1	-	-	3	-	-	
Cerebral Hemorrhage, Apoplexy -	38	37	-	1	-	-	-	1	-	8	22	29	14	-	-	
Softening of Brain - - - - -	4	2	-	-	-	-	-	-	-	-	2	2	2	-	-	
(a) Hemiplegia - - - - -	6	7	-	-	-	-	-	2	-	1	2	0	2	-	-	
(c) Paralysis, Cause or Nature unspecified (b) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
General Paralysis of Insane -	4	2	-	-	-	-	-	-	4	1	-	-	1	-	-	
Other Insanity - - - - -	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	
Epilepsy - - - - -	4	2	-	-	-	-	2	-	1	1	1	-	1	-	-	
1 Convulsions (not Puerperal) (70)	16	8	16	7	-	-	1	-	-	-	-	-	-	-	-	
2 Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Neuralgia, Neuritis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
4 (c) Cerebral Tumour - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
(d) Other Diseases of Nervous System (a, b) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 (a) Mastoid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Diseases of Ear - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.																
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Acute-Endocarditis - - - - -	3	2	-	-	-	-	1	-	3	1	-	-	-	-	-	
9 (a) Valvular Disease - - - - -	33	29	-	-	2	-	8	2	3	2	16	17	12	-	-	
(b) Fatty Degeneration of Heart -	2	1	-	-	-	-	-	-	-	1	1	-	1	-	-	
(c) Other Organic Diseases of Heart	19	26	-	-	1	1	4	-	-	8	6	18	7	-	-	
10 Angina Pectoris - - - - -	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-	
11 (a) Aneurysm - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
(b) Arterio-sclerosis - - - - -	9	4	-	-	-	-	-	-	-	-	1	7	5	-	-	
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 (a) Cerebral Embolism, Thrombosis	3	8	-	-	-	1	-	1	2	1	2	4	-	-	-	
(b) Embolism and Thrombosis, not Cerebral -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
13 Diseases of Veins - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14 (a) Lymphatism, Status Lymphaticus	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15 Hemorrhage. Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.																
16 Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Laryngitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Diseases of Larynx (a) -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Thyroid - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
Bronchitis (89) - - - - -	38	50	11	3	1	1	3	5	5	5	17	22	15	-	-	
Broncho-pneumonia - - - - -	35	13	21	5	-	-	7	12	7	4	5	4	4	-	-	
Pneumonia - - - - -	79	92	17	13	4	35	32	17	20	11	7	8	-	-	-	
Pleurisy - - - - -	1	3	-	-	1	-	1	-	-	1	1	-	-	-	-	
(a) Pulmonary Apoplexy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Congestion (c, d) -	4	4	2	1	-	2	-	-	1	-	2	-	-	-	-	
Gangrene of Lung - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Asthma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pulmonary Emphysema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Fibroid Diseases of Lung -	1	2	-	-	-	-	-	-	-	-	1	2	-	-	-	
(b) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
6 Dis. of Bones (Mastoid excluded)	1	1	-	-	1	-	-	-	-	1	-	-	-	-	
7 Diseases of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. MALFORMATIONS.															
Congenital Malformations - -	8	5	13	-	-	-	-	-	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.															
1 (a) Premature Birth - - - -	17	7	24	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	16	5	21	-	-	-	-	-	-	-	-	-	-	-	
2 Other Diseases peculiar to Early Infancy	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
3 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.															
4 (a) Senile Dementia - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	-	
(b) Senile Decay - - -	21	25	-	-	-	-	-	-	-	-	-	12	34	-	
XIII. VIOLENT CAUSES.															
3 Suicide (155-162) - - -	3	4	-	-	-	-	1	1	1	1	1	1	-	-	
4 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Other Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7 Burns and Scalds (166) - -	4	3	-	4	1	-	-	-	-	-	-	2	-	-	
8 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
9 Drowning - - - -	3	-	-	-	1	-	-	-	1	1	-	-	-	-	
0 Accidents with Fire Arms - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
1 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Accidental Falls - - -	8	2	-	-	-	1	1	-	1	3	1	3	-	-	
3 (a) Accidents in Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 (a) Accidents on Railways - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
(b) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 (c) Accidents with Motor Vehicles	1	1	-	1	-	-	-	-	-	-	1	-	-	-	
(d) Accidents with Tramways - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Crushing Accidents - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Weather Agencies (178-179)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Overlaying - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Accidents (176, 181, 185)	8	1	-	1	-	1	-	-	3	1	-	1	2	-	
Homicide (182, 183) - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.															
Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Syncope - - - -	5	6	-	-	-	-	-	1	1	3	2	2	2	-	
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Heart Failure - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	-	
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(f) Dis. not Specified, Nat. Causes	2	-	-	-	1	-	-	-	-	-	1	-	-	-	

CAUSES OF DEATH IN GREENOCK IN 1918.

	SEXES.		Age												Age not stated
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
All Causes - - - - -	728	694	233	251	39	26	89	108	97	123	162	156	138	-	
I. GENERAL DISEASES.															
1 Enteric Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
2 Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 (a) Smallpox { Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Smallpox { Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Smallpox { Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 Measles - - - - -	46	54	26	73	1	-	-	-	-	-	-	-	-	-	
7 Scarlet Fever - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
8 Whooping-cough - - - - -	15	12	13	13	1	-	-	-	-	-	-	-	-	-	
9 (a) Diphtheria - - - - -	3	-	1	2	-	-	-	-	-	-	-	-	-	-	
(c) Croup, Membr. Laryngitis (b) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 Influenza - - - - -	5	10	3	2	-	1	-	1	3	1	2	2	-	-	
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14 Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18 Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
20 (a) Pyæmia, Septicæmia (not Puerperal) (b) - - - - -	2	2	1	-	-	-	-	-	1	-	-	1	1	-	
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24 Tetanus - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
28 Pulmonary Tuberculosis, Phthisis - - - - -	40	46	-	2	4	8	24	24	12	5	5	2	-	-	
29 (a) Acute Phthisis - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	-	
(b) Acute Miliary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
30 Tuberculous Meningitis - - - - -	12	12	3	17	2	1	1	-	-	-	-	-	-	-	
31 Abdominal Tuberculosis - - - - -	-	12	-	11	3	-	4	1	4	1	-	-	-	-	
32 Tuberculosis of Spine - - - - -	2	2	-	-	-	-	2	1	1	-	-	-	-	-	
33 Tuberculosis of Joints - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34) - - - - -	4	8	-	4	1	-	3	1	2	1	-	-	-	-	
36 Rickets, Osteomalacia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37 Syphilis - - - - -	3	4	6	-	-	-	-	-	-	1	-	-	-	-	
38 Other Venereal Diseases - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
45 (a) Carcinoma - - - - -	27	17	-	-	-	-	-	1	4	11	14	11	3	-	
(b) Sarcoma - - - - -	1	2	-	-	-	-	2	-	1	-	-	-	-	-	
(c) Malignant Disease, other or not defined - - - - -	16	29	-	-	-	-	-	1	6	4	18	12	4	-	
46 Other Tumours (Situation undefined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
47 Rheumatic Fever - - - - -	1	3	-	-	1	1	-	1	-	1	-	-	-	-	
48 (a) Chronic Rheumatism - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
(b) Osteo-arthritis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
50 Diabetes - - - - -	3	3	-	-	-	-	-	1	-	3	1	1	-	-	
51 Exophthalmic Goitre - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
52 Addison's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53 (a) Leucocythæmia - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	-	
(b) Lymphadenoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
54 Anæmia, Chlorosis - - - - -	5	5	-	-	-	-	-	1	2	2	2	3	-	-	
55 (b) Purpura - - - - -	-	2	1	-	-	-	-	-	-	-	-	-	1	-	
(c) Hæmophilia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other General Diseases (a) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
56 Alcoholism - - - - -	3	-	-	-	-	-	-	1	2	-	-	-	-	-	
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

		SEXES.		Age													Age not stated.
		Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
II. DISEASES OF NERVOUS SYSTEM.																	
Encephalitis	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-		
(a) Cerebro-spinal Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Meningitis, Bact., Nature unspecified (b)	-	16	17	10	13	3	2	-	-	-	-	-	-	-	-		
Locomotor Ataxy	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-		
Other Diseases of Spinal Cord	-	3	3	-	1	-	-	1	1	-	-	2	1	-	-		
Cerebral Hemorrhage, Apoplexy	-	43	36	-	-	-	-	-	1	2	11	20	27	18	-		
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(a) Hemiplegia	-	3	8	-	-	-	-	-	-	-	-	3	5	3	-		
(c) Paralysis, Cause or Nature unspecified (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
General Paralysis of Insane	-	3	-	-	-	-	-	-	-	-	-	3	-	-	-		
Other Insanity	-	3	-	-	-	-	-	-	-	-	2	-	1	-	-		
Epilepsy	-	5	2	-	-	1	-	1	2	1	2	-	-	-	-		
1 Convulsions (not Puerperal) (70)	-	3	8	6	5	-	-	-	-	-	-	-	-	-	-		
2 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Neuralgia, Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 (c) Cerebral Tumour	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-		
(d) Other Diseases of Nervous System (a, b)	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-		
5 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 (a) Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Diseases of Ear	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-		
III. DISEASES OF CIRCULATORY SYSTEM.																	
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Acute Endocarditis	-	-	3	-	-	1	-	-	1	-	1	-	-	-	-		
9 (a) Valvular Disease	-	17	22	-	-	-	1	1	5	5	6	8	7	6	-		
(b) Fatty Degeneration of Heart	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-		
(c) Other Organic Diseases of Heart	-	40	36	-	-	-	-	3	1	4	8	16	19	25	-		
10 Angina Pectoris	-	4	1	-	-	-	-	-	-	-	1	-	2	2	-		
11 (a) Aneurysm	-	2	1	-	-	-	-	-	-	1	1	-	1	-	-		
(b) Arterio-sclerosis	-	4	1	-	-	-	-	-	-	-	-	2	-	3	-		
(c) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 (a) Cerebral Embolism, Thrombosis	-	2	1	-	-	-	-	-	-	1	-	2	-	-	-		
(b) Embolism and Thrombosis, not Cerebral	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-		
13 Diseases of Veins	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-		
14 (a) Lymphatism, Status Lympha- ticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
15 Hemorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
IV. DISEASES OF RESPIRATORY SYSTEM.																	
16 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
17 (b) Laryngitis	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-		
(c) Other Diseases of Larynx (a)	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
18 Diseases of Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
19 Bronchitis (89)	-	66	53	16	13	3	-	2	3	6	16	16	24	20	-		
20 Broncho-pneumonia	-	50	41	30	43	5	-	4	2	-	2	2	3	-	-		
21 Pneumonia	-	85	69	10	23	7	5	24	36	20	11	13	4	1	-		
22 Pleurisy	-	4	5	-	1	-	1	-	2	1	-	2	2	-	-		
23 (a) Pulmonary Apoplexy	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
(b) Pulmonary Congestion (c, d)	-	4	10	2	1	-	-	1	1	1	1	3	2	2	-		
24 Gangrene of Lung	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-		
25 Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26 Pulmonary Emphysema	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
27 (a) Fibroid Diseases of Lung	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
(b) Other Diseases of Respiratory System	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-		

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
46 Dis. of Bones (Mastoid excluded) -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
47 Diseases of Joints -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
49 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. MALFORMATIONS.															
50 Congenital Malformations -	1	3	3	1	-	-	-	-	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.															
51 (a) Premature Birth -	27	15	42	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	18	10	28	-	-	-	-	-	-	-	-	-	-	-	
52 Other Diseases peculiar to Early Infancy	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
53 Lack of Care -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.															
54 (a) Senile Dementia -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
(b) Senile Decay -	15	27	-	-	-	-	-	-	-	-	-	8	34	-	
XIII. VIOLENT CAUSES.															
55 Suicide (155-162) -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
56 Poisoning by Food -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
57 Other Accidental Poisonings -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
58 Burns and Scalds (166) -	5	3	-	5	-	1	1	-	-	-	-	1	-	-	
59 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
60 Drowning -	5	-	-	1	2	-	1	-	-	-	1	-	-	-	
61 Accidents with Fire Arms -	2	-	-	-	-	-	-	1	-	-	1	-	-	-	
62 Accidents with Instruments and Weapons -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63 Accidental Falls -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
64 (a) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents in Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
65 Accidents with Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
66 (a) Accidents on Railways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Acc. with Horses and Vehicles -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents with Motor Vehicles -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
67 Hunger -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
68 Weather Agencies (178, 179) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
69 (a) Overlaying -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Accidents (176, 181, 185)	16	5	-	2	1	3	2	2	3	3	1	2	2	-	
70 Homicide (182, 183) -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
71 Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
72 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.															
73 Dropsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
74 (a) Syncope -	1	2	-	-	-	-	-	-	-	-	3	-	-	-	
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
75 (a) Heart Failure -	4	2	1	-	-	-	-	-	-	3	-	1	1	-	
(c) Teething -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Ill-defined Diseases (b, d)	1	2	-	1	-	-	-	-	-	-	1	-	1	-	
(f) Dis. not Specified, Nat. Causes	7	3	3	1	-	-	1	-	2	-	3	-	-	-	

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over			
II. DISEASES OF NERVOUS SYSTEM.																
60 Encephalitis - - - -	5	2	1	1	-	1	3	-	1	-	-	-	-	-	-	-
61 (a) Cerebro-Spinal Meningitis -	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
(c) Meningitis, Basal, Nature unspecified (b)	30	32	18	25	9	-	4	2	1	1	1	1	-	-	-	-
62 Locomotor Ataxy - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
63 Other Diseases of Spinal Cord -	6	4	-	-	-	1	1	2	-	1	3	2	-	-	-	-
64 Cerebral Hemorrhage, Apoplexy	67	7	-	-	-	1	-	1	3	27	43	39	40	-	-	-
65 Softening of Brain - - - -	5	6	-	-	-	-	-	-	-	-	5	1	5	-	-	-
66 (a) Hemiplegia - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
(c) Paralysis, Cause or Nature unspecified (b)	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
67 General Paralysis of Insane -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
68 Other Insanity - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
69 Epilepsy - - - -	8	5	1	-	-	1	2	1	4	2	1	1	-	-	-	-
71 Convulsions (not Puerperal) (70)	18	15	23	10	-	-	-	-	-	-	-	-	-	-	-	-
72 Chorea - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
74 (a) Cerebral Tumour - - - -	4	1	-	1	-	1	1	1	-	1	-	-	-	-	-	-
(d) Other Diseases of Nervous System (a, b)	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
75 Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (a) Mucous Disease - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(b) Diseases of Ear - - - -	3	2	1	2	-	1	-	-	-	1	-	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.																
77 Pericarditis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78 Acute Endocarditis - - - -	2	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
79 (a) Valvular Disease - - - -	37	60	-	-	3	2	12	7	6	14	19	19	15	-	-	-
(b) Fatty Degeneration of Heart -	1	4	-	-	-	-	-	-	-	-	2	2	1	-	-	-
(c) Other Organic Diseases of Heart	34	39	3	-	-	1	2	5	6	11	19	15	11	-	-	-
80 Angina Pectoris - - - -	7	3	-	-	-	-	-	-	1	1	2	5	1	-	-	-
81 (a) Aneurysm - - - -	1	2	-	-	-	1	-	-	-	2	-	-	-	-	-	-
(b) Arterio-sclerosis - - - -	4	9	-	-	-	-	-	-	-	-	1	4	8	-	-	-
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (a) Cerebral Embolism, Thrombosis	4	4	-	-	-	-	2	1	2	1	1	1	1	-	-	-
(b) Embolism and Thrombosis, not Cerebral	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
83 Diseases of Veins - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
84 (a) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hemorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.																
86 Diseases of Nose - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(b) Laryngitis - - - -	9	4	2	9	2	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Larynx (a) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis (89) - - - -	154	107	63	13	5	1	5	7	15	22	40	50	40	-	-	-
Broncho-pneumonia - - - -	140	139	67	97	20	10	14	26	9	11	12	11	2	-	-	-
Pneumonia - - - -	245	175	22	49	18	21	58	97	50	41	33	23	8	-	-	-
Pleurisy - - - -	8	4	-	1	-	-	1	1	1	3	1	3	1	-	-	-
(a) Pulmonary Apoplexy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pulmonary Congestion (c, d) -	12	13	8	4	-	-	3	1	-	2	1	1	5	-	-	-
Gangrene of Lung - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Asthma - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary Emphysema - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(a) Fibroid Diseases of Lung - -	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
(b) Other Diseases of Respiratory System	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-

	SEXES.		Age												75 and over	Age not included
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-				
V. DIS. OF DIGESTIVE SYSTEM.																
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
102 Gastric Ulcer	5	3	-	-	-	-	1	1	3	1	1	1	1	-	-	
103 Other Dis. of Stomach. Gastritis	13	19	11	10	-	1	-	-	1	1	1	5	2	-	-	
104 Diarrhoea, Enteritis (under 2 years)	55	47	81	21	-	-	-	-	-	-	-	-	-	-	-	
105 Diarrhoea, Enteritis (over 2 years)	21	12	-	12	5	2	3	-	2	1	3	1	4	-	-	
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis	11	14	-	-	3	6	5	5	-	3	1	1	1	1	-	
109 (a) Hernia	6	5	1	-	-	-	1	-	1	4	3	1	1	-	-	
(b) Intestinal Obstruction	8	3	4	1	-	-	1	-	3	1	1	-	-	-	-	
110 Other Diseases of Intestine	7	-	2	1	-	-	-	1	2	1	-	-	-	-	-	
111 Acute Yellow Atrophy of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
113 Cirrhosis of Liver	3	2	-	-	-	-	-	-	1	3	-	1	-	-	-	
114 Gallstones	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
115 Other Diseases of Liver	1	4	1	1	-	-	1	-	-	1	-	1	-	-	-	
116 Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117 Peritonitis, cause not specified	4	3	-	2	2	-	-	2	-	-	-	-	-	1	-	
118 Other Diseases of Digestive System	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
VI. DISEASES OF GENITO- URINARY SYSTEM.																
119 Acute Nephritis	8	6	1	1	-	1	2	4	3	-	-	1	1	-	-	
120 (a) Bright's Disease	25	24	1	-	-	1	-	9	8	6	9	8	7	-	-	
(b) Uræmia	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
122 Other Dis. of Kidney, Chyluria (121)	-	3	-	1	-	-	-	1	-	-	-	1	-	-	-	
123 Urinary Calculus	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
124 Diseases of Bladder	3	2	-	-	-	-	1	-	-	1	-	-	3	-	-	
125 Dis. of Urethra, Urinary Abscess	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
126 Diseases of Prostate	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
129 Uterine Tumour (non-Cancerous)	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
130 Other Diseases of Uterus	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	
131 Cysts, and Other Tumours of Ovary	-	3	-	-	-	-	-	-	-	-	2	1	-	-	-	
132 Other Dis. of Female Genit. Organs	-	3	-	-	-	-	2	-	1	-	-	-	-	-	-	
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																
134 (a) Abortion, Miscarriage	-	4	-	-	-	-	1	3	-	-	-	-	-	-	-	
(c) Uncontrollable Vomiting	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Ectopic Gestation	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135 Puerperal Hæmorrhage	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	
136 Other Accidents of Childbirth	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-	
137 Puerperal Sepsis	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
138 Puerp. Albuminuria, Convulsions	-	7	-	-	-	-	3	2	2	-	-	-	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	3	-	-	-	-	2	-	1	-	-	-	-	-	-	
140 (a) Puerperal Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Puerperal Diseases	-	10	-	-	-	-	2	5	3	-	-	-	-	-	-	
141 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																
142 (a) Senile Gangrene	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	
(b) Noma, Cancrum Oris	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Gangrene (c)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
143 Carbuncle, Boil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
144 Phlegmon, Acute Abscess	2	5	2	1	-	-	-	1	-	1	2	-	-	-	-	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	-	3	1	1	-	-	-	-	-	-	-	1	-	-	-	

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
I. DISEASES OF ORGANS OF LOCOMOTION.																
Dis. of Bones (Mastoid excluded)	3	2	-	3	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. MALFORMATIONS.																
Congenital Malformations	11	14	23	2	-	-	-	-	-	-	-	-	-	-	-	-
III. DISEASES OF EARLY INFANCY.																
(a) Premature Birth	71	56	127	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	33	37	70	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases peculiar to Early Infancy	13	10	23	-	-	-	-	-	-	-	-	-	-	-	-	-
Lack of Care	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. OLD AGE.																
(a) Senile Dementia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Senile Decay	32	45	-	-	-	-	-	-	-	-	-	-	18	59	-	-
V. VIOLENT CAUSES.																
Suicide (155-162)	3	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-
Poisoning by Food	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds (166)	10	16	1	15	3	2	-	1	2	-	1	-	1	-	1	-
Exposure to Poisonous Vapours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	6	3	-	-	2	2	-	2	2	-	1	-	-	-	-	-
Accidents with Fire Arms	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Falls	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(a) Accidents in Coal Mines	64	-	-	-	-	4	15	15	9	15	4	2	-	-	-	-
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Accidents with Machinery	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
(d) Accidents on Railways	10	1	-	-	-	-	1	3	2	2	1	2	-	-	-	-
(b) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents with Motor Vehicles	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
(d) Accidents with Tramways	3	2	-	1	-	-	-	1	1	2	-	-	-	-	-	-
(e) Other Crushing Accidents	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other Accidents	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Homicide (182, 183)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. ILL-DEFINED CAUSES.																
Idiocy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Syncope	5	1	2	-	-	-	-	-	-	-	-	2	2	-	-	-
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Heart Failure	11	8	-	1	2	-	-	1	2	2	2	6	3	-	-	-
(d) Teething	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-defined Diseases (b, d)	4	2	-	4	-	-	-	-	-	-	2	-	-	-	-	-
(e) Dis. not Specified, Nat. Causes	4	4	2	-	-	1	-	-	1	-	2	2	-	-	-	-

YEAR 1918.

Population—Census 1901, . . . 153,503.

Do. Do. 1911, . . . 163,891.

Do. estimated to middle of 1918, 166,564.

COUNTIES—Aberdeen and Kincardine.

PUBLIC HEALTH DISTRICT—Aberdeen (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2794	209	136	2721	1385	1336
Illegitimate Births -	355	105	60	310	157	153
Marriages - - -	1624	-	-	-	-	-
Deaths - - -	2781	325	112	2568	1197	1371

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	16.8	16.3	-
Marriage-rate - - -	9.8	-	-
Death-rate—All Causes - - -	16.7	15.4	15.6
Do. —Phthisis - - -	-	1.11	-
Do. —All Tuberculosis - - -	-	1.63	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.06	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE														75 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-					
*Enteric Fever - - -	6	8	-	-	-	2	8	1	2	1	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	23	20	11	30	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	2	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	26	28	19	33	2	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	9	12	2	13	5	-	-	-	-	1	-	-	-	-	-	-	-
Influenza - - -	14	24	2	1	-	1	3	5	1	3	3	8	11	-	-	-	-
Erysipelas - - -	3	3	1	-	-	-	1	-	-	-	-	-	2	2	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	83	102	3	10	2	4	47	41	29	28	16	4	1	-	-	-	-
Tuberculous Meningitis - - -	20	16	7	18	8	2	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	13	16	1	14	8	2	3	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	10	11	-	-	4	2	8	1	2	1	-	3	-	-	-	-	-
Cancer, Malignant Disease - - -	61	123	-	-	-	1	1	1	7	36	48	63	27	-	-	-	-
Rheumatic Fever - - -	1	0	-	-	1	2	1	1	-	2	-	-	-	-	-	-	-
Meningitis - - -	12	7	8	7	2	-	1	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	128	149	-	-	1	6	10	8	26	20	48	88	70	-	-	-	-
Bronchitis - - -	82	92	24	14	-	-	3	7	2	7	29	31	57	-	-	-	-
Pneumonia (all forms) - - -	199	227	51	79	18	14	55	71	36	29	26	27	20	-	-	-	-
*Other Diseases of Respiratory Organs - - -	9	21	1	2	1	4	-	-	2	4	3	6	6	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - -	22	19	32	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - -	1	6	1	-	-	-	1	-	1	-	1	2	1	-	-	-	-
Other Diseases of Digestive System - - -	39	35	7	7	2	-	1	7	5	12	8	10	15	-	-	-	-
Nephritis and Bright's Disease - - -	42	26	-	3	2	-	2	5	7	10	13	18	8	-	-	-	-
Puerperal Sepsis - - -	-	5	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	17	-	-	-	-	3	8	6	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	92	66	155	1	1	-	-	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	42	16	6	7	2	6	5	8	4	4	8	3	5	-	-	-	-
Suicide - - -	4	2	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-
Other Defined Diseases - - -	237	296	56	17	2	3	15	9	22	36	74	106	193	-	-	-	-
Diseases Ill-defined or Unknown - - -	15	16	3	2	2	-	-	-	1	4	7	6	6	-	-	-	-
Total - - -	1197	1371	390	266	68	48	175	178	156	200	285	380	422	-	-	-	-

YEAR 1918.

Population—Census 1901, - - 1,247.

COUNTY—Aberdeen.

Do. Do. 1911, - - 1,240.

Do. estimated to middle of 1918, 1,172.

PUBLIC HEALTH DISTRICT—Ballater (Burgh).

REGISTRATION RETURNS.

	Numbers <i>Registered in</i> District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	17	2	1	16	13	3
Illegitimate Births - -	0	0	1	1	1	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	20	2	2	20	8	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.5	13.7	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	17.1	17.1	15.3
Do. — Phthisis - - - - -	-	0.00	-
Do. — All Tuberculosis - - - - -	-	5.85	-
Do. — Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	3	1	-	-	-	-	-	-	-	-	-	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	8	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	2	-	-	-	-	1	1	1	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	3	-	-	-	-	-	-	-	-	-	2	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	8	12	-	2	-	-	-	1	1	2	1	1	7	

YEAR 1918.

Population—Census 1901, 1,527.

Do. Do. 1911, 1,307.

COUNTY—**Aberdeen.**

Do. estimated to middle of 1918, 1,090.

PUBLIC HEALTH DISTRICT—**Ellon** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births	19	0	1	20	10	10
Illegitimate Births	4	0	0	4	2	2
Marriages	23	—	—	—	—	—
Deaths	17	0	4	21	12	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate	17.4	18.3	—
Marriage-rate	21.1	—	—
Death-rate—All Causes	15.6	19.3	15.9
Do. —Phthisis	—	0.92	—
Do. —All Tuberculosis	—	0.92	—
Do. —Principal Epidemic Diseases. (those asterisked below.)	—	0.00	—

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	4	4	-	1	-	-	1	2	1	-	2	-	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	12	9	1	1	-	-	2	2	3	-	2	4	6	

YEAR 1918.

Population—Census 1901, - - - 9,109.

Do. Do. 1911, - - - 10,574.

Do. estimated to middle of 1918, 11,046.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Fraserburgh** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	222	3	4	223	109	114
Illegitimate Births - -	14	1	3	16	6	10
Marriages - - -	51	-	-	-	-	-
Deaths - - -	128	16	9	121	68	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	20.1	20.2	-
Marriage rate - - - - -	4.6	-	-
Death rate—All Causes - - - - -	11.6	11.0	11.4
Do. —Phthisis - - - - -	-	0.81	-
Do. —All Tuberculosis - - - - -	-	1.09	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.36	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	5	3	3	4	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	2	-	-	-	-	3	2	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	6	-	-	-	3	4	-	2	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	2	1	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	2	1	-	1	1	-	-	1	1	5	3	-	
Bronchitis - - - - -	7	4	2	2	-	-	-	1	-	1	3	2	-	
Pneumonia (all forms) - - - - -	10	10	2	4	2	3	4	3	-	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	2	4	5	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	4	1	2	-	-	-	-	-	1	1	1	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	1	-	-	-	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	10	3	-	2	1	-	-	1	1	2	5	7	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	68	53	23	15	6	4	7	14	7	5	10	16	14	

YEAR 1918.

Population—Census 1901, 4,136.

Do. Do. 1911, 4,229.

Do. estimated to middle of 1918, 4,078.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Huntly (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	79	10	1	70	31	39
Illegitimate Births -	21	5	0	16	8	8
Marriages - - -	35	-	-	-	-	-
Deaths - - -	73	5	5	73	34	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.4	17.2	-
Marriage-rate - - - - -	8.6	-	-
Death-rate—All Causes - - - - -	17.9	17.9	15.3
Do. —Phthisis - - - - -	-	0.74	-
Do. —All Tuberculosis - - - - -	-	1.23	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.25	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	3	-	1	-	-	-	-	-	-	-	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	3	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	-	1	-	1	1	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	-	-	1	-	2	3	
Bronchitis - - - - -	1	3	-	1	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	10	3	-	-	-	1	3	4	-	1	2	2	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	2	-	2	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	1	2	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	12	1	1	-	-	1	-	-	-	3	4	9	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	1	-	-	-	1	-	
Total - - - - -	34	38	6	5	-	1	5	9	-	6	10	14	17	

YEAR 1918.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Inverurie** (Burg).

Population—Census 1901, - - - 3,058.

Do. Do. 1911, - - - 3,900.

Do. estimated to middle of 1918, 4,381.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	0	5	70	46	24
Illegitimate Births - -	8	0	2	10	6	4
Marriages - - -	31	-	-	-	-	-
Deaths - - -	51	0	9	60	21	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.8	16.0	-
Marriage-rate - - - - -	7.1	-	-
Death-rate—All Causes - - - -	11.6	13.7	12.3
Do. —Phthisis - - - - -	-	0.23	-
Do. —All Tuberculosis - - - -	-	0.91	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.46	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	-	1	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	-	-	-	-	-	-	-	-	-	-	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	6	-	-	-	-	1	-	-	1	4	3	-	
Bronchitis - - - - -	-	2	-	-	-	-	1	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	2	6	-	-	-	1	4	1	-	1	-	1	-	
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	-	-	1	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	16	-	-	1	-	-	-	-	1	6	6	9	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	21	39	4	2	2	1	1	7	2	3	8	14	16	

YEAR 1918:

Population—Census 1901, - - - - 789.

Do. Do. 1911, - - - - 818.

COUNTY—**Aberdeen.**

Do. estimated to middle of 1918, 796.

PUBLIC HEALTH DISTRICT—**Kintore (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	18	1	0	17	7	10
Illegitimate Births - -	6	0	0	6	3	3
Marriages - - -	3	-	-	-	-	-
Deaths - - -	14	1	2	15	11	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.6	21.4	-
Marriage-rate - - - - -	3.8	-	-
Death-rate—All Causes - - - - -	17.6	18.8	15.5
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—35.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		• AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	-	-	1	-	-	1	-	-	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	1	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	2	1	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	3	
Total - - - - -	11	4	2	1	-	-	1	-	-	2	2	2	5	

YEAR 1918.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Old Meldrum (Burgh).**

Population—Census 1901, - - - 1,197.
 Do. Do. 1911, - - - 1,110.
 Do. estimated to middle of 1918, 994.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	11	1	1	11	4	7
Illegitimate Births - -	2	0	1	3	2	1
Marriages - - -	6	-	-	-	-	-
Deaths - - -	29	1	3	31	16	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.1	11.1	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - -	29.2	31.2	22.8
Do. —Phthisis - - - - -	-	1.01	-
Do. —All Tuberculosis - - -	-	1.01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.01	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—27.3.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—27.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	-	1	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - -	1	3	-	-	-	-	-	-	-	-	-	3	1	
Bronchitis - - - - -	1	5	-	-	-	-	-	-	1	-	2	1	2	
Pneumonia (all forms) - -	4	3	1	3	-	1	-	-	-	1	-	-	1	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	1	-	-	-	-	-	-	-	-	-	-	3	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	16	15	3	5	1	2	-	-	2	3	2	5	8	

YEAR 1918.

Population—Census 1901, - - - 11,794.

Do. Do. 1911, - - - 13,613.

COUNTY—**Aberdeen.**

Do. estimated to middle of 1918, 14,173.

PUBLIC HEALTH DISTRICT—**Peterhead (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	274	4	5	275	144	131
Illegitimate Births - -	19	1	0	18	13	5
Marriages - - -	119	-	-	-	-	-
Deaths - - -	189	9	23	203	92	111

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.3	19.4	-
Marriage-rate - - - - -	8.4	-	-
Death-rate—All Causes - - -	13.3	14.3	14.2
Do. —Phthisis - - - - -	-	0.92	-
Do. —All Tuberculosis - - -	-	1.20	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.55	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	8	7	8	7	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	1	1	-	1	-	-	-	-	-	-	1	-	-		
Influenza - - - - -	1	4	-	-	-	1	1	-	2	-	1	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis	8	5	-	-	-	3	4	2	1	2	1	-	-		
Tuberculous Meningitis - -	2	-	1	-	1	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Other Tuberculous Diseases	-	1	-	-	-	-	1	-	-	-	-	-	-		
Cancer, Malignant Disease	4	5	-	-	-	-	1	-	2	1	3	2	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	3	1	-	-	-	1	-	-	1	-	-	-		
Organic Heart Disease - -	13	11	-	-	-	1	-	3	3	2	6	9	-		
Bronchitis - - - - -	1	5	-	-	-	-	-	1	-	-	1	4	-		
Pneumonia (all forms) - -	20	29	3	9	1	7	8	8	7	3	2	1	-		
Other Diseases of Respiratory Organs	1	1	-	2	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years)	3	1	4	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis -	1	-	-	-	-	1	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant)	-	2	-	-	-	-	-	-	1	-	1	-	-		
Other Diseases of Digestive System	2	4	3	1	-	-	-	-	1	-	1	-	-		
Nephritis and Bright's Disease	1	3	-	-	-	-	-	1	3	-	-	-	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth	4	4	8	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide	3	3	-	1	1	1	-	-	-	-	-	-	3		
Male	-	1	-	-	-	-	-	-	-	-	1	-	-		
Other Defined Diseases - -	18	18	4	2	1	-	-	-	2	2	5	6	14		
Diseases Ill-defined or Unknown	1	-	-	-	-	-	-	-	-	-	1	-	-		
Total - - - - -	111	111	33	20	6	1	14	14	14	22	17	22	14		

YEAR 1918.

COUNTY--**Aberdeen.**PUBLIC HEALTH DISTRICT--**Rosehearty** (Burgh).

Population--Census 1901, 1,185.
 Do. Do. 1911, 1,308.
 Do. estimated to middle of 1918, 1,326.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	24	0	0	24	13	11
Illegitimate Births -	3	0	0	3	1	2
Marriages - - -	11	-	-	-	-	-
Deaths - - -	49	1	2	20	12	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.1	18.1	-
Marriage-rate - - - - -	8.3	-	-
Death-rate--All Causes - - - - -	14.3	15.1	12.7
Do. --Phthisis - - - - -	-	0.00	-
Do. --All Tuberculosis - - - - -	-	0.75	-
Do. --Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected-- 0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts--12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	-	-	-	-	2	3	-	2	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	3	-	-	-	-	-	-	-	-	1	1	2	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	12	8	-	-	-	2	3	-	2	2	2	4	5	

YEAR 1918.

Population—Census 1901, - - - 2,273.

Do. Do. 1911, - - - 2,346.

COUNTY—Aberdeen.

Do. estimated to middle of 1918, 2,277.

PUBLIC HEALTH DISTRICT—Turriff (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	48	1	1	48	23	25
Illegitimate Births - - -	10	0	0	10	5	5
Marriages - - - -	23	-	-	-	-	-
Deaths - - - -	46	2	1	45	21	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	21.1	21.1	-
Marriage-rate - - - -	10.1	-	-
Death-rate—All Causes - - -	20.2	19.8	15.2
Do. —Phthisis - - - -	-	0.88	-
Do. —All Tuberculosis - - -	-	0.88	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	2	3	-	-	-	-	-	-	-	-	-	2	3	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	3	-	-	-	-	-	1	-	-	1	1	2	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-
Bronchitis - - - -	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Pneumonia (all forms) - - -	4	3	-	4	-	-	-	2	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	1	-	-	1	1	14	-	-
Total - - - -	21	24	3	4	1	-	-	4	3	-	3	5	22	-	-

YEAR 1918.

Population—Census 1901, - - - 21,716.

Do. Do. 1911, - - - 22,876.

Do. estimated to middle of 1918, 22,513.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Aberdeen** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	323	17	30	336	173	163
Illegitimate Births -	31	4	15	42	22	20
Marriages - - -	74	-	-	-	-	-
Deaths - - -	362	105	37	294	129	165

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.3	14.9	-
Marriage-rate - - - - -	3.3	-	-
Death-rate—All Causes - - - - -	16.1	13.1	11.5
Do. —Phthisis - - - - -	-	1.15	-
Do. —All Tuberculosis - - - - -	-	1.51	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	1	-	-	2	-	-	-	-	-	-	
Influenza - - - - -	4	3	1	1	-	-	-	-	-	1	1	-	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	19	-	-	-	4	10	6	4	1	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
*Other Tuberculous Diseases - - - - -	2	4	-	-	-	1	2	-	1	1	1	-	-	
Cancer, Malignant Disease - - - - -	7	12	-	-	-	-	-	-	1	3	5	5	5	
Rheumatic Fever - - - - -	-	2	-	-	-	1	-	-	-	-	-	-	1	
Meningitis - - - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	10	25	-	-	-	-	-	1	2	2	6	10	14	
Bronchitis - - - - -	9	12	2	1	-	-	-	-	-	2	1	5	10	
Pneumonia (all forms) - - - - -	19	17	1	2	1	1	9	6	6	2	3	4	1	
Other Diseases of Respiratory Organs - - - - -	3	3	1	1	-	-	-	1	-	1	1	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	5	5	-	-	-	2	-	-	-	-	3	-	5	
Nephritis and Bright's Disease - - - - -	3	7	-	-	-	-	-	-	1	2	1	3	3	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	12	4	15	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	2	-	1	-	-	-	1	2	1	1	1	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	42	4	-	-	1	-	1	3	5	8	18	38	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	129	165	26	8	2	4	20	23	22	25	32	49	83	

YEAR 1918.

Population—Census 1901, - - - 10,280.

Do. Do. 1911, - - - 9,495.

Do. estimated to middle of 1918, 8,472.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Alford** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - - - -	175	8	10	177	84	93
Illegitimate Births - -	26	4	6	28	9	19
Marriages - - - - -	95	-	-	-	-	-
Deaths - - - - -	131	3	13	141	65	76

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.7	20.9	-
Marriage-rate - - - - -	4.1	-	-
Death-rate—All Causes - - - - -	15.5	16.6	14.4
Do. —Phthisis - - - - -	-	0.35	-
Do. —All Tuberculosis - - - - -	-	0.71	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	1	-	-	-	-	-	-	-	1	-	1	2	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	2	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	10	-	-	1	-	-	-	1	1	5	2	4	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	8	-	-	-	-	-	-	-	3	3	3	5	-	-
Bronchitis - - - - -	2	9	-	-	-	-	-	1	-	1	2	2	5	-	-
Pneumonia (all forms) - - - - -	18	10	1	2	-	1	3	8	6	5	-	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	2	-	1	-	-	-	1	1	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	6	5	2	-	-	-	-	-	1	1	2	3	2	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	2	7	9	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	2	-	-	-	1	-	1	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	11	2	1	-	-	1	1	1	-	2	6	11	-	-
Diseases Ill-defined or Unknown - - - - -	1	3	-	-	-	-	-	-	-	-	1	-	3	-	-
Total - - - - -	65	76	15	1	3	8	13	10	15	15	19	34			

YEAR 1918.

COUNTY—Aberdeen.

PUBLIC HEALTH DISTRICT—Deer (County District).

Population—Census 1901, - - - 29,847.

Do. Do. 1911, - - - 28,430.

Do. estimated to middle of 1918, 26,027.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	594	12	11	593	319	274
Illegitimate Births - -	69	6	3	66	38	28
Marriages - - -	114	-	-	-	-	-
Deaths - - -	401	18	35	418	193	225

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	2278	2278	-
Marriage rate - - - - -	44	-	-
Death rate - All Causes - - - -	154	161	137
Do. — Phthisis - - - - -	-	0.69	-
Do. — All Tuberculosis - - - -	-	1.00	-
Do. — Principal Epidemic Diseases (those asterisked below.)	-	0.85	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	1	-	-	-	1	-	-	1	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	2	2	-	4	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	5	5	5	5	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - -	3	-	-	1	1	1	-	-	-	-	-	-	-		
Influenza - - - - -	7	5	2	2	-	1	-	-	3	-	1	2	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis	10	8	-	1	-	-	9	5	1	-	1	1	-		
Tuberculous Meningitis - - - -	1	2	-	-	-	1	2	-	-	-	-	-	-		
Abdominal Tuberculosis - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Other Tuberculous Diseases - -	1	3	-	-	-	-	2	-	-	1	1	-	-		
Cancer, Malignant Disease - - -	11	23	-	-	-	-	-	-	2	6	11	11	4		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Organic Heart Disease - - - -	26	35	-	-	-	-	2	2	2	8	12	17	18		
Bronchitis - - - - -	5	14	1	2	-	-	-	3	-	2	2	5	4		
Pneumonia (all forms) - - - -	23	17	3	9	1	1	5	10	-	2	3	4	4		
Other Diseases of Respiratory Organs	9	7	3	4	-	-	1	1	-	-	1	1	5		
*Diarrhoea and Enteritis (under 2 years)	1	2	2	1	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	2	1	-	-	1	-	1	-	1	-	-	-	-		
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	-	-	1	1	1	-		
Other Diseases of Digestive System	5	7	1	-	1	-	-	1	-	1	2	4	2		
Nephritis and Bright's Disease - -	1	4	-	-	-	-	1	1	1	1	1	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	6	-	-	-	-	2	4	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth	12	8	20	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	8	3	-	-	3	2	2	-	1	-	1	1	1		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - -	47	68	8	2	-	2	4	1	3	10	11	22	11		
Diseases Ill-defined or Unknown - -	6	1	-	2	-	-	1	-	1	-	-	1	2		
Total - - - - -	193	225	45	33	7	32	28	21	32	49	70	92	-		

YEAR 1918.

Population—Census 1901, - - - 12,683.

Do. Do. 1911, - - - 12,218.

Do. estimated to middle of 1918, 11,277.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Deeside** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	166	2	8	172	80	92
Illegitimate Births - -	25	1	6	30	10	20
Marriages - - - -	35	-	-	-	-	-
Deaths - - - -	135	2	18	151	73	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	14.7	15.3	-
Marriage-rate - - - -	3.1	-	-
Death-rate—All Causes - - - -	12.0	13.4	11.3
Do. —Phthisis - - - -	-	1.24	-
Do. —All Tuberculosis - - - -	-	1.68	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.44	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	3	1	1	-	-	-	1	1	-	-	-	-	1	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - -	6	8	-	-	-	-	2	6	1	3	1	1	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - -	9	6	-	-	-	-	-	-	1	2	6	5	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	9	14	-	-	-	-	-	1	-	1	2	7	12	-	-
Bronchitis - - - -	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - -	12	9	1	1	1	2	3	1	3	4	2	1	2	-	-
Other Diseases of Respiratory Organs - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years) - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
All Liver Diseases (not Malignant) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - -	2	3	1	-	-	-	-	-	-	1	-	2	1	-	-
Nephritis and Bright's Disease - - - -	5	2	-	-	-	-	1	1	1	-	1	1	2	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - -	4	3	7	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	12	17	-	-	-	1	1	1	-	1	3	4	18	-	-
Diseases Ill-defined or Unknown - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Total - - - -	73	78	13	4	1	5	8	16	7	13	17	23	44	-	-

YEAR 1918.

Population—Census 1901, - - - 14,915.

COUNTY—**Aberdeen.**

Do. Do. 1911, - - - 13,917.

Do. estimated to middle of 1918, 12,524.

PUBLIC HEALTH DISTRICT—**Ellon** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	289	4	14	299	155	144
Illegitimate Births - -	37	2	10	45	24	21
Marriages - - -	31	-	-	-	-	-
Deaths - - -	147	1	18	164	78	86

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	23.1	23.9	-
Marriage rate - - - - -	2.5	-	-
Death rate—All Causes - - -	11.7	13.1	11.5
Do. —Phthisis - - - - -	-	0.40	-
Do. —All Tuberculosis - - -	-	0.48	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.16	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	3	-	-	-	-	2	2	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	-	-	1	1	1	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	1	-	-	-	-	-	-	-	2	2	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	12	18	1	-	-	-	1	-	-	7	2	2	12	
Bronchitis - - - - -	3	5	1	-	-	-	-	-	-	1	1	1	4	
Pneumonia (all forms) - - - - -	17	10	4	5	1	-	2	6	2	1	4	2	-	
Other Diseases of Respiratory Organs - - - - -	2	6	1	1	-	-	-	-	-	-	2	-	4	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System - - - - -	3	3	-	1	-	-	-	-	-	1	1	2	1	
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	-	-	-	-	1	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	6	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	3	2	3	2	-	-	-	-	1	-	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	23	2	-	-	-	1	1	3	-	3	8	20	
Diseases Ill-defined or Unknown - - - - -	3	2	2	-	-	-	-	1	-	-	1	1	-	
Total - - - - -	78	86	24	13	3	-	8	12	6	13	18	24	40	

YEAR 1918.

Population—Census 1901, - - - 14,710.
 Do. " Do. 1911, - - - 13,980.
 Do. estimated to middle of 1918, 12,768.

COUNTY—**Aberdeen**PUBLIC HEALTH DISTRICT—**Garioch** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	255	11	9	253	133	120
Illegitimate Births -	29	5	8	32	18	14
Marriages - - -	37	-	-	-	-	-
Deaths - - -	177	3	29	203	114	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.0	19.8	-
Marriage-rate - - - - -	2.9	-	-
Death-rate—All Causes -	13.9	15.9	13.9
Do. —Phthisis - - - - -	-	0.86	-
Do. —All Tuberculosis -	-	1.17	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	2	-	1	-	-	1	2	-	1	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	6	-	-	-	2	3	2	2	2	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	6	-	-	-	-	-	-	3	1	2	4	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	1	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	19	11	-	-	-	-	1	-	1	1	2	12	13	
Bronchitis - - - - -	9	9	4	1	-	-	-	-	1	-	1	3	8	
Pneumonia (all forms) - - - - -	18	16	2	4	1	3	4	5	5	3	2	5	6	
Other Diseases of Respiratory Organs -	3	2	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	3	-	2	1	-	-	-	-	-	1	-	3	1	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	3	2	1	-	1	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - -	5	1	-	-	-	-	-	-	-	-	2	-	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	-	-	1	2	3	
Other Diseases and Accidents of Pregnancy and Parturition -	-	2	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	8	1	9	-	-	-	-	-	1	1	-	-	-	
Violent Deaths, excluding Suicide -	4	3	-	1	1	-	1	-	-	-	3	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	17	22	2	1	-	-	3	1	1	2	2	10	17	
Diseases Ill-defined or Unknown - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	114	89	22	10	8	6	13	11	17	10	16	37	53	

YEAR 1918.

Population—Census 1901, - - - 7,618.

COUNTY—**Aberdeen.**

Do. Do. 1911, - - - 6,953.

Do. estimated to middle of 1918, 6,141.

PUBLIC HEALTH DISTRICT—**Huntly** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	145	4	9	150	75	75
Illegitimate Births - -	25	1	3	27	10	17
Marriages - - -	23	-	-	-	-	-
Deaths - - -	82	1	11	92	46	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.6	24.6	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	13.4	15.0	12.7
Do. —Phthisis - - - - -	-	0.81	-
Do. —All Tuberculosis - - - - -	-	0.98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.65	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	-	2	-	2	-	1	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	-	-	-	4	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	8	-	-	-	-	-	-	2	3	3	8	-	
Bronchitis - - - - -	3	2	2	-	-	-	-	-	-	-	2	1	-	
Pneumonia (all forms) - - - - -	14	9	1	3	2	2	5	3	2	1	2	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	1	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	14	1	-	-	-	-	1	1	2	3	14	-	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	1	-	-	-	-	-	1	-	
Total - - - - -	46	46	12	1	5	5	6	6	6	12	11	26		

YEAR 1918:

Population—Census 1901, - - - 12,238.

Do. Do. 1911, - - - 11,331.

Do. estimated to middle of 1918, 10,131.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Turriff** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	266	4	8	270	152	118
Illegitimate Births -	48	2	5	51	28	23
Marriages - - -	31	-	-	-	-	-
Deaths - - - -	145	4	23	164	86	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	26.3	26.7	-
Marriage-rate - - - -	3.1	-	-
Death-rate—All Causes - - - -	14.3	16.2	14.0
Do. —Phthisis - - - -	-	0.49	-
Do. —All Tuberculosis - - - -	-	0.79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.10	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over		
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	2	3	-	1	1	-	1	1	-	-	-	1	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	4	-	-	1	1	-	1	2	-	-	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - - - -	8	5	-	-	-	-	-	-	1	2	1	6	3	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	6	8	-	-	-	-	-	-	1	1	2	7	3	-	-
Bronchitis - - - -	5	5	3	1	-	-	-	-	-	-	-	4	1	-	-
Pneumonia (all forms) - - - -	19	9	2	4	5	1	5	3	1	-	5	1	1	-	-
Other Diseases of Respiratory Organs -	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	4	2	-	-	1	-	1	-	-	-	-	1	1	2	-
Nephritis and Bright's Disease - - -	3	2	-	-	1	-	-	2	-	-	1	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	8	9	17	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	16	26	4	1	-	-	-	1	1	1	4	9	21	-	-
Diseases Ill-defined or Unknown - - -	4	1	-	-	-	-	-	-	-	-	3	2	-	-	-
Total - - - -	86	78	27	9	9	2	10	9	9	9	19	32	33	-	-

YEAR 1918.

Population Census 1901, - - - 8,286.

COUNTY—Argyll.

Do. Do. 1911, - - - 7,625.

Do. estimated to middle of 1918, 6,782.

PUBLIC HEALTH DISTRICT—Campbeltown (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	143	1	2	144	64	80
Illegitimate Births - -	17	0	2	19	6	13
Marriages - - -	41	-	-	-	-	-
Deaths - - -	129	8	6	127	60	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	21.1	21.2	-
Marriage rate - - - - -	6.0	-	-
Death rate—All Causes - - - -	19.0	18.7	17.3
Do. —Phthisis - - - - -	-	1.33	-
Do. —All Tuberculosis - - - -	-	1.62	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	1.03	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	3	3	-	3	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	5	6	4	1	1	1	1	1	1	-	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	5	4	-	-	-	1	3	1	1	2	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - -	2	7	-	-	-	-	-	-	-	1	3	3	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
Bronchitis - - - - -	6	6	1	1	-	1	-	-	1	3	1	2	2	
Pneumonia (all forms) - - -	17	18	1	5	1	3	5	6	5	-	4	3	2	
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System	-	2	-	-	1	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease -	1	2	-	-	-	-	1	-	-	-	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	1	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	14	13	1	-	-	-	-	1	1	1	4	4	15	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	60	67	10	11	6	6	11	10	11	7	14	17	24	

YEAR 1918.

Population—Census 1901, - - - 6,779.

Do. Do. 1911, - - - 6,859.

COUNTY—Argyll.

Do. estimated to middle of 1918, 6,566.

PUBLIC HEALTH DISTRICT—Dunoon (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	61	13	5	53	27	26
Illegitimate Births - -	8	6	1	3	1	2
Marriages - - - -	40	-	-	-	-	-
Deaths - - - -	141	17	16	140	62	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	9.3	8.1	-
Marriage-rate - - - -	6.1	-	-
Death-rate—All Causes - - - -	21.5	21.3	17.5
Do. —Phthisis - - - -	-	0.76	-
Do. —All Tuberculosis - - - -	-	1.52	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.22	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—264.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	2	-	-	1	-	-	1	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - -	3	2	-	-	-	1	-	-	3	1	-	-	-	
Tuberculous Meningitis - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	1	1	1	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	3	9	-	-	-	-	-	-	2	1	6	3	-	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	5	6	-	-	-	-	-	-	2	2	3	4	-	
Bronchitis - - - -	4	8	1	-	-	-	-	-	1	1	4	5	-	
Pneumonia (all forms) - - - -	8	6	2	2	-	1	3	-	1	3	2	-	-	
Other Diseases of Respiratory Organs - - - -	2	2	-	-	-	-	-	1	-	1	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - -	3	-	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Other Diseases of Digestive System - - - -	4	2	1	-	-	-	-	-	-	3	1	1	-	
Nephritis and Bright's Disease - - - -	-	3	-	-	-	-	-	-	1	1	1	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	1	-	1	-	
Other Defined Diseases - - - -	20	22	1	-	-	-	-	1	-	2	4	11	23	
Diseases Ill-defined or Unknown - - - -	-	4	-	-	-	-	-	-	-	3	1	-	-	
Total - - - -	62	78	14	10	1	2	4	3	14	22	10	38	-	

YEAR 1918.

Population—Census 1901, - - - 678.

Do. Do. 1911, - - - 533.

Do. estimated to middle of 1918, 405.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Inveraray (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	6	2	1	5	4	1
Illegitimate Births - - -	0	0	1	1	0	1
Marriages - - -	0	-	-	-	-	-
Deaths - - -	8	0	3	11	7	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.8	12.3	-
Marriage-rate - - - - -	0.0	-	-
Death-rate—All Causes - - - - -	19.8	27.2	19.3
Do. —Phthisis - - - - -	-	2.47	-
Do. —All Tuberculosis - - - - -	-	7.11	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlat Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	7	4	-	1	-	1	-	-	-	-	1	4	4	

YEAR 1918.

Population—Census 1901, - - - 1,313.

Do. Do. 1911, - - - 921.

Do. estimated to middle of 1918, 604.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Lochgilphead (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	14	5	0	9	4	5
Illegitimate Births - -	2	1	0	1	0	1
Marriages - - -	5	-	-	-	-	-
Deaths - - -	11	1	1	11	6	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.2	14.9	-
Marriage-rate - - - - -	8.3	-	-
Death-rate—All Causes - - - - -	18.2	18.2	13.6
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	-	-	2	-	3	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	6	5	-	-	-	-	-	-	1	1	2	2	5	

YEAR 1918.

Population—Census 1901, . . . 5,427.

Do. Do. 1911, . . . 5,557.

Do. estimated to middle of 1918, 5,364.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Oban (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	83	4	3	82	46	36
Illegitimate Births - -	8	2	3	9	6	3
Marriages - - -	49	-	-	-	-	-
Deaths - - -	103	31	5	77	42	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15.6	15.3	-
Marriage-rate - - -	9.1	-	-
Death-rate—All Causes - - -	19.2	14.4	13.9
Do. —Phthisis - - -	-	1.31	-
Do. —All Tuberculosis - - -	-	1.68	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	4	1	-	-	-	-	2	-	-	-	1	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	3	4	-	-	-	-	2	3	2	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	4	3	-	-	-	-	-	-	-	-	2	2	3	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - -	2	3	-	-	-	-	1	-	-	1	1	1	1	
Bronchitis - - -	5	2	-	-	-	-	-	-	-	2	1	2	2	
Pneumonia (all forms) - - -	5	4	-	-	-	-	-	4	-	2	2	1	-	
Other Diseases of Respiratory Organs -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	4	2	-	-	1	-	-	-	2	3	-	-	-	
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	-	-	1	-	2	1	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	9	6	1	-	-	-	-	-	-	3	2	2	7	
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Total - - -	42	35	5	1	1	1	6	10	5	12	9	11	15	

YEAR 1918.

Population—Census 1901, - - - 1,175.

Do. Do. 1911, - - - 988.

Do. estimated to middle of 1918, 809.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Tobermory (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	2	12	4	8
Illegitimate Births -	0	0	2	2	1	1
Marriages - - -	2	-	-	-	-	-
Deaths - - -	13	0	2	15	9	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.4	14.8	-
Marriage-rate - - - - -	2.5	-	-
Death-rate—All Causes - - - - -	16.1	18.5	13.8
Do. —Phthisis - - - - -	-	1.24	-
Do. —All Tuberculosis - - - - -	-	1.24	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Pneumonia (all forms) - - - - -	2	-	-	-	-	1	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	2	-	-	-	-	-	-	1	1	1	-	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	6	1	-	-	-	1	2	2	2	2	2	3	

YEAR 1918.

Population—Census 1901, . . . 3,231.

Do. 1911, . . . 2,922.

Do. estimated to middle of 1918, 2,398.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Ardnamurchan (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	31	0	1	32	18	14
Illegitimate Births - -	2	0	1	3	3	0
Marriages - - -	4	-	-	-	-	-
Deaths - - - -	37	0	3	40	21	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	12.9	13.3	-
Marriage-rate - - - -	1.7	-	-
Death-rate—All Causes - - - -	15.4	16.7	12.2
Do. —Phthisis - - - -	-	0.83	-
Do. —All Tuberculosis - - - -	-	0.83	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.42	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	3	2	-	-	-	-	1	-	-	1	1	2	-	
Bronchitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - -	2	5	1	-	-	-	-	-	1	-	-	2	3	
Nephritis and Bright's Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - -	†1	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	7	8	-	-	-	-	1	-	-	1	2	11	-	
Diseases Ill-defined or Unknown - - - -	1	2	-	-	-	-	-	-	1	-	1	1	-	
Total - - - -	†21	19	2	-	-	1	2	3	2	1	4	7	17	

† Including 1 of unstated age.

YEAR 1918.

Population—Census 1901, - - - 7,730.

COUNTY—Argyll.

Do. Do. 1911, - - - 8,194.

Do. estimated to middle of 1918, 6,738.

PUBLIC HEALTH DISTRICT—Cowal (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	76	1	3	78	38	40
Illegitimate Births -	6	0	0	6	6	1
Marriages - - -	18	-	-	-	-	-
Deaths - - -	84	8	12	88	39	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	11.3	11.6	-
Marriage-rate - - -	2.7	-	-
Death-rate—All Causes - - -	12.5	13.1	11.1
Do. —Phthisis - - -	-	0.59	-
Do. —All Tuberculosis - - -	-	0.89	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.45	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—51.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	3	8	-	-	-	-	-	-	2	1	2	2	4	-	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	1	3	-	-	-	-
Bronchitis - - -	2	4	-	-	-	-	-	-	-	-	-	1	4	-	-	-
Pneumonia (all forms) - - -	4	3	-	-	-	-	2	1	1	1	2	-	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Other Diseases of Digestive System -	1	3	1	-	-	-	-	-	1	1	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	19	1	1	2	-	-	1	1	3	3	5	16	-	-	-
Diseases Ill-defined or Unknown - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Total - - -	39	49	4	3	-	3	4	5	5	10	17	30	-	-	-	-

YEAR 1918.

Population—Census 1901, - - - 7,805.

COUNTY—Argyll.

Do. Do. 1911, - - - 7,430.

PUBLIC HEALTH DISTRICT—Islay (County District).

Do. estimated to middle of 1918, 6,303.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	67	1	4	70	33	37
Illegitimate Births - -	13	0	3	16	7	9
Marriages - - - -	6	-	-	-	-	-
Deaths - - - -	120	12	10	118	65	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	10.6	11.1	-
Marriage-rate - - - -	1.0	-	-
Death-rate—All Causes - - - -	19.0	18.7	14.9
Do. —Phthisis - - - -	-	1.59	-
Do. —All Tuberculosis - - - -	-	1.75	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - -	-	0.48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	2	-	2	-	-	-	-	-	-	-	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	6	-	-	-	-	4	1	1	1	3	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	4	-	-	-	-	-	-	-	2	2	4	2	
Rheumatic Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	-	-	1	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	4	-	-	-	-	-	1	-	1	-	5	-	
Bronchitis - - - - -	6	2	2	1	-	-	-	-	-	-	-	-	3	
Pneumonia (all forms) - - - - -	8	2	-	-	-	-	1	3	4	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	1	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Other Diseases of Digestive System - - - - -	3	1	-	-	-	-	-	1	-	-	1	2	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	1	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	+10	2	-	-	-	-	-	2	2	-	1	-	4	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	17	19	-	1	-	-	-	-	-	2	4	7	22	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Total - - - - -	+65	53	4	4	3	2	6	8	10	6	14	25	33	

† Including 3 of unstated age.

YEAR 1918.

Population—Census 1901, - - - 7,136.

Do. Do. 1911, - - - 8,660.

COUNTY—Argyll.

Do. estimated to middle of 1918, 5,993.

PUBLIC HEALTH DISTRICT—**Kintyre** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	105	1	3	107	61	46
Illegitimate Births -	13	0	1	14	8	6
Marriages - - -	22	-	-	-	-	-
Deaths - - -	90	5	15	100	49	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.5	17.9	-
Marriage-rate - - -	3.7	-	-
Death-rate—All Causes - - -	15.0	16.7	14.9
Do. —Phthisis - - -	-	1.50	-
Do. —All Tuberculosis - - -	-	2.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.67	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	5	-	1	-	-	3	-	-	-	-	1	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	6	3	-	-	-	1	4	1	3	-	-	-	-	
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	5	-	-	-	-	-	-	2	1	3	2	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	3	-	-	-	-	-	-	-	-	1	2	3	
Bronchitis - - -	1	4	-	-	-	-	-	-	-	-	-	-	4	
Pneumonia (all forms) - - -	7	3	1	2	-	2	1	3	-	1	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	3	2	-	-	-	-	-	-	1	-	2	-	2	
Nephritis and Bright's Disease - - -	2	2	-	-	-	-	-	-	-	-	-	1	2	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	1	-	1	-	-	-	-	-	1	-	-	3	
Suicide - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
Other Defined Diseases - - -	11	14	2	-	-	-	1	1	1	1	2	9	8	
Diseases Ill-defined or Unknown - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Total - - -	49	51	10	5	2	2	2	9	8	9	9	15	23	

YEAR 1918.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—**Lorn** (County District).

Population—Census 1901, - - - 10,220.

Do. Do. 1911, - - - 11,027.

Do. estimated to middle of 1918, 9,468.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	136	3	10	143	72	71
Illegitimate Births -	6	1	4	9	3	6
Marriages - - -	35	-	-	-	-	-
Deaths - - -	115	4	23	134	73	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	144	151	-
Marriage rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	12.1	14.2	11.0
Do. —Phthisis - - - - -	-	0.84	-
Do. —All Tuberculosis - - - - -	-	0.84	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.53	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	1	-	-	2	1	-	2	-	-	-	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	3	-	-	-	1	-	2	2	1	2	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	5	-	-	-	-	-	2	1	3	3	2	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	6	-	-	-	-	-	-	1	2	3	10	-	
Bronchitis - - - - -	1	4	-	-	-	-	-	-	-	2	1	2	-	
Pneumonia (all forms) - - - - -	9	6	1	-	-	2	5	4	1	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Other Diseases of Digestive System - - - - -	1	4	1	-	-	-	-	1	1	1	-	1	-	
Nephritis and Bright's Disease - - - - -	7	2	-	-	-	-	1	1	1	2	4	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	19	-	1	-	-	1	4	4	3	6	13	-	
Diseases Ill-defined or Unknown - - - - -	4	4	1	-	-	-	-	-	-	-	4	3	-	
Total - - - - -	73	61	6	4	1	-	5	9	11	12	15	26	38	

YEAR 1918.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Mid-Argyll (County District).

Population—Census 1901, - - - 7,698
 Do. Do. 1911, - - - 7,127.
 Do. estimated to middle of 1918, 6,372.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	73	6	7	74	43	21
Illegitimate Births -	2	0	3	5	0	5
Marriages - - -	12	-	-	-	-	-
Deaths - - -	156	75	7	88	46	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.5	11.6	-
Marriage-rate - - - - -	1.9	-	-
Death-rate—All Causes - - - - -	24.5	13.8	11.2
Do. —Phthisis - - - - -	-	0.94	-
Do. —All Tuberculosis - - - - -	-	1.10	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	4	6	-	-	-	-	1	2	1	1	3	2	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	4	-	-	-	1	1	2	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	5	-	-	-	-	-	1	1	1	4	4	2	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	4	-	-	-	-	-	-	1	1	-	2	6	-	-	-
Bronchitis - - - - -	1	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	5	2	-	-	-	-	3	-	-	-	1	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	4	-	1	-	-	-	-	-	-	2	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	7	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	1	-	-	-	-	1	7	-	-	-
Total - - - - -	45	42	4	2	-	1	6	7	7	8	14	17	22	-	-	-

YEAR 1918.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Mull (County District).

Population—Census 1901, - - - 6,164.

Do. Do. 1911, - - - 5,500.

Do. estimated to middle of 1918, 4,598.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	59	1	2	60	30	30
Illegitimate Births -	7	0	0	7	2	5
Marriages - - -	16	-	-	-	-	-
Deaths - - - -	93	4	8	97	53	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	12.8	13.0	-
Marriage-rate - - -	3.5	-	-
Death-rate—All Causes - - -	20.2	21.1	15.4
Do. —Phthisis - - - -	-	2.17	-
Do. —All Tuberculosis - - -	-	2.39	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.30	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	4	3	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	6	4	-	-	-	3	2	2	1	2	-	-	-	
Tuberculous Meningitis -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease -	2	4	-	-	-	-	-	-	2	-	3	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease -	8	8	-	-	-	-	-	-	2	3	1	10	-	
Bronchitis - - - -	1	2	-	-	-	-	-	-	-	1	1	1	-	
Pneumonia (all forms) -	2	1	-	-	-	1	1	-	-	-	1	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease -	1	2	-	-	-	-	-	-	-	-	2	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	†14	1	-	1	-	-	3	3	3	-	1	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - -	14	12	-	-	-	-	-	-	-	2	5	19	-	
Diseases Ill-defined or Unknown -	3	2	-	-	1	-	1	-	-	-	1	2	-	
Total - - - -	†53	44	5	3	1	1	5	6	5	8	9	15	35	

† Including 4 of unstated age.

YEAR 1918.

Population—Census 1901, - - - 6,077.

Do. Do. 1911, - - - 5,760.

Do. estimated to middle of 1918, 5,249.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Ardrossan (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	167	5	4	166	87	79
Illegitimate Births -	16	3	1	14	5	9
Marriages - - -	32	-	-	-	-	-
Deaths - - -	115	9	8	114	57	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	31.8	31.6	-
Marriage-rate - - -	6.1	-	-
Death-rate—All Causes - - -	21.9	21.7	21.9
Do. —Phthisis - - -	-	0.76	-
Do. —All Tuberculosis - - -	-	1.52	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.95	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—169.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - -	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	3	-	1	1	-	-	-	-	-	-	-	1	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	1	1	1	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	5	-	-	-	-	-	-	1	1	-	2	2	-	-
Bronchitis - - -	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Pneumonia (all forms) - - -	7	12	3	7	-	-	2	4	1	-	1	1	-	-	-
Other Diseases of Respiratory Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System -	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Nephritis and Bright's Disease - - -	1	2	1	-	-	-	-	-	1	1	-	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	10	10	20	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	2	-	-	2	1	1	-	1	-	-	-	-	-	2
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	18	13	2	3	-	-	1	1	2	1	5	7	9	-	-
Diseases Ill-defined or Unknown -	2	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Total - - -	57	57	28	16	4	4	5	8	7	7	7	13	15	-	-

YEAR 1918.

COUNTY—**Ayr.**PUBLIC HEALTH DISTRICT—**Ayr (Burgh).**

Population—Census 1901, - - - 28,697.

Do. Do 1911, - - - 32,986.

Do. estimated to middle of 1918, 33,570.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	613	34	16	595	286	309
Illegitimate Births - - -	60	9	9	60	28	32
Marriages - - -	313	-	-	-	-	-
Deaths - - -	595	89	38	544	272	272

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.3	17.7	-
Marriage-rate - - - - -	9.3	-	-
Death-rate—All Causes - - - - -	17.7	16.2	16.4
Do. —Phthisis - - - - -	-	9.33	-
Do. —All Tuberculosis - - - - -	-	1.62	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.46	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	5	2	1	6	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	14	12	10	14	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	5	4	2	4	2	1	-	-	-	-	-	-	-	
Influenza - - - - -	2	3	-	-	1	-	2	-	-	-	1	-	1	
Erysipelas - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	12	16	-	2	4	7	10	4	-	-	1	-	-	
Tuberculous Meningitis - - - - -	5	5	1	5	1	1	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	3	-	1	1	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	5	4	-	3	2	2	-	1	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	20	31	-	1	-	-	2	3	7	14	8	6	6	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	9	6	2	10	-	-	-	-	2	-	-	-	1	
Organic Heart Disease - - - - -	16	22	-	-	1	-	2	2	3	11	13	6	6	
Branchitis - - - - -	16	14	5	-	1	-	-	4	4	4	4	10	10	
Pneumonia (all forms) - - - - -	53	43	11	19	8	2	15	13	12	2	4	5	5	
Other Diseases of Respiratory Organs - - - - -	3	4	1	1	-	1	-	-	-	-	2	1	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	4	5	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	1	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	9	7	-	1	-	1	2	-	5	2	3	2	2	
Nephritis and Bright's Disease - - - - -	4	4	-	-	-	-	1	1	-	1	2	3	3	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	1	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	10	10	20	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	26	48	1	3	4	-	6	7	4	1	2	3	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	51	66	9	2	-	1	1	1	9	14	19	28	33	
Diseases Ill-defined or Unknown - - - - -	4	7	2	-	-	-	-	1	1	-	1	5	1	
Total - - - - -	272	272	70	72	26	10	32	40	44	44	60	74	71	

† Including 1 of unstated age.

YEAR 1918.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Cumnock and Holmhead (Burgh).

Population—Census 1901, - - - 3,088.

Do Do. 1911, - - - 3,417.

Do. estimated to middle of 1918, 3,469.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	78	5	1	74	33	31
Illegitimate Births - -	5	1	0	4	1	3
Marriages - - -	24	-	-	-	-	-
Deaths - - -	67	2	10	75	41	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.5	21.3	-
Marriage-rate - - - - -	6.9	-	-
Death-rate—All Causes - - - - -	19.3	21.6	19.9
Do. —Phthisis - - - - -	-	1.15	-
Do. —All Tuberculosis - - - - -	-	1.44	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.58	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—122.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	1	2	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	1	1	1	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	3	-	-	-	1	-	-	-	1	2	3	1	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	10	8	3	2	1	-	4	6	4	3	4	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	1	-	-	-	-	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	11	2	1	-	1	-	-	-	-	2	4	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	41	34	9	6	2	5	5	7	8	6	10	13	4	

YEAR 1918.

Population—Census 1901, - - - 3,070.

COUNTY—Ayr.

Do. Do. 1911, - - - 3,590.

Do. estimated to middle of 1918, - 3,766.

PUBLIC HEALTH DISTRICT—Darvel (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	31	1	1	31	12	19
Illegitimate Births - -	0	0	1	1	0	1
Marriages - - - -	22	-	-	-	-	-
Deaths - - - -	33	2	4	35	15	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	8.2	8.2	-
Marriage-rate - - - -	5.8	-	-
Death-rate—All Causes - - - -	8.8	9.3	10.4
Do. —Phthisis - - - -	-	0.80	-
Do. —All Tuberculosis - - - -	-	0.80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - -	2	1	-	-	-	1	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	1	2	-	-	-	-	-	-	2	1	-	-	-	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	-	2	-	-	-	1	-	-	-	-	-	1	-	
Bronchitis - - - -	2	1	-	-	-	-	-	-	1	-	-	-	2	
Pneumonia (all forms) - - - -	3	5	1	-	-	-	-	1	3	-	1	2	-	
Other Diseases of Respiratory Organs - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	5	5	-	-	-	-	-	3	-	3	-	4	-	
Diseases Ill-defined or Unknown - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - -	15	20	2	-	-	-	3	2	5	4	5	3	9	

YEAR 1918.

Population—Census 1901, - - - 4,876.

Do. Do. 1911, - - - 5,296.

Do. estimated to middle of 1918, 5,316.

COUNTY—**Ayr.**PUBLIC HEALTH DISTRICT—**Galston (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	111	4	4	111	56	55
Illegitimate Births - -	7	1	0	6	4	2
Marriages - - -	30	-	-	-	-	-
Deaths - - -	73	1	8	80	33	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.9	20.9	-
Marriage-rate - - - - -	6.8	-	-
Death-rate—All Causes - - - - -	13.7	15.0	16.5
Do. —Phthisis - - - - -	-	0.90	-
Do. —All Tuberculosis - - - - -	-	1.32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.13	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	2	1	1	-	-	-	-	1	1	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	4	-	-	-	-	2	1	2	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	3	-	-	-	-	-	-	-	1	4	3	-	-	-	-
Bronchitis - - - - -	4	2	-	1	-	-	-	-	-	1	2	2	-	-	-	-
Pneumonia (all forms) - - - - -	7	3	1	-	1	-	2	4	-	2	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-
Other Diseases of Digestive System - - - - -	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	5	16	2	-	-	1	1	1	2	1	6	2	5	-	-	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	33	47	11	6	1	1	8	9	7	7	12	10	8	-	-	-

YEAR 1918.

COUNTY—**Ayr.**PUBLIC HEALTH DISTRICT—**Girvan** (Burgh).

Population—Census 1901, 4,024.

Do. 1911, 4,473.

Do. estimated to middle of 1918, 4,554.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births	91	8	4	87	44	43
Illegitimate Births	6	1	3	8	6	2
Marriages	24	—	—	—	—	—
Deaths	78	8	6	76	31	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate	24.0	19.1	—
Marriage rate	5.3	—	—
Death rate—All Causes	17.2	16.7	14.5
Do. —Phthisis	—	0.22	—
Do. —All Tuberculosis	—	0.44	—
Do. —Principal Epidemic Diseases (those asterisked below.)	—	2.20	—

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	3	-	2	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	2	2	-	2	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	5	-	-	-	-	-	-	-	2	3	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	-	-	-	2	3	1	
Bronchitis - - - - -	2	5	1	-	-	-	-	-	-	-	2	1	3	
Pneumonia (all forms) - - - - -	1	3	-	1	-	-	3	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	4	-	-	-	-	1	-	-	-	1	-	2	
Nephritis and Bright's Disease - - - - -	-	3	-	-	-	-	-	-	-	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	3	-	-	-	-	-	1	-	-	-	2	2	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - - - -	6	12	-	-	-	-	-	1	-	2	2	10	3	
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	-	1	-	2	
Total - - - - -	31	45	7	6	1	2	4	2	2	5	12	21	14	

YEAR 1918.

Population—Census 1901, - - - 9,618.

Do. Do. 1911, - - - 10,179.

COUNTY—**Ayr**.

Do. estimated to middle of 1918, 10,048.

PUBLIC HEALTH DISTRICT—**Irvine** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	279	1	4	282	158	124
Illegitimate Births - -	16	0	3	19	10	9
Marriages - - -	82	-	-	-	-	-
Deaths - - -	180	5	18	193	97	96

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution
Birth-rate - - - - -	27.8	28.1	-
Marriage-rate - - - - -	8.2	-	-
Death-rate—All Causes - - - - -	17.9	19.2	19.4
Do. —Phthisis - - - - -	-	1.00	-
Do. —All Tuberculosis - - - - -	-	2.69	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.60	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—117.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
* Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Measles - - - - -	2	2	1	2	1	-	-	-	-	-	-	-	-	
* Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	6	-	-	-	-	3	3	3	1	-	1	-	
Tuberculous Meningitis - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	2	1	3	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	6	2	-	5	-	1	1	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	1	-	2	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	1	1	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	7	6	-	-	-	-	-	-	2	3	3	2	3	
Bronchitis - - - - -	2	2	-	1	-	-	-	-	-	-	1	-	2	
Pneumonia (all forms) - - - - -	32	22	8	7	1	2	8	12	2	5	4	4	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
* Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	1	1	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	1	3	-	1	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	5	-	-	-	-	-	-	1	1	4	-	3	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	9	6	15	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	2	-	1	-	-	-	2	1	-	1	3	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	25	4	1	-	-	-	-	-	2	6	6	16	
Diseases Ill-defined or Unknown - - - - -	1	2	1	-	-	-	-	-	1	1	-	-	-	
Total - - - - -	97	96	33	26	5	4	12	20	11	17	20	20	25	

YEAR 1918.

Population—Census 1901, - - - 34,165.

COUNTY—Ayr.

Do. Do. 1911, - - - 34,729.

Do. estimated to middle of 1918 37,387.

PUBLIC HEALTH DISTRICT—Kilmarnock (Burgh).

REGISTRATION RETURNS.

	Numbers <i>Registered in</i> District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	716	30	15	701	351	350
Illegitimate Births -	66	10	10	66	45	21
Marriages - - -	281	-	-	-	-	-
Deaths - - -	607	73	53	587	284	303

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19.2	18.7	-
Marriage-rate - - -	7.5	-	-
Death-rate—All Causes - - -	16.2	15.7	17.1
Do. —Pneumonia - - -	-	1.23	-
Do. —All Tuberculosis - - -	-	1.87	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.86	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	3	1	2	2	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	2	6	5	3	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - -	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Influenza - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	21	25	-	-	-	-	17	10	11	4	3	1	-	-	-
Tuberculous Meningitis - - -	2	5	1	4	-	-	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	1	-	3	-	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	7	5	-	1	2	3	2	2	-	-	-	2	-	-	-
Cancer, Malignant Disease - - -	17	30	-	-	-	-	-	-	3	18	15	11	5	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	17	17	-	-	2	-	2	1	4	6	8	10	4	-	-
Bronchitis - - -	25	31	4	3	-	-	1	1	5	3	12	17	10	-	-
Pneumonia (all forms) - - -	62	49	14	14	7	4	18	23	11	12	3	4	1	-	-
Other Diseases of Respiratory Organs - - -	6	2	1	-	-	-	-	-	1	-	-	5	1	-	-
Diarrhoea and Enteritis (under 2 years) - - -	9	6	11	4	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	3	1	-	-	-	3	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Diseases of Digestive System - - -	6	10	1	2	-	-	1	-	3	4	3	1	1	-	-
Nephritis and Bright's Disease - - -	7	8	-	-	1	-	-	-	4	4	3	1	2	-	-
Puerperal Sepsis - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	8	-	-	-	-	2	3	3	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	14	18	32	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	9	3	-	2	3	-	-	1	1	1	1	1	2	-	-
Suicide - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - -	56	69	8	2	-	1	1	9	6	8	17	36	37	-	-
Diseases Ill-defined or Unknown - - -	4	2	1	-	-	-	-	-	-	1	2	2	-	-	-
Total - - -	284	303	81	45	18	12	49	50	51	57	68	93	63	-	-

YEAR 1918.

Population—Census 1901, - - - 4,566.

Do. Do. 1911, - - - 4,945.

COUNTY—Ayr.

Do. estimated to middle of 1918, 4,954.

PUBLIC HEALTH DISTRICT—**Kilwinning** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	123	1	6	123	70	53
Illegitimate Births -	5	1	1	5	4	1
Marriages -	43	-	-	-	-	-
Deaths - - -	73	5	9	77	45	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	24.8	25.8	-
Marriage-rate - - -	8.7	-	-
Death-rate—All Causes - - -	14.7	15.5	16.1
Do. —Phthisis - - -	-	0.61	-
Do. —All Tuberculosis - - -	-	0.81	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.41	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis	2	1	-	-	-	-	2	-	1	-	-	-	-		
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease -	4	2	-	-	-	-	-	-	-	2	1	3	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - -	4	4	-	-	-	-	1	-	-	1	2	3	1		
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-		
Pneumonia (all forms) - - -	14	7	1	1	-	-	3	9	2	1	3	-	1		
Other Diseases of Respiratory Organs	-	2	1	1	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years)	3	1	3	1	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System	-	1	-	-	-	-	-	-	-	-	-	1	-		
Nephritis and Bright's Disease - -	-	3	-	-	-	-	1	-	1	-	-	1	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-		
Other Diseases and Accidents of Pregnancy and Parturition -	-	3	-	-	-	-	-	2	1	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth -	3	2	5	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - -	13	2	1	-	-	-	-	-	-	1	2	4	7		
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	45	22	14	3	1	-	7	11	5	6	9	12	9		

YEAR 1918.

Population—Census 1901, - - - 3,344.

COUNTY—Ayr.

Do. Do. 1911, - - - 3,724.

Do. estimated to middle of 1918, 3,796.

PUBLIC HEALTH DISTRICT—Largs (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	25	3	1	23	13	10
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - -	20	-	-	-	-	-
Deaths - - - -	57	15	8	50	17	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	6.6	6.1	-
Marriage-rate - - - -	5.3	-	-
Death-rate—All Causes - - - -	15.0	13.2	11.4
Do. —Phthisis - - - -	-	1.05	-
Do. —All Tuberculosis - - - -	-	1.32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—130.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - -	1	3	-	-	-	-	-	2	2	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	1	3	-	-	-	-	-	-	1	1	2	-	-	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	2	3	-	-	-	-	-	1	-	-	2	2	-	
Bronchitis - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - -	3	4	-	-	-	-	2	3	-	1	1	-	-	
Other Diseases of Respiratory Organs - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - -	1	2	-	-	-	-	-	-	1	-	2	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	6	13	-	-	1	-	-	2	1	1	5	9	-	
Diseases Ill-defined or Unknown - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - -	17	33	3	-	-	1	1	3	8	5	3	13	13	

YEAR 1918.

COUNTY—**Ayr.**PUBLIC HEALTH DISTRICT—**Maybole (Burgh).**

Population—Census 1901, - - - 5,892.
 Do. Do. 1911, - - - 4,889.
 Do. estimated to middle of 1918, 3,951.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	85	5	2	82	43	39
Illegitimate Births -	10	1	1	10	5	5
Marriages - - -	23	-	-	-	-	-
Deaths - - -	80	10	7	77	36	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.5	20.8	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - - -	20.2	19.5	18.9
Do. —Phthisis - - - - -	-	1.91	-
Do. —All Tuberculosis - - - - -	-	2.53	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	-	-	2	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	1	1	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	1	2	-	2	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	-	-	-	3	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	5	-	-	-	-	-	1	1	1	-	1	4	
Bronchitis - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	6	6	1	2	1	-	2	5	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	5	3	2	2	1	1	-	-	-	1	-	-	1	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	-	-	-	2	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	6	1	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	1	1	1	-	-	-	-	-	-	2	2	6	3	
Total - - - - -	36	41	9	14	3	2	7	8	2	5	5	10	10	

YEAR 1918.

COUNTY—Ayr.

Population—Census 1901, 4,367.

Do. Do. 1911, 4,806.

Do. estimated to middle of 1918, 4,794.

PUBLIC HEALTH DISTRICT—Newmilns and Greenholm (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	60	1	0	59	26	33
Illegitimate Births - -	4	1	0	3	2	1
Marriages - - -	23	-	-	-	-	-
Deaths - - -	66	4	3	65	31	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.5	12.3	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	13.8	13.6	13.4
Do. —Phthisis - - - - -	-	1.88	-
Do. —All Tuberculosis - - - - -	-	2.09	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.63	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—34.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	1	-	1	-	-	4	-	-	1	3	-	-
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	-	-	3	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	4	-	-	-	1	-	1	-	2	-	-	1
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	1	-	1	1
Pneumonia (all forms) - - - - -	6	6	-	2	-	-	1	2	1	1	-	3	2
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1
Other Diseases of Digestive System - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	8	-	-	-	-	-	-	1	3	4	2	6
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	31	34	2	5	-	1	6	5	3	11	11	10	11

YEAR 1918.

COUNTY—**Ayr.**PUBLIC HEALTH DISTRICT—**Prestwick** (Burgh).

Population—Census 1901, - - - 3,211.
 Do. Do. 1911, - - - 4,879.
 Do. estimated to middle of 1918, - 5,779.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	133	5	1	129	72	57
Illegitimate Births -	9	2	1	8	4	4
Marriages - - -	30	-	-	-	-	-
Deaths - - -	74	17	20	77	31	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.0	22.3	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	12.8	13.3	12.6
Do. —Phthisis - - - - -	-	0.17	-
Do. —All Tuberculosis - - - - -	-	0.87	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	6	-	-	-	-	-	-	-	4	2	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	5	-	-	-	-	-	-	1	1	2	1	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	4	9	-	1	1	-	1	6	-	1	1	-	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	-	1	-	1	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	2	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	15	2	-	-	-	1	1	3	4	4	6	7	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	31	46	9	5	2	-	2	9	6	13	10	9	12	

YEAR 1918.

Population—Census 1901, - - - 8,120.

COUNTY—Ayr.

Do. 1911, - - - 8,585.

Do. estimated to middle of 1918, 8,470.

PUBLIC HEALTH DISTRICT—Saltcoats (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	257	7	5	255	129	126
Illegitimate Births - - -	12	2	1	11	6	5
Marriages - - -	58	-	-	-	-	-
Deaths - - -	115	7	23	131	65	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	30.3	30.1	-
Marriage-rate - - -	6.8	-	-
Death-rate—All Causes - - -	13.6	15.5	15.2
Do. —Phthisis - - -	-	9.94	-
Do. —All Tuberculosis - - -	-	1.30	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	2	6	3	4	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	2	1	1	1	-	1	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	5	3	-	1	1	-	2	1	2	1	-	-	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	7	-	-	-	-	-	1	-	2	4	1	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	2	2	-	2	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - -	4	4	-	-	-	-	-	1	-	1	2	3	1	
Bronchitis - - -	2	2	1	-	-	-	-	-	-	-	2	-	1	
Pneumonia (all forms) - - -	9	11	1	5	-	1	1	4	2	4	1	-	1	
Other Diseases of Respiratory Organs - - -	1	2	-	-	-	-	1	-	1	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	3	-	-	-	-	1	1	-	1	-	-	-	
All Liver Diseases (not Malignant) - - -	-	2	1	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - -	5	2	-	1	-	-	1	-	-	1	2	-	2	
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	2	1	-	1	-	-	2	-	-	-	-	-	-	
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Defined Diseases - - -	17	11	2	-	-	2	2	-	2	4	4	4	8	
Diseases ill-defined or Unknown - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Total - - -	65	66	20	18	3	3	13	8	8	15	18	10	15	

YEAR 1918.

Population—Census 1901, - - - 2,919.
 Do. Do. 1911, - - - 2,841.
 Do. estimated to middle of 1918, 2,644.

COUNTY—**Ayr.**PUBLIC HEALTH DISTRICT—**Stewarton (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	1	5	47	25	22
Illegitimate Births -	2	0	2	4	2	2
Marriages - - -	15	-	-	-	-	-
Deaths - - -	41	1	6	46	19	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	16.3	17.8	-
Marriage-rate - - -	5.7	-	-
Death-rate—All Causes - - -	15.5	17.4	16.6
Do. —Phthisis - - -	-	1.13	-
Do. —All Tuberculosis - - -	-	2.65	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	3	-	-	-	1	-	-	2	-	-	-	-	
Tuberculous Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	2	1	-	-	-	-	-	-	1	-	2	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	4	-	-	-	-	-	-	-	2	-	4	1	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	1	3	1	-	-	-	1	-	1	1	-	-	-	
Other Diseases of Respiratory Organs - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	-	3	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	-	-	1	1	1	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	5	6	1	-	-	-	1	-	-	-	2	3	4	
Diseases Ill-defined or Unknown - - -	4	-	-	-	-	-	-	-	-	-	1	1	2	
Total - - -	19	27	5	4	-	1	2	2	4	5	4	11	8	

YEAR 1918.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Troon (Burgh).

Population—Census 1901, - - - 4,764.

Do. Do. 1911, - - - 6,628.

Do. estimated to middle of 1918, 7,574.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	115	4	6	120	60	60
Illegitimate Births -	5	1	1	6	4	2
Marriages - - -	34	-	-	-	-	-
Deaths - - -	63	11	17	71	42	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15.6	15.8	-
Marriage-rate - - -	4.5	-	-
Death-rate—All Causes - - -	8.6	9.4	10.2
Do. —Phthisis - - -	-	0.66	-
Do. —All Tuberculosis - - -	-	0.92	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15	20-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	3	2	-	-	-	-	-	1	3	-	1	-	-	
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	6	2	-	-	-	-	-	-	1	2	2	1	2	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	4	4	-	-	-	-	-	-	-	1	2	1	4	
Bronchitis - - -	1	2	-	1	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - -	7	4	-	5	-	-	1	3	-	1	-	1	-	
Other Diseases of Respiratory Organs - - -	-	3	-	-	-	-	-	-	-	1	-	-	2	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Digestive System - - -	3	-	-	-	-	-	-	-	-	1	1	1	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	2	-	1	-	-	-	-	1	1	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	10	4	2	-	-	2	1	-	-	2	-	2	5	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	42	29	5	10	1	2	3	4	5	11	8	7	15	

YEAR 1918.

Population—Census 1901, - - - 39,260.
 Do. Do. 1911, - - - 42,233.
 Do. estimated to middle of 1918, - 42,130.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Ayr (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1124	19	42	1147	630	517
Illegitimate Births -	84	2	11	93	54	39
Deaths - - -	203	-	-	-	-	-
Marriages - - -	694	99	65	660	367	293

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.7	27.2	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	16.5	15.7	16.2
Do. —Phthisis - - - - -	-	0.66	-
Do. —All Tuberculosis - - - - -	-	1.04	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.09	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—105.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	2	2	3	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	10	13	14	7	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	4	-	3	3	1	-	-	-	-	-	-	-	
Influenza - - - - -	8	6	1	1	2	-	-	4	2	2	1	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis. Pulmonary Tuberculosis - - - - -	14	14	1	-	3	-	5	6	7	2	4	-	-	
Tuberculous Meningitis - - - - -	1	2	-	2	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	3	-	1	2	-	1	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	7	1	1	1	-	2	2	-	1	1	-	-	-	
Cancer, Malignant Disease - - - - -	21	19	-	-	-	-	-	2	13	10	9	6	-	
Rheumatic Fever - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Meningitis - - - - -	3	2	1	4	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	16	27	1	-	-	1	2	4	4	7	5	6	13	
Bronchitis - - - - -	34	16	7	2	-	1	1	7	1	4	12	12	3	
Pneumonia (all forms) - - - - -	89	64	18	26	9	5	15	38	18	7	8	5	4	
Other Diseases of Respiratory Organs - - - - -	10	2	1	1	-	-	-	3	1	3	1	1	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	8	1	8	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	2	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	11	7	3	1	1	3	1	-	1	6	1	1	1	
Nephritis and Bright's Disease - - - - -	9	10	-	-	2	-	1	3	3	2	6	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	10	-	-	-	-	6	3	1	-	-	-	-	
Congenital Debility, and Malformation, including Premature Birth - - - - -	30	19	43	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	21	8	-	4	4	2	4	2	3	4	2	2	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	4	-	-	-	
Other Defined Diseases - - - - -	61	53	12	3	1	1	3	5	7	10	17	23	32	
Diseases Ill-defined or Unknown - - - - -	4	2	2	-	-	-	-	-	1	-	1	1	1	
Total - - - - -	867	293	121	61	33	16	42	75	53	58	74	63	64	

YEAR 1918.

Population—Census 1901, - - - 12,570.

COUNTY—Ayr.

Do. - - - 1911, - - - 12,406.

Do. estimated to middle of 1918, 12,000.

PUBLIC HEALTH DISTRICT—Carrick (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	236	9	15	242	182	110
Illegitimate Births -	20	3	7	24	13	11
Marriages - - -	67	-	-	-	-	-
Deaths - - -	177	6	22	193	114	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.7	19.2	-
Marriage-rate - - - - -	5.3	-	-
Death-rate—All Causes - - -	14.0	13.3	14.6
Do. —Phthisis - - - - -	-	1.27	-
Do. —All Tuberculosis - - -	-	1.43	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—9.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	2	-	-	2	1	-	-	-	-	-	-	-	
Influenza - - - - -	2	8	-	-	2	-	1	1	1	2	1	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	8	8	1	-	1	-	3	3	1	3	3	-	1	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	9	6	-	-	-	-	-	-	2	2	6	5	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - -	11	9	-	1	-	1	1	1	-	-	6	4	6	
Bronchitis - - - - -	6	4	2	-	-	-	1	-	-	-	1	-	6	
Pneumonia (all forms) - - -	17	14	4	3	2	2	6	6	2	3	-	2	1	
Other Diseases of Respiratory Organs -	1	1	-	1	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	3	4	-	-	-	-	-	-	2	1	1	2	1	
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	-	1	1	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	4	1	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	30	3	1	-	1	-	23	7	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	9	-	-	-	-	-	-	1	2	1	6	12	
Diseases Ill-defined or Unknown - -	2	4	1	1	-	-	-	-	1	1	1	1	1	
Total - - - - -	114	79	16	8	10	4	37	19	11	14	20	24	30	

YEAR 1918.

Population—Census 1901, - - - 24,397.

Do. Do. 1911, - - - 23,979.

COUNTY—Ayr.

Do. estimated to middle of 1918, 22,475.

PUBLIC HEALTH DISTRICT—**Kilmarnock** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	499	13	21	507	249	258
Illegitimate Births -	32	3	9	38	24	14
Marriages - - -	112	-	-	-	-	-
Deaths - - -	316	8	39	341	177	164

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22.2	22.6	-
Marriage-rate - - -	5.0	-	-
Death-rate—All Causes - - -	13.8	15.2	15.6
Do. —Phthisis - - -	-	0.71	-
Do. —All Tuberculosis - - -	-	1.25	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.85	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—128.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	3	4	2	3	2	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	3	2	3	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	2	-	2	-	1	-	-	-	-	-	-	-	
Influenza - - -	7	2	-	3	-	-	-	2	1	1	1	1	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	6	10	-	-	-	2	4	5	3	1	1	-	-	
Tuberculous Meningitis - - -	1	2	1	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	4	2	3	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - -	1	2	-	-	1	-	-	-	1	1	-	-	-	
Cancer, Malignant Disease - - -	6	11	-	-	1	-	-	1	1	4	4	4	2	
Rheumatic Fever - - -	1	1	-	-	1	-	-	1	-	-	-	-	-	
Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	14	12	1	-	-	-	1	1	-	4	7	5	7	
Bronchitis - - -	17	11	7	-	-	-	2	1	3	-	5	4	6	
Pneumonia (all forms) - - -	33	29	6	9	2	2	11	8	8	6	7	2	1	
Other Diseases of Respiratory Organs - - -	4	3	1	-	-	-	-	3	1	1	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	2	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	3	1	-	-	-	-	2	1	-	-	-	1	1	
Other Diseases of Digestive System - - -	9	3	2	1	2	-	-	2	1	1	2	1	-	
Nephritis and Bright's Disease - - -	4	3	1	-	-	-	1	1	-	-	2	1	1	
Puerperal Sepsis - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	14	15	29	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	7	1	-	2	1	-	1	-	-	2	1	-	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	32	37	5	3	1	-	3	-	4	2	12	19	20	
Diseases Ill-defined or Unknown - - -	4	4	1	-	-	-	-	-	-	-	2	2	3	
Total - - -	177	164	65	29	12	5	25	26	27	25	44	40	43	

YEAR 1918.

Population—Census 1901, . . . 47,343.

COUNTY—Ayr.

Do. Do. 1911. . . . 47,403.

Do. estimated to middle of 1918, 45,032.

PUBLIC HEALTH DISTRICT—Northern Ayr (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1103	40	43	1106	596	510
Illegitimate Births - -	71	13	11	69	35	34
Marriages - - -	218	-	-	-	-	-
Deaths - - -	740	105	71	706	355	351

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.5	24.6	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - -	16.4	15.7	15.8
Do. —Phthisis - - - - -	-	1.09	-
Do. —All Tuberculosis - - -	-	1.73	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	1.09	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH [corrected for Transfers].

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	15	6	6	12	2	-	1	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - -	3	3	2	4	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - -	5	6	1	8	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	10	15	2	2	3	3	3	8	2	1	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	14	35	-	1	1	5	18	10	4	7	2	1	-	
Tuberculous Meningitis - -	2	5	-	5	-	1	-	-	1	-	-	-	-	
Abdominal Tuberculosis - -	7	4	-	4	-	1	3	1	1	1	-	-	-	
Other Tuberculous Diseases - -	7	4	-	2	-	1	3	-	-	2	2	1	-	
Cancer, Malignant Disease - -	15	26	-	-	-	-	-	-	4	4	12	15	6	
Rheumatic Fever - - - - -	1	1	-	-	-	1	-	-	1	-	-	-	-	
Meningitis - - - - -	3	6	-	4	2	-	1	1	-	1	-	-	-	
Organic Heart Disease - - -	30	29	-	-	-	-	3	2	5	9	16	14	10	
Bronchitis - - - - -	28	19	7	5	-	1	1	-	2	3	9	10	9	
Pneumonia (all forms) - - -	75	54	15	23	8	4	12	30	11	10	4	8	4	
Other Diseases of Respiratory Organs	10	6	1	-	-	-	1	3	2	-	-	8	1	
Diarrhoea and Enteritis (under 2 years)	9	1	10	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	3	2	-	-	1	1	2	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	5	-	-	-	-	-	-	-	2	1	1	1	
Other Diseases of Digestive System	8	10	2	1	-	-	2	-	3	3	3	4	-	
Nephritis and Bright's Disease - -	11	14	1	1	-	-	1	1	-	4	9	4	4	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	6	-	-	-	-	3	2	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	10	14	24	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	21	2	1	3	2	1	5	1	3	3	3	-	1	
Suicide - - - - -	5	-	-	-	-	-	1	-	2	-	2	-	-	
Other Defined Diseases - - - -	38	68	9	3	-	-	3	4	4	14	15	24	50	
Diseases Ill-defined or Unknown - -	5	8	-	1	-	-	-	1	-	2	4	2	3	
Total - - - - -	355	351	81	79	21	19	64	66	46	66	82	92	90	

YEAR 1918.

Population—Census 1901, - - - 1,141.

Do. Do. 1911, - - - 1,048.

Do. estimated to middle of 1918, 931.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Aberchirder** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	0	0	22	12	10
Illegitimate Births -	9	0	0	9	4	5
Marriages - - -	4	-	-	-	-	-
Deaths - - -	25	0	3	28	11	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - -	23.6	23.6	-
Marriage-rate - - - - -	4.3	-	-
Death-rate—All Causes - - - - -	26.9	30.1	23.1
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	1.07	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.07	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—227.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—40.9.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	
Bronchitis - - - - -	1	2	-	2	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	5	3	2	2	-	1	1	1	-	-	1	-	1	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	1	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	1	1	1	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	11	17	5	4	-	-	2	2	2	1	3	5	4	

YEAR 1918.

Population—Census 1901, - - - 3,732.

COUNTY—**Banff**.

Do. - Do. 1911, - - - 3,821.

Do. estimated to middle of 1918, 3,688.

PUBLIC HEALTH DISTRICT—**Banff** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	7	7	65	30	35
Illegitimate Births -	10	4	2	8	1	7
Marriages - - -	37	-	-	-	-	-
Deaths - - -	85	23	7	69	30	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.6	17.6	-
Marriage-rate - - - - -	10.0	-	-
Death-rate—All Causes - - - - -	23.0	18.7	16.2
Do. —Phtthisis - - - - -	-	0.81	-
Do. —All Tuberculosis - - - - -	-	0.51	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.27	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—138.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.3.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	-	-	-	-	-	-	2	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	-	3	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	6	-	-	-	-	-	-	-	2	2	1	1	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
meningitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	3	-	-	-	-	1	-	-	-	1	-	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	14	11	5	2	1	-	5	7	2	1	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	4	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	12	-	-	-	-	1	-	-	-	5	9	4	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Total - - - - -	30	30	9	4	2	-	6	8	5	5	12	1	-	

YEAR 1918.

Population—Census 1901, - - - 7,483.

Do. Do. 1911, - - - 8,897.

COUNTY—**Banff.**

Do. estimated to middle of 1918, 9,417.

PUBLIC HEALTH DISTRICT—**Buckie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	191	6	7	192	95	97
Illegitimate Births -	6	0	3	9	6	3
Marriages - - -	55	-	-	-	-	-
Deaths - - -	116	8	7	115	50	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.3	20.4	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - - -	12.3	12.1	12.0
Do. —Phthisis - - - - -	-	0.74	-
Do. —All Tuberculosis - - - - -	-	1.27	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.96	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	1	-	2	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	6	1	-	1	-	1	-	-	-	-	1	4	
Erysipelas - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	4	-	-	-	3	2	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	-	2	1	2	2	-	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	2	-	-	-	-	1	1	-	-	3	1	-	
Bronchitis - - - - -	3	8	4	1	-	-	-	-	-	2	3	1	-	
Pneumonia (all forms) - - - - -	11	12	1	6	1	3	2	4	5	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	2	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	1	-	-	-	-	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	1	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	14	1	-	-	-	-	-	-	1	5	7	7	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	50	66	15	13	4	5	7	14	10	3	12	19	13	

YEAR 1918.

Population—Census 1901, - - - 1,176.

COUNTY—**Banff.**

Do. Do. 1911, - - - 1,579.

Do. estimated to middle of 1918, 1,579.

PUBLIC HEALTH DISTRICT—**Charlestown of Aberlour (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	11	3	0	8	4	4
Illegitimate Births -	2	1	0	1	1	0
Marriages - - -	8	-	-	-	-	-
Deaths - - - -	15	0	2	17	7	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	8.6	6.3	-
Marriage-rate - - -	6.3	-	-
Death-rate—All Causes - - -	11.8	13.4	14.4
Do. —Phthisis - - - -	-	8.14	-
Do. —All Tuberculosis - - -	-	3.93	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	1	1	2	-	-	-	-	-		
Tuberculous Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis -	-	1	-	-	-	1	-	-	-	-	-	-	-		
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease -	1	-	-	-	-	-	-	-	-	1	-	-	-		
Pneumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Encephalitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Leucorrhoea - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) -	1	1	-	1	-	-	1	-	-	-	-	-	-		
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Al Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System -	1	1	1	1	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease -	-	2	-	-	-	-	-	-	-	1	-	-	1		
Periperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases -	2	2	-	-	-	-	-	1	-	-	1	-	2		
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - -	7	10	1	2	-	2	2	3	-	2	1	1	3		

YEAR 1918.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Cullen** (Burgh).

Population—Census 1901, - - - 1,936.
 Do. Do. 1911, - - - 1,992.
 Do. estimated to middle of 1918, 1,930.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	0	4	37	21	16
Illegitimate Births - -	2	0	0	2	0	2
Marriages - - -	13	-	-	-	-	-
Deaths - - -	30	1	2	31	14	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.1	19.2	-
Marriage-rate - - - - -	6.7	-	-
Death-rate—All Causes - - -	15.5	16.1	13.5
Do. —Phthisis - - - - -	-	1.55	-
Do. —All Tuberculosis - - -	-	1.55	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	-	3	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	3	3	-	-	-	-	-	1	-	-	-	3	2	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - -	-	2	-	1	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	-	1	-	-	-	-	2	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - -	3	6	1	-	-	-	-	-	-	-	2	1	5	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	14	17	2	1	-	-	1	5	-	1	3	6	12	

YEAR 1918.

Population—Census 1901, - - - 1,823.

Do. Do. 1911, - - - 1,626.

Do. estimated to middle of 1918, 1,408.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Dufftown** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - - - -	21	2	0	19	7	12
Illegitimate Births - -	3	1	0	2	1	1
Marriages - - - - -	7	-	-	-	-	-
Deaths - - - - -	20	1	4	23	12	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.9	13.5	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	14.2	16.3	12.0
Do. —Pneumonia - - - - -	-	0.71	-
Do. —All Tuberculosis - - - - -	-	2.13	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—105.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	-	-	1	3	-	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	4	-	-	-	-	1	-	1	-	-	3	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	12	11	2	-	1	-	1	-	2	2	5	4	6	

YEAR 1918.

Population—Census 1901, - - - 1,511.

Do. Do. 1911, - - - 1,785.

Do. estimated to middle of 1918, 1,883.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Findochty (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	1	0	48	25	22
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	12	-	-	-	-	-
Deaths - - -	22	0	1	23	13	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	26.0	25.5	-
Marriage-rate - - -	6.4	-	-
Death-rate—All Causes - - -	11.7	12.2	12.7
Do. —Phthisis - - -	-	2.12	-
Do. —All Tuberculosis - - -	-	2.12	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	1	-	1	2	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	-	-	-	-	-	-	-	-	-	2	-	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	1	2	1	1	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	4	2	1	-	-	-	-	-	-	-	1	2	2	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL - - -	13	10	2	1	-	-	1	3	2	2	5	4	3	

YEAR 1918.

Population—Census 1901, - - - 4,753.

COUNTY—**Banff.**

Do. - Do. 1911, - - - 4,499.

PUBLIC HEALTH DISTRICT—**Keith (Burgh).**

Do. estimated to middle of 1918, 4,046.

REGISTRATION RETURNS.

	Number Registered in District	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	77	9	4	72	42	30
Illegitimate Births -	13	3	1	11	5	6
Marriages - - -	33	-	-	-	-	-
Deaths - - -	93	6	2	89	38	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.8	17.6	-
Marriage rate - - -	8.1	-	-
Death-rate—All Causes - - -	22.7	21.7	18.4
Do. —Phthisis - - -	-	1.46	-
Do. —All Tuberculosis - - -	-	1.71	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.46	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	1	2	-	-	-	-	2	1	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	2	2	-	-	-	1	-	-	1	-	-	1	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	3	-	-	-	-	1	1	3	-	-	-	1	
Tuberculous Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	4	-	-	-	-	-	-	-	-	1	-	3	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	10	-	-	-	-	1	-	2	1	2	3	4	
Bronchitis - - -	2	4	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	7	8	-	-	3	1	5	3	1	1	1	-	6	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Conjugal Debility and Malformation, including Premature Birth -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	2	1	-	1	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	13	8	1	-	-	-	-	-	-	2	3	3	7	
Diseases Ill-defined or Unknown - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Total - - -	38	51	8	2	4	2	10	7	8	4	8	14	22	

YEAR 1918.

Population—Census 1901, - - - 3,429.

Do. Do. 1911, - - - 3,411.

Do. estimated to middle of 1918, 3,227.

COUNTY—**Banff**PUBLIC HEALTH DISTRICT—**Macduff** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	69	4	3	68	36	32
Illegitimate Births -	8	1	1	8	5	3
Marriages - - -	13	-	-	-	-	-
Deaths - - -	69	2	5	72	29	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.4	21.1	-
Marriage-rate - - - - -	4.0	-	-
Death-rate—All Causes - - - - -	21.4	22.3	17.9
Do. —Phthisis - - - - -	-	1.24	-
Do. —All Tuberculosis - - - - -	-	1.55	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.62	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—11.8.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	4	-	1	-	2	1	1	1	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	-	-	-	1	1	-	1	-	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	5	-	-	-	-	-	-	-	-	-	2	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	5	3	-	-	-	-	-	-	1	-	1	3	8	-	
Bronchitis - - - - -	-	3	2	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	7	13	4	4	2	1	3	3	2	1	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	-	-	-	1	1	-	-	-	-	-	4	2	2	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
TOTAL - - - - -	29	44	8	6	4	4	5	6	5	2	10	9	13		

YEAR 1918.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Portknockie** (Burgh).

Population—Census 1901, - - - 1,596.

Do. Do. 1911, - - - 1,746.

Do. estimated to middle of 1918, 1,761.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	45	0	0	45	23	22
Illegitimate Births - - -	0	0	0	0	0	0
Marriages - - -	11	-	-	-	-	-
Deaths - - -	36	0	1	37	18	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.6	25.6	-
Marriage-rate - - - - -	6.2	-	-
Death-rate—All Causes - - - - -	20.4	21.0	22.1
Do. —Phthisis - - - - -	-	2.27	-
Do. —All Tuberculosis - - - - -	-	2.84	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.14	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—156.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	1	-	-	-	2	1	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	-	2	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	2	2	-	-	2	-	-	-	-	1	-	-	-	1	-
Bronchitis - - - - -	1	2	1	-	-	-	-	-	-	-	1	1	-	-	-
Pneumonia (all forms) - - - - -	5	8	2	2	2	-	1	2	4	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total! - - - - -	10	24	7	2	4	1	4	3	4	1	1	4	6		

YEAR 1918.

Population—Census 1901, - - - 1,878.

Do. Do. 1911, - - - 1,951.

Do. estimated to middle of 1918, 1,902.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Portsoy (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	32	11	2	31	17	14
Illegitimate Births - -	7	1	0	6	3	3
Marriages - - -	9	-	-	-	-	-
Deaths - - -	30	1	1	30	13	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.8	16.3	-
Marriage-rate - - - - -	10.7	-	-
Death-rate—All Causes - - - -	15.8	15.8	12.6
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - -	-	1.05	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.10	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—290.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	3	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	2	5	4	2	-	-	-	-	-	-	-	3	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other Defined Diseases - - - - -	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Total - - - - -	13	17	9	7	-	1	-	-	-	1	2	3	7	-	2

YEAR 1918.

Population—Census 1901, - - - 17,285.

COUNTY—**Banff**.

Do. Do 1911, - - - 16,901.

Do. estimated to middle of 1918, 15,778.

PUBLIC HEALTH DISTRICT—**Banff** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	356	13	22	365	180	185
Illegitimate Births -	40	4	13	49	25	24
Marriages - - -	43	-	-	-	-	-
Deaths - - - -	234	17	20	237	104	133

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	22.6	23.1	-
Marriage-rate - - -	2.7	-	-
Death-rate—All Causes - - -	14.8	15.0	13.7
Do. —Phthisis - - - -	-	0.25	-
Do. —All Tuberculosis - - -	-	0.44	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.38	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	3	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	5	7	-	1	-	-	4	2	-	-	1	4	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	2	2	-	-	-	-	-	1	-	2	-	1	-	
Tuberculous Meningitis -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases	-	2	-	-	-	-	-	2	-	-	-	-	-	
Cancer, Malignant Disease	11	12	-	-	-	-	-	1	2	2	4	6	6	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	1	2	-	-	-	1	1	1	-	-	-	-	-	
Organic Heart Disease -	10	7	-	-	-	-	-	3	1	4	6	3	-	
Bronchitis - - - -	8	5	3	-	-	-	-	1	-	2	6	1	-	
Pneumonia (all forms) -	18	35	9	5	4	4	9	9	8	5	-	1	2	
Other Diseases of Respiratory Organs	-	2	-	-	-	-	-	-	-	-	1	-	1	
*Diarrhoea and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	4	5	2	1	2	-	-	-	-	2	-	-	2	
Nephritis and Bright's Disease -	2	2	-	-	-	-	1	-	1	1	-	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of	-	2	-	-	-	-	1	1	-	-	-	-	-	
Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	2	9	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	7	1	-	-	1	1	2	-	1	1	1	1	-	
Suicide - - - -	1	2	-	-	-	-	2	-	1	-	-	-	-	
Other Defined Diseases - - -	27	27	5	1	-	2	1	-	1	4	9	14	17	
Diseases Ill-defined or Unknown -	3	3	1	-	-	-	-	-	-	1	-	2	2	
Total - - - -	101	133	33	13	7	9	21	17	18	15	24	42	34	

YEAR 1918.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Keith** (County District).

Population—Census 1901, - - - 13,745.
 Do. Do. 1911, - - - 12,453.
 Do. estimated to middle of 1918, 10,931.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	203	6	12	209	99	110
Illegitimate Births - -	20	1	6	25	15	10
Marriages - - -	33	-	-	-	-	-
Deaths - - -	133	2	11	142	65	77

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.6	19.1	-
Marriage-rate - - - - -	3.0	-	-
Death-rate—All Causes - - -	12.2	13.0	10.9
Do. —Phthisis - - - - -	-	0.64	-
Do. —All Tuberculosis - - -	-	1.01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.46	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	4	3	-	-	-	-	2	3	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	7	-	-	-	-	-	-	-	2	2	4	3	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	10	-	-	1	-	-	-	1	1	3	7	5	-	-
Bronchitis - - - - -	3	5	-	1	-	-	-	1	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	11	17	3	1	2	3	6	4	-	1	2	5	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	4	4	8	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - -	19	19	1	-	-	1	1	2	2	2	4	6	19	-	-
Diseases Ill-defined or Unknown	3	1	-	-	-	-	-	1	-	-	-	1	2	-	-
Total - - - - -	65	77	15	4	4	5	11	13	7	8	12	31	31		

YEAR 1918,

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**Coldstream** (Burgh).

Population—Census 1901, - - - 1,482.

Do. Do. 1911, - - - 1,375.

Do. estimated to middle of 1918, 1,231.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	0	1	23	14	9
Illegitimate Births - -	0	0	1	1	0	1
Marriages - - -	6	-	-	-	-	-
Deaths - - -	25	0	0	25	15	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.9	18.7	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - -	20.3	20.3	16.5
Do. —Phthisis - - - - -	-	1.62	-
Do. —All Tuberculosis - - -	-	2.11	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	-	2	-	1	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Etiuchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	5	4	-	1	1	1	-	-	1	-	3	1	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1	
Diseases ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	15	10	2	2	2	1	-	1	2	2	6	3	4	

YEAR 1918.

Population—Census 1901, - - - 2,206.

Do. Do. 1911, - - - 2,069.

Do. estimated to middle of 1918, 1,870.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**Duns (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	30	3	0	27	10	17
Illegitimate Births - -	2	0	0	2	0	2
Marriages - - -	5	-	-	-	-	-
Deaths - - -	33	3	5	35	13	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.0	14.4	-
Marriage-rate - - - - -	2.7	-	-
Death-rate—All Causes - - -	17.6	18.7	15.2
Do. —Phthisis - - - - -	-	0.53	-
Do. —All Tuberculosis - - -	-	0.53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease -	2	3	-	-	-	-	-	-	1	-	4	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - -	3	6	-	-	1	-	-	-	1	-	5	2	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - -	2	1	1	-	-	1	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	2	-	-	-	-	-	-	-	-	2	-	-	
Nephritis and Bright's Disease -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - -	4	7	-	-	-	-	1	-	1	-	-	5	4	
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	22	-	1	-	1	2	2	1	3	2	16	7	

YEAR 1918.

Population—Census 1901, 2,389

COUNTY—**Berwick.**

Do. Do. 1911, 2,453

Do. estimated to middle of 1918, 2,373.

PUBLIC HEALTH DISTRICT—**Eyemouth (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	0	3	50	29	21
Illegitimate Births - -	4	0	0	4	3	1
Marriages - - -	19	-	-	-	-	-
Deaths - - -	32	1	3	34	12	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.8	21.1	-
Marriage-rate - - - - -	8.0	-	-
Death-rate—All Causes - - -	13.5	14.3	14.0
Do. —Phthisis - - - - -	-	0.24	-
Do. —All Tuberculosis - - -	-	1.26	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.42	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—60.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Indoanxa - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	-	1	-	1	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Bronchitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	2	5	-	-	-	2	4	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	5	1	-	-	-	-	-	-	-	1	3	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	12	22	3	3	-	1	2	6	2	1	1	4	7	

YEAR 1918.

Population—Census 1901, - - - 724.
 Do. Do. 1911, - - - 659.
 Do. estimated to middle of 1918, 580.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**Lauder (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	9	0	1	10	7	3
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	0	-	-	-	-	-
Deaths - - -	14	0	2	16	8	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15.5	17.2	-
Marriage-rate - - -	0.0	-	-
Death-rate—All Causes - - -	24.1	27.6	22.0
Do. —Phthisis - - -	-	1.72	-
Do. —All Tuberculosis - - -	-	1.72	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—200.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	2	2	-	-	-	-	-	1	1	1	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	3	2	1	-	-	-	-	-	1	-	-	-	3	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	8	8	2	-	-	-	1	1	2	2	-	2	6	

YEAR 1918.

Population—Census 1901, - - - 9,364.

COUNTY—Berwick.

Do. 1911, - - - 9,017.

Do. estimated to middle of 1918, 8,320.

PUBLIC HEALTH DISTRICT—East Berwick (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	127	3	6	130	64	66
Illegitimate Births - -	14	1	1	14	8	6
Marriages - - -	31	-	-	-	-	-
Deaths - - -	118	8	21	191	69	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.3	15.6	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - -	13.6	15.7	13.8
Do. —Phthisis - - - - -	-	0.36	-
Do. —All Tuberculosis - - - -	-	0.60	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Indolence - - - - -	5	3	-	1	-	1	1	-	2	-	2	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	2	1	-	-	-	1	1	1	-	-	-	-	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	4	5	-	-	-	-	-	-	1	3	4	1	-	
Rheumatic Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - -	12	8	-	-	-	-	-	-	1	3	9	7	-	
Bronchitis - - - - -	2	4	1	1	-	1	1	1	-	-	-	2	-	
Pneumonia (all forms) - - -	11	12	1	3	1	1	3	3	2	4	1	4	-	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System	3	1	-	1	-	-	-	1	1	1	-	-	-	
Nephritis and Bright's Disease -	-	2	-	-	-	-	-	-	-	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	1	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	-	2	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	18	19	1	-	-	1	1	2	1	2	10	19	-	
Diseases Ill-defined or Unknown	3	-	-	-	-	-	-	-	-	2	1	-	-	
Total - - - - -	68	62	7	9	2	1	9	9	8	11	14	30	31	

YEAR 1918.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**Middle Berwick** (County District).

Population—Census 1901, - - - 8,648.
 Do. 1911, - - - 8,365.
 Do. estimated to middle of 1918, 7,746.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	181	3	4	182	65	67
Illegitimate Births - -	11	1	1	11	5	6
Marriages - - -	42	-	-	-	-	-
Deaths - - -	79	3	12	88	46	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.9	17.0	-
Marriage-rate - - - - -	5.4	-	-
Death-rate—All Causes - - - -	10.2	11.4	10.2
Do. —Phthisis - - - - -	-	0.52	-
Do. —All Tuberculosis - - - -	-	0.65	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.13	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1010 Births), corrected—53.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	2	1	-	1	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	5	5	-	-	-	-	-	-	2	1	4	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	8	-	-	-	-	1	1	-	-	3	3	6	
Bronchitis - - - - -	-	4	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	9	3	-	-	1	-	-	2	3	1	1	3	1	
Other Diseases of Respiratory Organs -	2	-	-	-	1	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	1	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	2	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	2	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	10	1	-	-	-	-	1	-	1	1	9	9	
Diseases Ill-defined or Unknown - -	2	2	-	-	-	-	-	-	-	-	-	3	1	
TOTAL - - - - -	46	42	7	1	1	1	5	7	5	5	10	24	22	

YEAR 1918.

Population—Census 1901, - - - 6,011.

Do. Do. 1911, - - - 5,705.

Do. estimated to middle of 1918, 5,204.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**West Berwick** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	79	4	5	80	37	43
Illegitimate Births -	7	1	0	6	3	3
Marriages - - -	34	-	-	-	-	-
Deaths - - -	74	2	10	82	34	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.2	15.4	-
Marriage-rate - - - - -	6.5	-	-
Death-rate—All Causes - - -	14.2	15.8	14.4
Do. —Phthisis - - - - -	-	0.77	-
Do. —All Tuberculosis - - -	-	1.15	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.38	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Infanzen - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	4	-	-	-	1	1	1	1	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	2	-	-	-	1	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - -	1	4	-	-	-	-	-	-	-	-	1	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	9	-	-	-	-	-	-	1	3	4	3	4	
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	4	8	-	1	1	-	2	2	1	1	3	1	1	
Other Diseases of Respiratory Organs -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	1	-	-	-	-	-	1	-	1	1	-	-	
Nephritis and Bright's Disease - - -	2	3	-	-	-	-	-	-	-	2	1	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	1	-	-	-	1	1	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	11	-	-	2	2	-	-	1	6	4	7	-	
Diseases Ill-defined or Unknown - - -	1	3	-	-	-	-	-	1	3	-	-	-	-	
Total - - - - -	24	48	4	1	1	4	4	5	5	8	16	15	11	

YEAR 1918.

Population—Census 1901, - - - 1,670.
 Do. Do. 1911, - - - 1,614.
 Do. estimated to middle of 1918, 1,494.

COUNTY—**Bute.**PUBLIC HEALTH DISTRICT—**Millport (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	2	1	15	4	11
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	2	-	-	-	-	-
Deaths - - -	14	5	5	14	4	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	10.7	10.0	-
Marriage-rate - - -	1.3	-	-
Death-rate—All Causes - - -	9.4	9.4	7.7
Do. —Phthisis - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	1.34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	1	3	-	-	-	-	-	-	-	2	1	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	2	-	-	-	-	1	-	-	-	-	2	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	4	10	1	1	-	-	1	-	1	8	1	6	-	

YEAR 1918.

Population—Census 1901, - - - 9,378.

COUNTY—Bute.

Do. Do. 1911, - - - 9,239.

Do. estimated to middle of 1918, 8,773.

PUBLIC HEALTH DISTRICT—**Rothsay** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	96	7	8	97	54	43
Illegitimate Births -	6	1	6	11	2	9
Marriages - - -	37	-	-	-	-	-
Deaths - - -	122	28	15	109	54	55

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.9	11.1	-
Marriage-rate - - - - -	4.2	-	-
Death-rate—All Causes - - - - -	13.9	12.4	11.1
Do. —Phthisis - - - - -	-	1.03	-
Do. —All Tuberculosis - - - - -	-	1.71	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.80	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	5	-	-	-	2	2	2	-	3	-	-	-	
Tuberculous Meningitis - - - - -	2	2	1	2	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	7	-	1	-	-	-	-	1	1	4	3	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	9	7	-	-	-	-	-	-	2	-	9	5	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	6	8	2	1	-	2	1	1	1	2	1	2	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	3	-	-	-	-	-	-	-	2	-	-	1	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	-	-	-	3	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - - - -	14	14	2	1	1	1	2	-	-	1	3	9	8	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	55	55	10	11	2	4	7	3	6	6	13	28	19	

YEAR 1918.

COUNTY—**Bute**.PUBLIC HEALTH DISTRICT—**Arran** (County District).

Population—Census 1901, - - - 4,837.
 Do. Do. 1911, - - - 4,628.
 Do. estimated to middle of 1918, 4,250

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	0	8	29	8	21
Illegitimate Births - -	2	0	1	3	2	1
Marriages - - -	10	-	-	-	-	-
Deaths - - -	68	7	14	75	44	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	6.1	6.8	-
Marriage-rate - - - - -	2.4	-	-
Death-rate—All Causes - - - - -	16.0	17.6	13.8
Do. —Phthisis - - - - -	-	1.41	-
Do. —All Tuberculosis - - - - -	-	1.88	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—34.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	-	-	-	1	1	1	1	1	-	1	
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	6	-	-	-	-	-	-	-	2	-	1	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	3	-	-	-	-	-	-	1	-	3	-	3	
Bronchitis - - - - -	2	-	-	-	-	-	-	-	1	-	-	-	-	
Pneumonia (all forms) - - - - -	4	1	-	-	-	-	1	1	1	-	-	1	1	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	2	1	2	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	3	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	2	
Other Defined Diseases - - - - -	16	11	-	-	-	-	-	-	-	1	-	-	-	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	1	1	1	7	17	
. Total - - - - -	44	31	1	2	-	1	4	3	5	5	8	12	34	

YEAR 1918.

Population—Census 1901, - - - 2,803.

COUNTY—**Bute**.

Do. Do. 1911, - - - 2,552.

PUBLIC HEALTH DISTRICT--**Bute** (County District).

Do. estimated to middle of 1918, 2,250.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	33	5	2	30	13	17
Illegitimate Births -	2	1	0	1	1	0
Marriages - - -	8	-	-	-	-	-
Deaths - - - -	38	10	14	42	19	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	14.7	13.3	-
Marriage-rate - - -	3.6	-	-
Death-rate—All Causes - - - -	16.9	18.7	16.2
Do. —Phthisis - - - -	-	0.89	-
Do. —All Tuberculosis - - - -	-	1.33	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.89	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—33.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
*Whooping-cough - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Tuberculous Meningitis -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease -	1	6	-	-	-	-	-	-	-	-	2	4	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease -	3	6	-	-	-	-	-	-	1	3	2	3	-	
Bronchitis - - - -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Pneumonia (all forms) -	4	1	-	1	-	1	2	-	-	1	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System -	2	1	-	-	-	-	1	-	1	-	-	-	1	
Nephritis and Bright's Disease -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - -	5	2	-	-	-	1	-	-	-	1	1	1	4	
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - -	19	23	1	-	1	-	4	4	1	5	5	9	11	

YEAR 1918.

Population—Census 1901, - - - 99.

Do. Do. 1911, - - - 93.

Do. estimated to middle of 1918, 84.

COUNTY—**Bute.**PUBLIC HEALTH DISTRICT—**Cumbræ** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	0	0	1	1	0	1
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - -	0	-	-	-	-	-
Deaths - - -	1	0	0	1	1	0

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.†

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	-	-	-
Marriage-rate - - - - -	-	-	-
Death-rate—All Causes - - - - -	-	-	-
Do. —Phthisis - - - - -	-	-	-
Do. —All Tuberculosis - - - - -	-	-	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	-	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	

† The Population of this District was 1,000.

† The Population of this District is too small for the calculation of significant rates.

YEAR 1918.

Population—Census 1901, - - - 3,723.

COUNTY—**Caithness.**

Do. Do. 1911, - - - 3,135.

Do. estimated to middle of 1918, 2,899.

PUBLIC HEALTH DISTRICT—**Thurso (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	56	2	3	57	29	28
Illegitimate Births - -	2	0	1	3	1	2
Marriages - - -	30	-	-	-	-	-
Deaths - - -	77	4	4	77	27	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.3	19.7	-
Marriage-rate - - - - -	10.3	-	-
Death-rate—All Causes - - -	26.6	26.6	20.9
Do. —Phthisis - - - - -	-	0.69	-
Do. —All Tuberculosis - - -	-	1.38	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.34	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—12.3.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	-	4	-	1	-	-	-	-	-	1	-	1	1	1	1
Rheumatic Fever - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-
Meningitis - - - - -	2	1	-	-	1	-	1	-	-	-	1	-	-	-	-
Organic Heart Disease - -	2	8	-	-	-	-	-	-	-	-	2	5	3	3	3
Bronchitis - - - - -	7	4	2	1	-	-	2	-	-	-	-	2	4	1	1
Pneumonia (all forms) - -	5	6	2	2	-	-	3	2	-	1	-	-	1	1	1
Other Diseases of Respiratory Organs -	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System - -	1	2	-	-	-	-	-	-	-	-	1	1	1	1	1
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	-	1	-	1	-	2	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition -	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	10	2	-	-	-	-	1	-	-	1	5	5	5	5
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	27	50	7	5	1	2	7	11	11	4	11	16	18	18	18

YEAR 1918.

COUNTY—**Caithness.**PUBLIC HEALTH DISTRICT—**Wick (Burgh).**

Population—Census 1901, 8,199.
 Do. Do. 1911, 9,086.
 Do. estimated to middle of 1918, 9,235.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	121	6	4	119	62	57
Illegitimate Births -	16	1	2	17	8	9
Marriages - - -	63	-	-	-	-	-
Deaths - - -	145	8	11	148	66	82

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	13.1	12.9	-
Marriage-rate - - -	6.8	-	-
Death-rate—All Causes - - -	15.7	16.0	14.6
Do. —Phthisis - - -	-	0.54	-
Do. —All Tuberculosis - - -	-	0.76	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.87	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—126.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	3	2	2	1	1	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	4	-	-	-	-	1	-	1	-	2	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	2	3	-	-	-	-	4	1	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	5	6	-	-	-	-	-	-	2	3	3	-	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	1	-	1	2	-	-	-	-	-	1	-	-	
Organic Heart Disease - - - -	5	6	-	-	-	-	-	-	-	-	1	2	8	
Bronchitis - - - - -	2	12	4	1	1	-	-	-	-	-	1	2	2	
Pneumonia (all forms) - - - -	9	11	3	3	2	1	3	2	3	1	2	-	-	
Other Diseases of Respiratory Organs	1	3	-	-	-	-	-	-	2	-	-	-	2	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	5	-	1	1	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease -	4	3	-	-	-	-	1	-	1	1	1	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	-	-	-	1	1	1	-	-	1	-	-	-	
Suicide - - - - -	2	-	-	-	-	-	1	-	-	1	-	-	-	
Other Defined Diseases - - - -	17	24	2	-	-	-	2	-	3	3	4	13	14	
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	66	82	15	9	8	3	13	3	13	12	15	23	34	

YEAR 1918.

Population—Census 1901, . . . 21,948.

COUNTY—Caithness.

Do. Do. 1911, . . . 19,559.

Do. estimated to middle of 1918. 16,971.

PUBLIC HEALTH DISTRICT—Caithness (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	293	10	6	289	160	129
Illegitimate Births - -	22	0	3	25	16	9
Marriages - - -	55	-	-	-	-	-
Deaths - - -	273	6	10	277	124	153

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.3	17.0	-
Marriage-rate - - - - -	3.2	-	-
Death-rate—All Causes - - -	16.1	16.3	11.5
Do. —Phthisis - - - - -	-	0.77	-
Do. —All Tuberculosis - - -	-	1.12	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	6	4	-	-	1	-	2	-	1	1	-	1	4	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	9	-	-	-	1	3	6	1	2	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	4	1	-	-	-	1	1	-	-	-	1	-	
Cancer, Malignant Disease - - -	8	11	-	-	-	-	-	-	1	2	3	10	3	
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	-	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - -	13	14	-	1	-	-	-	-	2	2	-	11	11	
Tronchitis - - - - -	7	16	4	-	-	1	2	-	1	-	5	4	6	
Pneumonia (all forms) - - -	12	14	2	3	1	-	4	7	2	2	1	4	-	
Other Diseases of Respiratory Organs -	1	3	-	-	-	-	-	-	1	-	2	-	1	
Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	-	2	-	-	
Other Diseases of Digestive System -	3	5	-	-	-	-	-	-	1	1	1	4	1	
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	-	-	-	-	-	4	
Pericarditis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	5	2	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	17	1	-	-	1	1	-	2	1	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	42	56	5	2	-	1	1	-	3	-	8	18	60	
Diseases Ill-defined or Unknown - -	8	5	1	1	1	1	1	-	-	1	2	1	4	
Total - - - - -	124	153	23	10	5	5	15	17	16	11	25	55	94	

† Including 1 of unstated age.

YEAR 1918.

Population—Census 1901, - - - 11,555.

Do. Do. 1911, - - - 11,893.

Do. estimated to middle of 1918, 11,521.

COUNTY—**Clackmannan.**PUBLIC HEALTH DISTRICT—**Alloa** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	256	1	7	262	137	125
Illegitimate Births - -	25	0	6	31	15	16
Marriages - - -	84	-	-	-	-	-
Deaths - - -	190	6	13	197	95	102

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.2	22.7	-
Marriage-rate - - - - -	7.3	-	-
Death-rate—All Causes - - -	16.5	17.1	18.4
Do. —Phthisis - - - - -	-	1.30	-
Do. —All Tuberculosis - - -	-	2.08	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.78	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—122.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.8.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	3	-	1	2	1	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	10	-	-	1	2	6	1	3	1	1	-	-	
Tuberculous Meningitis - - -	2	3	1	3	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	2	2	-	-	-	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	5	5	-	-	-	-	-	1	-	3	5	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	4	-	3	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	14	6	-	-	-	-	-	-	3	2	6	6	3	
Bronchitis - - - - -	4	14	-	2	-	-	1	-	1	2	4	6	2	
Pneumonia (all forms) - - -	17	26	6	6	3	1	6	12	3	4	1	1	-	
Other Diseases of Respiratory Organs -	1	1	-	-	-	-	1	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	4	2	-	-	-	-	-	1	1	1	1	-	
Nephritis and Bright's Disease - -	4	2	-	-	-	-	-	-	-	1	2	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	5	6	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	-	-	-	-	1	-	-	1	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	19	16	3	2	-	-	-	3	1	2	6	12	6	
Diseases ill-defined or Unknown - -	2	1	-	-	-	-	-	-	-	-	1	2	-	
Total - - - - -	95	102	32	17	7	5	16	18	14	18	23	30	12	

YEAR 1918.

Population—Census 1901, - - - 4,624.

COUNTY—**Clackmannan.**

Do. Do. 1911, - - - 4,332.

PUBLIC HEALTH DISTRICT—**Alva (Burgh).**

Do. estimated to middle of 1918, 3,911.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	64	4	3	63	34	29
Illegitimate Births - -	10	1	1	10	7	3
Marriages - - -	23	-	-	-	-	-
Deaths - - -	89	4	11	87	44	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.4	16.1	-
Marriage-rate - - - -	5.9	-	-
Death-rate—All Causes - - -	20.5	22.2	20.5
Do. —Phthisis - - - -	-	1.62	-
Do. —All Tuberculosis - - -	-	1.02	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—206.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantia - - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	-	2	1	-	1	-	-	-	-
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	3	-	-	-	-	-	-	-	-	3	2	-	-	-
Rheumatic Fever - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	5	-	-	-	-	-	-	1	-	4	-	2	-	-
Bronchitis - - - - -	7	8	1	1	-	-	-	2	-	2	4	3	2	-	-
Pneumonia (all forms) - - -	5	4	2	-	-	-	1	2	3	-	1	-	-	-	-
Other Diseases of Respiratory Organs -	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	-	3	2	-	-	-	-	-	1	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Corporal Eczema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Constitutional Debility and Malforma- tion, including Premature Birth -	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Acids - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	12	-	-	-	-	1	-	1	2	3	1	6	-	-
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	44	43	13	1	-	2	9	7	4	17	1	11	-	-	-

YEAR 1918.

Population—Census 1901, - - - 1,619.

Do. Do. 1911, - - - 1,497.

Do. estimated to middle of 1918, 1,336.

COUNTY—**Clackmannan.**PUBLIC HEALTH DISTRICT—**Dollar** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	10	1	3	12	8	4
Illegitimate Births -	1	0	1	2	1	1
Marriages - - -	12	-	-	-	-	-
Deaths - - -	21	2	4	23	9	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	7.5	9.0	-
Marriage-rate - - -	9.0	-	-
Death-rate—All Causes - - -	15.7	17.2	15.1
Do. —Phthisis - - -	-	1.50	-
Do. —All Tuberculosis - - -	-	2.25	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—33.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													75 and over
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	-	-	1	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-		
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - - -	-	3	-	-	-	-	-	-	-	1	1	-	-	-		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	4	5	-	-	-	-	-	-	-	-	-	1	3	5		
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
Total - - - - -	9	14	1	-	-	1	1	1	-	3	3	5	8	-		

YEAR 1918.

Population—Census 1901, - - - 3,338.

COUNTY—**Clackmannan.**

Do. Do. 1911, - - - 3,105.

Do. estimated to middle of 1918, 2,787.

PUBLIC HEALTH DISTRICT—**Tillicoultry** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	57	2	6	61	32	29
Illegitimate Births - -	0	0	2	2	1	1
Marriages - - -	19	-	-	-	-	-
Deaths - - -	56	1	14	69	31	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.5	21.9	-
Marriage-rate - - - - -	6.8	-	-
Death-rate—All Causes - - - -	20.1	24.8	22.3
Do. —Phthisis - - - - -	-	2.15	-
Do. —All Tuberculosis - - - -	-	4.06	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.72	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis -	3	3	-	-	-	2	-	1	1	2	-	-	-	
Tuberculous Meningitis - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	3	1	1	2	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	3	-	-	-	-	-	-	-	1	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	6	-	-	-	-	-	2	1	2	-	2	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	1	-	-	-	1	
Pneumonia (all forms) - - - - -	8	4	1	1	-	-	3	3	1	2	-	-	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	3	-	-	-	-	1	-	-	1	2	-	-	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	8	3	-	-	-	1	1	2	2	2	3	5	-	
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	31	38	6	6	-	-	7	6	8	6	11	7	12	

YEAR 1918.

COUNTY—**Clackmannan.**PUBLIC HEALTH DISTRICT—**Clackmannan** (County District).

Population—Census 1901, - - - 10,893.
 Do. Do. 1911, - - - 10,294.
 Do. estimated to middle of 1918, 9,359.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	207	6	4	205	104	101
Illegitimate Births - -	7	0	1	8	4	4
Marriages - - -	60	-	-	-	-	-
Deaths - - -	153	3	11	161	70	91

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	21.9	-
Marriage-rate - - - - -	6.4	-	-
Death-rate—All Causes - - - - -	16.3	17.2	17.3
Do. —Phthisis - - - - -	-	1.07	-
Do. —All Tuberculosis - - - - -	-	1.92	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.75	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	1	1	1	1	-	1	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	3	-	-	-	-	3	-	1	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	6	-	-	-	-	3	6	-	1	-	-	-	
Tuberculous Meningitis - - - - -	3	2	1	4	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	1	-	-	-	1	-	2	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	6	-	-	-	-	-	1	-	1	3	5	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	4	2	2	3	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	9	-	-	-	-	1	-	-	2	5	5	1	
Bronchitis - - - - -	4	5	2	1	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	15	23	1	6	1	-	8	6	3	2	6	4	1	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	1	-	1	1	-	-	
Other Diseases of Digestive System - - - - -	1	4	-	1	-	-	-	-	-	-	-	2	2	
Nephritis and Bright's Disease - - - - -	5	3	1	-	1	-	1	2	1	1	-	-	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	1	-	-	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	12	1	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	1	-	-	7	6	8	
Total - - - - -	70	91	15	16	5	1	19	21	6	9	27	27	15	

YEAR 1918.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Clydebank (Burgh).**

Population—Census 1901, - - - 20,898.

Do. Do. 1911, - - - 37,548.

Do. estimated to middle of 1918, 47,307.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	1,216	9	37	1,244	666	578
Illegitimate Births - -	36	4	14	46	21	25
Marriages - - -	277	-	-	-	-	-
Deaths - - -	503	12	146	637	349	288

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	25.7	26.3	-
Marriage rate - - - - -	5.9	-	-
Death rate—All Causes - - -	10.6	13.5	15.6
Do. —Phthisis - - - - -	-	0.89	-
Do. —All Tuberculosis - - -	-	1.42	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.93	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	8	4	1	11	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	3	2	1	1	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	6	2	2	5	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	3	2	1	3	1	-	-	-	-	-	-	-	-	
Infusua. - - - - -	5	9	7	1	1	1	2	1	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	23	19	-	-	1	2	9	11	10	4	3	2	-	
Tuberculous Meningitis - - -	7	6	2	5	3	1	1	-	-	1	-	-	-	
*Abdominal Tuberculosis - - -	2	3	1	1	1	-	1	-	1	-	-	-	-	
Other Tuberculous Diseases - - -	5	2	-	3	-	-	2	2	-	-	-	-	-	
Cancer, Malignant Disease - - -	19	40	-	1	-	-	1	1	8	10	9	8	1	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	18	7	9	12	-	2	-	1	1	-	-	-	-	
Organic Heart Disease - - -	24	19	-	-	1	1	2	1	9	7	8	8	6	
Bronchitis - - - - -	19	11	9	2	-	-	-	2	1	1	4	6	5	
Pneumonia (all forms) - - -	67	74	17	36	6	6	11	30	17	7	5	4	2	
Other Diseases of Respiratory Organs	7	5	2	3	-	-	1	1	1	2	1	1	-	
*Diarrhoea and Enteritis (under 2 years)	8	8	13	3	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	3	3	-	-	1	2	2	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	2	2	-	-	1	-	-	-	-	-	2	1	-	
Other Diseases of Digestive System	8	9	2	2	3	-	1	2	2	2	1	2	-	
Nephritis and Bright's Disease - -	10	6	-	2	2	1	-	1	4	3	1	2	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	-	-	4	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	25	16	39	-	-	1	1	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	21	6	1	4	2	2	-	4	4	4	3	1	2	
Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	46	41	11	2	-	3	1	4	6	10	22	14	14	
Diseases Ill-defined or Unknown - -	9	6	1	-	-	-	-	1	2	2	5	2	2	
Total - - - - -	349	288	119	97	24	25	36	66	70	53	64	51	32	

YEAR 1918.

Population—Census 1901, - - - 942.

Do. Do. 1911, - - - 861.

Do. estimated to middle of 1918, 761.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Cove and Kilcreggan (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	9	2	3	10	5	5
Illegitimate Births -	1	1	0	0	0	0
Marriages - - -	4	-	-	-	-	-
Deaths - - -	12	2	4	14	9	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.8	13.1	-
Marriage-rate - - - - -	5.3	-	-
Death-rate—All Causes - - - - -	15.8	18.4	14.9
Do. —Phthisis - - - - -	-	1.31	-
Do. —All Tuberculosis - - - - -	-	1.31	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1		
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	2	1	-	1	1	-	-	-	-	-	-	-	1		
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	9	5	-	1	1	-	-	1	-	-	-	5	6		

YEAR 1918.

Population—Census 1901, . . . 19,985.

Do. 1911, . . . 21,989.

Do. estimated to middle of 1918, 22,252.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Dumbarton** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births	538	6	17	599	295	304
Illegitimate Births	21	2	7	26	14	12
Marriages	115	-	-	-	-	-
Deaths	403	53	29	379	196	183

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate	26.4	26.9	-
Marriage-rate	5.2	-	-
Death-rate—All Causes	18.1	17.0	18.2
Do. —Phthisis	-	0.90	-
Do. —All Tuberculosis	-	1.02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.62	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles	4	5	-	7	2	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough	8	6	2	11	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup	2	3	-	3	2	-	-	-	-	-	-	-	-	-	-	-
Indurata	2	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	11	9	1	-	-	1	5	6	4	2	1	-	-	-	-	-
Tuberculous Meningitis	4	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	2	6	1	3	1	-	2	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	7	14	-	-	-	-	1	-	1	4	9	4	2	-	-	-
Rheumatic Fever	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Meningitis	2	5	1	4	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease	13	14	1	-	1	-	2	1	2	2	3	11	4	-	-	-
Bronchitis	13	6	2	1	-	-	-	-	1	4	3	3	5	-	-	-
Pneumonia (all forms)	38	43	11	19	4	4	14	14	3	5	2	2	3	-	-	-
Other Diseases of Respiratory Organs	4	4	2	1	-	-	2	-	-	1	-	-	2	-	-	-
*Diarrhoea and Enteritis (under 2 years)	6	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	1	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Other Diseases of Digestive System	7	4	1	1	1	-	-	-	4	2	-	1	1	-	-	-
Nephritis and Bright's Disease	4	3	-	-	-	-	-	1	-	4	1	-	-	-	-	-
Puerperal Sepsis	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	15	22	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	13	1	-	2	1	-	3	3	2	1	1	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	41	30	7	2	-	-	1	2	4	6	3	23	18	-	-	-
Diseases ill-defined or Unknown	3	2	-	-	-	-	-	-	-	3	1	-	1	-	-	-
Total	196	183	60	58	16	5	35	32	24	36	29	47	37	-	-	-

YEAR 1918.

Population—Census 1901, - - - 8,554.
 Do. Do. 1911, - - - 8,529.
 Do. estimated to middle of 1918, 8,078.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Helensburgh** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	126	12	5	119	67	52
Illegitimate Births -	9	2	0	7	4	3
Marriages - - -	51	-	-	-	-	-
Deaths - - -	111	18	12	105	46	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15.6	14.7	-
Marriage-rate - - -	6.8	-	-
Death-rate—All Causes - - -	18.7	18.0	12.0
Do. —Phthisis - - -	-	0.62	-
Do. —All Tuberculosis - - -	-	1.11	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	4	1	4	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	3	-	1	1	-	1	-	-	-	-	-	1	
Erysipelas - - - - -	-	2	1	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	4	-	-	-	-	2	1	2	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	1	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	8	-	-	-	-	-	-	-	3	4	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	1	-	-	-	-	-	-	-	
Bronchitis - - - - -	1	5	-	-	-	-	-	-	-	1	1	2	2	
Pneumonia (all forms) - - - - -	8	5	-	1	1	-	2	4	1	1	2	1	4	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	1	1	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Other Defined Diseases - - - - -	13	15	2	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	1	1	4	6	14	
Total - - - - -	46	59	12	7	6	2	6	5	7	6	13	14	27	

YEAR 1918.

Population—Census 1901, - - - 10,502.

COUNTY—**Dumbarton.**

Do. Do. 1911, - - - 11,932.

Do. estimated to middle of 1918, 12,310.

PUBLIC HEALTH DISTRICT—**Kirkintilloch (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	266	4	8	270	144	126
Illegitimate Births - -	6	0	1	7	4	3
Marriages - - -	48	-	-	-	-	-
Deaths - - -	142	22	21	141	76	65

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.6	21.9	-
Marriage-rate - - - - -	3.9	-	-
Death-rate—All Causes - - -	11.5	11.5	11.9
Do. —Phthisis - - - - -	-	0.49	-
Do. —All Tuberculosis - - -	-	0.65	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.57	-

Infantile Mortality Rate: Deaths of Children of under One Year per 1000 Births, corrected—78.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	1	-	-	-	-	-	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	4	2	-	-	1	-	1	1	1	2	-	-	-	
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	5	4	-	-	-	-	-	-	2	2	-	2	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	1	2	-	-	-	2	-	-	-	-	-	-	
Organic Heart Disease - - -	2	5	-	-	-	-	2	-	-	1	2	2	-	
Bronchitis - - - - -	3	6	2	-	-	-	-	-	-	1	2	3	1	
Pneumonia (all forms) - - -	16	12	4	6	1	3	2	3	1	6	-	1	1	
Other Diseases of Respiratory Organs	2	2	-	1	-	-	-	-	-	1	1	-	1	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhitis - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not malignant)	1	1	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Digestive System	2	2	-	-	-	-	-	-	-	1	2	-	1	
Nephritis and Bright's Disease -	2	1	-	-	-	1	-	1	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	6	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	2	-	-	-	-	1	2	1	1	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	16	15	-	2	-	-	2	3	1	3	3	8	9	
Diseases Ill-defined or Unknown -	3	-	1	-	-	-	-	-	-	1	-	1	-	
Total - - - - -	76	65	21	15	2	4	12	10	8	21	11	20	17	

YEAR 1918.

Population—Census 1901, - - - 3,683.

Do. Do. 1911, - - - 4,530.

Do. estimated to middle of 1918, 4,883.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Milngavie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	69	2	2	69	46	23
Illegitimate Births -	4	0	1	5	4	1
Marriages - - -	22	-	-	-	-	-
Deaths - - -	61	2	11	70	36	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.1	14.1	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	12.5	14.3	15.1
Do. —Phthisis - - - - -	-	1.02	-
Do. —All Tuberculosis - - - - -	-	1.02	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	2	-	-	-	-	1	1	1	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	4	-	-	-	-	2	1	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	4	3	-	-	-	-	-	-	-	1	1	1	1	
Pneumonia (all forms) - - - - -	4	6	1	1	-	-	1	1	-	-	1	-	4	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	5	-	1	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	8	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	1	-	5	-	3	4	7	
Total - - - - -	66	34	7	4	1	1	6	9	6	4	11	8	13	

YEAR 1918.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Eastern Dumbarton** (County District).

Population—Census 1901, - - - 19,923.

Do. Do. 1911, - - - 22,751.

Do. estimated to middle of 1918, 23,542.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	467	12	14	469	231	238
Illegitimate Births - -	27	3	6	30	16	14
Marriages - - -	117	-	-	-	-	-
Deaths - - -	448	190	44	302	150	152

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.8	19.9	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	19.0	12.8	13.3
Do. —Phthisis - - - - -	-	0.85	-
Do. —All Tuberculosis - - - - -	-	1.06	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.15	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	4	3	4	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	2	4	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	5	3	2	-	1	1	-	-	-	-	1	1	2	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	11	9	-	-	-	-	4	6	9	1	-	-	-	
Tuberculous Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	-	1	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	10	9	-	-	-	-	-	-	1	4	3	5	6	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	-	2	-	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	10	9	-	-	-	2	1	-	2	2	5	4	3	
Bronchitis - - - - -	6	10	2	-	-	-	-	-	-	1	3	3	7	
Pneumonia (all forms) - - - - -	12	26	3	9	3	4	4	12	9	5	5	3	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	8	7	5	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	1	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	6	12	-	1	-	1	-	1	2	4	1	4	4	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	1	3	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	15	4	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	6	1	2	1	2	-	1	-	-	2	-	2	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	26	35	4	1	1	-	1	2	1	2	15	15	19	
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	3	
Total - - - - -	150	152	46	31	7	10	11	26	26	22	36	40	47	

YEAR 1918.

Population—Census 1901, - - - 26,952

Do. 1911, - - - 28,093.

Do. estimated to middle of 1918, 27,450.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Western Dumbarton** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	597	16	18	599	299	300
Illegitimate Births - -	34	6	4	32	16	16
Marriages - - -	171	-	-	-	-	-
Deaths - - -	363	21	58	400	206	194

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.7	21.8	-
Marriage-rate - - - - -	6.2	-	-
Death-rate—All Causes - - - - -	13.2	14.6	15.4
Do. —Phthisis - - - - -	-	0.73	-
Do. —All Tuberculosis - - - - -	-	1.20	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.38	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	8	8	4	12	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	8	6	5	9	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	3	-	-	-	-	1	2	-	-	2	1	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	14	6	-	-	-	2	1	5	5	5	2	-	-	-	-
Tuberculous Meningitis - - - - -	4	1	1	1	1	-	1	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	2	4	1	1	-	2	1	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	13	24	-	-	-	-	-	2	3	6	12	10	4	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	5	3	3	2	1	-	1	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	19	18	-	-	-	-	-	-	-	5	12	12	8	-	-
Bronchitis - - - - -	12	9	3	1	-	-	-	-	1	4	6	5	1	-	-
Pneumonia (all forms) - - - - -	28	22	5	9	3	2	5	13	3	3	9	6	2	-	-
Other Diseases of Respiratory Organs - - - - -	5	6	3	-	-	-	-	1	-	3	2	1	1	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	5	1	5	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	1	-	2	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	8	3	-	-	1	-	-	1	2	3	2	1	1	-	-
Nephritis and Bright's Disease - - - - -	8	2	-	1	-	-	-	1	2	-	1	5	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	1	1	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	9	4	13	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	1	-	1	1	1	-	-	-	-	2	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	43	50	9	3	-	1	1	-	4	7	17	22	29	-	-
Diseases Ill-defined or Unknown - - - - -	2	3	3	-	-	-	-	-	-	1	-	1	-	-	-
Total - - - - -	204	194	55	42	9	8	15	27	24	38	69	66	47	-	-

YEAR 1918.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Annan** (Burgh).

Population—Census 1901, - - - 4,309.
 Do. Do. 1911, - - - 4,219.
 Do. estimated to middle of 1918, 3,943.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	91	1	2	92	55	37
Illegitimate Births - -	9	0	1	10	9	1
Marriages - - -	49	-	-	-	-	-
Deaths - - -	65	1	8	72	35	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.1	23.3	-
Marriage-rate - - - - -	12.4	-	-
Death-rate—All Causes - - - -	16.5	18.3	17.6
Do. —Phthisis - - - - -	-	1.78	-
Do. —All Tuberculosis - - - -	-	2.03	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.61	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Infuenza - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	6	-	-	-	1	2	2	-	1	1	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	2	-	-	-	-	-	-	1	-	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	2	2	-	-	-	-	1	1	-	1	1	-	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Pneumonia (all forms) - - - -	7	9	-	3	1	2	2	2	1	4	-	-	1	
Other Diseases of Respiratory Organs	1	1	-	1	-	-	1	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	1	-	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	9	14	1	1	-	1	-	1	1	1	3	4	10	
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	35	47	5	8	4	3	4	6	6	8	7	9	12	

YEAR 1918.

COUNTY—Dumfries.

PUBLIC HEALTH DISTRICT—Dumfries (Burgh).

Population—Census 1901, - - - 15,516.
 Do. Do. 1911, - - - 16,011.
 Do. estimated to middle of 1918, 15,539.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	319	7	12	324	171	153
Illegitimate Births - -	30	0	4	34	11	23
Marriages - - -	222	-	-	-	-	-
Deaths - - -	377	75	7	309	153	156

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	20.5	20.9	-
Marriage-rate - - -	14.5	-	-
Death-rate—All Causes - - -	24.3	19.9	20.5
Do. —Phthisis - - -	-	1.48	-
Do. —All Tuberculosis - - -	-	2.12	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.58	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE														75 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over				
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Whooping-cough - - -	3	2	1	4	-	-	-	-	-	-	-	-	-	-			
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Influenza - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	-			
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Phthisis, Pulmonary Tuberculosis - -	14	9	1	-	-	1	4	8	4	2	3	-	-	-			
Tuberculous Meningitis - - -	2	2	-	-	3	-	1	-	-	-	-	-	-	-			
Abdominal Tuberculosis - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	-			
Other Tuberculous Diseases - - -	2	2	-	-	-	-	3	-	-	-	-	1	-	-			
Cancer, Malignant Disease - - -	8	10	-	-	-	-	1	-	2	5	7	8	5	-			
Rheumatic Fever - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-			
Meningitis - - -	2	1	1	1	-	-	-	1	-	-	-	-	-	-			
Organic Heart Disease - - -	10	14	-	1	-	1	1	1	2	6	6	5	-	-			
Bronchitis - - -	11	18	4	4	1	1	1	1	2	4	4	7	-	-			
Pneumonia (all forms) - - -	24	24	-	8	4	2	9	8	4	6	3	3	1	-			
Other Diseases of Respiratory Organs -	6	5	-	1	1	-	1	1	3	-	1	2	1	-			
*Diarrhoea and Enteritis (under 2 years) -	3	1	4	-	-	-	-	-	-	-	-	-	-	-			
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-			
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases of Digestive System - -	4	2	2	1	1	-	-	1	-	1	-	-	-	-			
Nephritis and Bright's Disease - - -	2	2	-	-	-	-	1	-	-	1	2	-	-	-			
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	-			
Congenital Debility and Malformation, including Premature Birth - -	12	6	18	-	-	-	-	-	-	-	-	-	-	-			
Violent Deaths, excluding Suicide - -	5	4	-	2	1	2	-	-	-	1	1	2	-	-			
Suicide - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	-			
Other Defined Diseases - - -	38	15	3	2	-	-	-	-	-	8	8	21	31	-			
Diseases Ill-defined or Unknown - - -	4	2	1	-	-	-	-	1	-	1	1	1	1	-			
Total - - -	153	151	36	15	12	6	23	25	15	30	36	50	51	-			

YEAR 1918.

Population—Census 1901, - - - 3,142
 Do. Do. 1911, - - - 2,930.
 Do. estimated to middle of 1918, 2,635.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Langholm (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	33	1	2	34	18	16
Illegitimate Births - -	2	0	0	2	1	1
Marriages - - - -	11	-	-	-	-	-
Deaths - - - -	45	3	4	46	24	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.5	12.9	-
Marriage-rate - - - - -	4.2	-	-
Death-rate—All Causes - - - -	17.1	17.5	15.2
Do. —Phthisis - - - - -	-	0.76	-
Do. —All Tuberculosis - - - -	-	1.13	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.76	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—29.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Indigestion - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	-	2	-	-	-	-	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	3	-	-	-	-	-	-	1	1	1	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	1	-	-	-	-	-	-	-	1	3	1	1	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	1	1	1	1	
Pneumonia (all forms) - - - - -	2	1	-	-	1	-	1	-	-	1	-	-	-	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	-	-	2	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	11	-	-	-	-	-	-	2	1	5	9	9	
Diseases Ill-defined or Unknown - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	24	22	1	-	-	1	1	1	4	8	14	13	13	

YEAR 1918.
COUNTY—**Dumfries.**

Population—Census 1901, - - - 1,051.
Do. Do. 1911, - - - 1,056.
Do. estimated to middle of 1918, 1,006.

PUBLIC HEALTH DISTRICT—**Lochmaben (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	17	1	0	16	6	10
Illegitimate Births - -	3	0	0	3	2	1
Marriages - - -	3	-	-	-	-	-
Deaths - - -	23	0	6	29	14	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.9	15.9	-
Marriage-rate - - - - -	8.0	-	-
Death-rate—All Causes - - - - -	22.9	28.8	23.8
Do. —Phthisis - - - - -	-	2.98	-
Do. —All Tuberculosis - - - - -	-	2.98	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	4.97	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—188.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	1	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	1	1	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	-	-	1	-	-	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	1	2	-	-	1	-	1	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	5	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	1	1	2	
Total - - - - -	14	15	3	3	2	-	1	4	1	2	2	4	7	

YEAR 1918.

Population—Census 1901, - - - - 2,358.

COUNTY—**Dumfries.**

Do. Do. 1911, - - - - 2,455.

Do. estimated to middle of 1918, 2,397.

PUBLIC HEALTH DISTRICT—**Lockerbie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	40	1	1	40	15	25
Illegitimate Births - -	2	0	0	2	1	1
Marriages - - -	11	-	-	-	-	-
Deaths - - -	41	0	10	51	34	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.7	16.7	-
Marriage-rate - - - - -	4.6	-	-
Death-rate—All Causes - - - - -	17.1	21.3	19.0
Do. —Phthisis - - - - -	-	1.25	-
Do. —All Tuberculosis - - - - -	-	1.67	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males	Females	-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	7	6	-	-	-	-	-	-	3	6	3	1	-	
Bronchitis - - - - -	2	4	1	-	-	-	-	-	1	1	3	-	-	
Pneumonia (all forms) - - - - -	4	-	-	-	-	1	-	2	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	1	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	4	1	-	-	-	-	-	-	2	4	5	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	34	17	4	1	-	1	2	2	5	6	11	13	6	

YEAR 1918.

COUNTY—Dumfries.

PUBLIC HEALTH DISTRICT—Moffat (Burgh).

Population—Census 1901, - - - 2,153.
 Do. 1911, - - - 2,079.
 Do. estimated to middle of 1918, 1,922.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	2	1	25	13	12
Illegitimate Births - -	2	1	0	1	1	0
Marriages - - -	15	-	-	-	-	-
Deaths - - -	38	3	4	39	18	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.5	13.0	-
Marriage-rate - - - - -	7.5	-	-
Death-rate—All Causes - - - -	19.8	20.3	17.2
Do. —Phthisis - - - - -	-	1.04	-
Do. —All Tuberculosis - - - -	-	1.56	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	1	-	-	-	-	-	-	-	-	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	-	3	-	-	-	-	-	-	-	1	-	-	2	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - -	4	5	-	-	1	2	3	2	1	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	7	10	1	-	-	-	-	-	2	1	2	3	8	
Diseases ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	18	21	1	-	1	1	■	5	5	3	4	■	12	

YEAR 1918.

Population—Census 1901, . . . 1,375.

COUNTY—**Dumfries.**

Do. Do. 1911, . . . 1,508.

PUBLIC HEALTH DISTRICT—**Sanquhar (Burgh).**

Do. estimated to middle of 1918, 1,522.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	27	1	1	27	16	11
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	9	-	-	-	-	-
Deaths - - -	24	0	3	27	10	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.7	17.7	-
Marriage-rate - - - - -	5.9	-	-
Death-rate—All Causes - - - - -	15.8	17.7	17.3
Do. —Phthisis - - - - -	-	0.66	-
Do. —All Tuberculosis - - - - -	-	0.66	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.63	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—185.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	1		
Pneumonia (all forms) - - - - -	-	5	1	-	1	-	1	1	-	1	-	-	-		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	2	4	-	-	-	-	1	-	-	-	3	1	1		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	10	17	5	3	2	-	2	3	1	3	4	2	2		

YEAR 1918.
COUNTY—**Dumfries.**

Population—Census 1901, - - - 10,318.
Do. Do. 1911, - - - 10,515.
Do. estimated to middle of 1918, 9,772.

PUBLIC HEALTH DISTRICT—**Annan** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	347	9	7	345	182	163
Illegitimate Births - - -	31	3	1	29	13	16
Marriages - - -	113	-	-	-	-	-
Deaths - - -	210	11	10	209	120	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	35.5	35.2	-
Marriage-rate - - -	11.6	-	-
Death-rate—All Causes - - -	21.5	21.4	19.6
Do. —Phthisis - - -	-	1.23	-
Do. —All Tuberculosis - - -	-	1.64	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.61	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Influenza - - -	3	1	1	-	-	-	1	-	-	-	-	-	2	
Erysipelas - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	5	7	-	-	-	-	2	3	1	2	3	1	-	
Tuberculous Meningitis - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	2	-	-	-	-	-	-	-	1	1	1	2	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	3	1	3	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	10	4	-	-	-	-	-	2	-	5	4	-	3	
Bronchitis - - -	4	2	-	-	-	-	-	1	1	-	1	1	2	
Pneumonia (all forms) - - -	42	30	3	4	1	-	10	23	16	8	3	1	3	
Other Diseases of Respiratory Organs - - -	4	-	-	-	-	-	-	1	-	1	-	-	2	
*Diarrhoea and Enteritis (under 2 years) - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	2	-	-	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Digestive System - - -	3	2	-	-	-	-	-	-	-	1	3	1	-	
Nephritis and Bright's Disease - - -	2	3	-	-	-	-	-	1	1	-	1	2	-	
Puerperal Sepsis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	3	-	-	-	-	1	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	6	15	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	3	2	-	-	1	-	1	1	2	-	-	-	-	
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - -	18	20	3	-	-	3	-	1	1	3	1	8	18	
Diseases Ill-defined or Unknown - - -	2	-	1	-	-	-	-	-	-	1	-	-	-	
Total - - -	120	89	31	8	3	4	16	35	23	22	17	18	32	

YEAR 1918.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Dumfries** (County District).

Population—Census 1901, - - - 8,258.
 Do. Do. 1911, - - - 8,555.
 Do. estimated to middle of 1918, 8,324.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	166	7	5	164	84	80
Illegitimate Births -	21	3	2	20	6	14
Marriages - - -	28	-	-	-	-	-
Deaths - - -	228	83	11	156	81	75

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.9	19.7	-
Marriage-rate - - - - -	3.4	-	-
Death-rate—All Causes - - - - -	27.4	18.7	15.7
Do. —Phthisis - - - - -	-	0.72	-
Do. —All Tuberculosis - - - - -	-	0.06	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	4	1	-	-	-	-	-	1	2	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	-	-	2	1	-	1	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	-	2	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	7	-	-	-	-	-	-	1	-	3	5	1	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	5	-	-	-	-	-	-	1	-	3	4	4	
Bronchitis - - - - -	9	6	3	-	-	-	-	1	1	1	3	3	3	
Pneumonia (all forms) - - - - -	22	15	1	1	1	2	7	11	5	4	-	4	1	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	3	-	-	-	-	-	-	1	1	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	2	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	2	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	-	1	1	1	-	1	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	20	21	1	3	-	1	-	-	4	5	3	8	16	
Diseases Ill-defined or Unknown - - - - -	4	1	2	1	-	-	-	-	1	-	-	-	1	
Total - - - - -	111	75	15	5	2	3	14	14	17	18	14	28	26	

YEAR 1918.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Langholm** (County District).

Population—Census 1901, - - - 3,434.
 Do. Do. 1911, - - - 3,242.
 Do. estimated to middle of 1918, 2,944.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	0	2	67	31	36
Illegitimate Births - -	8	0	0	8	5	3
Marriages - - -	24	-	-	-	-	-
Deaths - - -	51	1	5	55	32	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	22.8	-
Marriage-rate - - - - -	8.2	-	-
Death-rate—All Causes - - - -	17.3	18.7	15.9
Do. —Phthisis - - - - -	-	1.70	-
Do. —All Tuberculosis - - - -	-	1.70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.04	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	2	-	1	2	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	2	-	-	-	-	-	-	-	-	2	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	1	2	1	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	5	2	-	-	-	-	2	-	2	-	2	-	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	1	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	6	-	-	-	-	-	-	-	1	-	-	-	
Diseases ill-defined or Unknown - -	-	1	-	-	-	-	-	-	3	-	2	2	12	
Total - - - - -	32	23	7	2	-	-	4	-	6	4	8	6	18	

YEAR 1918.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Lockerbie** (County District).

Population—Census 1901, - - - 8,892.
 Do. Do. 1911, - - - 8,545.
 Do. estimated to middle of 1918, 7,372.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	136	4	4	136	65	71
Illegitimate Births - -	20	0	2	22	11	11
Marriages - - -	41	-	-	-	-	-
Deaths - - -	127	5	17	139	58	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.3	17.3	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	16.1	17.7	16.1
Do. —Phthisis - - - - -	-	1.65	-
Do. —All Tuberculosis - - - - -	-	2.03	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.64	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	2	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	5	7	1	-	1	1	2	2	1	1	2	1	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	6	7	-	-	1	3	4	3	-	1	1	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	1	2	3	3	2	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	2	-	1	-	1	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	5	9	-	-	-	-	-	-	-	3	8	3	-		
Bronchitis - - - - -	1	2	1	-	-	-	-	-	-	-	1	-	1		
Pneumonia (all forms) - - - - -	7	14	3	1	-	4	5	3	-	-	1	2	2		
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	1	-	-	1	-	-	-	1		
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	1	3	-	1	-	-	-	1	-	-	2	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	4	1	5	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	3	-	1	-	-	2	1	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	15	21	-	-	2	1	1	2	1	5	6	18	-		
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-		
Total - - - - -	53	11	11	9	2	3	16	13	5	15	25	11	-		

YEAR 19

YEAR 1918.

YEAR

YEAR

YEAR 1918.

Population—Census 1901, - - - 869.

Do. Do. 1911, - - - 880.

COUNTY—**Edinburgh (Midlothian).**

Do. estimated to middle of 1918, 843.

PUBLIC HEALTH DISTRICT—**Lasswade (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	1	1	22	9	13
Illegitimate Births - -	1	0	1	2	1	1
Marriages - - -	4	1	-	-	-	-
Deaths - - -	11	1	6	16	7	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.1	26.1	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - - -	13.0	19.0	19.5
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.19	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	-	2	-	1	1	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	1	-	
Total - - - - -	7	9	2	-	1	1	-	-	2	3	3	3	1	

YEAR 1918.

Population—Census 1901, - - - 77,439.

COUNTY—Edinburgh (Midlothian).

Do. Do. 1911, - - - 89,488.

PUBLIC HEALTH DISTRICT—Leith (Burgh).

Do. estimated to middle of 1918, 83,828.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1628	29	100	1699	892	807
Illegitimate Births - -	113	5	35	143	73	70
Marriages - - -	616	-	-	-	-	-
Deaths - - -	1167	169	335	1333	661	672

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.4	20.3	-
Marriage-rate - - - - -	7.3	-	-
Death-rate—All Causes - - -	13.9	15.9	16.6
Do. —Phthisis - - - - -	-	1.20	-
Do. —All Tuberculosis - - -	-	1.94	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.97	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—102.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	5	10	-	7	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	7	9	-	10	5	-	1	-	-	-	-	-	-	
*Whooping-cough - - - -	14	17	13	17	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	6	4	1	9	-	-	-	-	-	-	-	-	-	
Infuenza - - - - -	7	10	1	3	1	2	3	3	1	1	1	1	-	
Erysipelas - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis -	45	56	-	2	1	7	30	18	13	11	7	2	-	
Tuberculous Meningitis - -	9	16	4	12	4	4	-	-	-	1	-	-	-	
Abdominal Tuberculosis - -	9	4	3	3	3	2	-	-	2	-	-	-	-	
Other Tuberculous Diseases - -	16	8	3	8	3	3	1	1	1	1	3	-	-	
Cancer, Malignant Disease - -	45	51	-	-	-	2	-	-	8	15	37	26	8	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	6	9	4	7	1	2	-	1	-	-	-	-	-	
Organic Heart Disease - - -	58	59	-	-	2	1	10	6	6	12	24	36	20	
Bronchitis - - - - -	38	50	11	3	1	1	3	5	5	5	17	22	15	
Pneumonia (all forms) - - -	114	132	20	38	18	4	42	44	17	24	16	11	12	
Other Diseases of Respiratory Organs -	9	11	2	2	1	1	2	1	1	1	2	6	1	
*Diarrhoea and Enteritis (under 2 years) -	10	7	15	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	5	4	-	-	1	1	-	3	2	2	-	-	-	
All Liver Diseases (not Malignant) -	3	2	-	-	1	-	-	-	-	-	2	2	-	
Other Diseases of Digestive System -	24	15	5	6	3	-	1	1	5	3	7	6	2	
Nephritis and Bright's Disease - -	12	15	-	-	1	-	1	1	2	6	7	7	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	13	-	-	-	-	6	5	5	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	41	17	53	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	26	10	2	6	1	3	1	-	6	5	2	8	2	
Suicide - - - - -	3	4	-	-	-	-	2	1	1	1	1	1	-	
Other Defined Diseases - - -	140	136	31	9	3	3	6	6	8	23	37	74	71	
Diseases Ill-defined or Unknown - -	7	8	-	-	1	-	-	1	2	3	3	3	2	
Total - - - - -	661	672	173	144	52	36	110	97	85	129	167	205	135	

YEAR 1918.

Population—Census 1901, - - - 3,011.

Do. Do. 1911, - - - 3,483.

COUNTY—Edinburgh (Midlothian).

Do. estimated to middle of 1918, 3,632.

PUBLIC HEALTH DISTRICT—Loanhead (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	68	1	7	74	36	38
Illegitimate Births - -	3	0	2	5	3	2
Marriages - - -	17	-	-	-	-	-
Deaths - - -	53	0	7	60	33	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.7	20.4	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - -	14.6	16.5	17.7
Do. —Phthisis - - - - -	-	0.28	-
Do. —All Tuberculosis - - - -	-	0.55	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.20	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	2	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	1	3	-	-	-	-	-	-	1	-	2	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Bronchitis - - - - -	3	3	-	-	-	-	-	2	1	-	2	1	-	-	-	-
Pneumonia (all forms) - - - -	12	3	-	1	-	-	2	8	-	2	-	2	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Appendicitis and Typhlitis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Nephritis and Bright's Disease -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	6	6	-	1	-	-	1	1	-	-	1	3	-	-	-	-
Diseases ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	33	27	5	11	-	1	4	11	2	3	7	12	6	-	-	-

YEAR 1918.

Population—Census 1901, - - - 11,868.

Do. Do. 1911, - - - 15,938.

Do. estimated to middle of 1918, 17,930.

COUNTY—**Edinburgh (Midlothian).**PUBLIC HEALTH DISTRICT—**Musselburgh (Burg).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	370	4	17	333	192	191
Illegitimate Births - -	21	2	2	21	9	12
Marriages - - - -	120	-	-	-	-	-
Deaths - - - -	233	16	25	242	133	109

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	20.6	21.4	-
Marriage rate - - - - -	6.7	-	-
Death rate—All Causes - - - -	13.0	13.5	14.3
Do. —Phthisis - - - - -	-	0.89	-
Do. —All Tuberculosis - - - -	-	1.39	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.56	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.5

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	3	-	1	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	5	5	2	1	-	-	1	1	-	1	1	1	2	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis -	8	8	-	-	1	-	3	3	2	2	2	2	1	
Tuberculous Meningitis - - - -	3	1	-	2	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	3	2	-	1	1	-	3	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	7	10	-	-	-	-	-	1	1	5	3	5	2	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	2	2	-	1	2	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - -	16	9	-	-	-	-	-	-	3	1	6	10	5	
Bronchitis - - - - -	8	7	3	-	-	-	-	-	-	2	1	5	4	
Pneumonia (all forms) - - - -	29	16	4	6	2	2	7	13	5	3	1	1	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	3	-	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	3	1	-	-	-	-	-	1	1	-	-	2	-	
Other Diseases of Digestive System -	3	5	-	2	2	-	-	-	-	-	-	3	1	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	4	10	14	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	7	2	-	2	1	-	-	2	1	2	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	19	27	7	2	1	1	-	1	2	4	4	8	16	
Diseases Ill-defined or Unknown - -	3	-	1	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	133	109	34	22	14	3	16	25	16	21	18	39	34	

YEAR 1918.

Population—Census 1901, - - - 2,803.

Do. Do. 1911, - - - 2,736.

COUNTY—**Edinburgh (Midlothian).**

Do. estimated to middle of 1918, 2,551.

PUBLIC HEALTH DISTRICT—**Penicuik (Burch).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	40	1	2	41	19	22
Illegitimate Births - -	0	0	1	1	0	1
Marriages - - -	13	-	-	-	-	-
Deaths - - -	32	0	6	38	18	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.7	16.1	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	12.5	14.9	14.7
Do. —Phthisis - - - - -	-	1.96	-
Do. —All Tuberculosis - - - - -	-	2.74	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—49.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	3	-	-	-	-	1	-	-	-	-	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	-	2	2	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	1	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	10	2	-	-	-	-	-	-	1	3	6	5	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	18	20	2	3	-	-	2	4	1	5	4	10	7	

YEAR 1918.

Population—Census 1901, - - - 19,639.

COUNTY—**Edinburgh (Midlothian).**

Do. Do. 1911, - - - 19,071.

PUBLIC HEALTH DISTRICT—**Calder (County District).**

Do. estimated to middle of 1918, 17,712.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	440	6	34	468	238	230
Illegitimate Births - -	15	1	15	29	17	12
Marriages - - -	100	-	-	-	-	-
Deaths - - -	227	11	40	256	124	132

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.8	26.4	-
Marriage-rate - - - - -	5.6	-	-
Death-rate—All Causes - - -	12.8	14.5	15.1
Do. —Phthisis - - - - -	-	0.51	-
Do. —All Tuberculosis - - -	-	1.02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.19	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	2	1	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	1	3	2	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	3	-	2	1	1	-	1	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	7	2	-	-	-	-	-	4	3	1	-	1	-	
Tuberculous Meningitis - -	1	2	-	2	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	2	3	-	-	2	-	2	-	1	-	-	-	-	
Other Tuberculous Diseases -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease -	11	9	-	-	-	-	-	1	-	8	5	3	3	
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	2	1	3	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - -	14	13	-	-	-	1	3	4	-	5	6	4	4	
Bronchitis - - - - -	8	3	3	1	1	-	1	-	1	-	2	1	1	
Pneumonia (all forms) - -	15	24	2	5	1	-	11	14	6	3	2	4	1	
Other Diseases of Respiratory Organs	2	-	-	1	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years)	7	5	7	5	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	2	-	-	-	-	-	-	-	-	2	-	-	
Other Diseases of Digestive System	3	6	-	1	-	-	-	3	-	1	1	3	-	
Nephritis and Bright's Disease -	1	3	-	-	-	1	-	-	1	1	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	-	-	4	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	7	8	15	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	3	-	-	-	-	2	-	-	1	-	1	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - -	21	28	1	1	-	-	1	-	3	4	10	15	14	
Diseases Ill-defined or Unknown -	3	2	-	-	-	-	-	1	-	1	2	-	1	
Total - - - - -	124	132	32	24	10	5	20	33	16	25	31	34	26	

YEAR 1918.

Population—Census 1901, - - - 7,100

Do. Do. 1911, - - - 6,917

COUNTY—**Edinburgh (Midlothian).**

Do. estimated to middle of 1918, 6,439

PUBLIC HEALTH DISTRICT—**Gala-Water** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	127	3	5	129	67	62
Illegitimate Births - -	8	1	2	9	5	4
Marriages - - -	24	-	-	-	-	-
Deaths - - -	95	6	21	110	46	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.7	20.0	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - -	14.8	17.1	16.3
Do. —Phthisis - - - - -	-	1.40	-
Do. —All Tuberculosis - - -	-	1.55	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females.														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	2	7	-	-	-	-	-	1	3	2	1	2	-	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	4	-	-	-	-	-	-	1	-	1	2	-	-	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	6	-	-	-	-	-	1	2	3	3	2	3	-	-	-
Bronchitis - - - - -	2	5	1	-	-	-	-	-	1	1	1	2	1	-	-	-
Pneumonia (all forms) - - -	10	6	2	1	1	1	1	4	3	-	-	-	-	-	-	3
Other Diseases of Respiratory Organs	2	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1
*Diarrhoea and Enteritis (under 2 years)	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	1	4	-	-	1	-	1	-	-	1	1	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	11	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown	2	-	-	1	-	-	1	-	-	2	5	5	10	-	-	-
TOTAL - - - - -	46	64	15	5	4	3	4	8	12	9	15	15	20			

YEAR 1918,

Population—Census 1901, - - - 19,677.

COUNTY—Edinburgh (Midlothian).

Do. Do. 1911, - - - 23,885.

Do. estimated to middle of 1918, 25,568.

PUBLIC HEALTH DISTRICT—Lasswade (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	541	19	18	540	260	280
Illegitimate Births -	21	5	4	20	5	15
Marriages - - -	95	-	-	-	-	-
Deaths - - -	310	56	52	306	145	161

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.2	21.1	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	12.1	12.0	12.1
Do. —Phthisis - - - - -	-	0.51	-
Do. —All Tuberculosis - - - - -	-	0.82	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.90	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—3.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	8	3	2	3	-	-	6	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	5	-	-	2	-	1	1	1	-	1	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	7	-	-	-	-	7	-	3	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	2	1	-	1	1	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	13	-	-	-	-	-	-	-	3	7	7	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	12	11	-	-	-	-	1	4	2	2	8	3	3	-	-	
Bronchitis - - - - -	11	12	3	3	1	-	-	1	-	3	1	6	5	-	-	
Pneumonia (all forms) - - - - -	25	30	2	8	4	5	10	12	4	2	4	3	1	-	-	
Other Diseases of Respiratory Organs - - - - -	3	1	1	-	-	-	2	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	3	3	1	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	3	3	-	-	-	-	-	-	-	1	3	1	1	-	-	
Other Diseases of Digestive System - - - - -	8	4	1	1	1	-	2	-	3	-	1	1	2	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	14	6	20	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	3	1	-	1	1	1	2	1	2	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	26	12	8	1	2	-	2	1	3	9	12	10	20	-	-	
Diseases Ill-defined or Unknown - - - - -	3	3	2	-	-	-	-	-	-	2	1	-	1	-	-	
Total - - - - -	145	161	44	25	17	9	16	23	17	26	39	33	37	-	-	

YEAR 1918.

Population—Census 1901, - - - 19,138.
Do. Do. 1911, - - - 23,814.
Do. estimated to middle of 1918, 25,823.

COUNTY—**Edinburgh (Midlothian).**PUBLIC HEALTH DISTRICT—**Suburban** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	346	38	40	348	183	165
Illegitimate Births - -	42	21	15	36	15	21
Marriages - - -	105	-	-	-	-	-
Deaths - - -	764	484	99	379	187	192

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.3	13.5	-
Marriage-rate - - - - -	4.1	-	-
Death-rate—All Causes - - - - -	29.6	14.7	14.5
Do. —Phthisis - - - - -	-	0.89	-
Do. —All Tuberculosis - - - - -	-	1.12	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.50	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	1	-	1	1	-	1	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	3	1	1	1	-	1	-	-	-	-	-	-	
Influenza - - - - -	3	10	-	-	1	-	1	1	4	2	1	3	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	16	-	-	1	1	7	4	4	4	1	1	-	
Tuberculous Meningitis - - - - -	1	2	-	2	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	18	-	-	-	-	-	1	4	2	7	9	2	
Rheumatic Fever - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	
Meningitis - - - - -	1	4	1	2	-	-	1	-	1	-	-	-	-	
Organic Heart Disease - - - - -	12	16	-	-	-	-	1	1	1	3	2	13	7	
Bronchitis - - - - -	8	14	1	1	-	-	-	-	1	1	4	9	5	
Pneumonia (all forms) - - - - -	53	32	4	11	6	-	22	18	8	6	4	2	4	
Other Diseases of Respiratory Organs - - - - -	4	4	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	1	1	-	-	-	-	-	1	1	4	1	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	3	-	-	-	-	-	1	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	6	6	-	2	-	1	-	-	-	1	3	2	1	
Nephritis and Bright's Disease - - - - -	8	9	-	1	-	-	2	-	-	3	3	3	5	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	1	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	4	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	14	2	1	-	-	-	9	3	1	1	-	-	1	
Suicide - - - - -	3	1	-	-	-	-	-	-	2	2	-	-	-	
Other Defined Diseases - - - - -	44	37	4	1	-	1	5	6	6	5	11	23	19	
Diseases Ill-defined or Unknown - - - - -	2	1	-	2	-	-	-	-	-	-	-	-	1	
Total - - - - -	187	191	24	21	10	3	52	39	35	31	38	70	48	

YEAR 1918.

Population—Census 1901, - - - 1,595.

COUNTY—Elgin.

Do. Do. 1911, - - - 1,590.

Do. estimated to middle of 1918, 1,514.

PUBLIC HEALTH DISTRICT—Burghead (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	31	0	0	31	10	21
Illegitimate Births - -	3	0	0	3	1	2
Marriages - - -	1	-	-	-	-	-
Deaths - - -	31	0	1	32	11	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.5	20.5	-
Marriage-rate - - - - -	0.7	-	-
Death-rate—All Causes - - -	20.5	21.1	19.2
Do. —Phthisis - - - - -	-	0.66	-
Do. —All Tuberculosis - - -	-	1.98	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	1.32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	3	-	-	-	-	2	1	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	-	3	-	1	1	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	5	-	-	-	-	1	-	-	1	1	-	5	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	11	21	2	3	2	-	3	2	2	3	4	4	7	

YEAR 1918.

Population—Census 1901, - - - 8,407.

Do. Do. 1911, - - - 8,656.

Do. estimated to middle of 1918, 8,387.

COUNTY—**Elgin.**PUBLIC HEALTH DISTRICT—**Elgin (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	123	18	4	109	50	59
Illegitimate Births -	24	9	2	17	4	13
Marriages - - -	132	-	-	-	-	-
Deaths - - -	138	20	12	130	59	71

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.7	13.0	-
Marriage-rate - - - - -	15.7	-	-
Death-rate—All Causes - - - - -	16.5	15.5	13.5
Do. —Phthisis - - - - -	-	0.60	-
Do. —All Tuberculosis - - - - -	-	0.95	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—55.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	4	-	1	-	-	-	1	-	1	1	-	2	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	5	-	-	-	-	1	1	1	-	1	1	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	6	-	-	-	-	-	-	-	1	3	5	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	-	-	-	2	2	12	-	-
Bronchitis - - - - -	2	3	-	-	-	-	-	-	-	-	-	1	4	-	-
Pneumonia (all forms) - - - - -	12	11	-	1	1	1	3	9	4	2	1	-	4	-	-
Other Diseases of Respiratory Organs - - - - -	2	2	-	1	1	-	-	-	-	-	2	-	1	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	3	3	-	-	-	-	1	-	-	-	-	4	1	-	-
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	17	20	-	-	1	-	1	-	2	2	5	10	16	-	-
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	-	1	3	-	-	-
Total - - - - -	59	71	6	5	3	1	6	12	9	6	17	28	37	-	-

YEAR 1918.

Population—Census 1901, - - - 4,663.

COUNTY—**Elgin.**

Do. 1911, - - - 4,421.

Do. estimated to middle of 1918, 4,029.

PUBLIC HEALTH DISTRICT—**Forres (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - - -	94	10	4	88	54	34
Illegitimate Births -	23	6	2	19	11	8
Marriages - - - -	47	-	-	-	-	-
Deaths - - - - -	80	4	5	81	40	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.8	20.8	-
Marriage-rate - - - -	11.7	-	-
Death-rate—All Causes - - - -	19.9	20.1	16.8
Do. —Phthisis - - - - -	-	0.50	-
Do. —All Tuberculosis - - - -	-	0.74	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	1.49	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—114.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	4	1	-	-	-	-	-	-	-	-	1	2	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	11	7	-	-	-	-	-	-	1	1	5	5	6	-	-
Bronchitis - - - - -	2	9	-	-	-	-	-	1	1	4	3	2	-	-	-
Pneumonia (all forms) - - - - -	5	4	1	1	-	4	2	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs -	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-
*Diarrhoea and Enteritis (under 2 years)	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	3	-	-	-	-	-	-	-	2	-	-	1	-	-
Other Diseases of Digestive System -	2	1	-	-	-	-	-	-	2	-	1	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth -	4	1	4	-	-	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	4	1	-	-	-	-	1	-	1	4	4	-	-	-
Diseases Ill-defined or Unknown - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	40	41	10	4	1	-	4	4	4	1	1	1	16	-	-

YEAR 1918.

Population—Census 1901, - - - 1,568.

Do. Do. 1911, - - - 1,451.

Do. estimated to middle of 1918, 1,297.

COUNTY—**Elgin.**PUBLIC HEALTH DISTRICT—**Grantown-on-Spey (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	22	1	2	23	16	7
Illegitimate Births - -	0	0	1	1	1	0
Marriages - - - -	7	-	-	-	-	-
Deaths - - - -	24	1	3	26	14	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	17.0	17.7	-
Marriage-rate - - - -	5.4	-	-
Death-rate—All Causes - - - -	18.5	20.0	18.2
Do. —Phthisis - - - -	-	0.00	-
Do. —All Tuberculosis - - - -	-	0.77	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	1	2	-	-	-	-	-	-	1	-	-	1	1	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Bronchitis - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - -	3	4	-	-	2	1	-	2	-	1	-	-	1	
Other Diseases of Respiratory Organs - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	5	2	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - -	1	-	-	-	-	-	-	-	-	1	2	3	1	
Total - - - -	14	12	1	1	2	1	1	3	2	2	4	5	4	

YEAR 1918.

Population—Census 1901, - - - 3,904.

COUNTY—**Elgin.**

Do. Do. 1911, - - - 4,307.

PUBLIC HEALTH DISTRICT—**Lossiemouth** (Burgh).

Do. estimated to middle of 1918, 4,292.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	90	5	1	86	39	47
Illegitimate Births - -	7	0	0	7	3	4
Marriages - - -	31	-	-	-	-	-
Deaths - - -	59	2	4	61	32	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.4	20.5	-
Marriage-rate - - - - -	7.4	-	-
Death-rate—All Causes - - -	14.0	14.5	13.9
Do. —Phthisis - - - - -	-	0.48	-
Do. —All Tuberculosis - - -	-	0.48	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—140.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	3	3	1	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis	2	-	-	-	-	-	-	1	-	1	-	-	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease -	1	6	-	-	-	-	-	-	1	1	3	-	2	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	3	-	3	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - -	1	1	-	-	1	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	1	2	1	-	-	-	-	-	1	-	-	1	-	
Pneumonia (all forms) - -	4	5	-	-	-	-	3	3	1	2	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System	-	2	-	-	-	-	-	1	-	-	-	1	-	
Nephritis and Bright's Disease -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	1	-	1	-	-	-	-	-	-	2	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	7	3	3	-	1	-	-	-	-	1	-	1	4	
Diseases Ill-defined or Unknown -	3	-	1	-	-	-	-	-	1	-	-	1	-	
Total - - - - -	32	29	12	6	1	-	5	6	4	7	6	5	9	

YEAR 1918.

COUNTY—**Elgin.**PUBLIC HEALTH DISTRICT—**Rothés (Burgh).**

Population—Census 1901, - - - 1,621.
 Do. Do. 1911, - - - 1,350.
 Do. estimated to middle of 1918, 1,094.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	24	1	3	26	12	14
Illegitimate Births - -	1	0	1	2	1	1
Marriages - - -	9	-	-	-	-	-
Deaths - - -	24	0	5	29	15	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	21.9	23.8	-
Marriage-rate - - - - -	8.2	-	-
Death-rate—All Causes - - -	21.9	26.5	21.1
Do. —Phthisis - - - - -	-	3.66	-
Do. —All Tuberculosis - - -	-	4.57	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	3	1	-	-	1	2	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	1	1	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	5	1	-	-	-	-	-	-	1	1	1	2	1	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	3	3	-	-	-	1	1	1	1	-	1	1	2	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	1	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	1	-	1	1	
Total - - - - -	15	14	2	-	-	1	2	1	5	4	2	5	7	

YEAR 1918.

Population—Census 1901, - - - 23,042.

COUNTY—**Elgin**.

Do. Do. 1911, - - - 21,747.

Do. estimated to middle of 1918, 19,752.

PUBLIC HEALTH DISTRICT—**Elgin** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	401	15	26	412	211	201
Illegitimate Births - -	55	4	17	68	32	36
Marriages - - -	74	-	-	-	-	-
Deaths - - -	311	19	24	316	150	166

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	20.3	20.9	-
Marriage-rate - - -	3.7	-	-
Death-rate—All Causes - - -	15.7	16.0	15.8
Do. —Phthisis - - -	-	0.96	-
Do. —All Tuberculosis - - -	-	1.37	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.30	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—58.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever	-	1	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough	1	2	3	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	4	12	-	2	2	-	4	2	4	-	-	1	1	
Erysipelas	-	1	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis	5	14	-	1	-	-	8	3	3	1	3	-	-	
Tuberculous Meningitis	1	2	-	1	1	-	-	-	-	1	-	-	-	
Abdominal Tuberculosis	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases	3	1	-	-	-	-	2	-	2	-	-	-	-	
Cancer, Malignant Disease	8	14	-	-	-	-	-	-	-	4	3	8	7	
Rheumatic Fever	-	1	-	-	-	-	-	-	1	-	-	-	-	
Meningitis	-	1	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease	14	11	-	-	-	1	-	-	-	1	7	9	7	
Bronchitis	7	11	-	-	1	-	3	1	1	2	2	2	6	
Pneumonia (all forms)	24	23	2	3	3	6	6	15	8	2	4	4	4	
Other Diseases of Respiratory Organs	-	2	-	-	-	-	-	-	-	1	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis	-	2	-	-	-	-	-	-	2	-	-	-	-	
All Liver Diseases (not Malignant)	-	3	-	-	-	-	-	-	-	1	1	-	1	
Other Diseases of Digestive System	4	8	1	-	-	-	-	-	-	2	4	4	1	
Nephritis and Bright's Disease	5	2	-	-	-	-	-	-	-	2	2	3	-	
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	4	5	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	5	6	-	2	1	-	1	2	1	2	1	-	1	
Suicide	1	1	-	-	-	-	-	-	-	-	2	-	-	
Other Defined Diseases	46	26	6	-	-	-	2	-	4	10	9	17	34	
Diseases Ill-defined or Unknown	6	5	1	-	-	-	-	1	-	-	3	2	4	
Total	150	166	24	9	9	7	27	25	26	31	41	50	28	

YEAR 1918.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Anstruther-Easter** (Burgh).

Population—Census 1901, - - - 1,190.
 Do. Do. 1911, - - - 1,147.
 Do. estimated to middle of 1918, 1,059.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	13	1	0	12	6	6
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	9	-	-	-	-	-
Deaths - - -	11	0	0	11	6	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.3	11.3	-
Marriage-rate - - - - -	8.5	-	-
Death-rate—All Causes - - - - -	10.4	10.4	9.8
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	2	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	-	-	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	2	
Total - - - - -	6	5	1	-	-	-	-	2	-	2	-	2	4	

YEAR 1918.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Anstruther-Wester (Burgh).

Population—Census 1901, . . . 501.
 Do. Do. 1911, . . . 552.
 Do. estimated to middle of 1918, 559.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	6	0	0	6	2	4
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - - -	0	-	-	-	-	-
Deaths - - - -	13	0	2	15	7	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	10.7	10.7	-
Marriage-rate - - - -	0.0	-	-
Death-rate—All Causes - - - -	23.3	26.8	22.5
Do. —Phthisis - - - -	-	0.00	-
Do. —All Tuberculosis - - - -	-	1.79	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	-	3	-	-	-	-	-	-	-	-	-	1	3	-	-
Bronchitis - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	3	4	-	-	-	-	-	-	1	-	3	-	3	-	-
Diseases Ill-defined or Unknown - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	7	8	-	-	-	-	-	-	1	1	3	2	8	-	-

YEAR 1918.

Population—Census 1901, - - - 1,882.

Do. Do. 1911, - - - 1,396.

Do. estimated to middle of 1918, 1,334.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Auchtermuchty** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	1	0	7	4	3
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	5	-	-	-	-	-
Deaths - - -	30	8	1	23	11	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	8.0	5.2	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	22.5	17.2	12.3
Do. —Phthisis - - - - -	-	1.50	-
Do. —All Tuberculosis - - - - -	-	1.50	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	1	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	1	-	1	-	-	-	-	1	-	1	1	-	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	4	3	-	1	-	-	1	1	1	-	1	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	3	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	3	
Total - - - - -	11	12	1	1	1	1	1	2	3	-	3	6	4	

YEAR 1918.

Population—Census 1901, - - - 8,621.

COUNTY—**Pife.**

Do. Do. 1911, - - - 15,149.

Do. estimated to middle of 1918, 18,571.

PUBLIC HEALTH DISTRICT—**Buckhaven, Methil, & Innerleven (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	344	8	13	354	175	179
Illegitimate Births - -	21	1	5	25	11	14
Marriages - - - -	95	-	-	-	-	-
Deaths - - - -	203	23	29	209	109	100

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	18.2	13.8	-
Marriage-rate - - - -	5.0	-	-
Death-rate—All Causes - - - -	10.8	11.1	12.3
Do. —Phthisis - - - -	-	0.58	-
Do. —All Tuberculosis - - - -	-	0.74	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.01	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
*Epidemic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	3	-	-	-	-	-	2	1	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	5	4	-	4	5	-	-	-	-	-	-	-	-	
Influenza - - - -	2	8	-	1	-	1	1	3	1	1	1	-	1	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - -	7	4	-	-	-	1	3	4	2	1	-	-	-	
Tuberculous Meningitis - - - -	-	2	-	1	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	3	4	-	-	-	-	-	-	-	1	2	3	1	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	5	1	3	-	-	2	-	1	-	-	-	-	-	
Organic Heart Disease - - - -	4	11	-	-	-	-	1	1	1	2	3	4	4	
Bronchitis - - - -	9	8	1	2	-	1	1	-	1	1	4	4	2	
Pneumonia (all forms) - - - -	32	20	1	7	1	4	5	14	11	6	2	1	-	
Other Diseases of Respiratory Organs - - - -	2	2	-	1	-	-	-	-	-	2	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - -	4	1	2	1	-	-	-	1	-	-	1	-	-	
Nephritis and Bright's Disease - - - -	4	1	-	-	-	-	-	1	-	-	3	-	1	
Puerperal Sepsis - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - -	8	8	16	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - -	2	3	-	-	-	-	1	2	1	-	-	-	1	
Suicide - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - -	14	14	3	1	-	-	1	2	2	3	4	7	5	
Diseases Ill-defined or Unknown - - - -	-	2	1	-	-	-	-	-	-	-	-	1	-	
Total - - - -	109	100	32	20	6	9	17	31	20	17	20	22	15	

YEAR 1918.

Population—Census 1901, - - - 5,001.
 Do. Do. 1911, - - - 4,921.
 Do. estimated to middle of 1918, 4,616.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—**Burntisland** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	97	4	9	102	59	43
Illegitimate Births -	4	0	6	10	5	5
Marriages - - -	32	-	-	-	-	-
Deaths - - -	62	4	17	75	33	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	21.0	22.1	-
Marriage-rate - - -	6.9	-	-
Death-rate—All Causes - - -	13.4	16.2	16.0
Do. —Phthisis - - -	-	0.87	-
Do. —All Tuberculosis - - -	-	1.08	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.65	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	2	2	-	-	-	-	1	1	2	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	4	10	-	-	-	-	-	1	1	6	2	4	-	
Rheumatic Fever - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	4	2	-	-	1	-	2	-	-	-	2	1	-	
Bronchitis - - -	-	2	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - -	3	6	1	-	-	-	4	-	1	1	1	1	-	
Other Diseases of Respiratory Organs - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	2	2	2	-	-	-	-	-	-	1	1	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	2	2	-	1	-	-	-	-	-	-	1	1	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	7	11	1	-	-	-	1	-	-	2	3	5	6	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	33	42	7	3	2	3	1	8	3	7	14	13	14	

YEAR 1918.

Population—Census 1901, - - - 8,329.

COUNTY—**Fife.**

Do. Do. 1911, - - - 14,029.

Do. estimated to middle of 1918, 17,239

PUBLIC HEALTH DISTRICT—**Cowdenbeath (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	332	2	4	334	169	165
Illegitimate Births -	10	0	0	10	4	6
Marriages - - -	76	-	-	-	-	-
Deaths - - -	144	2	37	179	84	95

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.3	19.4	-
Marriage-rate - - - - -	4.4	-	-
Death-rate—All Causes - - - - -	8.4	10.4	11.6
Do. —Phthisis - - - - -	-	0.45	-
Do. —All Tuberculosis - - - - -	-	0.70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.99	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	9	7	4	-	-	-	1	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	3	2	-	-	-	-	-	-	1	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	6	-	-	-	-	4	1	1	-	-	-	-	
*Tuberculous Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	3	-	1	1	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	8	-	-	-	-	-	2	1	4	5	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	12	5	-	-	-	-	1	2	2	2	3	6	1	
Bronchitis - - - - -	6	5	1	2	-	-	-	2	1	1	1	-	3	
Pneumonia (all forms) - - - - -	15	20	3	11	8	1	3	4	5	4	1	-	-	
Other Diseases of Respiratory Organs - - - - -	2	2	-	-	-	-	-	1	2	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	1	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	3	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	9	8	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	1	-	-	-	1	1	1	2	-	2	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	15	13	2	-	-	-	1	-	2	4	3	10	6	
Diseases Ill-defined or Unknown - - - - -	1	2	1	-	-	-	-	-	-	-	2	-	-	
Total - - - - -	84	95	36	20	7	3	12	11	11	18	18	19	10	

YEAR 1918.

Population—Census 1901, - - - - 1,077.
 Do. Do. 1911. - - - - 1,060.
 Do. estimated to middle of 1918, 995.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Crail (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	2	0	19	15	4
Illegitimate Births - -	3	0	0	3	1	2
Marriages - - -	7	-	-	-	-	-
Deaths - - -	20	3	0	17	12	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.1	19.1	-
Marriage-rate - - - - -	7.0	-	-
Death-rate—All Causes - - - - -	20.1	17.1	13.6
Do. —Phthisis - - - - -	-	1.01	-
Do. —All Tuberculosis - - - - -	-	2.01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—21.1.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	3	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	6	
TOTAL - - - - -	12	5	4	-	-	-	-	-	2	-	2	-	9	

YEAR 1918.

Population—Census 1901, - - - 348.

COUNTY—Fife.

Do. Do. 1911, - - - 456.

Do. estimated to middle of 1918, 507.

PUBLIC HEALTH DISTRICT—Culross (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - - -	10	0	0	10	4	6
Illegitimate Births - - -	1	0	0	1	1	0
Marriages - - - - -	6	-	-	-	-	-
Deaths - - - - -	3	0	1	4	2	2

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.7	19.7	-
Marriage-rate - - - - -	11.8	-	-
Death-rate—All Causes - - -	5.9	7.9	5.4
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	2	-	-	-	-	-	-	-	1	1	1	1	

YEAR 1918.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Cupar** (Burgh).

Population—Census 1901, - - - 4,511.
 Do. Do. 1911, - - - 4,380.
 Do. estimated to middle of 1918, 4,067.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	45	3	6	48	21	27
Illegitimate Births - -	7	2	4	9	4	5
Marriages - - -	25	-	-	-	-	-
Deaths - - -	74	4	8	78	41	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.1	11.8	-
Marriage-rate - - - - -	6.1	-	-
Death-rate—All Causes - - - -	18.2	19.2	15.1
Do. —Phthisis - - - - -	-	1.48	-
Do. —All Tuberculosis - - - -	-	1.72	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.25	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	4	2	-	-	-	3	-	2	-	1	-	-	-	
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	2	3	-	-	-	-	-	-	-	-	1	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	5	6	-	-	-	-	-	2	-	2	3	4	-	
Bronchitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - -	9	8	-	1	1	2	6	1	1	1	3	1	-	
Other Diseases of Respiratory Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	1	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	2	-	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease -	-	1	-	-	-	-	-	-	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	1	1	-	
Other Defined Diseases - - - -	9	13	-	-	1	-	1	-	-	2	5	12	-	
Diseases Ill-defined or Unknown	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	41	37	5	-	3	2	7	7	4	4	17	18	-	

YEAR 1918.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Dunfermline (Burgh).**

Population—Census 1901, - - - 26,072.

Do. Do. 1911, - - - 29,213.

Do. estimated to middle of 1918, 29,892.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	824	6	37	855	456	399
Illegitimate Births -	38	1	11	48	26	22
Marriages - - -	300	-	-	-	-	-
Deaths - - -	585	95	38	528	279	249

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.6	28.6	-
Marriage-rate - - - - -	10.0	-	-
Death-rate—All Causes - - - - -	19.6	17.7	18.1
Do. —Phthisis - - - - -	-	0.94	-
Do. —All Tuberculosis - - - - -	-	1.37	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.94	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	9	4	7	6	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	3	6	1	3	2	1	1	1	-	-	-	-	-	-	-
Influenza - - - - -	2	6	1	-	2	-	2	-	2	-	-	1	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	10	18	1	-	-	5	9	4	8	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	5	2	2	5	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	2	-	-	-	1	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	23	22	-	-	-	1	1	5	13	9	9	7	-	-	-
Rheumatic Fever - - - - -	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	6	1	2	1	2	1	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	16	26	-	-	-	-	2	2	6	5	11	12	4	-	-
Bronchitis - - - - -	16	22	3	4	-	1	1	2	8	2	10	7	-	-	-
Pneumonia (all forms) - - - - -	47	38	6	18	4	2	11	16	6	3	4	5	-	-	-
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	-	1	-	-	-	1	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	2	5	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	1	-	1	-	-	1	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-
Other Diseases of Digestive System - - - - -	6	4	1	-	-	-	-	-	1	-	2	5	1	-	-
Nephritis and Bright's Disease - - - - -	8	5	-	-	-	1	-	2	4	4	2	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	28	12	39	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	4	-	1	-	-	1	2	1	-	2	1	3	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	72	70	9	2	2	3	7	3	5	8	19	37	47	-	-
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	-	1	1	1	1	1	-	-
Total - - - - -	279	249	76	47	12	10	34	46	36	55	58	84	70		

YEAR 1918.

Population—Census 1901, - - - 3,562.

Do. Do. 1911, - - - 4,197.

COUNTY—**Fife.**

Do. estimated to middle of 1918, 4,421.

PUBLIC HEALTH DISTRICT—**Dysart** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	83	1	0	82	44	38
Illegitimate Births -	5	1	0	4	3	1
Marriages - - -	39	-	-	-	-	-
Deaths - - - -	63	1	9	74	39	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	18.8	18.5	-
Marriage-rate - - -	8.8	-	-
Death-rate—All Causes - - -	14.9	16.7	16.4
Do. —Phthisis - - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.23	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.49	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—122.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	3	6	2	6	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Group -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	5	2	-	1	-	2	2	1	1	-	-	-	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - -	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	3	3	-	-	-	-	-	-	-	-	1	1	3	1	-
Bronchitis - - - -	2	5	1	2	-	-	-	-	-	1	1	1	1	-	-
Pneumonia (all forms) - - -	6	2	-	1	-	1	1	2	2	-	1	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	4	1	2	-	1	1	1	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	2	3	5	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	7	7	-	-	-	-	1	-	-	2	-	-	-	-	-
Diseases Ill-defined or Unknown - - -	-	1	-	1	-	-	-	-	-	-	-	-	4	6	6
Total - - - -	39	35	10	14	3	2	7	6	6	6	4	8	8	-	-

YEAR 1918.

Population—Census 1901, 317.

COUNTY—**Fife.**

Do. Do. 1911, 322

Do. estimated to middle of 1913, 309.

PUBLIC HEALTH DISTRICT—**Earlsferry** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2	0	0	2	2	0
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	1	-	-	-	-	-
Deaths - - -	8	2	0	6	4	2

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	6.5	6.5	-
Marriage-rate - - - - -	3.2	-	-
Death-rate—All Causes - - - - -	25.9	19.1	16.7
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—500.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	4	2	1	-	-	-	-	1	-	-	-	3	1	

YEAR 1918.

Population—Census 1901, - - - 637.

Do. Do. 1911, - - - 692.

Do. estimated to middle of 1918, 661.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Elie, Liberty, and Williamsburgh (Burgh)**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	6	0	0	6	3	3
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	6	1	2	7	2	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	9.1	9.1	-
Marriage-rate - - -	9.1	-	-
Death-rate—All Causes - -	9.1	10.6	8.7
Do. —Phthisis - - -	-	0.00	-
Do. —All Tuberculosis - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	1	1	-	-	-	1	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	2	5	-	-	-	-	1	-	1	1	2	2	-	

YEAR 1918.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Falkland (Burgh).

Population—Census 1901, - - - 809.
 Do. Do. 1911, - - - 830.
 Do. estimated to middle of 1918, 803.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	7	2	0	5	3	2
Illegitimate Births -	2	0	0	2	2	0
Marriages - - - -	1	0	1	-	-	-
Deaths - - - -	19	0	1	20	10	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - -	8.7	6.2	-
Marriage-rate - - - -	1.2	-	-
Death rate—All Causes - - - -	23.7	24.9	18.8
Do. —Phthisis - - - -	-	0.00	-
Do. —All Tuberculosis - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—200.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—40.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	1	3	-	-	-	-	-	-	-	-	-	2	2	
Bronchitis - - - -	2	1	1	-	-	-	-	1	-	-	-	1	-	
Pneumonia (all forms) - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	3	4	-	-	-	-	-	-	-	-	-	1	6	
Diseases Ill-defined or Unknown - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - -	10	10	1	-	-	-	-	1	-	1	-	8	9	

YEAR 1918.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Inverkeithing (Burgh).

Population—Census 1901, - - - 1,965.
 Do. Do. 1911, - - - 3,291.
 Do. estimated to middle of 1918, 4,037.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	4	3	80	42	38
Illegitimate Births -	4	0	0	4	1	3
Marriages - - -	30	-	-	-	-	-
Deaths - - -	43	2	13	54	35	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.5	19.8	-
Marriage-rate - - - - -	7.4	-	-
Death-rate—All Causes - - - - -	10.7	13.4	13.5
Do. —Phthisis - - - - -	-	0.74	-
Do. —All Tuberculosis - - - - -	-	0.99	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.74	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	1	-	-	-	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	1	-	-	-	-	-	-	1	1	1	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	3	1	-	-	1	-	-	-	2	1	2	1	
Bronchitis - - - - -	4	1	2	-	-	-	-	-	2	-	-	-	1	
Pneumonia (all forms) - - - - -	10	6	1	2	-	2	2	2	2	1	2	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	1	1	-	-	-	-	-	-	-	2	1	1	
Diseases ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	55	11	7	4	1	3	4	7	4	5	11	4	8	

YEAR 1918.

Population—Census 1901, - - - 2,542.

COUNTY—**Fife.**

Do. Do. 1911, - - - 2,557.

Do. estimated to middle of 1918, 2,438.

PUBLIC HEALTH DISTRICT—**Kilrenny** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	31	1	0	30	15	15
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	12	-	-	-	-	-
Deaths - - -	22	2	1	21	11	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.7	12.3	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	9.0	8.6	7.8
Do. — Phthisis - - - - -	-	0.82	-
Do. — All Tuberculosis - - - - -	-	0.82	-
Do. — Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—33.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infant-mortality - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	1	-	-	-	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	2	-	-	-	-	1	2	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	2	-	-	-	-	-	-	-	1	-	4	3	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	11	10	1	1	-	-	1	1	2	1	-	9	5	

YEAR 1918.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Kinghorn** (Burgh).

Population—Census 1901, - - - 1,550.
 Do. Do. 1911, - - - 1,549.
 Do. estimated to middle of 1918, 1,469.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	0	1	29	14	15
Illegitimate Births -	0	0	1	1	1	0
Marriages - - -	7	-	-	-	-	-
Deaths - - -	23	3	10	30	17	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.1	19.7	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	15.7	20.4	19.5
Do. —Phthisis - - - - -	-	1.36	-
Do. —All Tuberculosis - - - - -	-	1.36	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.68	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	4	-	-	-	-	-	-	-	-	2	-	2	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Pneumonia (all forms) - - - - -	4	1	-	1	-	1	3	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	1	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	2	-	-	-	-	-	-	2	-	1	1	3	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
TOTAL - - - - -	17	13	-	3	1	1	2	4	3	2	5	2	7	

YEAR 1918.

COUNTY—**Pife.**PUBLIC HEALTH DISTRICT—**Kirkcaldy** (Burgh).
 Population—Census 1901, . . . 34,079
 Do. Do. 1911, . . . 38,601.
 Do. estimated to middle of 1918, 40,572.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	692	11	23	704	364	340
Illegitimate Births - -	51	1	11	61	29	32
Marriages - - -	264	-	-	-	-	-
Deaths - - -	587	16	78	649	299	350

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.1	17.4	-
Marriage-rate - - - - -	6.5	-	-
Death-rate—All Causes - - - -	14.5	16.0	16.3
Do. —Phthisis - - - - -	-	0.76	-
Do. —All Tuberculosis - - - -	-	1.06	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	1.13	-

 Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.7.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	2	-	-	-	-	1	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	12	11	8	15	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	11	11	1	11	5	3	-	-	-	-	-	-	-	
Influenza - - - - -	15	19	-	5	1	2	3	7	7	3	1	3	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	14	17	-	-	-	1	8	8	6	5	-	2	1	
Tuberculous Meningitis - - - -	2	2	-	2	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	4	3	1	1	-	1	2	2	-	-	-	-	-	
Cancer, Malignant Disease - - -	20	28	-	-	-	-	1	-	3	9	17	14	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	4	4	-	2	-	-	2	2	-	-	-	-	2	
Organic Heart Disease - - - - -	26	42	-	-	-	1	4	10	2	9	7	25	10	
Bronchitis - - - - -	29	38	13	5	3	-	-	4	4	3	8	17	10	
Pneumonia (all forms) - - - - -	43	54	7	9	7	6	15	21	14	3	7	4	4	
Other Diseases of Respiratory Organs -	7	9	2	1	-	-	4	-	1	3	-	3	2	
*Diarrhoea and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	3	-	-	-	-	-	-	-	-	2	1	-	
Other Diseases of Digestive System -	13	11	4	6	1	-	1	3	2	3	3	-	1	
Nephritis and Bright's Disease - -	7	8	-	-	-	-	-	1	-	2	4	6	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	3	-	-	-	-	-	1	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	19	18	37	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	12	3	-	2	-	3	1	3	2	1	1	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	55	60	3	1	2	-	2	3	6	7	17	32	42	
Diseases ill-defined or Unknown - -	4	5	2	1	-	-	-	-	-	-	1	4	1	
Total - - - - -	299	350	78	52	20	19	44	66	49	49	65	111	83	

YEAR 1918.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Ladybank and Monkston (Burgh).**

Population—Census 1901, - - - 1,340.
 Do. Do. 1911, - - - 1,266.
 Do. estimated to middle of 1918, 1,151.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	14	0	2	16	6	10
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	5	-	-	-	-	-
Deaths - - -	22	0	1	23	9	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.2	13.9	-
Marriage-rate - - - - -	4.3	-	-
Death-rate—All Causes - - - - -	19.1	20.0	16.6
Do. —Phthisis - - - - -	-	2.61	-
Do. —All Tuberculosis - - - - -	-	2.61	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	2	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	2	2	-	-	-	1	1	-	1	-	1	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	9	-	-	-	-	-	-	1	2	-	1	7	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	14	-	-	-	-	3	2	1	4	1	2	10	

YEAR 1918.

Population—Census 1901, - - - 2,312.

COUNTY—**Fife.**

Do. Do. 1911, - - - 2,390.

Do. estimated to middle of 1918, 2,322.

PUBLIC HEALTH DISTRICT—**Leslie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	32	1	1	32	18	14
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	7	-	-	-	-	-
Deaths - - - -	27	0	1	28	14	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	13.8	13.8	-
Marriage-rate - - -	3.0	-	-
Death-rate—All Causes - - -	11.6	12.1	10.4
Do. —Phthisis - - - -	-	0.86	-
Do. —All Tuberculosis - - -	-	0.86	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	2	-	-	-	-	-	-	1	1	-	-	-	-	
Tuberculous Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) -	5	3	1	1	-	-	-	4	1	1	-	-	-	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	4	7	-	-	-	-	-	-	1	1	-	1	8	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - -	14	14	3	2	-	-	-	5	3	2	1	3	11	

YEAR 1918.

 Population—Census 1901, - - - 5,612.
 Do. Do. 1911, - - - 6,651.
 Do. estimated to middle of 1918, 7,028.
COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Leven** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	126	9	5	122	58	64
Illegitimate Births -	9	0	1	10	6	4
Marriages - - -	80	-	-	-	-	-
Deaths - - -	89	7	27	109	58	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.9	17.4	-
Marriage-rate - - - - -	4.3	-	-
Death-rate—All Causes - - - - -	12.7	15.5	16.5
Do. —Phthisis - - - - -	-	0.43	-
Do. —All Tuberculosis - - - - -	-	1.14	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.28	-

 Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—5.7.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	5	-	4	3	1	-	-	-	-	-	-	-	
Influenza - - - - -	3	1	-	-	-	-	-	1	-	-	1	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	2	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	1	1	1	-	-	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	4	-	-	-	-	-	-	1	-	2	4	3	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	3	3	-	3	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	4	-	-	-	-	-	2	1	1	2	4	1	
Bronchitis - - - - -	4	1	-	1	-	1	-	-	-	1	-	-	-	
Pneumonia (all forms) - - - - -	6	11	-	4	-	1	3	4	2	1	1	-	1	
Other Diseases of Respiratory Organs - - - - -	-	3	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	2	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	-	-	1	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	1	-	1	-	-	-	-	-	-	-	-	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	2	-	1	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	1	4	-	-	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	1	-	-	-	-	-	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	9	1	-	-	-	1	-	-	4	2	6	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	58	51	7	15	5	5	9	13	4	9	8	18	16	

YEAR 1918,

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Lochgelly (Burgh).

Population—Census 1901, - - - 5,522.

Do. Do. 1911, - - - 9,922.

Do. estimated to middle of 1918, 12,446.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	272	5	6	273	153	115
Illegitimate Births - - -	13	0	1	14	6	8
Marriages - - -	54	-	-	-	-	-
Deaths - - -	151	0	18	169	87	82

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	21.9	21.9	-
Marriage rate - - - - -	4.3	-	-
Death rate—All Causes - - -	12.1	13.5	14.7
Do. —Phthisis - - - - -	-	0.18	-
Do. —All Tuberculosis - - -	-	0.80	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	1.12	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—121.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	3	1	2	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	3	1	3	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	3	1	-	3	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	2	-	-	1	-	-	2	1	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis -	5	1	-	-	1	-	2	1	2	-	-	-	-	
Tuberculous Meningitis - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	4	6	-	-	-	-	-	-	-	3	3	4	-	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	3	2	2	1	-	-	2	-	-	-	-	-	-	
Organic Heart Disease - - -	5	7	-	-	-	-	1	-	1	1	5	4	-	
Bronchitis - - - - -	4	2	1	1	1	-	-	-	-	-	2	1	-	
Pneumonia (all forms) - - -	25	24	4	8	5	3	4	11	6	2	3	3	-	
Other Diseases of Respiratory Organs -	3	-	1	2	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	4	-	-	-	-	-	-	2	-	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	11	7	18	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	4	-	1	1	-	-	1	-	-	-	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	9	2	-	-	-	1	1	3	1	1	3	9	
Diseases Ill-defined or Unknown - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	87	82	33	25	13	4	12	16	15	7	16	18	10	

YEAR 1918.

Population—Census 1901, - - - 1,499.

Do. Do. 1911, - - - 1,641.

Do. estimated to middle of 1918, 1,656.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Markinch (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	1	1	22	7	15
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	9	-	-	-	-	-
Deaths - - -	11	0	1	12	6	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.3	13.3	-
Marriage-rate - - - - -	5.4	-	-
Death-rate—All Causes - - - - -	6.6	7.2	6.2
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—45.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	2	
Total - - - - -	6	6	1	-	1	-	1	-	1	-	2	2	4	

YEAR 1918.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Newburgh (Burgh).

Population—Census 1901, - - - 1,904.
 Do. Do. 1911, - - - 1,977
 Do. estimated to middle of 1918, 1,927.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	1	3	22	14	8
Illegitimate Births - -	0	0	1	1	0	1
Marriages - - -	6	-	-	-	-	-
Deaths - - -	23	1	4	26	11	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.4	11.4	-
Marriage rate - - - - -	3.1	-	-
Death-rate—All Causes - - - - -	11.9	13.5	10.3
Do. —Phthisis - - - - -	-	0.52	-
Do. —All Tuberculosis - - - - -	-	0.52	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.52	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	-	-	1	1	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	5	-	-	-	-	1	-	-	1	1	3	1	
Bronchitis - - - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	4	-	1	-	-	1	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	1	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	11	15	2	1	-	2	4	2	2	1	2	4	6	

YEAR 1918.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Newport (Burgh).**

Population—Census 1901, - - - 3,856.
 Do. Do. 1911, - - - 3,643.
 Do. estimated to middle of 1918, 3,312.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	1	3	26	11	25
Illegitimate Births - -	1	0	3	4	2	2
Marriages - - -	15	-	-	-	-	-
Deaths - - -	49	0	12	61	27	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	7.2	7.9	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - -	14.8	18.4	15.7
Do. —Phthisis - - - - -	-	1.21	-
Do. —All Tuberculosis - - -	-	1.21	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.80	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—19.2.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.4.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	1	-	-	-	1	1	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	3	2	-	-	-	-	-	-	-	1	2	2	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	5	-	-	-	-	-	-	-	-	-	2	5	-	-
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Pneumonia (all forms) - - -	5	2	-	-	-	4	1	-	-	1	1	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	1	5	-	1	-	-	-	-	-	2	2	1	-	-	-
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	-	-	1	-	3	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	2	1	-	1	-	-	-	-	-	-	-	-	1	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	7	9	-	-	1	-	-	-	1	-	-	8	6	-	-
Diseases Ill-defined or Unknown - -	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Total - - - - -	27	34	5	1	2	4	1	1	1	6	7	18	15	-	-

YEAR 1918.

Population—Census 1901, - - - 1,863.

COUNTY—**Fife**.

Do. Do. 1911, - - - 1,888.

Do. estimated to middle of 1918, 1,811.

PUBLIC HEALTH DISTRICT—**Pittenweem** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	32	2	2	32	22	10
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - -	8	-	-	-	-	-
Deaths - - -	23	0	0	23	13	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.7	17.7	-
Marriage-rate - - - - -	4.4	-	-
Death-rate—All Causes - - -	12.7	12.7	11.5
Do. —Phthisis - - - - -	-	10.45	-
Do. —All Tuberculosis - - -	-	1.10	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.10	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease	1	1	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease -	1	1	-	-	-	-	-	-	-	-	2	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	5	5	-	-	-	-	1	-	-	-	-	2	7	
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	10	3	2	-	-	1	-	-	1	2	4	10	

YEAR 1918.

Population—Census 1901, - - - - 7,641.

Do. Do. 1911, - - - - 7,887.

COUNTY—**Fife.**

Do. estimated to middle of 1918, 7,656.

PUBLIC HEALTH DISTRICT—**St. Andrews (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	69	1	3	71	33	38
Illegitimate Births -	11	0	1	12	8	4
Marriages - - -	39	-	-	-	-	-
Deaths - - -	108	12	9	105	40	65

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	9.0	9.3	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	14.1	13.7	13.8
Do. —Phthisis - - - - -	-	0.91	-
Do. —All Tuberculosis - - - - -	-	1.04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.39	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	6	-	-	-	3	1	2	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	8	-	-	-	-	-	1	2	2	2	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	9	-	-	-	-	1	-	2	2	5	4	-	
Bronchitis - - - - -	4	5	1	1	-	-	1	1	-	1	3	1	-	
Pneumonia (all forms) - - - - -	7	8	1	1	1	3	3	-	2	3	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	-	3	-	-	-	-	-	1	1	-	1	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	2	-	2	-	-	2	-	-	-	-	-	1	
Enicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	22	3	-	-	-	-	2	1	4	7	8	7	
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	40	65	6	6	3	1	8	8	7	11	16	20	19	

YEAR 1918.

Population—Census 1901, - - - 3,325.

COUNTY—Fife.

Do. 1911, - - - 3,272.

Do. estimated to middle of 1918, 3,070.

PUBLIC HEALTH DISTRICT—**Tayport** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	2	0	40	24	16
Illegitimate Births - -	3	0	0	3	3	0
Marriages - - -	27	-	-	-	-	-
Deaths - - -	45	7	7	45	18	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - -	13.7	13.0	-
Marriage rate - - -	8.8	-	-
Death rate—All Causes - - -	14.7	14.7	12.3
Do. —Phthisis - - -	-	1.63	-
Do. —All Tuberculosis - - -	-	2.28	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—25.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts - 7.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	2	3	-	-	-	-	2	2	1	-	-	-	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	-	3	-	-	-	-	-	-	-	-	2	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
Bronchitis - - - - -	-	3	-	1	-	-	-	-	1	-	-	1	-	
Pneumonia (all forms) - -	4	5	-	2	-	2	3	-	2	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhilitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	-	1	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Other Defined Diseases - - -	7	7	-	1	-	-	-	2	1	1	2	4	3	
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	18	27	1	5	1	2	6	4	6	5	5	6	4	

YEAR 1918.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Cupar** (County District).

Population—Census 1901, - - - 15,004.
 Do. Do. 1911, - - - 15,523.
 Do. estimated to middle of 1918, 15,092.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	229	8	9	230	124	106
Illegitimate Births -	28	1	1	28	13	15
Marriages - - -	56	-	-	-	-	-
Deaths - - -	359	140	27	246	125	121

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15.2	15.2	-
Marriage-rate - - -	3.7	-	-
Death-rate—All Causes - - -	23.8	16.3	13.3
Do. —Phthisis - - -	-	0.53	-
Do. —All Tuberculosis - - -	-	0.30	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.73	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—8.3.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.2

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	3	1	3	1	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	4	1	1	-	-	1	-	1	1	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	3	-	-	-	1	4	1	2	-	-	-	-	
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	3	-	-	-	-	1	-	-	1	-	-	-	1	
Cancer, Malignant Disease - - -	5	8	-	-	-	-	1	1	3	5	2	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	3	1	-	-	-	1	-	1	-	-	-	-	
Organic Heart Disease - - -	14	14	-	-	-	1	-	3	2	7	8	7	7	
Bronchitis - - -	7	12	1	-	-	1	-	3	-	-	5	7	7	
Pneumonia (all forms) - - -	30	22	3	2	5	1	8	13	5	8	-	4	3	
Other Diseases of Respiratory Organs -	1	2	-	1	-	-	-	-	1	-	-	-	1	
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - -	2	3	-	1	-	-	-	-	1	-	1	2	-	
Nephritis and Bright's Disease - - -	3	2	-	-	1	1	-	-	-	-	3	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - -	4	5	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	5	2	-	1	1	-	-	-	2	-	-	1	2	
Swindle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	33	29	-	-	-	5	1	4	6	4	9	33	33	
Diseases Ill-defined or Unknown - - -	5	4	-	1	-	-	-	-	-	-	2	-	6	
Total - - -	125	121	19	12	9	2	13	22	23	24	20	36	61	

YEAR 1918.

Population—Census 1901, . . . 23,866.

COUNTY—Fife.

Do. 1911, . . . 30,293.

Do. estimated to middle of 1918, 33,175.

PUBLIC HEALTH DISTRICT—Dunfermline (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes	Males.	Females
Births - - -	869	15	17	871	434	437
Illegitimate Births -	32	1	4	35	20	15
Marriages - - -	142	-	-	-	-	-
Deaths - - -	410	25	69	453	243	210

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.2	26.3	-
Marriage-rate - - - - -	4.3	-	-
Death-rate—All Causes - - - - -	12.4	13.7	14.2
Do. —Phthisis - - - - -	-	0.81	-
Do. —All Tuberculosis - - - - -	-	1.45	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.69	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	7	9	7	9	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	5	-	2	-	-	-	2	1	1	1	2	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	13	14	-	-	1	4	6	4	10	1	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	1	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	8	3	6	2	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	4	-	3	-	-	2	2	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	16	17	-	1	-	-	2	2	7	9	11	1	-	
Rheumatic Fever - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Meningitis - - - - -	4	1	2	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	9	21	-	-	-	-	1	1	5	6	14	3	-	
Bronchitis - - - - -	14	9	4	-	-	-	-	1	2	3	5	5	3	
Pneumonia (all forms) - - - - -	60	35	14	13	4	4	9	14	11	9	8	4	-	
Other Diseases of Respiratory Organs -	1	3	-	1	-	-	-	-	1	-	-	2	-	
Diarrhoea and Enteritis (under 2 years)	3	2	5	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	1	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Other Diseases of Digestive System -	10	9	5	1	1	-	-	3	-	3	-	5	1	
Nephritis and Bright's Disease - - -	8	3	-	-	-	-	1	-	2	2	-	5	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	2	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	24	15	39	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	12	4	2	-	-	1	3	2	4	2	1	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	44	37	9	2	-	2	2	5	6	8	13	12	22	
Diseases Ill-defined or Unknown - - -	5	1	1	2	-	-	-	-	1	-	1	-	1	
Total - - - - -	243	210	90	43	11	13	26	44	45	41	47	60	33	

YEAR 1918.

Population—Census 1901, - - - 27,834.

Do. 1911, - - - 40,701.

Do. estimated to middle of 1918, 47,485.]

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Kirkcaldy (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	1075	26	36	1085	545	540
Illegitimate Births - -	80	8	8	80	46	34
Marriages - - - -	168	-	-	-	-	-
Deaths - - - -	552	78	57	531	271	260

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	22.6	22.8	-
Marriage-rate - - - -	3.5	-	-
Death-rate—All Causes - - - -	11.6	11.2	11.6
Do. —Phthisis - - - -	-	0.44	-
Do. —All Tuberculosis - - - -	-	0.82	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - -	-	1.18	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	7	6	1	11	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	8	12	10	10	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	7	6	-	6	6	-	1	-	-	-	-	-	-	
Influenza - - - -	11	8	1	3	1	2	1	4	3	-	2	-	2	
Erysipelas - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - -	10	11	-	-	1	3	5	4	2	2	2	1	1	
Tuberculous Meningitis - - - -	9	1	3	6	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	2	3	1	1	-	2	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - -	1	2	-	1	-	1	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - -	14	17	-	-	-	-	1	2	6	6	7	9	-	
Rheumatic Fever - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	4	4	-	1	4	1	1	-	-	-	-	-	-	
Organic Heart Disease - - - -	21	17	1	1	2	-	6	2	5	6	10	5	-	
Bronchitis - - - -	24	17	7	1	-	-	-	3	5	4	5	16	-	
Pneumonia (all forms) - - - -	51	37	10	12	6	2	12	19	8	7	5	3	4	
Other Diseases of Respiratory Organs - - - -	3	7	1	2	-	-	-	1	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - -	5	4	7	2	-	-	-	-	-	2	1	3	-	
Appendicitis and Typhlitis - - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - -	1	4	-	-	-	-	1	-	1	2	1	-	-	
Other Diseases of Digestive System - - - -	5	13	4	1	-	3	1	-	1	2	1	2	3	
Nephritis and Bright's Disease - - - -	6	12	-	-	-	-	-	2	3	5	6	2	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	9	-	-	-	3	3	3	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - -	28	17	45	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - -	12	9	1	4	3	-	3	2	5	-	3	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	36	39	13	4	-	2	4	-	3	6	6	11	26	
Diseases Ill-defined or Unknown - - - -	2	3	1	-	-	-	-	-	-	-	1	2	1	
Total - - - -	271	260	106	67	26	19	29	43	35	37	48	49	72	

YEAR 1918.

Population—Census 1901. 14,719.

COUNTY—Fife.

Do. Do. 1911. 15,343.

Do. estimated to middle of 1918, 14,993.

PUBLIC HEALTH DISTRICT—St. Andrews (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	211	7	9	213	101	112
Illegitimate Births -	14	5	4	16	8	8
Marriages - - -	55	-	-	-	-	-
Deaths - - -	229	13	29	233	117	121

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	147	142	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	14.8	15.9	15.0
Do. —Phthisis - - - - -	-	0.67	-
Do. —All Tuberculosis - - - - -	-	1.07	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.53	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
*Whooping-cough - - - - -	3	3	3	2	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	6	3	-	-	-	2	5	1	-	-	1	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	4	-	-	-	1	3	2	1	2	1	-	-	
Tuberculous Meningitis - - - - -	-	2	-	-	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Cancer, Malignant Disease - - - - -	10	12	-	-	-	-	-	-	3	2	6	8	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Menigitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	16	15	1	-	-	-	-	1	2	-	6	11	10	
Bronchitis - - - - -	3	11	1	-	-	-	1	-	2	2	-	1	7	
Pneumonia (all forms) - - - - -	17	11	2	-	1	3	10	4	4	1	2	1	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	4	4	-	1	1	-	-	1	-	1	-	1	3	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	9	9	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	-	-	-	-	1	2	3	1	1	1	-	-	
Suicide - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Other Defined Diseases - - - - -	32	35	1	3	1	-	-	-	3	6	8	17	28	
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	-	-	-	4	-	
Total - - - - -	117	121	18	8	6	7	24	14	21	18	27	44	51	

YEAR 1918.

Population—Census 1901, - - - 22,898.
 Do. Do. 1911, - - - 20,647.
 Do. estimated to middle of 1918, 18,893.

COUNTY—**Forfar.**PUBLIC HEALTH DISTRICT—**Arbroath** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	276	9	7	274	143	131
Illegitimate Births - -	15	5	3	13	3	10
Marriages - - -	144	-	-	-	-	-
Deaths - - -	329	15	27	341	151	190

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.0	14.9	-
Marriage-rate - - - - -	7.8	-	-
Death-rate—All Causes - - - - -	17.9	18.5	16.9
Do. —Phthisis - - - - -	-	1.30	-
Do. —All Tuberculosis - - - - -	-	1.96	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.65	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	5	4	4	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	2	2	1	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	4	5	-	1	1	1	1	1	1	-	1	1	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	10	14	-	-	-	2	5	5	7	3	-	2	-	
Tuberculous Meningitis - - - - -	1	2	-	1	-	1	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	3	-	-	-	-	1	1	-	1	2	2	-	
Cancer, Malignant Disease - - - - -	7	19	-	-	-	-	-	-	2	5	6	5	8	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	12	19	-	-	-	1	-	1	3	2	13	4	7	
Bronchitis - - - - -	18	27	3	5	-	-	-	4	-	5	6	12	10	
Pneumonia (all forms) - - - - -	14	14	2	2	-	3	6	6	4	4	-	1	-	
Other Diseases of Respiratory Organs - - - - -	2	1	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	1	1	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System - - - - -	8	13	1	2	1	3	1	1	2	4	2	4	-	
Nephritis and Bright's Disease - - - - -	6	2	-	-	1	-	-	-	1	1	3	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	7	5	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	2	-	1	1	-	-	-	1	1	-	-	3	
Suicide - - - - -	4	-	-	-	-	-	1	-	-	1	1	-	1	
Other Defined Diseases - - - - -	39	49	4	2	1	-	3	1	5	8	12	17	35	
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	-	-	-	2	2	
Total - - - - -	151	190	29	17	6	13	23	21	24	33	50	52	73	

YEAR 1918.

Population—Census 1901, - - - 8,941.

COUNTY—**Forfar**.

Do. Do. 1911, - - - 8,439.

Do. estimated to middle of 1918, 7,664.

PUBLIC HEALTH DISTRICT—**Brechin** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	103	2	1	102	43	59
Illegitimate Births -	16	1	1	16	9	7
Marriages - - -	58	-	-	-	-	-
Deaths - - -	134	3	11	142	62	80

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.4	13.3	-
Marriage-rate - - - - -	7.6	-	-
Death-rate—All Causes - - - - -	17.5	18.5	16.4
Do. —Phthisis - - - - -	-	0.91	-
Do. —All Tuberculosis - - - - -	-	1.30	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.78	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—7.8.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	5	5	-	1	-	-	1	-	2	1	1	2	2	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	4	-	-	-	-	3	1	2	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	10	-	-	-	-	-	-	-	3	7	3	2	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	3	-	-	-	-	1	-	1	1	4	1	1	-	-	-
Bronchitis - - - - -	6	2	-	-	-	-	-	-	-	3	-	4	1	-	-	-
Pneumonia (all forms) - - - - -	6	2	1	-	-	1	2	-	1	-	1	2	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	3	3	-	1	-	1	-	-	-	-	1	1	2	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System - - - - -	3	3	-	-	1	-	-	-	-	2	-	2	1	-	-	-
Nephritis and Bright's Disease - - - - -	2	4	-	-	-	-	-	-	1	-	1	4	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-
Constitutional Debility and Malformation, including Premature Birth - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	1	-	-	1	-	1	1	-	-	-
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - - - -	15	28	2	-	-	-	-	3	1	2	1	13	21	-	-	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	62	80	8	6	2	3	9	5	11	15	17	33	33	-	-	-

YEAR 1918.

Population—Census 1901, - - - 5,204.

Do. Do. 1911, - - - 5,358.

Do. estimated to middle of 1918, 5,191.

COUNTY—**Forfar.**PUBLIC HEALTH DISTRICT—**Carnoustie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	60	3	1	67	37	30
Illegitimate Births -	3	0	0	3	1	2
Marriages - - -	28	-	-	-	-	-
Deaths - - -	96	8	9	97	44	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.3	12.9	-
Marriage-rate - - - - -	5.4	-	-
Death-rate—All Causes - - - - -	18.5	18.7	16.0
Do. —Phthisis - - - - -	-	0.96	-
Do. —All Tuberculosis - - - - -	-	1.35	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.39	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	1	-	-	1	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	-	-	-	1	-	1	3	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	6	-	-	-	-	1	-	1	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	3	4	3	2	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	6	-	-	-	-	1	-	-	1	1	4	1	
Bronchitis - - - - -	3	6	-	1	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	10	7	-	1	1	-	2	4	2	1	1	3	2	
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	7	1	-	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	3	-	-	-	-	-	-	-	1	1	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	1	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	15	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	1	3	3	5	16	
Total - - - - -	44	53	5	2	2	1	5	6	11	12	14	17	22	

YEAR 1918.

COUNTY—**Forfar.**PUBLIC HEALTH DISTRICT—**Dundee (Burgh).**

Population—Census 1901, - - - 173,742.
 Do. Do. 1911, - - - 176,351.
 Do. estimated to middle of 1918, 181,777.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	2954	246	193	2901	1450	1451
Illegitimate Births - -	336	94	67	309	142	167
Marriages - - - -	1357	-	-	-	-	-
Deaths - - - -	3271	209	106	3168	1400	1768

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - -	16.3	15.0	-
Marriage rate - - - -	7.5	-	-
Death rate—All Causes - - - -	15.0	14.4	15.0
Do. — Phthisis - - - -	-	1.41	-
Do. — All Tuberculosis - - - -	-	1.90	-
Do. — Principal Epidemic Diseases (those asterisked below.) - - - -	-	1.07	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—126.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	3	2	-	-	-	1	1	1	1	-	-	1	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	43	52	36	58	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	13	26	2	27	8	2	-	-	-	-	-	-	-	
Influenza - - - -	45	51	6	17	6	6	10	8	9	9	8	8	9	
Erysipelas - - - -	2	1	-	-	-	-	1	-	-	1	1	-	-	
Phthisis. Pulmonary Tuberculosis - - - -	117	139	2	9	9	14	63	44	32	52	22	6	3	
Tuberculous Meningitis - - - -	17	8	4	9	6	2	3	1	-	-	-	-	-	
Abdominal Tuberculosis - - - -	12	14	3	6	4	3	3	1	3	2	-	1	-	
Other Tuberculous Diseases - - - -	22	17	1	2	7	7	9	3	2	4	3	1	-	
Cancer, Malignant Disease - - - -	70	141	-	-	-	1	1	3	18	46	64	48	30	
Ebstein's Fever - - - -	4	2	-	-	-	2	2	-	-	-	-	2	-	
Meningitis - - - -	11	8	1	4	4	5	1	2	-	1	-	1	-	
Organic Heart Disease - - - -	142	195	-	2	2	2	15	16	21	40	78	96	65	
Bronchitis - - - -	82	145	25	16	3	3	2	11	7	19	45	59	37	
Pneumonia (all forms) - - - -	258	325	44	108	39	23	76	104	49	39	47	33	21	
Other Diseases of Respiratory Organs - - - -	16	24	2	3	2	1	3	2	9	6	8	2	2	
*Diarrhoea and Enteritis (under 2 years) - - - -	28	24	36	16	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	4	6	-	1	1	5	-	1	-	2	-	-	-	
All Liver Diseases (not Malignant) - - - -	2	8	-	-	-	-	-	-	3	1	4	-	2	
Other Diseases of Digestive System - - - -	37	58	10	9	5	2	1	3	11	10	14	18	12	
Nephritis and Bright's Disease - - - -	35	37	1	-	1	1	4	9	5	11	15	14	11	
Puerperal Sepsis - - - -	-	4	-	-	-	-	2	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	14	-	-	-	-	2	7	5	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - -	73	63	135	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - -	56	40	16	7	5	4	7	8	12	10	12	7	-	
Suicide - - - -	9	8	-	-	-	-	-	4	3	5	3	2	-	
Other Defined Diseases - - - -	253	315	37	16	6	7	10	22	32	60	92	115	171	
Diseases Undefined or Unknown - - - -	44	40	4	8	1	2	1	1	6	7	17	22	15	
Total - - - -	1400	1768	366	320	111	93	217	253	224	325	433	441	385	

Do. estimated to middle of 1918, 9,921.

PUBLIC HEALTH DISTRICT—**Forfar** (Burgh).

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	138	9	2	131	73	58
Illegitimate Births - -	7	2	1	6	2	4
Marriages - - -	71	-	-	-	-	-
Deaths - - -	188	15	15	188	87	101

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.9	13.2	-
Marriage-rate - - - - -	7.2	-	-
Death-rate—All Causes - - - - -	19.0	19.0	17.7
Do. —Phthisis - - - - -	-	0.81	-
Do. —All Tuberculosis - - - - -	-	1.81	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.20	-

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	3	1	-	-	-	-	1	2	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	8	-	-	-	1	2	-	3	-	1	1	-	
Tuberculous Meningitis - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	11	14	-	-	-	-	-	-	1	4	5	11	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	1	4	5	11	4	
Meningitis - - - - -	2	2	1	1	1	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	16	17	-	1	-	1	-	-	-	4	5	13	9	
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	1	-	1	2	
Pneumonia (all forms) - - - - -	17	10	2	1	1	5	4	4	2	3	3	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	3	-	-	-	-	1	1	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	1	4	1	-	-	-	-	1	-	1	1	-	2	
Nephritis and Bright's Disease - - - - -	3	3	-	-	-	-	-	-	1	2	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	2	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	1	1	-	-	-	-	-	2	1	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	2	1	-	-	1	
Other Defined Diseases - - - - -	17	24	-	-	1	1	-	1	-	1	6	7	24	
Diseases Ill-defined or Unknown - - - - -	-	3	-	-	-	-	1	-	-	1	-	1	-	
Total - - - - -	87	101	12	6	4	■	11	■	14	14	14	14	47	

YEAR 1918.

Population—Census 1901, - - - 4,096.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 3,775.

Do. estimated to middle of 1918, 3,364.

PUBLIC HEALTH DISTRICT—**Kirriemuir (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	35	6	1	30	14	16
Illegitimate Births - -	7	0	0	7	2	5
Marriages - - -	19	-	-	-	-	-
Deaths - - -	65	2	7	70	22	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.4	8.9	-
Marriage-rate - - - - -	5.6	-	-
Death-rate—All Causes - - - - -	19.3	20.8	17.7
Do. —Phthisis - - - - -	-	6.20	-
Do. —All Tuberculosis - - - - -	-	1.19	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—200.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—23.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-		
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	2	1	-	-	-	-	-	-	1	-	-	-		
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Cancer, Malignant Disease - - - - -	2	7	-	-	-	-	-	-	2	-	3	2	2		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	2	10	-	-	-	-	-	-	1	-	2	5	4		
Bronchitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Pneumonia (all forms) - - - - -	3	2	-	1	1	-	-	-	-	1	-	-	2		
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1		
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-		
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1		
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	3	-	-	-	-	-	-	-	-	-	-	3		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	7	15	2	-	-	-	-	-	-	1	3	4	12		
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Total - - - - -	22	48	6	2	3	-	-	-	6	4	9	13	27		

YEAR 1918.

Population—Census 1901, - - - 2,134.

Do. - - - 1911, - - - 3,098.

Do. estimated to middle of 1918, 3,603.

COUNTY—**Forfar.**PUBLIC HEALTH DISTRICT—**Monifieth (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	27	1	1	27	13	14
Illegitimate Births - -	1	0	1	2	-	2
Marriages - - -	20	-	-	-	-	-
Deaths - - -	42	5	5	42	18	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	7.5	7.5	-
Marriage-rate - - -	5.6	-	-
Death-rate—All Causes - - -	11.7	11.7	11.0
Do. —Phthisis - - -	-	0.56	-
Do. —All Tuberculosis - - -	-	0.56	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.28	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—37.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - -	2	1	-	-	-	-	-	-	1	-	-	2	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	2	-	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	4	-	-	-	-	-	-	1	1	-	1	2	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	3	-	-	-	-	-	-	-	-	1	2	1	
Bronchitis - - -	2	1	-	-	1	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - -	2	2	1	1	-	-	1	-	-	1	-	-	-	
Other Diseases of Respiratory Organs - - -	2	-	-	-	-	1	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	1	2	-	-	1	-	-	-	-	-	2	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - -	5	9	-	1	-	-	-	1	-	-	-	5	7	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	18	24	1	3	2	1	2	2	2	4	3	10	12	

YEAR 1918.

Population—Census 1901, - - - 12,427.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 10,974.

Do. estimated to middle of 1918, 9,417. -

PUBLIC HEALTH DISTRICT—**Montrose (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	160	7	7	160	85	75
Illegitimate Births - -	17	0	4	21	15	6
Marriages - - -	70	-	-	-	-	-
Deaths - - -	246	28	29	247	117	130

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.0	17.0	-
Mortality-rate - - - - -	7.4	-	-
Death-rate—All Causes - - -	26.1	26.2	21.9
Do. —Phthisis - - - - -	-	1.17	-
Do. —All Tuberculosis - - -	-	2.02	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.21	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—131.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	3	-	-	-	-	1	2	2	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	7	-	-	-	2	3	3	3	-	-	-	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	1	2	-	1	1	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases -	2	3	-	-	-	-	1	2	1	-	-	1	-	
Cancer, Malignant Disease - -	6	11	-	-	-	-	-	-	-	7	5	5	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Menstritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - -	13	14	-	-	-	-	-	4	4	4	9	6	-	
Bronchitis - - - - -	8	12	2	1	-	-	-	-	1	1	6	9	-	
Pneumonia (all forms) - -	17	20	2	8	1	1	4	8	4	6	2	1	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Digestive System -	3	3	1	1	-	-	-	-	-	1	1	1	-	
Nephritis and Bright's Disease - -	4	5	-	-	1	-	-	1	1	4	1	1	-	
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of -	-	4	-	-	-	1	-	3	-	-	-	-	-	
Pregnancy and Parturition - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	8	4	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	30	2	-	2	-	17	7	3	1	1	1	-	-	
Other Defined Diseases - - -	16	36	2	-	-	-	1	2	4	9	9	25	-	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	117	130	21	13	3	24	22	24	23	31	35	49		

YEAR 1918.

Population—Census 1901, - - - 8,929.

Do. Do. 1911, - - - 8,434.

COUNTY—**Forfar.**

Do. estimated to middle of 1918, 7,665.

PUBLIC HEALTH DISTRICT—**Arbroath** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	153	3	7	157	75	82
Illegitimate Births - -	12	0	4	16	7	9
Marriages - - -	42	-	-	-	-	-
Deaths - - -	58	2	12	68	34	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.0	20.5	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	7.6	8.9	7.9
Do. —Phthisis - - - - -	-	0.26	-
Do. —All Tuberculosis - - - - -	-	0.52	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.39	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	-	2	1	-	-	-	-	-	-	-	
Influenza - - - - -	1	4	-	1	-	-	-	1	-	-	-	2	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	2	-	3	-	
Bronchitis - - - - -	2	5	1	1	-	-	-	1	-	-	-	2	2	
Pneumonia (all forms) - - - - -	6	6	3	-	-	-	1	3	1	-	2	-	2	
Other Diseases of Respiratory Organs - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	4	2	1	-	-	-	-	-	1	-	2	1	1	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	2	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	1	-	1	-	1	-	-	-	-	
Eniade - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	5	-	-	-	-	-	-	1	1	2	2	7	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	34	34	10	3	3	2	2	6	4	4	9	10	15	

YEAR 1918.

Population—Census 1901, : : : 13,356.

COUNTY—**Forfar.**

Do. Do. 1911, : : : 12,821.

Do. estimated to middle of 1918, 11,802.

PUBLIC HEALTH DISTRICT—**Brechin** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	204	3	10	211	116	95
Illegitimate Births - -	21	0	3	24	10	14
Marriages - - -	57	-	-	-	-	-
Deaths - - -	248	120	23	151	84	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	17.3	17.9	-
Marriage rate - - - - -	4.8	-	-
Death rate—All Causes - - - -	21.0	12.8	11.3
Do. —Phthisis - - - - -	-	0.76	-
Do. —All Tuberculosis - - - -	-	1.10	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.42	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—35.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	4	1	-	-	-	1	1	-	1	-	3	1	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	5	4	-	-	-	3	2	2	1	-	-	1	-	
Tuberculous Meningitis - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	3	-	1	-	-	-	1	-	1	-	-	-	-	
Cancer, Malignant Disease - -	8	3	1	-	-	-	-	-	4	3	1	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	9	4	-	-	-	1	1	1	1	2	4	3	-	
Bronchitis - - - - -	3	1	2	-	-	-	1	-	-	1	-	-	-	
Pneumonia (all forms) - - - -	6	15	1	1	-	4	7	2	3	2	1	-	-	
Other Diseases of Respiratory Organs	1	1	1	-	-	-	-	-	1	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	5	4	1	-	-	1	-	1	2	-	4	-	-	
Nephritis and Bright's Disease -	2	1	-	-	-	-	-	-	-	1	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	1	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	5	3	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	5	1	1	-	-	2	1	1	1	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	21	19	1	-	-	1	1	1	5	3	7	21	-	
Diseases Ill-defined or Unknown	1	-	1	-	-	-	-	-	-	-	2	-	-	
Total - - - - -	84	67	18	7	2	-	14	15	11	18	13	20	33	

YEAR 1918.

Population—Census 1901, - - - 9,636.
 Do. Do. 1911, - - - 9,518.
 Do. estimated to middle of 1918, 8,954.

COUNTY—**Forfar.**PUBLIC HEALTH DISTRICT—**Dundee** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	160	4	9	165	85	80
Illegitimate Births - -	18	1	4	16	9	7
Marriages - - -	26	-	-	-	-	-
Deaths - - -	212	97	25	140	75	65

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.9	18.4	-
Marriage-rate - - - - -	2.9	-	-
Death-rate—All Causes - - - - -	23.7	15.6	14.4
Do. —Phthisis - - - - -	-	0.56	-
Do. —All Tuberculosis - - - - -	-	0.78	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.01	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	-	-	1	2	1	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	1	-	2	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	6	5	-	1	1	1	3	2	-	-	1	1	1	
Erysipelas - - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	1	-	-	1	1	1	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	7	-	-	-	-	-	-	-	1	4	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	5	-	-	-	-	1	-	1	3	1	3	1	
Bronchitis - - - - -	5	4	2	1	-	-	-	-	1	-	-	3	1	
Pneumonia (all forms) - - - - -	14	13	-	2	2	3	8	5	5	2	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	1	4	-	-	-	-	1	-	-	1	-	2	1	
Nephritis and Bright's Disease - - - - -	5	-	-	-	1	1	-	-	-	2	1	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases, and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	9	3	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	13	-	-	-	-	2	-	-	4	4	4	11	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	75	65	16	8	9	8	19	8	16	14	17	16		

YEAR 1918.

Population—Census 1901, . . . 11,822.

COUNTY—**Forfar.**

Do. Do. 1911, . . . 11,152.

Do. estimated to middle of 1918, 10,124.

PUBLIC HEALTH DISTRICT—**Forfar** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births	184	6	10	188	109	79
Illegitimate Births	14	2	3	15	8	7
Marriages	33	-	-	-	-	-
Deaths	147	7	40	180	86	94

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate	18.2	18.6	-
Marriage-rate	3.3	-	-
Death-rate—All Causes	14.5	17.8	14.6
Do. —Phthisis	-	0.89	-
Do. —All Tuberculosis	-	1.19	-
Do. —Principal Epidemic Diseases* (those asterisked below.)	-	0.69	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	3	1	1	3	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	2	1	1	-	1	-	-	-	-	-	-	1	-		
Influenza - - - - -	-	4	1	-	-	-	-	2	-	1	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	3	6	-	1	-	-	1	4	2	-	-	1	-		
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	4	18	-	-	-	-	-	1	2	-	3	7	9		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Organic Heart Disease - - - - -	14	12	-	-	-	2	-	2	-	7	9	6	-		
Bronchitis - - - - -	2	2	1	1	-	-	-	-	-	-	1	1	1		
Pneumonia (all forms) - - - - -	16	11	1	-	2	-	4	12	3	1	1	2	1		
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	1	1	-	-	1	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	1	-	-	-	-	-	1	-	-		
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	-		
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-		
Other Diseases of Digestive System - - - - -	1	3	-	1	-	-	-	-	-	1	2	-	-		
*Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	-	-	-	3	-	1	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	1	2	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	6	3	9	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	3	2	-	1	-	-	-	-	1	-	2	-	1		
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-		
Other Defined Diseases - - - - -	23	19	1	-	1	1	-	-	1	3	4	7	24		
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1		
Total - - - - -	86	94	14	9	4	5	6	22	15	9	22	31	43		

YEAR 1918.

Population—Census 1901, - - - 1,687.
 Do. Do. 1911, - - - 2,400.
 Do. estimated to middle of 1918, 2,769.

COUNTY—Haddington.

PUBLIC HEALTH DISTRICT—Cockenzie and Port Seton (Burch).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	53	4	1	55	25	30
Illegitimate Births - -	1	1	0	0	0	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	23	1	10	42	17	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	20.9	19.9	-
Marriage-rate - - -	2.2	-	-
Death-rate—All Causes - - -	11.9	15.2	14.9
Do. —Phthisis - - -	-	0.36	-
Do. —All Tuberculosis - - -	-	0.36	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	1.08	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—127.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - -	1	2	-	1	-	-	-	-	-	-	1	-	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	2	-	-	-	-	-	-	-	1	-	1	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	1	2	-	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	7	8	1	2	1	-	-	4	3	-	2	1	1	
Other Diseases of Respiratory Organs - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	3	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	1	-	-	-	4	
Total - - -	17	25	7	5	2	-	-	4	4	2	6	5	7	

YEAR 1918.

Population—Census 1901, 3,581.

COUNTY—Haddington.

Do. Do. 1911, 3,346.

PUBLIC HEALTH DISTRICT—Dunbar (Burgh).

Do. estimated to middle of 1918, 3,014.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	60	1	3	62	36	26
Illegitimate Births - -	6	0	2	8	4	4
Marriages - - -	27	-	-	-	-	-
Deaths - - -	52	5	9	56	32	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.9	20.6	-
Marriage-rate - - - - -	9.0	-	-
Death-rate—All Causes - - -	17.3	18.6	17.5
Do. —Phthisis - - - - -	-	1.29	-
Do. —All Tuberculosis - - -	-	2.65	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	3	-	1	-	1	-	-	1	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	4	2	-	-	1	-	1	1	2	-	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	-	3	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	4	-	-	-	-	-	-	-	1	1	2	3	
Bronchitis - - - - -	2	3	1	1	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - -	5	2	-	-	-	-	4	-	1	1	1	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System	-	3	-	-	-	-	-	-	-	1	-	-	2	
Nephritis and Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	2	-	-	-	-	-	-	1	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	3	2	-	2	-	-	-	-	1	-	3	1	3	
Diseases Ill-defined or Unknown	2	1	-	-	-	-	-	-	2	-	-	-	1	
Total - - - - -	32	24	3	4	1	-	6	2	7	■	■	6	11	

YEAR 1918.

Population—Census 1901, - - - 912.

Do. Do. 1911, - - - 877.

Do. estimated to middle of 1918, 808.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**East Linton (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	0	1	9	4	5
Illegitimate Births - -	0	0	1	1	1	0
Marriages - - -	1	-	-	-	-	-
Deaths - - -	22	8	7	21	11	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	9.9	11.1	-
Marriage-rate - - - - -	1.2	-	-
Death-rate—All Causes - - -	27.2	26.0	19.6
Do. —Phthisis - - - - -	-	1.24	-
Do. —All Tuberculosis - - -	-	1.24	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	1	1	
Pneumonia (all forms) - - -	1	2	-	-	-	-	2	-	1	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	7	3	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	11	10	-	-	-	1	3	1	2	3	3	4	4	

YEAR 1918.

Population—Census 1901, - - - 3,993.

COUNTY—**Haddington.**

Do. Do. 1911, - - - 4,140.

Do. estimated to middle of 1918, 4,031.

PUBLIC HEALTH DISTRICT—**Haddington (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	41	3	5	43	20	23
Illegitimate Births - -	3	1	2	4	1	3
Marriages - - -	32	-	-	-	-	-
Deaths - - -	127	54	9	82	48	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.2	10.7	-
Marriage-rate - - - - -	7.9	-	-
Death-rate—All Causes - - - -	31.5	20.3	18.8
Do. —Phthisis - - - - -	-	1.24	-
Do. —All Tuberculosis - - - -	-	1.24	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.25	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	5	2	-	-	-	-	2	-	3	-	-	1	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	2	3	-	-	-	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	6	2	-	-	-	-	-	-	1	2	2	3	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	7	5	-	-	-	-	-	-	-	4	1	4	3	-	-
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	3	1	-	-
Pneumonia (all forms) - - - -	11	6	-	2	-	-	4	3	5	1	1	1	-	-	-
Other Diseases of Respiratory Organs	1	2	-	1	-	-	-	-	-	1	-	1	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	9	7	1	1	1	-	-	-	-	2	1	3	7	-	-
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Total - - - - -	48	34	3	1	-	9	8	9	10	6	17	13	-	-	-

YEAR 1918.

Population—Census 1901, - - - 2,902.

Do. Do. 1911, - - - 3,246.

Do. estimated to middle of 1918, 3,317.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**North Berwick (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	2	3	35	19	16
Illegitimate Births - -	3	0	2	5	2	3
Marriages - - -	18	-	-	-	-	-
Deaths - - -	36	3	5	38	13	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.3	10.6	-
Marriage-rate - - - - -	5.4	-	-
Death-rate—All Causes - - -	10.9	11.5	11.9
Do. —Phthisis - - - - -	-	0.30	-
Do. —All Tuberculosis - - -	-	0.30	-
Do. —Principal Epidemic Diseases (those asterisked below).	-	0.30	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	2	-	-	-	-	-	-	-	1	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	4	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	4	
Pneumonia (all forms) - - -	1	3	1	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	6	10	1	-	2	-	-	-	1	-	3	2	7	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	25	5	-	1	-	-	4	2	1	-	-	11	

YEAR 1918.

COUNTY—**Haddington.**

Population—Census 1901, : : : 1,721.

Do. Do. 1911, : : : 1,923.

Do. estimated to middle of 1918, 1,965.

PUBLIC HEALTH DISTRICT—**Prestonpans (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	45	3	3	45	27	18
Illegitimate Births - -	3	0	2	5	2	3
Marriages - - -	11	-	-	-	-	-
Deaths - - -	30	0	5	35	14	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.9	22.9	-
Marriage-rate - - - - -	5.6	-	-
Death-rate—All Causes - - - - -	15.3	17.8	17.3
Do. — Phthisis - - - - -	-	0.51	-
Do. — All Tuberculosis - - - - -	-	2.04	-
Do. — Principal Epidemic Diseases (those asterisked below.)	-	0.51	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	2	-	1	-	-	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicæmia - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Tracheitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	3	5	-	-	-	-	1	3	2	-	-	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	-	-	1	-	-	-	-	-	-	1	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unlabeled Deaths - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	4	-	2	-	-	-	1	-	2	1	2	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	14	21	4	3	1	2	1	1	4	5	4	5	5	

YEAR 1918.

Population—Census 1901, - - - 2,766.

Do. Do. 1911, - - - 4,369.

COUNTY—**Haddington.**

Do. estimated to middle of 1918, 5,250.

PUBLIC HEALTH DISTRICT—**Tranent (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	137	4	2	135	66	69
Illegitimate Births - -	1	0	0	1	0	1
Marriages - - -	19	-	-	-	-	-
Deaths - - -	64	2	14	76	42	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.1	25.7	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - - -	12.2	14.5	15.2
Do. —Phthisis - - - - -	-	0.76	-
Do. —All Tuberculosis - - - - -	-	0.95	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3.43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—119.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													75 and over.
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-				
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	6	5	1	10	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	3	-	4	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	2	1	2	-	-	1	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	-	-	-	1	2	1	-	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	-	1	1	1	-	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	1	-	2	-	-	-		
Bronchitis - - - - -	-	2	1	-	-	-	-	-	-	-	-	-	1	-		
Pneumonia (all forms) - - - - -	5	3	1	1	-	-	-	4	-	1	-	-	1	-		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Nephritis and Bright's Disease - - - - -	3	1	-	-	1	-	-	-	-	-	1	2	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	6	4	9	1	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	2	-	1	-	-	-	-	-	-	-	1	-	-		
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-		
Other Defined Diseases - - - - -	3	5	-	1	-	-	1	-	-	-	-	3	2	-		
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
Total - - - - -	42	44	15	20	-	2	3	7	5	5	9	7	-	-		

YEAR 1918.

COUNTY—**Haddington.**

Population—Census 1901, - - - 6,459.

Do. Do. 1911, - - - 6,189.

Do. estimated to middle of 1918, 5,689.

PUBLIC HEALTH DISTRICT—**Eastern Haddington** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	99	7	8	100	46	54
Illegitimate Births - -	12	1	3	14	9	5
Marriages - - -	18	-	-	-	-	-
Deaths - - -	85	2	20	103	55	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.4	17.6	-
Marriage-rate - - - - -	3.2	-	-
Death-rate—All Causes - - - - -	14.9	18.1	17.7
Do. —Phthisis - - - - -	-	1.05	-
Do. —All Tuberculosis - - - - -	-	1.23	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.53	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	5	-	1	1	-	2	2	1	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	5	-	-	1	1	-	1	2	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spinal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	3	-	-	-	-	-	-	1	1	1	2	2	-	-	
Pneumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
Peritonitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coronary Heart Disease - - - - -	5	2	-	-	-	-	1	-	-	1	1	1	1	3	-	
Endocarditis - - - - -	1	5	2	1	-	-	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	13	7	1	1	1	1	7	6	1	2	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	
Dysentery and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	2	1	-	-	-	-	-	-	1	1	1	-	-	-	-	
Gonorrhoea and Bright's Disease - - - - -	3	1	-	-	-	-	-	1	1	-	1	1	-	-	-	
Septicæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Genital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths, excluding Suicide - - - - -	8	-	-	-	-	-	6	1	-	-	-	-	1	-	-	
Accidents - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	13	1	-	-	-	1	-	-	-	5	7	8	-	-	
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	55	48	7	4	3	2	19	12	7	7	9	16	17	-	-	

YEAR 1918.

Population—Census 1901, - - - 14,644.

Do. Do. 1911, - - - 16,764.

Do. estimated to middle of 1918, 17,372.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**Western Haddington** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	395	14	18	399	212	187
Illegitimate Births - -	19	3	4	20	9	11
Marriages - - -	65	-	-	-	-	-
Deaths - - -	208	13	58	253	140	113

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.7	23.0	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	12.0	14.6	15.1
Do. —Phthisis - - - - -	-	1.04	-
Do. —All Tuberculosis - - - - -	-	1.44	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.52	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —70.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE														7+ and over.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70-	75-	80-	85-	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
*Diphtheria and Croup - - - - -	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza - - - - -	4	7	1	1	1	1	2	2	1	2	-	1	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	9	9	-	-	1	-	7	5	2	1	2	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	16	7	-	-	-	-	-	1	3	4	5	6	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	9	-	-	1	-	-	-	2	2	4	3	-	-	-	-	-
Bronchitis - - - - -	3	6	1	1	-	-	-	-	-	1	1	1	-	-	-	-	-
Pneumonia (all forms) - - - - -	30	26	6	6	1	3	5	15	7	3	1	6	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System - - - - -	3	1	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	2	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	6	9	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	21	1	1	-	2	-	10	5	-	1	1	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	21	26	1	-	1	-	1	2	2	3	8	11	-	-	-	-	-
Diseases Ill-defined or Unknown - - - - -	1	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Total - - - - -	140	113	28	13	12	4	29	33	20	19	25	34	-	-	-	-	-

YEAR—1918.

Population—Census 1901, - - - 2,087.

COUNTY—Inverness.

Do. Do. 1911, - - - 2,001.

Do. estimated to middle of 1918, 1,841.

PUBLIC HEALTH DISTRICT—Fort-William (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	3	0	19	10	9
Illegitimate Births - -	2	1	0	1	0	1
Marriages - - -	10	-	-	-	-	-
Deaths - - -	35	9	3	29	12	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.0	10.3	-
Marriage-rate - - - - -	5.4	-	-
Death-rate—All Causes - - - - -	19.0	15.8	14.4
Do. —Phthisis - - - - -	-	1.63	-
Do. —All Tuberculosis - - - - -	-	2.17	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.54	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	-	1	1	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	7	2	-	2	1	3	-	2	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	2	8	-	1	-	-	-	-	-	1	2	2	4	-	-
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	12	17	-	4	2	3	-	5	1	1	3	3	5	-	-

YEAR—1918.

Population—Census 1901, - - - 23,075.

Do. Do. 1911, - - - 22,216.

COUNTY—Inverness.

Do. estimated to middle of 1918, 20,497.

PUBLIC HEALTH DISTRICT—Inverness (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	416	26	9	399	200	199
Illegitimate Births -	55	13	6	48	24	24
Marriages - - -	328	-	-	-	-	-
Deaths - - -	477	67	9	419	182	237

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.3	19.5	-
Marriage-rate - - - - -	16.0	-	-
Death-rate—All Causes - - - - -	23.3	20.4	18.9
Do. —Phthisis - - - - -	-	1.41	-
Do. —All Tuberculosis - - - - -	-	1.81	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.49	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—148.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												75 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	3	3	-	4	1	1	-	-	-	-	-	-	-		
Influenza - - - - -	9	13	1	2	2	1	1	1	1	1	4	-	8		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	7	22	-	1	-	3	5	7	5	6	2	-	-		
Tuberculous Meningitis - - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	1	3	-	2	-	-	-	-	-	-	2	-	-		
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-		
Cancer, Malignant Disease - - - - -	13	18	-	-	-	-	-	-	8	10	7	6	-		
Rheumatic Fever - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-		
Meningitis - - - - -	5	2	2	2	1	1	-	1	-	1	-	-	-		
Organic Heart Disease - - - - -	20	22	-	-	-	-	1	1	3	3	6	10	18		
Bronchitis - - - - -	5	12	2	3	-	-	1	-	1	1	3	3	3		
Pneumonia (all forms) - - - - -	28	29	5	3	3	1	5	17	9	2	7	2	3		
Other Diseases of Respiratory Organs - - - - -	4	4	-	1	1	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	2	3	-	-	-	-	-	1	-	3	2	-		
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	2	3	-	-	-	-	-	-	-	1	1	1	2		
Other Diseases of Digestive System - - - - -	2	7	-	-	-	1	1	-	-	2	1	2	2		
Nephritis and Bright's Disease - - - - -	4	6	-	-	-	-	1	-	-	1	1	2	5		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	3	1	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	16	13	29	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	11	5	-	2	2	1	1	1	3	1	1	2	2		
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-		
Other Defined Diseases - - - - -	39	54	13	1	1	1	-	2	3	8	12	21	31		
Diseases Ill-defined or Unknown - - - - -	10	7	4	1	-	-	-	-	2	2	2	1	5		
Total - - - - -	182	237	59	23	12	11	18	33	30	39	56	53	85		

YEAR 1918.

Population—Census 1901, - - - 9,269.

Do. Do. 1911, - - - 9,142.

Do. estimated to middle of 1918, 8,590.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Inverness** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	109	2	12	119	57	62
Illegitimate Births -	8	0	4	12	6	6
Marriages - - -	14	-	-	-	-	-
Deaths - - -	184	94	13	103	60	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.7	13.9	-
Marriage-rate - - - - -	1.6	-	-
Death-rate—All Causes - - - - -	21.4	12.0	10.6
Do. —Phthisis - - - - -	-	0.81	-
Do. —All Tuberculosis - - - - -	-	1.16	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.12	-

* Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—25.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	2	-	-	-	3	2	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	2	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	4	-	-	-	-	-	-	3	1	5	3	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	7	-	-	-	2	-	1	1	3	3	4	4	
Bronchitis - - - - -	3	-	1	-	-	-	-	1	-	-	-	1	-	
Pneumonia (all forms) - - - - -	8	3	-	1	-	1	1	1	3	1	1	2	2	
Other Diseases of Respiratory Organs - - - - -	2	2	-	1	-	1	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	4	-	-	-	-	-	-	-	-	2	2	-	-	
Nephritis and Bright's Disease - - - - -	3	4	-	-	-	-	-	2	1	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	1	-	1	-	-	-	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	16	1	-	1	-	-	-	1	-	3	6	17	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	60	43	3	5	2	-	9	4	7	9	16	19	29	

YEAR 1918.

Population—Census 1901, - - - 8,893.

Do. Do. 1911, - - - 8,758.

Do. estimated to middle of 1918, 8,220.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Aird** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	116	3	4	117	49	68
Illegitimate Births - -	5	0	3	8	3	5
Marriages - - -	24	-	-	-	-	-
Deaths - - -	122	7	18	133	50	83

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	14.1	14.2	-
Marriage rate - - - - -	2.9	-	-
Death rate—All Causes - - - - -	14.8	16.2	12.7
Do. —Phthisis - - - - -	-	1.09	-
Do. —All Tuberculosis - - - - -	-	1.34	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.61	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	2	-	-	-	-	-	1	-	-	1	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	3	-	-	-	-	1	-	-	1	1	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	6	-	-	1	-	2	4	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	-	1	1	3	1	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	8	-	-	-	-	-	-	-	-	2	5	3	
Bronchitis - - - - -	2	4	1	-	-	-	-	-	-	1	-	2	2	
Pneumonia (all forms) - - - - -	4	3	-	-	-	-	-	-	4	-	2	1	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	4	-	-	-	-	-	-	-	1	1	2	2	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	1	-	-	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	2	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	5	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	29	2	-	-	-	3	2	-	1	7	6	20	
Diseases Ill-defined or Unknown - - - - -	12	4	-	2	-	-	-	-	-	-	4	5	5	
Total - - - - -	50	83	10	3	1	1	8	10	9	5	23	26	37	

YEAR 1918.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Badenoch** (County District).

Population—Census 1901, - - - 6,511.
 Do. Do. 1911, - - - 6,496.
 Do. estimated to middle of 1918, 6,156.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	94	2	10	102	43	59
Illegitimate Births -	6	0	3	9	7	2
Marriages - - -	37	-	-	-	-	-
Deaths - - -	114	3	15	126	73	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.2	16.6	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - - - -	18.5	20.5	16.4
Do. —Phthisis - - - - -	-	0.97	-
Do. —All Tuberculosis - - - - -	-	0.97	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	4	1	1	1	-	2	1	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	2	4	-	-	-	2	1	1	-	1	1	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	6	2	-	-	-	-	-	-	3	1	2	2	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	1	2	-	1	-	-	1	1	-	-	-	-	-		
Organic Heart Disease - - - - -	7	8	-	-	-	-	1	-	1	3	3	7	-		
Bronchitis - - - - -	1	4	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - - -	26	4	1	1	1	6	13	3	1	-	2	1	-		
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	1	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	1	-	1	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	1	1	1	-	-	-	-	-	-	1	-	-	-		
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	1	1	-	1	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	1	-	-	-	1	-	2	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	13	14	2	-	1	-	1	-	2	3	4	14	-		
Diseases Ill-defined or Unknown - - - - -	3	3	1	-	-	-	1	-	-	-	2	2	-		
Total - - - - -	73	53	10	4	3	2	11	20	8	8	11	18	31		

YEAR 1918.

Population—Census 1901, - - - 7,438.

Do. Do. 1911, - - - 7,039.

Do. estimated to middle of 1918, 6,407.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Lochaber** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	2	8	98	50	48
Illegitimate Births -	0	0	3	3	2	1
Marriages - - -	16	-	-	-	-	-
Deaths - - -	103	3	11	111	63	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution. *
Birth-rate - - -	14.4	15.3	-
Marriage-rate - - -	2.5	-	-
Death-rate—All Causes - - -	16.1	17.3	14.0
Do. —Phthisis - - -	-	0.31	-
Do. —All Tuberculosis - - -	-	0.47	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—10.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	2	2	-	-	-	-	1	1	-	-	-	1	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	1	-	-	1	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	5	-	-	-	-	-	1	-	3	-	-	2	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	7	2	-	-	-	-	1	-	-	2	3	1	2	
Bronchitis - - -	3	1	-	-	-	-	-	-	-	1	1	2	-	
Pneumonia (all forms) - - -	24	6	-	-	-	-	10	16	3	1	-	-	-	
Other Diseases of Respiratory Organs -	2	-	-	-	-	-	-	-	-	-	2	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	2	1	-	-	-	-	-	-	-	1	-	1	1	
Nephritis and Bright's Disease - - -	-	2	-	-	-	-	-	-	-	2	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	-	2	1	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	15	23	1	-	1	-	1	-	-	3	3	2	27	
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	-	-	-	-	1	1	2	
Total - - -	63	48	1	1	1	-	14	17	7	12	14	9	35	

YEAR 1918.

Population—Census 1901, - - - 14,619.

Do. 1911, - - - 13,319.

Do. estimated to middle of 1918, 11,748.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Skye (County District).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	168	0	6	174	98	76
Illegitimate Births - -	9	0	6	15	12	3
Marriages - - -	37	-	-	-	-	-
Deaths - - -	206	3	23	226	107	119

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.3	14.8	-
Marriage-rate - - - - -	3.1	-	-
Death-rate—All Causes - - -	17.5	19.2	13.5
Do. —Phthisis - - - - -	-	1.87	-
Do. —All Tuberculosis - - -	-	2.21	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—52.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlat Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	-	1	-	-	-	-	-	-	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	9	13	-	-	-	1	6	7	2	5	1	-	-	
Tuberculous Meningitis - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	5	9	-	-	-	-	-	-	-	3	4	4	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - -	10	12	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	4	5	-	-	-	-	-	-	1	-	3	6	13	
Pneumonia (all forms) - -	8	6	2	1	-	-	-	1	2	2	2	4	4	
Other Diseases of Respiratory Organs -	3	-	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	2	-	-	
Appendicitis and Typhlitis - -	2	1	-	-	2	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	3	4	-	1	-	-	-	-	1	-	2	1	2	
Nephritis and Bright's Disease - -	5	2	-	-	-	-	-	-	-	2	2	1	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	4	-	-	-	-	3	1	-	1	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - -	36	31	-	-	-	-	1	2	-	3	3	15	43	
Diseases Ill-defined or Unknown - -	14	21	4	1	-	-	1	-	-	1	1	7	20	
Total - - - - -	107	119	9	5	2	4	13	13	8	17	20	41	94	

YEAR 1918.

Population—Census 1901, - - - 5,271.
 Do. Do. 1911, - - - 5,449.
 Do. estimated to middle of 1918, 5,294.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Harris** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	90	2	0	88	45	43
Illegitimate Births - -	3	0	0	3	2	1
Marriages - - -	12	-	-	-	-	-
Deaths - - -	67	1	3	69	25	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.0	16.6	-
Marriage-rate - - -	2.3	-	-
Death-rate—All Causes - - -	12.7	13.0	10.2
Do. —Phthisis - - -	-	2.03	-
Do. —All Tuberculosis - - -	-	2.08	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.19	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—34.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - -	-	-	-	-	1	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - -	1	1	-	-	-	-	-	-	1	-	-	-	-		
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - -	-	-	-	-	-	-	5	2	1	3	-	-	-		
Phthisis, Pulmonary Tuberculosis - -	6	5	-	-	-	-	-	-	-	-	-	-	-		
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	2	-	-	-		
Cancer, Malignant Disease - - -	-	2	-	-	-	-	-	-	-	-	-	-	-		
Rheumatic Fever - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Meningitis - - -	-	-	-	-	-	-	-	-	-	2	-	2	-		
Organic Heart Disease - - -	1	3	-	-	-	-	-	-	-	-	-	1	1		
Bronchitis - - -	-	2	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - -	1	6	-	2	-	1	1	1	1	1	-	-	-		
Other Diseases of Respiratory Organs - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	-	-	-	-	1	1	-	-	1	1	1	4	16		
Other Defined Diseases - - -	7	18	-	-	-	1	-	-	-	-	-	-	-		
Diseases Ill-defined or Unknown - - -	8	6	2	1	-	1	3	1	-	2	2	-	2		
Total - - -	25	44	3	3	2	3	9	4	5	11	3	7	19		

YEAR 1918.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**North Uist** (County District).

Population—Census 1901, - - - 3,891.
 Do. Do. 1911, - - - 3,677.
 Do. estimated to middle of 1918, 3,344.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	55	0	1	56	30	26
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	2	-	-	-	-	-
Deaths - - -	40	3	2	39	20	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.4	16.7	-
Marriage-rate - - - - -	0.6	-	-
Death-rate—All Causes - - - - -	12.0	11.7	8.5
Do. —Phthisis - - - - -	-	1.79	-
Do. —All Tuberculosis - - - - -	-	1.79	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—18.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	4	-	-	-	1	1	2	-	1	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	-	-	1	2	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	-	-	1	-	-	1	-	-	-	1	3	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	1	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	9	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	1	-	2	11	
Total - - - - -	20	10	1	-	1	1	2	4	-	2	-	6	22	

YEAR 1918.

COUNTY—Inverness.

PUBLIC HEALTH DISTRICT—South Uist (County District).

Population—Census 1901, - - - 8,061.

Do. Do. 1911, - - - 8,008.

Do. estimated to middle of 1918, 7,558.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	123	0	1	124	73	51
Illegitimate Births - -	8	0	1	9	5	4
Marriages - - -	21	-	-	-	-	-
Deaths - - -	123	6	8	125	73	52

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.3	16.4	-
Marriage-rate - - - - -	2.8	-	-
Death-rate—All Causes - - -	16.3	16.5	13.2
Do. —Phthisis - - - - -	-	1.72	-
Do. —All Tuberculosis - - -	-	1.72	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.18	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	3	-	-	-	-	-	-	-	-	-	1	4	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	7	6	-	-	-	-	2	8	-	2	-	1	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	2	-	-	-	-	-	-	-	1	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	3	-	-	-	-	-	-	-	-	4	1	1	
Bronchitis - - - - -	3	4	-	-	-	-	-	-	-	-	3	2	2	
Pneumonia (all forms) - - -	6	5	-	1	1	1	-	1	2	3	-	1	-	
Other Diseases of Respiratory Organs -	2	-	-	1	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	3	2	1	-	-	-	-	-	-	-	1	2	1	
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	-	1	-	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	1	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	7	-	-	-	-	-	2	2	2	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	1	-	6	25	
Other Defined Diseases - - - - -	19	16	1	-	-	-	2	-	-	-	-	5	7	
Diseases Ill-defined or Unknown - -	10	9	5	-	-	-	-	-	-	1	1	5	7	
Total - - - - -	73	52	11	2	2	1	6	11	6	9	13	22	42	

YEAR 1918.

Population—Census 1901, - - - 1,475.

Do. Do. 1911, - - - 1,633.

Do. estimated to middle of 1918, 1,658.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Banchory** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	1	2	22	11	11
Illegitimate Births - -	3	1	0	2	0	2
Marriages - - -	12	-	-	-	-	-
Deaths - - -	20	0	3	23	12	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.7	13.3	-
Marriage-rate - - - - -	7.2	-	-
Death-rate—All Causes - - - - -	12.1	13.9	12.5
Do. —Phthisis - - - - -	-	1.21	-
Do. —All Tuberculosis - - - - -	-	1.21	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.
 Illegitimate Rate. (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.7.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	2	1	
Pneumonia (all forms) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	2	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	2	-	-	-	-	-	-	-	-	-	-	-	
Diseases ill-defined or Unknown - - - - -	-	1	-	1	-	-	-	1	-	-	-	2	3	
Total - - - - -	12	11	1	1	-	1	-	1	-	3	-	7	9	

YEAR 1918.

Population—Census 1901, - - 1,207.

COUNTY—**Kincardine.**

Do. Do. 1911, - - 1,173.

Do. estimated to middle of 1918, 1,091.

PUBLIC HEALTH DISTRICT—**Inverbervie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	0	0	20	9	11
Illegitimate Births - -	2	0	0	2	0	2
Marriages - - -	9	-	-	-	-	-
Deaths - - -	32	0	1	33	16	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	18.3	18.3	-
Marriage rate - - - - -	8.2	-	-
Death rate—All Causes - - - - -	29.3	30.2	26.5
Do. —Phthisis - - - - -	-	1.83	-
Do. —All Tuberculosis - - - - -	-	1.83	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	6	10	1	1	2	2	-	5	1	1	2	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	1	-	-	-	-	-	-	-	1	-	2	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	16	17	2	1	3	2	-	7	2	4	2	4	6	

YEAR 1918.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Laurencekirk (Burgh).**

Population—Census 1901, - - - 1,512.
 Do. Do. 1911, - - - 1,438.
 Do. estimated to middle of 1918, 1,315.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	1	3	18	8	10
Illegitimate Births - -	1	0	0	1	1	0
Marriages - - -	3	-	-	-	-	-
Deaths - - -	24	1	3	26	7	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	12.2	13.7	-
Marriage-rate - - -	2.3	-	-
Death-rate—All Causes - - -	18.3	19.8	13.1
Do. —Phthisis - - -	-	0.0	-
Do. —All Tuberculosis - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	2	-	-	-	-	-	-	-	-	1	1	2	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	4	-	-	-	-	-	-	-	-	-	1	4	
Bronchitis - - -	1	2	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	2	1	-	-	-	-	-	1	-	1	1	-	3	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	8	1	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	1	1	-	2	4	
Total - - -	7	19	2	-	-	-	1	1	1	2	2	4	13	

YEAR 1918.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Stonehaven (Burgh).**

Population—Census 1901, - - - 4,577.

Do. Do. 1911, - - - 4,266.

Do. estimated to middle of 1918, 3,835.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	1	3	59	35	24
Illegitimate Births -	7	0	1	8	4	4
Marriages - - -	27	-	-	-	-	-
Deaths - - -	79	15	5	69	33	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.9	15.4	-
Marriage-rate - - - - -	7.0	-	-
Death-rate—All Causes - - -	20.6	18.0	19.4
Do. —Phthisis - - - - -	-	1.83	-
Do. —All Tuberculosis - - -	-	2.09	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.78	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—34.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	5	-	-	1	3	-	1	-	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - -	4	4	-	-	-	-	-	-	1	3	1	3	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	3	-	-	-	-	-	-	-	-	1	3	1	-	-
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	8	6	1	-	1	1	3	2	2	1	1	2	-	-	-
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhilitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	11	-	-	-	-	-	-	1	-	1	5	13	-	-
Diseases ill-defined or Unknown - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	33	36	2	1	2	4	6	3	4	3	7	16	21	-	-

YEAR 1918.

Population—Census 1901, - - - 4,907.

Do. 1911, - - - 4,668.

Do. estimated to middle of 1918, 4,268.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Laurencekirk** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	121	1	4	124	68	56
Illegitimate Births - -	8	0	0	8	6	2
Marriages - - -	10	-	-	-	-	-
Deaths - - -	72	8	10	74	46	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.4	29.1	-
Marriage-rate - - - - -	2.3	-	-
Death-rate—All Causes - - - - -	16.9	17.3	14.7
Do. —Phthisis - - - - -	-	0.23	-
Do. —All Tuberculosis - - - - -	-	0.47	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	5	5	3	1	1	-	-	1	1	-	-	-	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	3	-	-	-	-	-	-	-	1	3	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	1	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	4	-	-	-	-	-	-	-	1	1	-	6	
Bronchitis - - - - -	1	3	3	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	5	4	-	-	-	-	3	1	1	1	1	2	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	-	1	-	-	-	-	-	-	-	1	1	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	1	-	-	-	-	5	-	-	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	3	-	1	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	1	1	2	4	5	
Total - - - - -	46	28	10	4	1	-	9	3	5	4	10	9	19	

YEAR 1918.

Population—Census 1901, - - - 4,205.

COUNTY—Kincardine.

Do. Do. 1911, - - - 3,934.

Do. estimated to middle of 1918, 3,546.

PUBLIC HEALTH DISTRICT—Lower Deeside (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	0	3	57	29	28
Illegitimate Births - -	6	0	2	8	4	4
Marriages - - -	14	-	-	-	-	-
Deaths - - -	28	1	12	39	15	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	15.2	16.1	-
Marriage rate - - - - -	3.9	-	-
Death rate—All Causes - - - - -	7.9	11.0	10.4
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.56	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.28	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	1	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	2	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	4	1	-	1	1	2	1	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	2	1	1	-	-	-	1	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhilitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	1	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	10	1	-	1	-	-	1	1	4	-	1	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	15	24	5	2	2	1	6	4	2	5	4	3	5	

YEAR 1918.

Population—Census 1901, - - - 5,036.

Do. Do. 1911, - - - 4,761.

Do. estimated to middle of 1918, - 4,329.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**St. Cyrus** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	78	3	6	81	38	43
Illegitimate Births -	8	0	3	11	2	9
Marriages - - -	22	-	-	-	-	-
Deaths - - -	68	2	5	71	30	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.0	18.7	-
Marriage-rate - - -	5.1	-	-
Death-rate—All Causes - - -	15.7	16.4	14.2
Do. —Phthisis - - -	-	0.46	-
Do. —All Tuberculosis - - -	-	0.69	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	4	1	2	-	-	-	-	1	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	1	-	1	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	2	-	-	-	-	-	-	-	-	1	1	3	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	3	-	-	-	-	-	1	-	1	2	-	-	
Bronchitis - - -	1	3	1	-	-	-	1	-	-	-	1	-	1	
Pneumonia (all forms) - - -	9	13	2	3	1	2	6	1	2	1	2	-	-	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	2	-	-	-	-	1	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - -	9	11	-	-	-	-	-	-	-	2	2	3	13	
Diseases ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	30	41	6	6	1	3	5	7	5	4	8	8	18	

YEAR 1918.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Stonehaven** (County District).

Population—Census 1901, - - - 5,134.

Do. Do. 1911, - - - 4,564.

Do. estimated to middle of 1918, - 3,940.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	91	0	3	94	57	34
Illegitimate Births - -	12	0	0	12	6	6
Marriages - - -	15	-	-	-	-	-
Deaths - - -	49	0	5	54	27	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.1	23.9	-
Marriage-rate - - - - -	3.8	-	-
Death-rate—All Causes - - - - -	12.4	13.7	12.0
Do. —Phthisis - - - - -	-	0.76	-
Do. —All Tuberculosis - - - - -	-	0.76	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	2	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	-	-	1	1	5	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	2	-	-	-	-	-	-	-	1	2	2	-	
Organic Heart Disease - - - - -	2	2	1	-	-	-	-	-	-	1	-	2	-	
Brucellitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	5	5	-	1	-	1	5	2	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	2	-	-	-	-	1	-	2	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	8	4	-	-	-	-	-	-	-	2	7	-	
Diseases ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	27	27	7	1	-	1	8	3	3	4	5	10	12	

YEAR 1918.

Population—Census 1901, - - - 3,484.

Do. Do. 1911, - - - 3,143.

Do. estimated to middle of 1918, 2,748.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Upper Deeside (County District).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	2	5	52	29	23
Illegitimate Births -	7	1	3	9	5	4
Marriages - - -	5	-	-	-	-	-
Deaths - - -	40	6	2	36	21	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.8	18.9	-
Marriage-rate - - - - -	1.8	-	-
Death-rate—All Causes - - - - -	14.6	13.1	11.4
Do. —Phthisis - - - - -	-	1.46	-
Do. —All Tuberculosis - - - - -	-	1.82	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—19.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	-	-	-	-	-	1	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	1	2	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	1	-	-	-	-	-	-	-	-	-	-	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	-	-	-	1	4	
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	1	-	-	-	2	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Salute - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	3	8	-	-	-	-	-	-	-	-	3	3	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	21	15	1	-	-	-	2	4	2	1	3	7	16	

YEAR 1918.

Population—Census 1901. - - - 2,177.

COUNTY—**Kinross.**

Do. Do. 1911. - - - 2,618.

Do. estimated to middle of 1918, 2,789.

PUBLIC HEALTH DISTRICT—**Kinross (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	1	3	51	23	28
Illegitimate Births - -	6	1	1	6	1	5
Marriages - - -	13	-	-	-	-	-
Deaths - - -	54	4	7	57	23	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.6	18.3	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - - -	19.4	20.4	17.9
Do. —Phthisis - - - - -	-	0.72	-
Do. —All Tuberculosis - - - - -	-	1.43	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.08	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—11.8.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	1	-	1	-	-	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	1	-	-	-	-	1	1	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	4	9	1	3	-	1	4	-	1	1	-	-	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Unmade - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	10	-	-	-	-	2	1	1	3	6	6	6	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	23	34	3	7	-	-	1	10	1	3	3	9	12	

YEAR 1918.

Population—Census 1901, - - - 4,804.

Do. Do. 1911, - - - 4,909.

COUNTY—**Kinross.**

Do. estimated to middle of 1918, 4,733.

PUBLIC HEALTH DISTRICT—**Kinross** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	73	2	2	73	45	28
Illegitimate Births -	9	1	0	8	6	2
Marriages - - -	20	-	-	-	-	-
Deaths - - -	67	6	22	83	47	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.4	15.4	-
Marriage-rate - - - - -	4.2	-	-
Death-rate—All Causes - - - - -	14.2	17.5	15.0
Do. —Phthisis - - - - -	-	0.85	-
Do. —All Tuberculosis - - - - -	-	1.06	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.21	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—55.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	5	-	-	1	-	1	-	1	2	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	-	2	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	3	-	-	-	-	-	-	-	1	1	3	2	
Bronchitis - - - - -	4	1	-	-	-	-	-	1	-	-	-	3	1	
Pneumonia (all forms) - - - - -	10	5	1	-	-	-	4	4	1	1	2	-	2	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	1	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	-	-	1	-	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	12	-	1	-	-	-	2	1	1	3	2	11	
Diseases Ill-defined or Unknown - - - - -	6	-	-	-	-	-	-	-	1	1	1	1	2	
Total - - - - -	47	36	4	5	1	-	6	10	6	8	10	12	21	

YEAR 1918.

Population—Census 1901, - - - 3,018.

COUNTY—**Kirkcudbright.**

Do. Do. 1911, - - - 3,016.

Do. estimated to middle of 1918, 2,861.

PUBLIC HEALTH DISTRICT—**Castle-Douglas (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	41	4	3	40	11	29
Illegitimate Births -	5	2	2	5	0	5
Marriages - - -	17	-	-	-	-	-
Deaths - - -	41	2	3	42	16	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.3	14.0	-
Marriage-rate - - - - -	5.9	-	-
Death-rate—All Causes - - - - -	14.3	14.7	13.4
Do. —Phthisis - - - - -	-	1.05	-
Do. —All Tuberculosis - - - - -	-	1.40	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	1	2	2	-	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	5	-	-	-	-	-	-	-	1	3	2	2	
Bronchitis - - - - -	1	2	1	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	1	3	-	-	-	-	-	-	-	1	2	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	5	5	-	-	-	-	-	-	1	-	2	3	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	16	26	3	1	-	1	1	1	2	5	11	9	8	

YEAR 1918.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Dalbeattie (Burgh).**

Population—Census 1901, - - - 3,469.
 Do. Do. 1911, - - - 3,357.
 Do. estimated to middle of 1918, 3,109.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	0	1	52	29	23
Illegitimate Births - -	5	0	0	5	5	0
Marriages - - -	22	-	-	-	-	-
Deaths - - -	59	1	3	61	-	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.4	16.7	-
Marriage-rate - - - - -	7.1	-	-
Death-rate—All Causes - - - -	19.0	19.6	17.8
Do. —Phthisis - - - - -	-	1.61	-
Do. —All Tuberculosis - - - -	-	1.61	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.57	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	3	-	5	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	3	-	-	1	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	4	-	-	-	1	1	1	1	-	1	-	1	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	4	-	-	-	-	-	-	-	-	2	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	2	3	-	-	-	-	-	-	-	2	1	-	2	
Bronchitis - - - - -	-	3	-	-	-	-	-	-	-	1	1	-	1	
Pneumonia (all forms) - - - -	7	3	1	2	-	-	2	-	1	2	-	2	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	9	7	-	-	-	-	-	-	-	1	2	3	10	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	36	25	2	8	3	2	3	1	3	7	8	9	15	

YEAR 1918.

Population—Census 1901, - - - 1,013.

COUNTY—**Kirkcudbright.**

Do. Do. 1911, - - - 1,032.

Do. estimated to middle of 1918, 992.

PUBLIC HEALTH DISTRICT—**Gatehouse (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	0	7	15	12	3
Illegitimate Births - -	2	0	0	2	2	0
Marriages - - -	4	-	-	-	-	-
Deaths - - -	10	1	1	10	5	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.1	15.1	-
Marriage-rate - - - - -	4.0	-	-
Death-rate—All Causes - - - - -	10.1	10.1	7.1
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.01	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	2	-	-	-	-	-	-	-	1	-	1	3	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	5	5	-	2	-	-	-	-	-	1	-	3	4	

YEAR 1918.

Population—Census 1901, - - - 2,386.

Do. Do. 1911, - - - 2,205.

Do. estimated to middle of 1918, 1,968.

COUNTY—**Kirkeudbright.**PUBLIC HEALTH DISTRICT—**Kirkeudbright (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	2	0	35	18	17
Illegitimate Births -	6	0	0	6	1	5
Marriages - - -	8	-	-	-	-	-
Deaths - - -	26	1	6	31	14	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.8	17.8	-
Marriage-rate - - -	4.1	-	-
Death-rate—All Causes - - -	18.2	15.8	13.2
Do. —Phthisis - - -	-	0.51	-
Do. —All Tuberculosis - - -	-	3.56	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.02	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - -	1	1	-	-	1	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	3	-	-	2	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	1	3	-	-	-	-	-	-	-	1	-	2	1	
Rheumatic Fever - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - -	2	3	-	-	-	-	-	-	-	-	2	1	2	
Bronchitis - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	2	-	-	-	-	-	1	-	-	-	1	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	3	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	1	3	
Total - - -	14	17	2	2	2	-	2	1	-	6	3	5	8	

YEAR 1918.

Population—Census 1901, - - - 5,796.

Do. Do. 1911, - - - 6,200.

Do. estimated to middle of 1918, 6,162.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Maxwelltown (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	127	8	7	126	62	64
Illegitimate Births - -	15	3	3	15	8	7
Marriages - - -	21	-	-	-	-	-
Deaths - - -	78	1	17	89	42	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	20.6	20.4	-
Marriage-rate - - -	3.4	-	-
Death-rate—All Causes - - -	11.8	14.4	14.7
Do. —Phthisis - - -	-	0.97	-
Do. —All Tuberculosis - - -	-	1.46	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.16	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—32.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	2	4	-	-	1	-	1	2	-	-	-	2	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	6	-	-	-	-	-	-	2	1	3	8	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	5	-	-	-	-	1	-	-	-	2	4	-	
Bronchitis - - -	4	1	-	1	-	-	1	1	-	-	-	1	1	
Pneumonia (all forms) - - -	10	7	-	2	3	-	3	4	4	1	-	-	-	
Other Diseases of Respiratory Organs - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Other Diseases of Digestive System - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Nephritis and Bright's Disease - - -	2	1	-	-	-	-	-	-	2	-	-	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	
Other Defined Diseases - - -	8	11	-	-	-	-	-	3	2	5	5	4	-	
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - -	42	47	4	10	4	2	4	11	12	8	11	18	5	

YEAR 1918.

Population—Census 1901, - - - 376.

Do. Do. 1911, - - - 352.

COUNTY—**Kirkcudbright.**

Do. estimated to middle of 1918, 317.

PUBLIC HEALTH DISTRICT—**New Galloway (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	4	0	0	4	2	2
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	1	-	-	-	-	-
Deaths - - -	8	1	1	8	3	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.6	12.6	-
Marriage-rate - - - - -	3.2	-	-
Death-rate—All Causes - - - - -	25.2	25.2	20.9
Do. —Phthisis - - - - -	-	3.15	-
Do. —All Tuberculosis - - - - -	-	3.15	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—250.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	3	1	
Total - - - - -	3	5	1	-	-	-	-	-	1	-	1	3	2	

YEAR 1918.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Eastern Kirkcudbright** (County District).

Population—Census 1901, - - - 8,021.

Do. Do. 1911, - - - 7,553.

Do. estimated to middle of 1918, 6,848.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	134	3	8	139	79	60
Illegitimate Births - -	14	1	3	16	8	8
Marriages - - -	89	-	-	-	-	-
Deaths - - -	119	8	13	129	57	72

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	19.6	20.3	-
Marriage rate - - - - -	5.7	-	-
Death rate—All Causes - - - -	17.4	18.8	16.4
Do. —Pneumonia - - - - -	-	1.17	-
Do. —All Tuberculosis - - - -	-	2.19	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.15	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births) corrected—72.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	-	1	-	1	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	5	-	-	-	5	1	2	-	-	-	-	-	
Tuberculous Meningitis - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	4	-	-	1	-	1	-	-	-	2	-	-	-	
Cancer, Malignant Disease - - -	8	10	-	-	-	-	-	-	2	3	7	6	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	10	-	-	-	1	-	-	2	3	5	7	-	
Bronchitis - - - - -	1	6	2	-	-	-	-	2	-	-	1	2	-	
Pneumonia (all forms) - - - - -	6	5	1	1	-	4	2	2	-	-	-	1	-	
Other Diseases of Respiratory Organs	2	1	-	1	-	-	-	1	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	3	2	-	1	-	-	-	-	-	1	2	1	-	
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	-	1	1	1	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	1	-	-	-	1	-	1	-	1	-	1	-	
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	9	20	1	-	-	1	-	2	2	3	5	15	-	
Diseases Ill-defined or Unknown - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	57	72	10	4	4	1	14	7	9	8	13	24	35	

YEAR 1918.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Northern Kirkcudbright** (County District).

Population—Census 1901, - - - 2,926.
 Do. Do. 1911, - - - 2,814.
 Do. estimated to middle of 1918, 2,593.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	2	6	38	18	20
Illegitimate Births -	3	1	1	3	0	3
Marriages - - -	15	-	-	-	-	-
Deaths - - -	32	0	3	35	15	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.1	14.7	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - - -	12.3	13.5	11.5
Do. —Phthisis - - - - -	-	0.39	-
Do. —All Tuberculosis - - - - -	-	0.77	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.39	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—26.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Pneumonia (all forms) - - - - -	1	6	-	-	-	-	1	4	1	-	-	1	1	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	-	-	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	6	1	-	-	-	-	-	2	-	1	2	6	
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	15	20	1	3	1	-	1	5	5	1	3	5	10	

YEAR 1918.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Southern Kirkcudbright** (County District).

Population—Census 1901, 8,363.

Do. Do. 1911, 8,257.

Do. estimated to middle of 1918, 7,764.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	143	6	7	144	69	75
Illegitimate Births -	22	1	2	23	11	12
Marriages - - -	35	-	-	-	-	-
Deaths - - -	107	12	8	103	48	55

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.4	13.5	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	13.8	13.3	12.3
Do. —Phtthisis - - - - -	-	0.90	-
Do. —All Tuberculosis - - - - -	-	1.67	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	2	5	-	1	-	-	3	1	-	1	1	-	-		
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	2	2	1	-	2	-	1	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	2	1	2	4	2	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	9	9	-	-	-	-	-	-	-	4	7	7	-		
Bronchitis - - - - -	3	5	1	1	-	1	-	1	-	-	3	1	-		
Pneumonia (all forms) - - - - -	6	6	1	1	-	-	1	-	4	3	2	-	-		
Other Diseases of Respiratory Organs - - - - -	2	2	1	-	-	-	-	-	-	1	1	1	-		
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	3	2	1	-	-	-	-	1	2	-	-	1	-		
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	1	2	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	7	15	3	-	1	-	2	-	2	-	4	10	-		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total. - - - - -	48	55	11	5	2	2	4	6	11	9	11	20	22		

YEAR 1918.

Population—Census 1901, - - - 4,015.

Do. Do. 1911, - - - 3,581.

COUNTY—Kirkcudbright.

Do. estimated to middle of 1918, 3,101.

PUBLIC HEALTH DISTRICT—Western Kirkcudbright (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	1	4	47	25	22
Illegitimate Births -	3	0	3	6	3	3
Marriages - - -	19	-	-	-	-	-
Deaths - - -	44	0	4	48	23	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.2	15.2	-
Marriage-rate - - - - -	6.1	-	-
Death-rate—All Causes - - - - -	14.2	15.5	14.7
Do. —Phthisis - - - - -	-	1.61	-
Do. —All Tuberculosis - - - - -	-	2.58	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	2	3	-	-	-	-	1	2	-	1	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	-	-	2	2	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	3	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	2	-	
Pneumonia (all forms) - - - - -	8	6	1	2	-	-	3	-	1	1	2	2	1	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	2	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	1	2	-	-	-	-	-	-	-	2	-	1	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	4	4	1	-	-	-	-	-	-	1	1	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	5	
Total - - - - -	23	25	4	3	-	1	7	2	1	5	5	5	5	

YEAR 1918.

Population—Census 1901, - - - 22,288.

Do. Do. 1911, - - - 24,388.

Do. estimated to middle of 1918, 24,595.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Airdrie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	676	10	18	684	350	334
Illegitimate Births - -	31	2	5	34	23	11
Marriages - - -	168	-	-	-	-	-
Deaths - - -	341	4	36	373	188	185

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.6	27.6	-
Marriage-rate - - - - -	6.8	-	-
Death-rate—All Causes - - - - -	13.9	15.2	16.8
Do. —Phthisis - - - - -	-	0.85	-
Do. —All Tuberculosis - - - - -	-	1.30	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.07	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	14	21	4	29	2	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	6	3	1	5	3	-	-	-	-	-	-	-	-		
Influenza - - - - -	5	2	-	-	1	-	1	1	1	1	1	1	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	11	10	-	-	1	6	7	3	1	1	2	-	-		
Tuberculous Meningitis - - - - -	2	3	-	3	1	-	-	-	-	1	-	-	-		
Abdominal Tuberculosis - - - - -	1	2	-	-	2	1	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	2	1	-	-	-	2	-	-	1	-	-	-	-		
Cancer, Malignant Disease - - - - -	10	23	-	1	-	1	1	1	7	11	10	1	-		
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-		
Meningitis - - - - -	3	2	1	4	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	12	14	-	-	-	-	1	1	5	6	8	5	-		
Bronchitis - - - - -	12	10	3	-	-	-	1	1	2	7	4	4	-		
Pneumonia (all forms) - - - - -	34	30	9	10	3	6	16	6	3	6	1	4	-		
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	3	2	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-		
Other Diseases of Digestive System - - - - -	4	5	-	2	2	1	-	-	2	1	-	1	-		
Nephritis and Bright's Disease - - - - -	3	5	-	-	-	-	2	-	2	1	3	-	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	1	-	2	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	17	7	24	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	7	1	-	1	1	1	-	-	1	-	2	1	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	35	7	-	1	1	6	3	5	3	12	12	21	-		
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-		
Total - - - - -	188	185	53	57	12	9	26	34	20	28	48	46	40		

YEAR 1918.

Population—Census 1901, - - - 1,866.
 Do. Do. 1911, - - - 1,826.
 Do. estimated to middle of 1918, 1,231.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Biggar (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	9	0	1	10	4	6
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	19	1	2	20	12	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	7.8	8.1	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	15.4	16.2	13.1
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —300.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	3	-	-	-	1	-	2	-	2	-	-	1	
Other Diseases of Respiratory Organs - - - - -	1	2	2	-	-	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	2	-	-	-	-	-	-	-	1	1	3	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	42	8	3	-	-	1	1	2	-	5	1	6	1	

YEAR 1918.

Population—Census 1901, . . . 36,995.

COUNTY—**Lanark.**

Do. Do. 1911, . . . 44,250.

Do. estimated to middle of 1918, 44,513.

PUBLIC HEALTH DISTRICT—**Coatbridge (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1244	14	12	1242	626	616
Illegitimate Births -	71	9	6	63	39	29
Marriages - - -	244	-	-	-	-	-
Deaths - - -	747	35	52	764	407	357

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.9	27.9	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	16.8	17.2	18.7
Do. —Phthisis - - - - -	-	1.57	-
Do. —All Tuberculosis - - - - -	-	2.07	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.28	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 101.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	18	13	3	26	2	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	5	4	5	4	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	2	4	-	3	3	-	-	-	-	-	-	-	-		
Influenza - - - - -	3	6	1	1	-	-	2	1	1	-	2	-	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	31	30	1	1	1	4	15	12	16	3	7	1	-		
Tuberculous Meningitis - - - - -	8	3	3	5	2	-	1	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	4	6	-	4	3	1	1	-	1	-	-	-	-		
Other Tuberculous Diseases - - - - -	6	4	-	-	3	2	2	2	-	-	-	1	-		
Cancer, Malignant Disease - - - - -	19	23	-	-	1	-	-	1	4	9	14	6	7		
Rheumatic Fever - - - - -	1	2	-	-	-	-	1	-	1	-	-	1	-		
Meningitis - - - - -	10	10	7	8	4	-	-	1	-	-	-	-	-		
Organic Heart Disease - - - - -	24	19	-	1	-	1	-	5	3	5	12	12	4		
Bronchitis - - - - -	39	37	13	10	1	2	-	2	4	10	12	12	10		
Pneumonia (all forms) - - - - -	76	78	9	46	15	5	19	33	11	3	4	7	2		
Other Diseases of Respiratory Organs - - - - -	5	4	1	5	-	-	-	-	1	-	1	1	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	7	3	9	1	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhilitis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-		
Other Diseases of Digestive System - - - - -	12	6	2	1	1	2	-	3	3	1	3	2	-		
Nephritis and Bright's Disease - - - - -	11	5	-	1	-	-	-	3	3	4	2	3	-		
Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	-	2	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	2	2	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	34	25	59	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	17	6	-	3	1	1	4	-	2	6	3	2	1		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	65	58	10	6	6	-	6	5	5	8	12	31	34		
Diseases Ill-defined or Unknown - - - - -	5	4	3	-	-	-	-	-	-	1	2	3	-		
Total - - - - -	407	357	126	126	44	18	53	71	60	50	75	82	59		

YEAR 1918.

Population—Census 1901, - - - 953,800.
 Do. Do. 1911, - - - 1,008,487.
 Do. estimated to middle of 1918, 1,111,428.

COUNTIES—Lanark and Renfrew.

PUBLIC HEALTH DISTRICT—Glasgow (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males	Females
Births - - -	23,731	1824	1617	23,524	11,986	11,538
Illegitimate Births - -	2,124	794	586	1,916	966	950
Marriages - - -	16,111	-	-	-	-	-
Deaths - - -	18,823	1455	994	18,362	9,270	9,092

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.4	21.2	-
Marriage-rate - - - -	9.4	-	-
Death-rate—All Causes - - - -	16.9	16.5	18.1
Do. —Phthisis - - - -	-	1.24	-
Do. —All Tuberculosis - - - -	-	1.74	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	1.24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGES												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - -	15	13	-	-	3	4	2	5	8	5	1	-	-	-	
Typhus Fever - - - -	3	7	-	-	2	1	1	1	2	2	1	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	131	158	70	270	20	1	-	1	-	1	-	-	-	-	
*Scarlet Fever - - - -	15	10	1	15	8	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - -	200	213	141	255	17	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	89	100	13	109	50	4	6	2	-	-	-	-	-	-	
Influenza - - - -	138	164	35	47	19	14	34	32	26	27	25	32	11	-	
Erysipelas - - - -	15	8	5	2	1	1	1	2	1	3	4	2	1	-	
Phthisis, Pulmonary Tuberculosis - - -	697	686	6	47	44	75	311	282	260	218	119	19	2	-	
Tuberculous Meningitis - - - -	100	128	30	107	40	25	14	4	6	2	-	-	-	-	
Abdominal Tuberculosis - - - -	87	95	27	56	23	22	29	9	7	6	3	-	-	-	
Other Tuberculous Diseases - - - -	132	104	8	40	33	39	45	20	18	17	9	7	-	-	
Cancer, Malignant Disease - - - -	502	708	-	2	1	3	5	31	113	265	359	302	129	-	
Rheumatic Fever - - - -	12	19	-	-	2	6	5	4	5	5	4	-	-	-	
Meningitis - - - -	150	99	74	99	25	9	16	7	8	4	6	1	-	-	
Organic Heart Disease - - - -	538	558	7	3	7	17	56	82	118	156	246	252	152	-	
Bronchitis - - - -	716	685	167	118	11	10	26	45	76	145	250	321	232	-	
Pneumonia (all forms) - - - -	1956	1949	441	958	193	102	402	678	278	319	262	196	76	-	
Other Diseases of Respiratory Organs - -	150	128	51	47	12	5	16	17	13	25	34	38	20	-	
*Diarrhoea and Enteritis (under 2 years) -	204	145	279	70	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	52	55	1	5	15	23	22	7	11	10	8	4	1	-	
All Liver Diseases (not Malignant) - -	33	45	2	2	1	-	3	3	9	17	22	12	7	-	
Other Diseases of Digestive System - -	257	256	59	56	18	17	24	24	57	61	77	61	59	-	
Nephritis and Bright's Disease - - -	361	296	6	12	10	9	27	30	55	110	157	155	86	-	
Puerperal Sepsis - - - -	-	45	-	-	-	-	6	25	13	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	114	-	-	-	-	19	57	37	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	541	377	902	12	2	1	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	375	162	29	72	43	35	51	45	55	81	50	47	29	-	
Suicide - - - -	24	11	-	-	-	3	3	8	4	9	5	3	-	-	
Other Defined Diseases - - - -	1532	1556	255	126	22	34	82	115	221	338	491	719	685	-	
Diseases Ill-defined or Unknown - - -	195	168	46	30	5	2	4	11	30	45	75	75	40	-	
Total - - - -	9270	9092	2660	2566	627	462	1212	1547	1431	1873	2208	2246	1530	-	

YEAR 1918.

Population—Census 1901, . . . 32,775.

COUNTY—**Lanark.**

Do. Do. 1911, . . . 33,444.

Do. estimated to middle of 1918, 39,531.

PUBLIC HEALTH DISTRICT—**Hamilton** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,087	24	28	1,091	571	520
Illegitimate Births -	55	5	12	62	35	27
Marriages - - -	248	-	-	-	-	-
Deaths - - -	569	41	84	612	316	296

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.5	27.6	-
Marriage-rate - - - - -	6.1	-	-
Death-rate—All Causes - - - - -	14.4	15.5	16.8
Do. —Phtisis - - - - -	-	0.91	-
Do. —All Tuberculosis - - - - -	-	1.64	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	2.28	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	2	3	-	-	1	-	3	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	21	12	3	30	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	3	-	3	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	8	15	8	15	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	7	-	6	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	5	-	3	2	-	-	3	-	-	-	-	1	-	
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	-	
Phtisis, Pulmonary Tuberculosis - - - - -	15	21	-	-	2	8	6	8	7	2	2	1	-	-	
Tuberculous Meningitis - - - - -	4	6	2	3	3	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	7	6	2	3	4	2	-	-	-	1	1	-	-	-	
Other Tuberculous Diseases - - - - -	3	3	-	2	-	1	1	1	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	-	-	-	3	5	6	4	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	1	4	1	2	1	-	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	30	17	-	1	-	6	1	2	10	5	16	6	-	-	
Bronchitis - - - - -	25	21	11	4	-	-	1	5	4	4	12	5	-	-	
Pneumonia (all forms) - - - - -	53	53	14	25	8	4	15	16	13	2	8	4	2	-	
Other Diseases of Respiratory Organs - - - - -	2	3	-	-	-	-	-	-	-	2	1	2	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	10	6	13	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	2	-	2	1	1	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	-	-	-	-	1	2	-	-	-	-	
Other Diseases of Digestive System - - - - -	10	7	2	1	-	1	2	4	-	4	3	-	-	-	
Nephritis and Bright's Disease - - - - -	7	5	2	-	-	1	1	-	3	2	1	2	-	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	1	-	2	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	14	15	33	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	13	6	-	4	-	-	5	2	1	4	1	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	60	52	15	3	2	1	5	3	9	11	11	22	30	-	
Diseases Ill-defined or Unknown - - - - -	4	3	1	-	1	-	1	-	1	1	1	-	1	-	
Total - - - - -	316	296	107	105	29	14	49	34	52	51	48	72	81	-	

YEAR 1918.

Population—Census 1901, - - - 5,359.

Do. Do. 1911, - - - 5,900.

Do. estimated to middle of 1918, 5,978.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Lanark** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	122	4	6	124	66	58
Illegitimate Births - -	5	0	2	7	6	1
Marriages - - -	67	-	-	-	-	-
Deaths - - -	85	13	10	82	32	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.4	20.8	-
Marriage-rate - - - - -	11.2	-	-
Death-rate—All Causes - - - -	14.2	13.7	13.4
Do. —Phthisis - - - - -	-	0.67	-
Do. —All Tuberculosis - - - -	-	1.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.33	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	1	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	3	1	-	-	-	1	1	1	1	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Cancer, Malignant Disease - - -	4	7	-	-	-	-	-	-	-	7	1	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	6	-	-	-	-	-	1	-	1	6	3	1	
Bronchitis - - - - -	2	4	-	-	-	-	-	-	1	-	-	3	2	
Pneumonia (all forms) - - - - -	8	5	1	-	-	1	1	7	2	-	-	-	1	
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	1	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	1	-	-	1	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	2	-	-	-	-	-	-	-	1	-	1	-	
Nephritis and Bright's Disease - -	-	2	-	1	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	9	-	-	-	1	-	1	-	2	1	4	6	
Diseases Ill-defined or Unknown -	-	2	-	1	-	-	-	-	-	-	-	1	-	
Total - - - - -	32	50	7	3	-	3	3	13	6	11	9	15	12	

YEAR 1918.

COUNTY—**Lanark.**

Population—Census 1901, - - - 31,144.

Do. Do. 1911, - - - 40,380.

Do. estimated to middle of 1918, 42,042.

PUBLIC HEALTH DISTRICT—**Motherwell (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1120	3	36	1153	605	548
Illegitimate Births - -	37	1	13	49	25	24
Marriages - - -	218	-	-	-	-	-
Deaths - - -	451	3	54	497	254	243

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.6	27.4	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	10.7	11.8	13.4
Do. —Phthisis - - - - -	-	0.90	-
Do. —All Tuberculosis - - - - -	-	1.21	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	4	-	1	3	2	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	14	17	17	14	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	4	1	-	4	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	2	-	-	1	-	-	2	-	2	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	21	17	-	-	-	1	6	12	10	4	4	1	-	-	-
Tuberculous Meningitis - - - - -	3	6	1	6	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	3	-	1	-	-	-	1	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	24	-	-	-	-	-	1	1	11	11	5	3	-	-
Rheumatic Fever - - - - -	2	2	-	-	-	2	1	-	-	-	-	1	-	-	-
Meningitis - - - - -	2	6	3	4	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	13	9	-	-	-	-	1	2	3	6	3	4	3	-	-
Bronchitis - - - - -	18	12	1	1	1	1	-	1	1	2	8	9	5	-	-
Pneumonia (all forms) - - - - -	63	40	12	18	2	2	16	15	13	15	6	3	1	-	-
Other Diseases of Respiratory Organs - - - - -	3	-	1	-	-	-	1	-	-	-	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	8	7	2	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	1	-	-	-	-	-	1	1	-	-	-
Other Diseases of Digestive System - - - - -	7	2	2	1	-	1	-	-	-	1	2	1	1	-	-
Nephritis and Bright's Disease - - - - -	8	11	-	-	1	1	-	2	1	5	2	6	1	-	-
Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	1	3	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	17	15	31	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	19	6	1	1	5	1	2	1	2	4	3	4	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	40	35	8	1	1	1	-	2	6	6	8	17	25	-	-
Diseases ill-defined or Unknown - - - - -	3	7	2	-	-	-	-	-	-	1	-	4	3	-	-
Total - - - - -	254	243	86	60	16	17	30	44	39	58	48	56	43	-	-

YEAR 1918.

Population—Census 1901, - - - 18,593.

Do. Do. 1911, - - - 24,319.

Do. estimated to middle of 1918, 27,025.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Rutherglen (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	498	5	16	499	258	241
Illegitimate Births -	17	1	4	20	10	10
Marriages - - -	200	-	-	-	-	-
Deaths - - -	270	8	85	347	167	180

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.1	18.5	-
Marriage-rate - - -	7.4	-	-
Death-rate—All Causes - - -	10.0	12.8	14.1
Do. —Phthisis - - -	-	0.81	-
Do. —All Tuberculosis - - -	-	1.22	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	1	3	-	4	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	2	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	2	-	2	1	-	-	-	-	-	-	-	-	
Influenza - - -	1	4	-	1	-	1	1	2	-	-	-	-	-	
Erysipelas - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	14	8	-	-	-	2	4	6	3	2	3	2	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	7	1	3	2	1	1	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	2	1	1	-	-	-	-	1	-	-	-	1	-	
Cancer, Malignant Disease - - -	15	16	-	-	-	-	-	-	3	7	11	4	6	
Rheumatic Fever - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - -	2	2	1	1	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - -	15	24	1	-	-	1	2	2	3	5	7	11	7	
Bronchitis - - -	13	10	2	-	1	-	1	-	-	-	8	7	4	
Pneumonia (all forms) - - -	29	44	7	16	4	6	6	18	6	5	1	1	3	
Other Diseases of Respiratory Organs - - -	4	1	-	2	-	-	-	1	-	-	2	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	1	-	-	-	1	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - -	3	1	1	-	-	-	-	-	-	1	1	-	1	
Nephritis and Bright's Disease - - -	7	5	-	-	1	-	-	1	4	2	3	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	12	5	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	5	4	1	-	1	-	3	-	-	1	2	1	-	
Suicide - - -	1	1	-	-	-	-	-	-	2	-	-	1	-	
Other Defined Diseases - - -	25	41	2	1	1	2	1	-	1	6	11	14	27	
Diseases Ill-defined or Unknown - - -	2	1	-	-	-	-	-	-	-	2	-	-	1	
Total - - -	167	180	40	31	11	14	20	33	24	31	51	43	49	

YEAR 1918.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Wishaw (Burgh).**

Population—Census 1901, - - - 20,873.

Do. Do. 1911, - - - 25,263.

Do. estimated to middle of 1918, 27,002.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	779	4	12	787	393	394
Illegitimate Births - -	43	0	6	49	24	25
Marriages - - -	171	-	-	-	-	-
Deaths - - -	394	4	42	432	229	203

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	28.9	29.1	-
Marriage-rate - - -	6.3	-	-
Death-rate—All Causes - - -	14.6	16.0	17.4
Do. —Phthisis - - -	-	0.93	-
Do. —All Tuberculosis - - -	-	1.48	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3.22	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	11	9	4	16	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	22	29	18	31	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	4	2	-	3	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	2	2	-	-	1	-	2	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	12	13	-	1	1	2	7	4	5	4	1	-	-	
Tuberculous Meningitis - -	4	2	-	6	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	3	4	-	6	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - -	6	8	-	-	-	-	-	-	2	5	5	2	-	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	7	4	-	4	3	2	1	-	1	-	-	-	-	
Organic Heart Disease - - -	15	11	-	-	-	1	2	2	4	6	3	7	1	
Bronchitis - - - - -	27	20	9	8	1	1	1	3	2	7	4	9	2	
Pneumonia (all forms) - - -	29	17	5	7	5	2	4	12	2	4	3	2	-	
Other Diseases of Respiratory Organs -	4	4	1	3	-	-	-	2	1	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	5	4	7	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	3	-	-	-	-	-	3	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	8	4	5	2	-	-	-	-	-	-	2	3	-	
Nephritis and Bright's Disease - -	4	2	-	1	1	-	-	-	1	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	4	-	-	-	-	1	1	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	13	17	29	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	13	3	-	2	1	-	3	2	-	3	2	2	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	29	41	6	-	1	-	7	3	3	4	14	12	20	
Diseases ill-defined or Unknown - -	3	1	2	-	-	-	-	1	-	-	-	1	-	
Total - - - - -	229	203	89	93	19	11	30	32	23	34	36	41	24	

YEAR 1918.

Population—Census 1901, - - - 20,860.

Do. Do. 1911, - - - 28,466.

Do. estimated to middle of 1918, 32,252.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Lower Lanark** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	555	13	26	568	286	282
Illegitimate Births -	23	6	6	23	17	6
Marriages - - -	144	-	-	-	-	-
Deaths - - -	484	178	63	374	195	179

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.2	17.6	-
Marriage-rate - - -	4.5	-	-
Death-rate—All Causes - - -	15.2	11.6	12.3
Do. —Phthisis - - -	-	0.81	-
Do. —All Tuberculosis - - -	-	1.21	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.96	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	3	7	2	7	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	7	5	3	9	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	3	-	-	1	1	1	-	-	-	-	-	-	-	
Influenza - - -	4	6	1	1	-	1	1	1	-	-	1	3	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	11	15	-	-	-	-	9	5	7	5	-	-	-	
Tuberculous Meningitis - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	4	4	3	-	2	2	-	-	-	-	-	1	-	
Other Tuberculous Diseases - - -	-	3	-	1	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	6	3	-	-	-	-	-	1	1	7	5	12	3	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	7	3	2	4	1	-	2	1	-	-	-	-	-	
Organic Heart Disease - - -	16	12	-	-	-	1	-	2	2	5	3	10	5	
Bronchitis - - -	14	6	3	2	-	-	1	-	-	3	4	3	4	
Pneumonia (all forms) - - -	35	31	6	18	4	4	4	11	5	5	4	2	3	
Other Diseases of Respiratory Organs - - -	4	2	-	1	-	-	1	2	1	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	2	2	-	-	2	-	2	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Digestive System - - -	4	5	-	2	1	-	-	-	-	2	2	2	-	
Nephritis and Bright's Disease - - -	4	4	-	2	-	-	-	-	3	1	1	1	-	
Puerperal Sepsis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	4	-	-	-	-	1	-	3	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	12	4	16	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	7	4	1	2	2	1	-	-	3	1	1	-	-	
Suicide - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - -	43	30	4	-	1	1	1	3	5	7	12	12	27	
Diseases Ill-defined or Unknown - - -	2	4	-	1	-	-	-	1	1	-	1	1	1	
Total - - -	195	179	47	53	15	12	23	28	31	37	34	49	45	

YEAR 1918.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Middle Lanark** (County District).

Population—Census 1901, - - - 178,633.

Do. Do. 1911, - - - 202,659.

Do. estimated to middle of 1918, 208,882.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	6,213	124	163	6,252	3,194	3,058
Illegitimate Births - -	288	28	57	317	145	172
Marriages - - -	1,089	-	-	-	-	-
Deaths - - -	3,330	316	294	3,808	1,693	1,615

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.7	29.9	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	15.9	15.8	16.3
Do. —Phthisis - - - - -	-	0.80	-
Do. —All Tuberculosis - - - - -	-	1.44	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.81	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	9	5	-	1	2	3	4	2	1	1	-	-	-		
Typhus Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	57	68	24	94	6	1	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	6	8	-	8	3	1	1	1	-	-	-	-	-		
*Whooping-cough - - - - -	43	49	37	53	2	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	15	16	2	25	4	-	-	-	-	-	-	-	-		
Influenza - - - - -	23	34	4	7	6	4	7	9	3	5	3	2	7		
Erysipelas - - - - -	3	3	-	2	-	-	-	-	1	-	1	1	1		
Phthisis, Pulmonary Tuberculosis - - - - -	70	97	-	7	5	14	36	42	36	21	3	3	-		
Tuberculous Meningitis - - - - -	35	26	15	34	5	-	2	3	2	-	-	-	-		
Abdominal Tuberculosis - - - - -	23	24	6	23	3	3	3	5	2	1	1	-	-		
Other Tuberculous Diseases - - - - -	8	17	-	3	8	-	5	3	3	2	1	-	-		
Cancer, Malignant Disease - - - - -	53	85	-	-	-	-	1	2	11	27	51	24	22		
Rheumatic Fever - - - - -	4	7	-	-	1	1	3	-	3	1	1	-	1		
Meningitis - - - - -	30	32	18	25	9	-	4	2	1	1	1	1	-		
Organic Heart Disease - - - - -	81	107	3	1	3	3	14	13	13	27	42	41	28		
Bronchitis - - - - -	154	107	63	13	5	1	5	7	15	22	40	50	40		
Pneumonia (all forms) - - - - -	385	314	89	146	38	31	72	123	59	52	45	34	10		
Other Diseases of Respiratory Organs - - - - -	34	23	8	15	3	-	4	2	2	5	4	6	6		
*Diarrhoea and Enteritis (under 2 years) - - - - -	55	47	81	21	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	11	14	-	-	3	6	5	5	-	3	1	1	1		
All Liver Diseases (not Malignant) - - - - -	4	7	1	1	-	-	1	-	1	5	-	2	-		
Other Diseases of Digestive System - - - - -	65	45	18	26	7	3	5	5	11	9	10	8	8		
Nephritis and Bright's Disease - - - - -	34	30	2	1	-	2	2	13	11	6	10	9	8		
Puerperal Sepsis - - - - -	-	6	-	-	-	-	1	2	3	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	30	-	-	-	-	11	12	7	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	115	107	220	2	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	127	30	7	16	10	10	24	27	19	20	14	6	4		
Suicide - - - - -	3	1	-	-	-	-	1	-	1	1	-	1	-		
Other Defined Diseases - - - - -	222	252	64	28	7	9	18	13	19	46	69	83	125		
Diseases ill-defined or Unknown - - - - -	24	16	5	5	2	1	-	1	3	2	6	10	5		
Total - - - - -	1693	1615	669	557	132	93	229	292	228	257	303	282	266		

YEAR 1918.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Upper Lanark** (County District).

Population—Census 1901, 40,145.

Do. Do. 1911, 42,978.

Do. estimated to middle of 1918, 42,741.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,058	25	39	1,072	540	532
Illegitimate Births - -	63	4	11	70	33	37
Marriages - - -	202	-	-	-	-	-
Deaths - - -	657	11	71	717	336	331

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.8	25.1	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - - -	15.4	16.8	17.0
Do. —Phthisis - - - - -	-	0.70	-
Do. —All Tuberculosis - - - - -	-	0.98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.05	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	11	4	5	7	2	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	6	10	4	11	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	3	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	13	15	1	2	1	3	5	7	2	1	2	2	2	-	-	-
Erysipelas - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	11	19	-	1	1	4	6	9	2	4	3	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	-	2	-	-	-	-	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	1	-	-	1	-	2	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	15	27	-	-	-	-	-	-	4	6	7	16	9	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	6	6	1	5	2	1	3	-	-	-	-	-	-	-	-	-
*Organic Heart Disease - - - - -	39	37	-	1	2	4	3	6	5	14	7	27	14	-	-	-
Bronchitis - - - - -	25	9	5	2	1	2	2	1	4	7	3	6	3	-	-	-
Pneumonia (all forms) - - - - -	73	64	6	15	9	4	20	35	20	12	7	3	6	-	-	-
Other Diseases of Respiratory Organs - - - - -	16	10	4	2	1	-	7	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	3	6	1	-	-	-	-	-	-	4	4	-	-	-	-
*Appendicitis and Typhilitis - - - - -	5	2	-	-	1	2	1	2	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Digestive System - - - - -	13	8	2	1	2	2	1	2	1	1	2	2	5	-	-	-
Nephritis and Bright's Disease - - - - -	4	8	-	-	2	-	3	-	2	2	3	-	-	-	-	-
Pyæmicæ and Septicæ - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	10	-	-	-	-	3	6	1	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	25	15	39	1	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	17	3	-	-	3	-	4	1	-	4	3	3	2	-	-	-
Suicide - - - - -	2	3	-	-	-	-	-	-	-	1	2	1	-	-	-	-
Other Defined Diseases - - - - -	77	62	8	4	4	1	3	4	8	9	16	31	51	-	-	-
Diseases Ill-defined or Unknown - - - - -	9	7	2	1	-	-	-	-	1	1	5	3	3	-	-	-
Total - - - - -	386	331	84	63	35	21	60	78	50	53	77	99	97	-	-	-

YEAR 1918.

Population—Census 1901, - - - 3,921.

COUNTY—**Linlithgow.**

Do. Do. 1911, - - - 4,739.

Do. estimated to middle of 1918, 5,060.

PUBLIC HEALTH DISTRICT—**Armadale** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - - -	123	1	8	130	67	63
Illegitimate Births - -	4	0	1	5	3	2
Marriages - - - - -	21	-	-	-	-	-
Deaths - - - - -	82	2	10	90	49	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.3	25.7	-
Marriage-rate - - - - -	4.2	-	-
Death-rate—All Causes - - - - -	16.2	17.8	19.4
Do. —Phthisis - - - - -	-	1.19	-
Do. —All Tuberculosis - - - - -	-	1.78	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	4.35	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—15.4.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	5	7	4	8	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	2	5	3	4	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	1	-	1	1	1	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	1	1	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Bronchitis - - - - -	11	4	1	-	-	-	-	-	2	5	1	3	3	
Pneumonia (all forms) - - - - -	9	3	-	1	-	-	4	3	3	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	-	1	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pericardial Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	6	2	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	1	-	2	-	-	-	2	1	2	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	3	1	-	1	-	-	1	1	1	-	1	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	49	41	20	18	2	5	10	10	10	5	4	6		

YEAR 1918.

Population—Census 1901, - - - 6,786.1

Do. Do. 1911, - - - 8,226.1

COUNTY—**Linlithgow.**

Do. estimated to middle of 1918, 8,799.1

PUBLIC HEALTH DISTRICT—**Bathgate (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	210	6	7	211	105	106
Illegitimate Births - -	14	1	4	17	9	8
Marriages - - -	53	-	-	-	-	-
Deaths - - -	87	0	17	104	53	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.9	24.0	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - - - -	9.9	11.8	12.8
Do. —Phthisis - - - - -	-	0.45	-
Do. —All Tuberculosis - - - - -	-	0.91	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.82	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	7	2	4	2	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	3	2	-	3	2	-	-	-	-	-	-	-	-		
Influenza - - - - -	1	4	1	-	1	1	-	1	-	-	1	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	4	-	-	-	-	-	-	2	1	1	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	2	1	-	-	-	1	2	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	4	4	-	-	-	-	-	1	2	3	-	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	6	1	-	-	-	-	1	1	-	2	1	2	-		
Bronchitis - - - - -	2	1	-	1	-	-	-	-	1	-	-	-	-		
Pneumonia (all forms) - - - - -	6	1	-	-	1	-	-	2	-	2	1	1	-		
Other Diseases of Respiratory Organs - - - - -	2	1	-	2	-	-	-	-	-	1	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	4	2	1	-	-	-	-	-	1	1	-	3	-		
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	1	-	-	1	1	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	3	2	1	1	-	-	1	1	1	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	10	14	5	-	-	-	-	1	1	1	5	7	-		
Diseases Ill-defined or Unknown - - - - -	4	1	-	1	-	-	-	-	1	-	-	2	-		
Total - - - - -	53	51	16	14	6	2	5	7	9	12	10	15	-		

YEAR 1918.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Borrowstounness (Burgh).**

Population—Census 1901, 9,306.

Do. Do. 1911. 30,852.

Do. estimated to middle of 1918, . . . 11,382.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	264	3	10	271	140	131
Illegitimate Births - -	9	0	2	11	5	6
Marriages - - -	48	-	-	-	-	-
Deaths - - -	127	2	25	150	78	72

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.2	23.8	-
Marriage-rate - - - - -	4.2	-	-
Death-rate—All Causes - - - - -	11.2	13.2	14.6
Do. —Phthisis - - - - -	-	1.05	-
Do. —All Tuberculosis - - - - -	-	3.02	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Diphtheria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Measles - - - - -	3	3	1	5	-	-	-	-	-	-	-	-	-			
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Diphtheria and Croup - - - - -	4	3	-	5	2	-	-	-	-	-	-	-	-			
Influenza - - - - -	1	4	-	1	1	-	2	-	1	-	-	-	-			
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Phthisis, Pulmonary Tuberculosis - - - - -	4	8	-	-	-	1	5	4	1	1	-	-	-			
Tuberculous Meningitis - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-			
Cerebral Tuberculosis - - - - -	3	3	-	2	1	2	1	-	-	-	-	-	-			
Other Tuberculous Diseases - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-			
Cancer, Malignant Disease - - - - -	7	7	-	-	-	-	-	-	3	4	5	2	-			
Septicæmic Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-			
Septicæmia - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-			
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	-	1	4	-	-			
Nephritis - - - - -	7	7	2	3	-	1	-	-	1	3	1	3	-			
Pneumonia (all forms) - - - - -	14	6	-	3	-	1	2	1	3	2	2	1	-			
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Erysipelas and Enteritis (under 2 years) - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-			
Peritonitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases of Digestive System - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-			
Cholera and Bright's Disease - - - - -	2	1	-	-	-	-	-	1	2	-	-	-	-			
Septicæmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Genital Debility and Malformation, including Premature Birth - - - - -	7	5	11	1	-	-	-	-	-	-	-	-	-			
Infant Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Side - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Defined Diseases - - - - -	17	16	2	4	-	1	2	2	2	3	2	6	9			
Cases ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-			
Total - - - - -	78	72	18	55	4	5	7	11	10	15	13	18	14			

YEAR 1918.

Population—Census 1901, - - - 4,279

Do. Do. 1911, - - - 4,002

Do. estimated to middle of 1918, - 3,605

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Linlithgow (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	92	0	1	93	36	57
Illegitimate Births -	5	0	1	6	5	1
Marriages - - -	34	-	-	-	-	-
Deaths - - -	88	2	6	92	54	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	25.5	25.8	-
Marriage-rate - - -	9.4	-	-
Death-rate—All Causes - - -	24.4	25.5	25.1
Do. —Phthisis - - -	-	1.94	-
Do. —All Tuberculosis - - -	-	2.77	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.28	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	9	7	1	4	2	2	3	2	1	-	1	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	2	5	-	-	-	-	3	2	-	2	-	-	-	-
Tuberculous Meningitis - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	3	-	-	-	-	-	-	2	1	2	2	-	-
Bronchitis - - -	7	3	2	1	1	-	-	-	-	-	2	4	-	-
Pneumonia (all forms) - - -	2	3	-	1	1	-	-	1	-	2	-	-	-	-
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System - - -	3	1	-	2	-	1	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	3	3	5	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	15	6	-	-	1	-	-	-	-	-	3	4	7	-
Diseases Ill-defined or Unknown - - -	3	2	-	1	-	-	-	1	1	-	1	1	-	-
Total - - -	54	38	10	10	8	3	6	7	4	9	12	16	-	-

YEAR 1918.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Queensferry (Burgh).**

Population—Census 1901, . . . 1,850.

Do. Do. 1911, . . . 3,510.

Do. estimated to middle of 1918, 3,435.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	69	0	8	77	35	42
Illegitimate Births - -	1	0	3	4	1	3
Marriages - - -	20	-	-	-	-	-
Deaths - - -	94	65	5	34	17	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.1	22.4	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - -	27.4	9.9	14.6
Do. —Phthisis - - - - -	-	0.58	-
Do. —All Tuberculosis - - -	-	0.58	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.29	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Crouping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	2	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	3	1	-	-	-	-	-	-	1	1	2	-	-	
Pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leucemia - - - - -	2	-	-	1	-	-	-	-	1	-	-	-	-	
Chronic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Myocarditis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - -	3	6	1	-	-	-	2	2	-	3	1	-	-	
Other Diseases of Respiratory Organs -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas and Enteritis (under 2 years) -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Chorea and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Genital Debility and Malforma- tion, including Premature Birth -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Unnatural Deaths, excluding Suicide -	2	-	-	-	-	1	-	-	-	-	-	1	-	
Accidents - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	4	4	2	-	-	-	-	-	2	-	1	1	2	
Unnatural Deaths or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	17	17	7	2	-	1	2	2	6	4	4	2	4	

YEAR 1918.

Population—Census 1901, - - - 1,442.
 Do. Do. 1911, - - - 1,876.
 Do. estimated to middle of 1918, 2,080.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Whitburn (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	57	0	4	61	34	37
Illegitimate Births - -	6	0	1	7	5	2
Marriages - - -	19	-	-	-	-	-
Deaths - - -	33	0	6	39	22	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.4	29.3	-
Marriage-rate - - - - -	9.1	-	-
Death-rate—All Causes - - - -	15.9	18.8	20.2
Do. —Phthisis - - - - -	-	2.40	-
Do. —All Tuberculosis - - - -	-	2.40	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.44	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—115.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	77 and over.		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis -	5	-	-	-	-	1	1	-	1	1	1	-	-		
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	1	1	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	-	2	-	-	-	-	1	-	-	-	-	1	-		
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - - -	4	6	1	2	-	2	4	1	-	-	-	-	-		
Other Diseases of Respiratory Organs	3	-	2	-	-	-	-	-	-	-	1	-	-		
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Congenital Debility and Malformation, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	3	4	1	-	-	-	-	-	-	-	2	2	-		
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	22	17	7	8	-	-	3	6	1	2	5	4	-		

YEAR 1918.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Bathgate** (County District).

Population—Census 1901, - - - 25,214.

Do. Do. 1911, - - - 31,725.

Do. estimated to middle of 1918, 34,592.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,101	19	25	1,107	590	517
Illegitimate Births - -	53	4	9	58	36	22
Marriages - - -	126	-	-	-	-	-
Deaths - - -	497	12	58	543	284	259

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	31.8	32.0	-
Marriage rate - - - - -	3.6	-	-
Death rate—All Causes - - -	14.4	15.7	16.7
Do. —Phthisis - - - - -	-	0.78	-
Do. —All Tuberculosis - - -	-	1.24	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	1.85	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	8	8	3	12	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	7	16	10	12	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	1	1	-	5	-	-	-	-	1	-	-	-	-	
Influenza - - - - -	11	14	-	7	3	-	2	5	1	3	3	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	14	13	-	3	-	1	5	8	5	3	1	1	-	
Tuberculous Meningitis - - -	2	3	-	4	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	3	1	2	-	-	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - -	6	-	-	2	1	-	1	-	-	-	-	1	1	
Cancer, Malignant Disease - - -	8	15	-	-	-	-	-	3	2	5	5	6	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	5	5	2	2	2	1	-	-	3	-	-	-	-	
Organic Heart Disease - - -	25	21	-	-	-	2	1	4	5	8	9	12	5	
Bronchitis - - - - -	20	18	6	2	1	-	-	2	4	6	6	10	1	
Pneumonia (all forms) - - -	45	39	7	18	-	2	14	23	7	5	4	3	1	
Other Diseases of Respiratory Organs -	5	4	2	1	2	-	-	1	-	1	1	-	1	
Diarrhoea and Enteritis (under 2 years)	10	6	11	5	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	1	-	1	-	-	-	
Other Diseases of Digestive System - -	13	7	6	4	1	2	-	-	2	1	2	2	-	
Nephritis and Bright's Disease - - -	5	5	1	-	1	-	1	-	4	-	2	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	6	-	-	-	-	-	5	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - -	26	24	50	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	20	8	2	2	4	2	6	6	1	2	2	1	-	
Suicide - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Other Defined Diseases - - -	35	38	9	2	-	1	5	4	4	7	11	7	23	
Diseases ill-defined or Unknown - - -	5	3	1	2	-	-	-	-	-	1	2	1	1	
Total - - - - -	284	259	112	86	18	12	38	64	40	44	48	46	35	

YEAR 1918.

Population—Census 1901, - - - 12,910.

Do. Do. 1911, - - - 15,215.

Do. estimated to middle of 1918, 16,029.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Linlithgow** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	397	7	11	401	207	194
Illegitimate Births -	16	2	5	19	13	6
Marriages - - -	82	-	-	-	-	-
Deaths - - -	310	97	25	228	131	107

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.8	25.0	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	19.3	14.8	15.2
Do. —Phthisis - - - - -	-	1.25	-
Do. —All Tuberculosis - - - - -	-	2.12	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.-		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	4	1	4	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	2	2	3	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	3	1	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	17	11	-	7	4	-	7	3	3	3	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	9	11	1	-	-	3	4	3	3	6	-	-	-	
Tuberculous Meningitis - - - - -	4	1	1	3	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	4	-	1	2	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	3	-	1	2	-	-	-	1	-	1	-	-	
Cancer, Malignant Disease - - - - -	6	5	-	-	-	-	-	-	1	-	4	4	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	1	1	2	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	6	8	-	1	-	-	-	-	2	3	3	-	5	
Bronchitis - - - - -	8	7	2	1	-	1	1	-	1	1	1	5	2	
Pneumonia (all forms) - - - - -	22	17	4	2	1	2	11	6	4	4	1	2	2	
Other Diseases of Respiratory Organs - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	2	2	1	-	-	-	-	-	-	1	-	-	
Appendicitis and Typhlitis - - - - -	3	-	-	-	-	-	2	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Other Diseases of Digestive System - - - - -	2	2	2	1	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	5	4	-	-	-	-	1	1	1	3	-	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	4	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	8	3	-	2	-	-	1	4	1	2	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	18	11	1	3	-	-	2	1	1	1	4	6	10	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Total - - - - -	131	107	28	34	12	6	30	22	22	25	15	22	22	

YEAR 1918.

Population—Census 1901, - - - 4,487.

COUNTY—**Nairn**.

Do. Do. 1911, - - - 4,661.

Do. estimated to middle of 1918, 4,544.

PUBLIC HEALTH DISTRICT—**Nairn** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	68	3	8	73	38	35
Illegitimate Births - -	6	1	5	10	8	2
Marriages - - -	51	-	-	-	-	-
Deaths - - -	78	2	7	83	28	55

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.0	16.1	-
Marriage-rate - - - - -	11.2	-	-
Death-rate—All Causes - - - - -	17.2	18.3	16.6
Do. —Phthisis - - - - -	-	1.32	-
Do. —All Tuberculosis - - - - -	-	1.32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.76	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—123.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	2	-	2	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	5	-	-	-	-	2	2	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	-	2	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	11	-	-	-	-	-	-	1	1	6	1	4	
Bronchitis - - - - -	1	2	1	1	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	5	4	-	-	-	1	1	1	3	1	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	3	-	-	-	-	1	-	2	1	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	6	16	-	-	-	-	1	1	-	1	2	4	13	
Diseases Ill-defined or Unknown - - - - -	3	1	-	1	-	-	-	-	-	-	-	1	2	
Total - - - - -	28	55	9	4	1	2	5	5	6	6	13	10	22	

YEAR 1918.

Population—Census 1901, - - - 4,804.

Do. 1911, - - - 4,658.

Do. estimated to middle of 1918, 4,321.

COUNTY—**Nairn**.PUBLIC HEALTH DISTRICT—**Nairn** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	86	5	9	90	50	40
Illegitimate Births - -	12	3	5	14	10	4
Marriages - - -	21	-	-	-	-	-
Deaths - - -	59	6	0	53	26	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.9	20.6	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	13.7	12.3	10.7
Do. —Phthisis - - - - -	-	0.46	-
Do. —All Tuberculosis - - - - -	-	0.46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75	
													and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	-	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	6	-	-	-	1	-	1	-	-	-	2	4	
Bronchitis - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	3	1	1	1	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	11	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	4	1	2	-	-	-	-	-	-	1	1	3	14	
Total - - - - -	26	27	8	2	1	-	2	2	2	3	6	6	21	

YEAR 1918.

Population—Census 1901, - - - 3,711.

COUNTY—Orkney.

Do. Do. 1911, - - - 3,810.

Do. estimated to middle of 1918, 3,684.

PUBLIC HEALTH DISTRICT—Kirkwall (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - - -	97	4	3	96	59	37
Illegitimate Births - - -	9	0	3	12	6	6
Marriages - - - - -	62	-	-	-	-	-
Deaths - - - - -	76	10	2	88	28	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.3	26.1	-
Marriage-rate - - - - -	16.8	-	-
Death-rate—All Causes - - -	20.6	18.5	14.9
Do. —Phthisis - - - - -	-	0.81	-
Do. —All Tuberculosis - - -	-	1.36	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	1.09	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	2	1	1	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	3	1	-	-	-	-	-	-	-	1	-	1	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis -	-	3	-	-	-	-	1	-	2	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	-	2	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meeningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	12	-	-	-	-	-	1	-	1	3	-	9	
Brucellosis - - - - -	2	3	-	1	-	-	-	-	-	-	1	-	3	
Pneumonia (all forms) - - -	4	5	-	2	1	-	2	2	1	1	-	-	-	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	4	1	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	5	4	-	-	-	1	-	-	1	-	1	-	6	
Diseases Ill-defined or Unknown -	4	1	-	-	1	-	-	-	2	-	1	-	1	
Total - - - - -	28	40	7	5	5	2	3	3	7	4	8	3	21	

YEAR 1918.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—Stromness (Burgh).

Population—Census 1901, - - - 2,550.
 Do. Do. 1911, - - - 1,770.
 Do. estimated to middle of 1918, 1,590.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	5	0	37	19	18
Illegitimate Births -	2	0	0	2	1	1
Marriages - - -	14	-	-	-	-	-
Deaths - - -	24	1	4	27	12	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	26.4	23.3	-
Death-rate—All Causes - - -	8.8	-	-
Do. —Phthisis - - -	15.1	17.0	13.7
Do. —All Tuberculosis - - -	-	0.63	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.26	-
	-	0.63	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	4	-	-	-	-	-	-	-	2	1	-	3	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - -	6	7	-	1	-	-	-	-	-	1	2	1	8	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	12	15	-	2	-	-	2	-	-	4	7	1	11	

YEAR 1918.

Population—Census 1901, - - - 10,044.

COUNTY—Orkney.

Do. Do. 1911, - - - 9,187.

Do. estimated to middle of 1918, 8,131.

PUBLIC HEALTH DISTRICT—Mainland (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	139	2	4	141	69	72
Illegitimate Births -	11	1	2	12	7	5
Marriages - - -	37	-	-	-	-	-
Deaths - - -	150	2	9	157	72	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.1	17.3	-
Marriage-rate - - - - -	4.6	-	-
Death-rate—All Causes - - - - -	18.4	19.3	14.2
Do. —Phthisis - - - - -	-	0.98	-
Do. —All Tuberculosis - - - - -	-	1.23	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.98	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
*Whooping-cough - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	4	5	2	-	-	1	2	2	-	-	-	-	2	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	6	-	1	-	1	1	-	3	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	5	-	-	-	-	-	-	1	-	2	4	4	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	10	-	-	-	-	-	-	-	-	1	8	6	-	-
Bronchitis - - - - -	3	2	1	1	-	-	-	-	-	-	-	2	1	-	-
Pneumonia (all forms) - - - - -	13	11	2	1	2	2	8	3	-	-	-	1	3	-	-
Other Diseases of Respiratory Organs - - - - -	4	2	1	-	-	-	-	-	-	-	1	2	2	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	†3	1	-	-	-	1	-	-	-	1	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	31	1	-	-	2	-	2	-	2	7	30	-	-	-
Diseases Ill-defined or Unknown - - - - -	5	6	1	-	-	-	-	-	-	2	2	6	-	-	-
Total - - - - -	†72	85	14	4	2	3	7	11	12	7	11	28	56	-	-

† Including 2 of unstated age.

YEAR 1918.

Population—Census 1901, - - - 7,845.

Do. Do. 1911, - - - 7,095.

Do. estimated to middle of 1918, 6,218.

COUNTY—**Orkney.**PUBLIC HEALTH DISTRICT—**North Isles** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	94	0	2	96	56	40
Illegitimate Births - -	9	0	0	9	5	4
Marriages - - - -	18	-	-	-	-	-
Deaths - - - -	100	3	4	101	44	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	15.1	15.4	-
Marriage-rate - - - -	2.9	-	-
Death-rate—All Causes - - - -	16.1	16.2	11.4
Do. —Phthisis - - - -	-	1.29	-
Do. —All Tuberculosis - - - -	-	1.61	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	2	2	-	1	-	-	-	-	-	1	1	-	1	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - -	1	7	-	-	-	-	5	2	-	-	1	-	-	
Tuberculous Meningitis - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	6	4	-	-	-	-	-	-	-	1	4	2	3	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	4	7	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - -	2	1	1	-	-	-	-	-	-	2	-	6	3	
Pneumonia (all forms) - - - -	2	7	2	-	1	-	3	2	1	-	1	-	1	
Other Diseases of Respiratory Organs - - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - -	2	1	-	-	-	-	-	-	-	-	2	-	1	
Nephritis and Bright's Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases -and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - -	+2	-	-	-	-	-	-	-	-	-	-	-	1	
Subtotal - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	19	21	1	-	-	-	-	-	1	1	3	5	5	
Diseases Ill-defined or Unknown - - - -	1	3	1	-	-	-	-	-	-	-	1	-	2	
Total - - - -	+44	57	8	3	1	-	8	5	2	7	15	14	37	

†Including 1 of unstated age.

YEAR 1918.

Population—Census 1901, - - - 2,707.

COUNTY—Orkney.

Do. Do. 1911, - - - 2,395.

Do. estimated to middle of 1918, 2,058.

PUBLIC HEALTH DISTRICT—South Ronaldshay (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	0	0	39	18	21
Illegitimate Births -	4	0	0	4	1	3
Marriages - - -	19	-	-	-	-	-
Deaths - - -	36	0	3	39	25	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.0	19.0	-
Marriage-rate - - - - -	9.2	-	-
Death-rate—All Causes - - -	17.5	19.0	12.7
Do. —Phthisis - - - - -	-	1.46	-
Do. —All Tuberculosis - - -	-	1.46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—154.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	-	-	1	-	-	-	-	-	1	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	2	-	-	-	1	-	-	1	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Bronchitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	2	-	-	-	-	-	-	-	-	1	-	-	1	
Nephritis and Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	10	5	-	-	-	-	-	1	-	1	2	1	10	
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	1	-	-	-	-	1	-	
Total - - - - -	25	14	6	1	-	1	3	2	2	6	4	3	11	

YEAR 1918.

Population—Census 1901, - - - 1,842.

Do. Do. 1911, - - - 1,640.

Do. estimated to middle of 1918, 1,417.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—Walls (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	0	6	22	12	10
Illegitimate Births -	2	0	1	3	1	2
Marriages - - -	4	-	-	-	-	-
Deaths - - -	19	0	2	21	10	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.3	15.5	-
Marriage-rate - - - - -	2.8	-	-
Death-rate—All Causes - - - - -	13.4	14.8	10.1
Do. —Phthisis - - - - -	-	2.12	-
Do. —All Tuberculosis - - - - -	-	2.82	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—45.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	-	-	3	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	4	-	
Pneumonia (all forms) - - - - -	-	2	-	1	-	-	-	-	-	-	1	-	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	3	
Total - - - - -	10	11	1	2	-	-	-	-	4	1	1	6	6	

YEAR 1918.

COUNTY—Peebles.

PUBLIC HEALTH DISTRICT—Innerleithen (Burgh).

Population—Census 1901, - - - 2,181.

Do. Do. 1911, - - - 2,441.

Do. estimated to middle of 1918, 2,669.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	0	0	26	14	12
Illegitimate Births - -	2	0	0	2	1	1
Marriages - - -	12	-	-	-	-	-
Deaths - - -	23	1	2	24	12	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	9.7	9.7	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	8.6	9.0	8.7
Do. —Phthisis - - - - -	-	0.75	-
Do. —All Tuberculosis - - - - -	-	0.75	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.87	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	1	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	4	-	-	-	-	-	-	-	-	1	3	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	12	12	1	1	1	-	-	1	3	1	5	5	5	

YEAR 1918.

Population—Census 1901, - - - 5,266.

Do. - - - Do. 1911, - - - 5,579.

Do. estimated to middle of 1918, 5,511.

COUNTY—Peebles.

PUBLIC HEALTH DISTRICT—Peebles (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	50	4	2	48	32	16
Illegitimate Births - -	3	1	1	3	2	1
Marriages - - -	25	-	-	-	-	-
Deaths - - -	89	3	7	93	39	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	9.1	8.7	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	16.1	16.9	16.6
Do. —Phthisis - - - - -	-	0.73	-
Do. —All Tuberculosis - - - - -	-	1.81	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.54	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	5	6	-	-	-	-	1	1	4	4	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	-	3	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	2	-	-	-	1	-	1	-	2	-	2	-	
Cancer, Malignant Disease - - - - -	3	7	-	-	-	-	-	-	-	1	2	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	1	-	-	-	2	3	
Bronchitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	11	11	2	3	3	1	3	4	4	-	-	2	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	5	-	1	-	-	-	-	-	1	1	2	1	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	9	-	-	-	-	1	-	1	-	2	2	8	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Total - - - - -	39	54	6	5	3	3	5	11	12	9	17	17	17	

YEAR 1918.

COUNTY—Peebles.

PUBLIC HEALTH DISTRICT—Peebles (County District).

Population—Census 1901, . . . 7,619.
 Do. Do. 1911, . . . 7,132.
 Do. estimated to middle of 1918, 6,435.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	98	2	9	105	50	55
Illegitimate Births - -	7	0	5	12	5	7
Marriages - - -	23	-	-	-	-	-
Deaths - - -	84	8	13	89	45	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.2	16.3	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - - -	13.1	13.8	13.2
Do. —Phthisis - - - - -	-	1.09	-
Do. —All Tuberculosis - - - - -	-	1.35	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—29.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	1	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	5	-	-	-	1	5	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	-	1	-	-	-	-	1	1	
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	-	2	3	3	3	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	9	8	-	-	1	-	-	-	2	2	7	5	5	
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	1	2	1	1	
Pneumonia (all forms) - - - - -	9	7	1	2	-	2	1	3	3	1	3	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	1	
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	-	-	2	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	1	-	-	-	1	-	1	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	9	-	1	-	1	1	1	1	2	2	5	5	
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	1	
Total - - - - -	45	44	3	3	1	2	6	8	5	10	10	22	19	

YEAR 1918.

Population—Census 1901, - - - 1,508.

Do. Do. 1911, - - - 1,592.

Do. estimated to middle of 1918, 1,569.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Aberfeldy (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	17	4	0	13	4	9
Illegitimate Births - -	2	0	0	2	0	2
Marriages - - -	3	-	-	-	-	-
Deaths - - -	34	2	4	36	18	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.8	8.3	-
Marriage-rate - - - - -	1.9	-	-
Death-rate—All Causes - - - -	21.7	22.9	19.8
Do. —Phthisis - - - - -	-	0.64	-
Do. —All Tuberculosis - - - -	-	1.91	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.64	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	4	5	-	-	-	-	-	-	-	-	-	3	2	
Bronchitis - - - - -	1	2	-	1	-	1	-	-	-	-	-	2	4	
Pneumonia (all forms) - - -	4	2	-	2	-	1	1	-	1	-	1	1	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	2	-	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Digestive System	1	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	6	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown	-	1	-	-	-	-	-	-	-	-	1	5	1	
Total - - - - -	18	18	-	4	2	2	1	1	1	1	7	10	7	

YEAR 1918.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Abernethy (Burgh).

Population—Census 1901, - - - 623.

Do. Do. 1911, - - - 593.

Do. estimated to middle of 1918, 542.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	11	0	0	11	5	6
Illegitimate Births. -	1	0	0	1	0	1
Marriages - - -	3	-	-	-	-	-
Deaths - - -	7	0	0	7	2	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.3	20.3	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	12.9	12.9	9.8
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.84	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	-	-	-	-	-	-	1	-	-	-	1	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	5	-	1	-	-	-	1	-	-	1	2	2	

YEAR 1918.

Population—Census 1901, - - - 1,965.
 Do. Do. 1911, - - - 1,860.
 Do. estimated to middle of 1918, 1,692.

COUNTY—**Perth.**PUBLIC HEALTH DISTRICT—**Alyth** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	5	5
Illegitimate Births - -	2	0	0	2	1	1
Marriages - - -	12	-	-	-	-	-
Deaths - - -	33	1	5	37	14	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	5.9	5.9	-
Marriage-rate - - - - -	7.1	-	-
Death-rate—All Causes - - - -	19.5	21.9	18.1
Do. —Phthisis - - - - -	-	0.59	-
Do. —All Tuberculosis - - - -	-	1.18	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	3	-	-	-	-	-	-	-	-	3	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	1	10	-	-	-	-	-	-	-	1	1	3	6	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - -	1	2	-	-	-	1	2	-	-	-	-	1	-	
Other Diseases of Respiratory Organs -	-	2	-	-	-	-	-	-	-	-	1	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	1	-	-	-	-	-	1	-	-	-	1	-	
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	1	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	5	1	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - -	-	1	-	1	-	-	-	-	-	-	-	2	4	
Total - - - - -	14	23	1	2	-	1	2	1	1	2	5	10	12	

YEAR 1918.

Population—Census 1901, 2,308.

COUNTY—Perth.

Do. 1911, 2,294.

PUBLIC HEALTH DISTRICT—Auchterarder (Burgh).

Do. estimated to middle of 1918, 2,169.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births	25	1	2	26	12	14
Illegitimate Births	3	0	0	3	2	1
Marriages	9	—	—	—	—	—
Deaths	42	1	8	49	23	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate	11.5	12.0	—
Marriage-rate	4.1	—	—
Death-rate—All Causes	19.4	22.6	18.8
Do. —Phthisis	—	0.46	—
Do. —All Tuberculosis	—	0.92	—
Do. —Principal Epidemic Diseases (those asterisked below.)	—	0.46	—

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	5	-	-	-	1	-	-	-	-	3	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	2	-	1	-	-	-	-	1	1	-	-	-	
Organic Heart Disease - - - - -	5	6	-	-	-	-	-	-	1	1	2	2	5	
Bronchitis - - - - -	4	2	-	-	1	-	-	-	-	-	3	1	1	
Pneumonia (all forms) - - - - -	1	3	-	-	-	-	-	1	-	-	2	-	1	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	6	-	-	-	-	-	-	-	-	-	3	7	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	23	26	2	1	1	2	-	2	3	2	10	9	17	

YEAR 1918.

Population—Census 1901, - - - 3,378.

Do. Do. 1911, - - - 3,249.

Do. estimated to middle of 1918, 2,996.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—**Blairgowrie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	53	3	0	50	29	21
Illegitimate Births - -	6	1	0	5	3	2
Marriages - - -	17	-	-	-	-	-
Deaths - - -	63	6	8	65	26	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.7	16.7	-
Marriage-rate - - - - -	5.7	-	-
Death-rate—All Causes - - - - -	21.0	21.7	17.6
Do. —Phthisis - - - - -	-	2.00	-
Do. —All Tuberculosis - - - - -	-	3.00	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.33	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	6	-	-	-	1	1	2	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	1	2	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	1	-	1	5	-	
Bronchitis - - - - -	2	4	-	-	-	1	2	1	-	1	1	3	-	
Pneumonia (all forms) - - - - -	6	3	-	1	-	-	2	1	-	-	1	3	-	
Other Diseases of Respiratory Organs - - - - -	4	3	-	-	1	-	1	-	1	2	1	2	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	9	-	-	-	-	-	2	1	-	1	2	11	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	26	39	2	4	-	1	4	5	5	6	6	8	24	

YEAR 1918.

Population—Census 1901, . . . 1,458.

COUNTY—Perth.

Do. Do. 1911, . . . 1,504.

Do. estimated to middle of 1918, 1,460.

PUBLIC HEALTH DISTRICT—Callander (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	15	1	1	15	9	6
Illegitimate Births -	1	1	0	0	0	0
Marriages - - -	10	-	-	-	-	-
Deaths - - -	30	2	5	33	19	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.3	10.3	-
Marriage-rate - - - - -	6.8	-	-
Death-rate—All Causes - - - - -	20.5	22.6	20.0
Do. —Phthisis - - - - -	-	1.37	-
Do. —All Tuberculosis - - - - -	-	2.05	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	1	1	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	2	2	-	-
Pneumonia (all forms) - - - - -	3	1	1	-	-	-	-	2	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	4	7	-	-	-	-	-	-	-	2	1	4	4	-	-
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Total - - - - -	19	14	1	-	-	2	3	2	-	4	3	8	10	-	-

YEAR 1918.

Population—Census 1901, - - - 2,064.

Do. Do. 1911, - - - 2,095.

Do. estimated to middle of 1918, 2,010.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Coupar-Angus (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	0	2	36	21	15
Illegitimate Births - -	7	0	2	9	5	4
Marriages - - -	12	-	-	-	-	-
Deaths - - -	34	0	9	43	20	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.9	17.9	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - - - -	16.9	21.4	17.1
Do. —Phthisis - - - - -	-	1.99	-
Do. —All Tuberculosis - - - - -	-	2.49	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—19.4.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—25.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	1	1	-	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	6	-	-	-	-	-	-	3	1	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	-	1	1	3	-	
Bronchitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	3	-	1	-	-	1	1	-	-	-	1	2	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	4	2	-	-	-	-	-	-	-	-	3	4	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	20	23	7	1	1	-	2	2	7	2	10	5	5	

YEAR 1918.

Population—Census 1901, : : : 5,208.

Do. Do. 1911, : : : 5,571.

Do. estimated to middle of 1918, 5,538.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Crieff (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	55	1	3	57	34	23
Illegitimate Births - -	3	0	3	6	3	3
Marriages - - -	23	-	-	-	-	-
Deaths - - - -	77	10	22	89	38	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	9.9	10.3	-
Marriage-rate - - - -	4.2	-	-
Death-rate—All Causes - - - -	13.9	16.1	14.2
Do. —Phthisis - - - -	-	1.03	-
Do. —All Tuberculosis - - - -	-	1.26	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.72	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—140.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.5.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	5	-	-	1	-	2	1	1	1	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	4	5	-	-	-	-	1	-	-	2	3	1	2	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	-	3	-	2	-	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - -	7	5	-	-	-	-	-	-	1	3	3	2	3	
Bronchitis - - - -	2	2	1	-	-	-	-	-	-	-	1	-	2	
Pneumonia (all forms) - - - -	8	4	-	-	1	1	1	2	-	-	4	1	2	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	2	-	-	-	-	1	-	-	1	-	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	2	1	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	7	19	1	-	-	-	-	-	3	1	4	6	11	
Diseases Ill-defined or Unknown - -	4	3	-	1	-	-	-	-	1	1	4	-	-	
Total - - - -	38	49	8	4	3	1	5	3	7	9	19	10	20	

YEAR 1918.

Population—Census 1901, - - - 930.

Do. Do. 1911, - - - 893.

COUNTY—Perth.

Do. estimated to middle of 1918, 822.

PUBLIC HEALTH DISTRICT—Dounie (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	4	6
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	7	-	-	-	-	-
Deaths - - -	10	1	2	11	4	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.2	12.2	-
Marriage-rate - - - - -	8.5	-	-
Death-rate—All Causes - - - - -	12.2	13.4	12.4
Do. —Phthisis - - - - -	-	3.65	-
Do. —All Tuberculosis - - - - -	-	3.65	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	1	-	-	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	-	-	-	1	1	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Murder - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	4	7	-	-	-	-	1	1	-	2	2	■	3	

YEAR 1918.

Population—Census 1901, - - - 2,516.

COUNTY—Perth.

Do. 1911, - - - 2,978.

Do. estimated to middle of 1918, 3,146.

PUBLIC HEALTH DISTRICT—Dunblane (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	26	1	1	26	11	15
Illegitimate Births - -	1	0	0	1	1	0
Marriages - - -	16	-	-	-	-	-
Deaths - - -	48	3	8	53	22	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	8.3	8.3	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	15.3	16.8	15.6
Do. —Phthisis - - - - -	-	0.22	-
Do. —All Tuberculosis - - - - -	-	0.22	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.27	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—192.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	2	2	2	1	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	6	-	-	-	-	-	-	-	2	3	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	1	-	-	1	1	-	-	1	
Bronchitis - - - - -	2	3	-	-	-	-	-	1	-	-	-	2	3	
Pneumonia (all forms) - - - - -	4	1	-	1	-	-	2	2	1	1	-	-	1	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	10	-	-	-	-	1	-	1	1	5	6	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	22	31	5	1	2	-	1	4	4	6	6	12	12	

YEAR 1918.

Population—Census 1901, - - - 33,995.

Do. Do. 1911, - - - 35,854.

Do. estimated to middle of 1918, 35,844.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Perth (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	464	19	10	455	225	230
Illegitimate Births - - -	57	9	3	51	24	27
Marriages - - -	323	-	-	-	-	-
Deaths - - -	675	131	28	572	240	332

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.9	12.7	-
Marriage-rate - - - - -	9.0	-	-
Death-rate—All Causes - - - - -	18.8	16.0	15.7
Do. —Phthisis - - - - -	-	0.89	-
Do. —All Tuberculosis - - - - -	-	1.56	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.67	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—134.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE														75 and over.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85-	95-	100-	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	5	7	3	9	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	5	2	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	7	1	2	-	1	2	1	2	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	13	19	-	-	-	-	7	8	6	8	2	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	4	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	6	2	1	5	1	-	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	8	-	2	2	-	3	-	1	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	19	33	-	-	-	-	-	2	1	12	14	16	7	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	25	45	-	-	1	-	-	4	3	7	14	18	23	-	-	-	-
Bronchitis - - - - -	16	20	4	1	1	-	-	1	1	8	3	9	8	-	-	-	-
Pneumonia (all forms) - - - - -	45	55	13	9	6	3	10	20	16	7	6	2	3	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	6	-	-	-	-	-	1	1	-	-	1	3	1	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	1	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
Other Diseases of Digestive System - - - - -	7	11	2	1	-	-	-	1	2	3	5	3	1	-	-	-	-
Nephritis and Bright's Disease - - - - -	11	5	-	1	-	-	-	1	1	3	1	1	3	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	8	12	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	8	-	4	1	-	2	1	-	-	2	1	-	-	-	-	-
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	52	74	11	2	-	-	1	5	3	9	23	26	52	-	-	-	-
Diseases Ill-defined or Unknown - - - - -	6	10	-	2	2	-	-	-	-	1	2	7	2	-	-	-	-
Total - - - - -	240	332	61	48	16	7	27	48	38	60	77	88	102	-	-	-	-

YEAR 1918.

Population—Census 1901, - - - 2,019.

COUNTY—Perth.

Do. 1911, - - - 1,730.

Do. estimated to middle of 1918, 1,444.

PUBLIC HEALTH DISTRICT—Ratray (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	34	2	3	35	14	21
Illegitimate Births - -	5	0	2	7	4	3
Marriages - - -	7	-	-	-	-	-
Deaths - - - -	40	4	19	55	35	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.5	24.2	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - -	27.7	38.1	31.4
Do. —Phthisis - - - - -	-	3.46	-
Do. —All Tuberculosis - - - -	-	5.54	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	4.85	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—229.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - -	2	3	3	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Indurra - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	1	-	-	-	-	1	4	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	2	1	-	-	1	-	2	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	4	-	-	-	-	-	-	1	-	2	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	3	3	-	-	-	-	-	-	-	1	3	2	-	
Bronchitis - - - - -	3	4	-	-	-	-	-	1	1	2	1	2	-	
Pneumonia (all forms) - - - -	8	-	2	-	-	2	2	2	-	-	-	-	-	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	2	2	-	-	-	1	-	1	-	2	-	-	-	
Other Diseases of Digestive System -	-	2	-	-	-	-	-	-	-	-	-	2	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	1	-	-	-	-	1	1	-	-	-	1	-	
Diseases ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	35	20	8	5	-	1	3	6	11	1	7	6	7	

YEAR 1918.

Population—Census 1901, - - - 9,963.

Do. Do. 1911, - - - 9,830.

Do. estimated to middle of 1918, 9,240.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Blairgowrie (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	144	5	11	150	78	72
Illegitimate Births -	9	0	6	15	6	9
Marriages - - -	23	-	-	-	-	-
Deaths - - -	126	9	16	133	67	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.6	16.2	-
Marriage-rate - - - - -	2.5	-	-
Death-rate—All Causes - - - - -	13.6	14.4	12.7
Do. —Phthisis - - - - -	-	0.65	-
Do. —All Tuberculosis - - - - -	-	1.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.54	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females.														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	3	1	-	1	-	1	1	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	-	-	-	2	2	2	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	3	1	5	7	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	2	4	-	-	-	-	-	-	-	3	4	4	7	-	-	-
Pneumonia (all forms) - - - - -	12	7	3	-	1	-	4	4	3	3	1	-	2	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	4	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	17	11	-	1	1	-	-	-	1	-	3	3	5	-	-	-
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Total - - - - -	67	66	12	2	1	11	8	6	14	14	19	41	-	-	-	-

YEAR 1918.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Central Perth (County District).

Population—Census 1901, - - - 11,099.

Do. Do. 1911, - - - 10,417.

Do. estimated to middle of 1918, 9,418.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	162	9	10	163	73	90
Illegitimate Births - -	14	4	5	15	6	9
Marriages - - -	42	-	-	-	-	-
Deaths - - -	148	7	21	162	73	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.2	17.3	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	15.7	17.2	14.7
Do. —Pneumonia - - - - -	-	0.85	-
Do. —All Tuberculosis - - - - -	-	1.33	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.11	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	2	-	-	-	-	1	1	1	-	1	1	1	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	4	-	-	-	-	4	8	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	2	1	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Cancer, Malignant Disease - - - - -	5	10	-	-	-	1	-	-	2	4	4	4	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	3	-	1	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	14	-	-	-	1	1	3	2	6	7	4	4	
Bronchitis - - - - -	1	7	-	-	-	-	-	-	2	-	4	2	-	
Pneumonia (all forms) - - - - -	12	4	-	-	-	3	4	5	2	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	1	-	-	-	-	-	-	2	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	6	-	-	2	-	-	1	-	1	-	3	-	
Nephritis and Bright's Disease - - - - -	4	4	-	-	1	-	-	-	3	1	1	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	3	-	-	1	-	-	1	-	-	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	24	20	2	1	-	-	-	4	2	4	14	17	-	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	73	89	10	5	5	5	11	11	14	19	23	40	40	

YEAR 1918.

Population--Census 1901, - - - 13,389.

Do. Do. 1911, - - - 12,900.

Do. estimated to middle of 1918, 11,909.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Highland Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	168	6	13	175	84	91
Illegitimate Births - -	18	4	6	20	10	10
Marriages - - - -	57	-	-	-	-	-
Deaths - - - -	179	12	24	191	92	99

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	14.1	14.7	-
Marriage-rate - - - -	3.1	-	-
Death-rate—All Causes - - - -	15.0	16.0	13.3
Do. —Phthisis - - - -	-	0.67	-
Do. —All Tuberculosis - - - -	-	0.84	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - -	-	0.25	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - -	1	5	-	-	1	-	2	1	-	-	1	1	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - -	4	4	-	-	-	-	2	2	3	-	1	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - -	5	7	-	-	-	-	1	-	-	1	5	3	23	-	-
Rheumatic Fever - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Meningitis - - - -	2	2	-	1	-	1	-	-	-	-	1	1	-	-	-
Organic Heart Disease - - - -	10	13	-	-	-	1	-	1	-	4	3	5	9	-	-
Bronchitis - - - -	4	4	1	2	-	-	-	-	-	-	-	2	3	-	-
Pneumonia (all forms) - - - -	11	15	2	-	1	1	5	8	2	2	1	3	1	-	-
Other Diseases of Respiratory Organs - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
*Diarrhoea and Enteritis (under 2 years) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	1	2	-	-	-	-	1	-	-	-	2	-	-	-	-
All Liver Diseases (not Malignant) - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - -	3	1	2	-	-	-	-	-	-	1	-	-	-	-	-
Nephritis and Bright's Disease - - - -	1	4	-	-	-	-	1	-	-	2	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - -	3	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - -	8	3	-	-	-	-	4	3	1	2	-	1	-	-	-
Suicide - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - -	32	28	2	-	1	-	-	-	1	4	11	14	27	-	-
Diseases Ill-defined or Unknown - - - -	3	1	-	-	-	-	-	-	-	-	-	1	3	-	-
Total - - - -	102	117	12	5	4	3	17	19	7	17	25	32	50	-	-

YEAR 1918.

Population—Census 1901, 20,683.

COUNTY—Perth.

Do. 1911, 20,851.

Do. estimated to middle of 1918, 19,909.

PUBLIC HEALTH DISTRICT—Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	340	11	24	353	195	158
Illegitimate Births -	24	2	12	34	19	15
Marriages - - -	96	-	-	-	-	-
Deaths - - -	228	10	55	273	125	148

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.1	17.7	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	11.5	13.7	12.0
Do. —Phthisis - - - - -	-	0.80	-
Do. —All Tuberculosis - - - - -	-	1.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.35	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	2	5	5	2	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	4	1	-	1	1	-	-	1	-	1	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	9	-	-	-	3	3	7	1	2	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	17	-	-	-	-	-	1	6	6	10	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leueningitis - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	19	15	-	-	-	1	1	-	1	5	12	14	-	
Tronchitis - - - - -	9	13	5	-	1	-	-	1	2	2	4	7	-	
Pneumonia (all forms) - - - - -	14	19	1	2	-	5	6	3	7	1	2	5	-	
Other Diseases of Respiratory Organs - - - - -	3	2	-	-	-	-	-	-	-	1	2	2	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	4	6	1	-	1	-	-	1	1	2	2	2	-	
Nephritis and Bright's Disease - - - - -	3	4	-	1	-	-	-	2	-	2	1	1	-	
Merperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	1	1	1	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	6	9	15	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	4	-	-	-	1	-	-	1	1	1	2	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	34	31	1	-	-	1	1	4	2	9	16	31	-	
Diseases Ill-defined or Unknown - - - - -	4	4	-	-	-	-	-	1	1	1	2	3	-	
Total - - - - -	125	148	30	4	5	3	13	13	22	23	33	54	73	

YEAR 1918.

Population—Census 1901, 10,177.

COUNTY—Perth.

Do. 1911, 10,130.
Do. estimated to middle of 1918, 9,583.

PUBLIC HEALTH DISTRICT—Western Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	140	1	10	149	64	85
Illegitimate Births - -	8	0	3	11	1	10
Marriages - - -	32	-	-	-	-	-
Deaths - - -	126	20	22	138	63	70

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.6	15.5	-
Marriage-rate - - - - -	3.3	-	-
Death-rate—All Causes - - - - -	14.2	14.4	13.7
Do. —Phthisis - - - - -	-	0.52	-
Do. —All Tuberculosis - - - - -	-	0.73	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE														77 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85-	95-	100-	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	3	-	-	-	1	3	1	-	-	1	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	4	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	10	-	-	-	-	-	-	1	2	1	5	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	8	-	-	-	-	-	-	1	1	5	3	-	-	-	-	-
Bronchitis - - - - -	5	1	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-
Pneumonia (all forms) - - - - -	13	13	-	1	1	1	7	7	3	2	1	2	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	3	4	-	-	-	1	-	1	-	1	3	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	16	13	1	-	-	-	-	1	-	1	6	5	-	-	-	-	-
Diseases Ill-defined or Unknown - - - - -	5	1	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-
Total - - - - -	68	70	11	2	2	7	10	11	10	10	22	22	3	-	-	-	-

YEAR 1918.

Population—Census 1901, - - - 9,856

COUNTY—Renfrew.

Do. 1911, - - - 11,387

PUBLIC HEALTH DISTRICT—Barrhead (Burgh).

Do. estimated to middle of 1918, - 11,863

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	261	3	6	264	132	132
Illegitimate Births - -	14	1	4	17	8	9
Marriages - - -	64	-	-	-	-	-
Deaths - - -	129	4	20	145	66	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22.0	22.3	-
Marriage-rate - - -	5.4	-	-
Death-rate—All Causes - - -	10.9	12.2	13.7
Do. —Phthisis - - -	-	1.35	-
Do. —All Tuberculosis - - -	-	1.85	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.76	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	3	-	-	3	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Infanzena - - -	2	1	-	1	1	-	-	-	-	-	-	-	1	
Erysipelas - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	5	11	-	-	-	-	5	4	2	4	1	-	-	
Tuberculous Meningitis -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis -	1	2	-	1	-	-	1	-	-	-	-	1	-	
Other Tuberculous Diseases -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Cancer, Malignant Disease -	4	6	-	-	-	-	-	-	-	3	3	3	1	
Pneumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	2	2	1	2	-	-	-	-	1	-	-	-	-	
Organic Heart Disease - -	3	5	-	-	-	-	-	-	-	2	2	3	1	
Bronchitis - - -	5	6	1	1	-	-	1	-	2	-	3	2	1	
Pneumonia (all forms) - -	7	7	3	3	-	-	1	2	2	1	1	-	1	
Other Diseases of Respiratory Organs	1	2	-	-	-	-	-	1	-	1	-	1	-	
Diarrhoea and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	1	-	-	-	-	1	-	-	-	1	-	-	
Nephritis and Bright's Disease - -	-	4	-	-	1	-	-	1	-	-	-	2	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	4	7	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	3	-	2	1	-	-	1	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - -	16	16	2	-	-	-	1	-	2	3	8	5	11	
Diseases Ill-defined or Unknown -	4	3	-	1	-	-	-	-	-	-	2	2	2	
Total - - -	66	75	21	17	5	-	9	10	9	15	21	20	18	

YEAR 1918.

COUNTY—Renfrew.

PUBLIC HEALTH DISTRICT—Gourock (Burgh).

Population—Census 1901, - - - 5,261.
 Do. Do. 1911, - - - 7,442.
 Do. estimated to middle of 1918, 8,566.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	921	8	2	215	111	104
Illegitimate Births -	10	1	1	10	5	5
Marriages - - -	38	-	-	-	-	-
Deaths - - -	117	6	17	128	60	68

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	25.8	25.1	-
Marriage-rate - - -	4.4	-	-
Death-rate—All Causes - - -	13.7	14.9	15.2
Do. —Phthisis - - -	-	0.82	-
Do. —All Tuberculosis - - -	-	1.05	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.52	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—126.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													75 and over.
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-				
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	4	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	4	-	-	-	-	1	4	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - -	4	7	-	-	-	-	-	-	-	-	2	4	3	2	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	8	-	-	-	-	-	1	2	1	3	3	1	-	-	1
Bronchitis - - -	3	4	1	-	-	-	-	-	-	1	1	1	3	-	-	-
Pneumonia (all forms) - - -	13	12	2	5	2	1	3	3	2	3	2	1	1	-	-	1
Other Diseases of Respiratory Organs -	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Digestive System -	3	4	-	1	-	-	1	-	1	1	-	1	-	1	2	-
Nephritis and Bright's Disease - - -	4	1	1	-	-	-	-	2	-	1	1	-	-	-	-	-
Puerperal Sepsis - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	7	4	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	9	5	-	-	-	-	-	-	-	2	-	3	5	-	-
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Total - - -	60	68	27	13	5	1	9	11	7	14	12	16	13	-	-	-

YEAR 1918.

Population—Census 1901, - - - 68,911.

Do. Do. 1911, - - - 75,140.

Do. estimated to middle of 1918, 79,574.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Greenock** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	2,083	12	41	2,112	1,072	1,040
Illegitimate Births -	91	6	18	103	56	47
Marriages - - -	546	-	-	-	-	-
Deaths - - - -	1,480	92	35	1,423	728	695

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	26.2	26.5	-
Marriage-rate - - -	6.9	-	-
Death-rate—All Causes - - -	18.6	17.9	18.1
Do. —Phthisis - - - -	-	1.11	-
Do. —All Tuberculosis - - -	-	1.04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.87	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	46	54	26	73	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	15	12	13	13	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup -	3	-	1	2	-	-	-	-	-	-	-	-	-	
Influenza - - - -	5	10	3	2	-	-	1	-	1	3	1	2	2	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	40	48	-	2	4	8	26	24	12	5	5	2	-	
Tuberculous Meningitis -	12	12	3	17	2	1	1	-	-	-	-	-	-	
Abdominal Tuberculosis -	12	12	-	11	3	-	4	1	4	1	-	-	-	
Other Tuberculous Diseases	6	12	-	4	1	-	7	2	3	1	-	-	-	
Cancer, Malignant Disease	44	48	-	-	-	-	2	2	11	15	32	23	7	
Rheumatic Fever - - -	1	3	-	-	1	1	-	1	-	1	-	-	-	
Meningitis - - - -	16	17	10	18	3	2	-	-	-	-	-	-	-	
Organic Heart Disease -	61	63	-	-	1	1	4	7	9	16	25	28	33	
Bronchitis - - - -	66	53	16	13	3	-	2	3	6	16	16	24	20	
Pneumonia (all forms) -	135	110	40	66	12	5	28	38	20	13	15	7	1	
Other Diseases of Respiratory Organs	13	17	5	2	-	1	1	3	2	2	7	5	2	
*Diarrhoea and Enteritis (under 2 years)	8	9	13	4	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis	1	1	-	-	-	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	5	-	-	-	-	-	1	1	2	-	1	-	
Other Diseases of Digestive System	17	14	3	5	-	1	1	5	7	4	2	2	2	
Nephritis and Bright's Disease -	12	4	1	1	-	-	-	2	1	3	5	1	2	
Puerperal Sepsis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	17	-	-	-	-	3	8	5	1	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	46	28	73	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	30	11	2	8	4	4	4	3	3	4	3	3	3	
Suicide - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - -	125	123	20	7	2	1	3	10	11	30	42	57	65	
Diseases Ill-defined or Unknown	13	9	4	2	-	-	1	-	2	3	7	1	2	
Total - - - -	728	695	233	251	39	26	89	108	97	123	162	156	139	

YEAR 1918.

Population—Census 1901, 11,155.

Do. Do. 1911, 12,045.

COUNTY—Renfrew.

Do. estimated to middle of 1918. 12,045.

PUBLIC HEALTH DISTRICT—Johnstone (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	295	2	5	298	133	165
Illegitimate Births -	12	0	3	15	4	11
Marriages - - -	94	-	-	-	-	-
Deaths - - -	138	0	37	195	89	106

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	24.5	24.7	-
Marriage-rate - - -	7.8	-	-
Death-rate—All Causes - - -	13.1	16.2	17.9
Do. —Phthisis - - -	-	1.41	-
Do. —All Tuberculosis - - -	-	2.49	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.74	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	6	3	3	6	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	2	3	2	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	2	1	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	8	9	-	1	-	-	5	2	8	-	1	-	-	
Tuberculous Meningitis - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	2	-	2	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	2	6	-	-	2	-	4	1	-	-	1	-	-	
Cancer, Malignant Disease - - -	5	9	-	-	-	-	1	-	2	3	2	2	4	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	4	2	1	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - -	6	10	-	-	-	-	1	1	2	4	2	6	4	
Bronchitis - - -	6	10	3	1	-	-	-	1	2	3	2	4	1	
Pneumonia (all forms) - - -	13	14	2	5	3	1	6	2	2	1	3	1	-	
Other Diseases of Respiratory Organs - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Other Diseases of Digestive System - - -	5	2	-	2	3	-	1	-	-	-	1	-	-	
Nephritis and Bright's Disease - - -	4	1	-	-	-	-	-	-	1	1	1	2	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	4	3	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	15	19	4	3	-	-	-	2	1	1	6	7	10	
Diseases ill-defined or Unknown - - -	5	1	2	-	-	-	-	-	1	1	1	-	1	
Total - - -	89	106	31	25	12	5	12	12	18	13	20	21	26	

YEAR 1918.

Population—Census 1901, - - - 79,363.

COUNTY—Renfrew.

Do. Do. 1911, - - - 84,455.

Do. estimated to middle of 1918, 89,425.

PUBLIC HEALTH DISTRICT—Paisley (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,748	13	39	1,774	888	886
Illegitimate Births -	94	5	16	105	53	52
Marriages - - -	651	-	-	-	-	-
Deaths - - -	1,306	142	57	1,221	568	653

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19.5	19.8	-
Marriage-rate - - -	7.3	-	-
Death-rate—All Causes - - -	14.6	13.7	15.1
Do. —Phthisis - - -	-	0.92	-
Do. —All Tuberculosis - - -	-	1.42	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.66	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	and over	
*Enteric Fever - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	6	3	1	7	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	15	16	11	18	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	5	1	6	1	1	-	-	-	-	-	-	-	-	-
Influenza - - -	15	21	1	5	1	2	2	6	2	9	4	-	-	4	-
Erysipelas - - -	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	33	49	-	3	1	2	23	23	15	10	5	-	-	-	-
Tuberculous Meningitis - - -	3	5	2	5	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	12	-	6	2	2	3	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - - -	13	9	2	7	3	2	1	4	-	1	-	2	-	-	-
Cancer, Malignant Disease - - -	35	42	-	-	-	-	-	3	9	18	25	19	3	-	-
Rheumatic Fever - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - -	15	8	6	9	2	-	2	1	1	1	1	-	-	-	-
Organic Heart Disease - - -	49	66	-	1	1	2	6	10	13	17	24	26	15	-	-
Bronchitis - - -	49	56	12	5	4	1	4	4	4	16	19	20	16	-	-
Pneumonia (all forms) - - -	100	93	16	28	5	6	27	41	21	17	16	13	3	-	-
Other Diseases of Respiratory Organs - - -	7	4	2	1	-	-	1	1	2	-	1	3	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - -	5	2	6	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	4	2	-	-	-	1	2	-	1	1	-	1	-	-	-
All Liver Diseases (not Malignant) - - -	4	5	-	-	-	-	1	-	1	2	3	2	-	-	-
Other Diseases of Digestive System - - -	23	23	5	3	-	-	-	-	3	9	15	7	4	-	-
Nephritis and Bright's Disease - - -	14	16	1	3	-	-	-	2	3	8	6	6	1	-	-
Puerperal Sepsis - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	11	-	-	-	-	3	6	2	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	21	25	45	-	-	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	18	13	2	6	3	-	-	3	2	3	5	5	2	-	-
Suicide - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Defined Diseases - - -	120	156	25	7	3	3	5	7	18	27	46	62	73	-	-
Diseases Ill-defined or Unknown - - -	8	5	2	1	-	-	-	2	-	1	3	4	-	-	-
Total - - -	568	653	142	123	30	22	81	117	100	142	173	170	121	-	-

YEAR 1918.

Population—Census 1901, - - - 17,306.

Do. Do. 1911, - - - 18,529.

COUNTY—Renfrew.

Do. estimated to middle of 1918, 18,430.

PUBLIC HEALTH DISTRICT—Port-Glasgow (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	577	2	8	583	291	292
Illegitimate Births -	21	0	2	23	12	11
Marriages - - -	138	-	-	-	-	-
Deaths - - -	308	1	48	355	183	172

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	31.3	31.6	-
Marriage-rate - - -	7.5	-	-
Death-rate—All Causes - - -	16.7	19.3	21.0
Do. —Phthisis - - -	-	0.87	-
Do. —All Tuberculosis - - -	-	1.47	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	4.07	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—132.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	23	14	9	26	2	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - -	11	9	7	12	1	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	1	3	1	1	-	-	-	-	1	1	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis	6	10	-	-	-	1	7	1	3	1	3	-	-		
Tuberculous Meningitis - -	-	1	-	-	1	-	-	1	-	-	-	-	-		
Abdominal Tuberculosis - -	-	4	1	1	-	-	1	1	-	-	-	-	-		
Other Tuberculous Diseases -	2	4	-	1	-	2	1	1	1	-	-	-	-		
Cancer, Malignant Disease -	9	6	-	-	-	-	-	-	-	3	8	2	2		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	3	3	2	2	-	1	-	-	1	-	-	-	-		
Organic Heart Disease - - -	13	16	-	-	-	-	3	1	3	3	9	5	5		
Bronchitis - - - - -	9	14	5	2	1	1	-	-	1	1	4	7	1		
Pneumonia (all forms) - - -	18	32	12	11	1	3	4	7	4	3	1	3	1		
Other Diseases of Respiratory Organs	5	4	1	4	-	-	-	-	1	-	-	3	-		
*Diarrhoea and Enteritis (under 2 years)	9	5	13	1	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	2	-	1	-	-	-		
Other Diseases of Digestive System	7	4	-	2	1	-	-	3	-	3	1	-	1		
Nephritis and Bright's Disease - -	5	3	-	-	-	-	1	1	-	2	3	1	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth	16	8	23	-	1	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide	10	4	1	1	4	1	2	-	-	2	3	-	-		
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-		
Other Defined Diseases - - - -	27	23	2	5	1	-	2	2	5	4	11	12	6		
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	-	-	-	1	-	1	2		
Total - - - - -	183	172	77	72	13	9	21	21	22	25	43	34	18		

YEAR 1918.

Population—Census 1901, - - - 9,313.

Do. Do. 1911, - - - 12,583.

Do. estimated to middle of 1918, 14,195.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Renfrew** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - - -	326	4	10	332	183	149
Illegitimate Births - - -	7	0	3	10	6	4
Marriages - - - - -	88	-	-	-	-	-
Deaths - - - - -	149	9	35	175	86	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.0	23.4	-
Marriage-rate - - - - -	6.2	-	-
Death-rate—All Causes - - -	10.5	12.3	13.9
Do. —Phthisis - - - - -	-	0.42	-
Do. —All Tuberculosis - - -	-	1.20	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.49	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	3	1	-	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	3	-	1	-	1	-	1	-	1	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	8	5	-	-	-	-	3	3	3	3	1	-	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	2	-	-	-	-	-	2	-	-	-	-	-	-	
Cancer, Malignant Disease - -	5	7	-	-	-	-	-	1	2	2	2	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	5	14	-	-	-	1	1	-	1	4	5	3	4	
Bronchitis - - - - -	8	8	2	1	1	-	-	-	1	1	4	6	-	
Pneumonia (all forms) - - -	14	10	3	1	1	2	2	6	3	4	-	-	2	
Other Diseases of Respiratory Organs	3	3	-	-	-	-	2	1	-	1	-	1	1	
*Diarrhoea and Enteritis (under 2 years)	1	1	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	4	3	1	-	1	-	-	-	1	1	1	-	2	
Nephritis and Bright's Disease -	2	2	-	-	-	-	-	-	-	-	-	4	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	2	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	9	13	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	5	1	1	-	1	-	-	1	-	1	-	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	16	14	3	-	-	1	1	-	2	2	6	4	11	
Diseases Ill-defined or Unknown -	-	2	-	-	-	-	-	-	1	-	-	-	1	
Total - - - - -	86	89	27	10	4	7	13	13	15	21	19	21	25	

YEAR 1918.

Population—Census 1901, - - - 25,218.

Do. Do. 1911, - - - 34,541.

Do. estimated to middle of 1918, 39,200.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Upper Renfrew** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	588	13	42	617	317	300
Illegitimate Births -	27	2	10	35	19	16
Marriages - - -	215	-	-	-	-	-
Deaths - - -	590	215	81	456	226	230

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.0	15.7	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	15.0	11.6	12.5
Do. —Phthisis - - - - -	-	0.56	-
Do. —All Tuberculosis - - - - -	-	0.92	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.51	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	2	1	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	5	4	2	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	4	1	1	4	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	10	8	-	2	-	-	2	2	1	6	4	-	1	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	8	14	-	1	-	1	3	6	4	4	3	-	-	
Tuberculous Meningitis - - - - -	1	3	-	2	1	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	1	-	1	-	-	1	1	2	-	-	-	-	
Other Tuberculous Diseases - - - - -	3	2	-	1	1	1	1	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	19	23	-	-	-	-	-	-	4	10	13	9	6	
Rheumatic Fever - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Meningitis - - - - -	4	3	1	1	1	-	2	-	2	-	-	-	-	
Organic Heart Disease - - - - -	23	25	-	1	-	1	1	-	3	10	15	12	5	
Bronchitis - - - - -	16	14	3	3	-	-	-	-	-	1	8	9	6	
Pneumonia (all forms) - - - - -	34	33	8	5	1	2	14	17	5	4	6	2	3	
Other Diseases of Respiratory Organs - - - - -	4	5	1	3	1	-	1	-	-	1	1	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	-	-	-	1	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
Other Diseases of Digestive System - - - - -	6	12	1	2	-	2	1	1	2	2	2	2	3	
Nephritis and Bright's Disease - - - - -	7	5	-	1	1	-	1	1	1	3	1	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	18	8	26	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	5	1	3	-	2	1	2	2	2	1	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	39	46	7	2	-	1	3	1	4	8	10	18	11	
Diseases Ill-defined or Unknown - - - - -	5	8	-	-	-	-	2	-	1	3	1	1	5	
Total - - - - -	226	230	56	35	10	11	36	35	31	58	66	57	61	

YEAR 1918.

Population—Census 1901, - - - 21,520.

Do. Do. 1911, - - - 22,962.

Do. estimated to middle of 1918, 22,789.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Lower Renfrew** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	372	17	12	367	199	168
Illegitimate Births - -	22	6	3	19	7	12
Marriages - - -	87	-	-	-	-	-
Deaths - - -	325	66	58	317	134	183

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.3	16.1	-
Marriage-rate - - - - -	3.8	-	-
Death-rate—All Causes - - - - -	14.3	13.9	14.6
Do. —Phthisis - - - - -	-	1.27	-
Do. —All Tuberculosis - - - - -	-	1.84	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.70	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	2	7	3	6	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	1	2	-	2	1	-	-	-	-	-	-	-	-		
Influenza - - - - -	2	2	-	1	1	-	-	1	-	1	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	15	14	-	-	-	1	9	5	9	2	3	-	-		
Tuberculous Meningitis - - - - -	2	5	2	2	-	-	3	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	2	3	-	2	1	1	-	-	1	-	-	-	-		
Cancer, Malignant Disease - - - - -	10	20	-	-	-	-	-	2	2	4	15	5	2		
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-		
Meningitis - - - - -	2	4	2	3	-	1	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	10	15	-	-	-	-	-	1	2	3	8	5	6		
Bronchitis - - - - -	6	10	2	-	-	-	-	-	1	-	1	4	8		
Pneumonia (all forms) - - - - -	17	28	4	2	3	3	8	5	10	2	2	-	6		
Other Diseases of Respiratory Organs - - - - -	2	2	-	-	-	-	-	1	1	-	2	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1		
Other Diseases of Digestive System - - - - -	5	4	3	-	-	-	-	1	-	-	1	2	2		
Nephritis and Bright's Disease - - - - -	5	2	-	-	-	-	1	-	-	1	1	2	2		
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	7	12	19	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	6	1	1	1	-	1	-	-	-	3	-	1	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	34	48	5	1	-	-	2	3	4	-	10	17	30		
Diseases Ill-defined or Unknown - - - - -	2	3	-	1	-	-	-	1	-	-	2	1	-		
Total - - - - -	134	183	44	22	8	8	44	41	32	16	47	38	57		

YEAR 1918.

Population—Census 1901, - - - 1,242.
 Do. Do. 1911, - - - 1,928.
 Do. estimated to middle of 1918, 1,736.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Cromarty (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	0	2	51	26	25
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	11	-	-	-	-	-
Deaths - - -	49	29	3	23	15	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	28.2	29.4	-
Marriage-rate - - -	6.3	-	-
Death-rate—All Causes - - -	28.2	13.2	15.4
Do. —Phthisis - - -	-	0.57	-
Do. —All Tuberculosis - - -	-	0.57	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.57	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - -	2	4	3	1	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	5	2	-	1	-	-	3	1	1	-	-	1	1	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	3	-	-	1	-	-	2	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - -	15	8	4	3	-	-	5	2	1	-	1	3	4	

YEAR 1918.

COUNTY—Ross and Cromarty.

PUBLIC HEALTH DISTRICT—Dingwall (Burgh).

Population—Census 1901, - - - 2,519.

Do. Do. 1911, - - - 2,639.

Do. estimated to middle of 1918, 2,588.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	52	2	2	52	26	26
Illegitimate Births -	4	1	2	5	2	3
Marriages - - -	42	-	-	-	-	-
Deaths - - -	56	12	2	46	20	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.1	20.1	-
Marriage-rate - - - - -	16.2	-	-
Death-rate—All Causes - - - - -	21.6	17.8	16.0
Do. —Phthisis - - - - -	-	1.16	-
Do. —All Tuberculosis - - - - -	-	2.32	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.39	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—212.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Smallpox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	1	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	1	-	1	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	1	-	-	-	1	1	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	1	-	-	-	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Pneumonia (all forms) - - - - -	3	4	2	-	-	2	3	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	1	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Enicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	6	2	2	-	1	-	-	1	1	3	1	1	
Diseases Ill-defined or Unknown - - - - -	-	3	1	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	20	26	11	3	1	-	5	5	2	2	3	5	9	

YEAR 1918.

 Population—Census 1901, - - - 1,065.
 Do. Do. 1911, - - - 970.
 Do. estimated to middle of 1918, 855.

COUNTY—Ross and Cromarty.

PUBLIC HEALTH DISTRICT—Fortrose (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	9	0	1	10	7	3
Illegitimate Births - -	1	0	0	1	0	1
Marriages - - -	1	-	-	-	-	-
Deaths - - -	16	6	0	10	4	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.5	11.7	-
Marriage-rate - - - - -	1.2	-	-
Death-rate—All Causes - - - - -	18.7	11.7	8.3
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Bronchitis - - - - -	1	2	-	-	-	-	1	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL - - - - -	4	6	-	-	-	1	1	-	1	-	2	3	2	

YEAR 1918.

Population—Census 1901, 1,047.

Do. Do. 1911, 1,081.

Do. estimated to middle of 1918, 1,000.

COUNTY—Ross and Cromarty.

PUBLIC HEALTH DISTRICT—Invergordon (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births	45	1	2	46	23	23
Illegitimate Births	5	1	1	5	1	4
Marriages	15	-	-	-	-	-
Deaths	22	1	4	25	9	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate	45.0	46.0	-
Marriage rate	15.0	-	-
Death rate—All Causes	22.0	25.0	20.5
Do. —Phthisis	-	1.00	-
Do. —All Tuberculosis	-	2.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—22.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	2	1	-	-	-	-	-	-	-	1	-	1	1	-	-
Bronchitis	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms)	2	4	-	1	-	-	2	2	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	2	4	-	1	-	-	-	-	-	1	1	2	1	-	-
Diseases Ill-defined or Unknown	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Total	9	16	1	2	1	-	3	7	-	2	2	5	2	-	-

YEAR 1918.

Population—Census 1901, - - - 3,885.

Do. Do. 1911, - - - 3,806.

COUNTY—Ross and Cromarty.

Do. estimated to middle of 1918, 3,559.

PUBLIC HEALTH DISTRICT—Stornoway (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	0	2	65	42	23
Illegitimate Births - -	1	0	0	1	0	1
Marriages - - -	44	-	-	-	-	-
Deaths - - -	61	3	1	59	20	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.7	18.3	-
Marriage-rate - - - - -	12.4	-	-
Death-rate—All Causes - - - - -	17.1	16.6	15.6
Do. —Phthisis - - - - -	-	0.84	-
Do. —All Tuberculosis - - - - -	-	0.84	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.56	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	1	-	-	-	-	-	-	-	-	1	1	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	1	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	1	-	-	-	2	3	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	4	6	3	2	-	1	3	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	-	-	-	1	1	-	1	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	1	-	-	-	-	-	1	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	14	-	1	1	-	-	1	1	-	3	5	7	
Diseases Ill-defined or Unknown - - - - -	1	2	1	-	-	-	-	-	1	-	-	-	1	
Total - - - - -	20	39	5	4	1	2	6	4	3	3	3	11	17	

YEAR 1918.

Population—Census 1901, - - - 1,645

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 1,599.

PUBLIC HEALTH DISTRICT—**Tain** (Burgh).

Do. estimated to middle of 1918, 1,485.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	1	0	21	11	10
Illegitimate Births - -	2	0	0	2	-	2
Marriages - - -	37	-	-	-	-	-
Deaths - - -	21	0	5	26	10	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.8	14.1	-
Marriage-rate - - - - -	24.9	-	-
Death-rate—All Causes - - - -	14.1	17.5	13.9
Do. —Phthisis - - - - -	-	1.35	-
Do. —All Tuberculosis - - - -	-	2.60	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-
Tuberculous Meningitis - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	1	3	-	-	-	-	-	-	-	-	-	1	3	-	-
Bronchitis - - - - -	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	7	2	1	-	1	-	-	-	1	-	1	2	3	-	-
Diseases Ill-defined or Unknown -	-	3	-	-	-	-	-	-	-	2	-	-	1	-	-
Total - - - - -	10	16	1	1	2	1	1	2	2	2	1	5	8	-	-

YEAR 1918.

Population—Census 1901, - - - 6,331.

Do. Do. 1911, - - - 8,922.

Do. estimated to middle of 1918, 8,065.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Black Isle** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	1	0	80	34	46
Illegitimate Births - -	5	0	0	5	3	2
Marriages - - -	21	-	-	-	-	-
Deaths - - -	93	4	46	135	75	60

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.0	9.9	-
Marriage-rate - - - - -	2.6	-	-
Death-rate—All Causes - - - - -	11.5	10.7	18.6
Do. —Phthisis - - - - -	-	1.98	-
Do. —All Tuberculosis - - - - -	-	2.73	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.25	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—138.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	4	3	1	-	-	3	1	-	1	-	-	-	-	1	-
Erysipelas - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	9	1	-	-	6	5	3	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	-	-	-	3	2	-	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	1	-	-	-	-	1	1	1	1	1	2	1	1	-
Bronchitis - - - - -	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	25	12	2	-	-	13	8	4	-	1	1	1	1	1	-
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	2	1	2	-	-	-	-	-	-	1	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	1	-	-	-	-	-	1	2	2	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	19	1	-	1	1	1	2	4	1	3	14	14	14	-
Diseases Ill-defined or Unknown - - - - -	2	2	1	-	-	-	-	-	-	-	-	2	1	1	-
Total - - - - -	75	60	11	5	1	3	29	11	12	11	11	14	25	25	25

YEAR 1918.

Population—Census 1901, - - - 11,181.

Do. Do. 1911, - - - 10,385.

Do. estimated to middle of 1918, 9,309.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Easter Ross** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	251	8	13	256	137	119
Illegitimate Births -	21	3	6	24	15	9
Marriages - - -	38	-	-	-	-	-
Deaths - - -	182	9	13	186	89	97

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.0	27.5	-
Marriage-rate - - - - -	4.1	-	-
Death-rate—All Causes -	19.6	20.0	15.2
Do. —Phthisis - - - - -	-	1.07	-
Do. —All Tuberculosis -	-	1.61	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.75	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—55.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-			
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Whooping-cough - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-			
*Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Influenza - - - - -	4	8	-	1	-	1	4	1	-	1	2	-	2			
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Phthisis, Pulmonary Tuberculosis	7	3	-	-	-	-	2	3	2	2	1	-	-			
Tuberculous Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Abdominal Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-			
Other Tuberculous Diseases	2	2	-	1	-	-	-	1	2	-	-	-	-			
Cancer, Malignant Disease -	6	7	-	-	-	-	-	-	3	4	4	1	1			
Rheumatic Fever - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-			
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Organic Heart Disease - -	8	9	-	1	-	-	1	-	1	-	3	7	4			
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	-	-	2	1			
Pneumonia (all forms) - -	11	22	1	7	-	-	4	9	6	2	3	-	1			
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	1	-	-	-	-			
Diarrhoea and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-			
Appendicitis and Typhlitis -	2	-	-	-	-	-	1	-	1	-	-	-	-			
All Liver Diseases (not Malignant)	-	1	-	-	-	-	-	-	-	-	1	-	-			
Other Diseases of Digestive System	1	3	-	-	-	-	-	-	1	2	1	-	-			
Nephritis and Bright's Disease -	2	2	-	-	-	-	-	-	-	1	2	-	1			
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-			
Congenital Debility and Malformation, including Premature Birth	2	2	3	1	-	-	-	-	-	-	-	-	-			
Violent Deaths, excluding Suicide	3	-	-	-	-	-	-	1	-	-	1	1	-			
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-			
Other Defined Diseases - -	26	22	2	1	-	-	3	2	2	3	6	5	24			
Diseases Ill-defined or Unknown	5	11	3	-	-	-	-	1	-	1	1	5	5			
Total - - - - -	89	97	14	14	1	1	16	18	20	16	26	21	39			

YEAR 1918.

Population—Census 1901 - - - 25,064.

Do. Do. 1911, - - - 25,797.

COUNTY—**Ross and Cromarty.**

Do. estimated to middle of 1918, 24,991.

PUBLIC HEALTH DISTRICT—**Lews** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	356	1	1	356	181	175
Illegitimate Births -	10	0	0	10	2	8
Marriages - - -	73	-	-	-	-	-
Deaths - - -	345	6	6	345	164	181

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.2	14.2	-
Marriage-rate - - - - -	2.9	-	-
Death-rate—All Causes - - - - -	13.8	13.8	11.6
Do. —Phthisis - - - - -	-	1.56	-
Do. —All Tuberculosis - - - - -	-	1.80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.76	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	6	1	1	1	1	1	-	2	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	2	1	3	1	-	1	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	1	-	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	12	11	1	-	1	3	3	3	1	2	2	4	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	22	17	-	-	-	-	9	16	3	5	3	3	-	
Tuberculous Meningitis - - - - -	-	3	1	-	1	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	1	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	12	6	-	-	-	-	-	-	-	1	8	4	5	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	16	-	-	1	-	-	3	-	3	3	2	11	
Bronchitis - - - - -	6	15	2	1	-	2	-	-	1	-	2	4	9	
Pneumonia (all forms) - - - - -	21	2	9	8	7	4	6	2	2	1	4	4	2	
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	1	2	1	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant). - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	6	2	1	-	-	-	-	-	-	3	-	4	-	
Nephritis and Bright's Disease - - - - -	5	3	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	1	2	1	2	1	1	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	1	-	1	-	-	1	-	-	2	3	1	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	38	52	3	-	-	2	1	-	2	2	5	1	60	
Diseases Ill-defined or Unknown - - - - -	13	6	5	-	-	-	-	-	1	-	3	2	8	
Total - - - - -	164	181	29	14	16	14	23	26	17	22	38	46	100	

YEAR 1918.

Population—Census 1901, - - 12,953.

Do. Do. 1911, - - 11,887.

Do. estimated to middle of 1918, 10,549.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Mid-Ross** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	153	2	13	164	79	85
Illegitimate Births - -	9	1	9	17	9	8
Marriages - - -	38	-	-	-	-	-
Deaths - - -	207	25	28	210	108	102

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.5	15.5	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - -	19.6	19.9	14.4
Do. —Pneumonia - - - - -	-	0.95	-
Do. —All Tuberculosis - - -	-	1.04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.88	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—79.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.												
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping-cough - - - - -	2	2	-	4	-	-	-	-	-	-	-	-	-		
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	6	4	-	-	-	1	-	4	1	1	-	1	2		
Erysipelas - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis	5	5	-	1	2	-	-	1	2	3	1	-	-		
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases -	-	1	-	-	-	-	-	-	-	1	-	-	-		
Cancer, Malignant Disease -	8	6	-	-	-	-	-	-	-	-	4	7	2		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - -	8	6	-	-	-	-	-	1	-	1	3	5	4		
Bronchitis - - - - -	4	5	1	-	1	-	-	-	-	-	-	2	5		
Pneumonia (all forms) - - -	10	8	-	2	-	-	2	2	8	2	3	1	3		
Other Diseases of Respiratory Organs	2	3	-	-	-	-	-	-	-	-	1	1	3		
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System	3	4	-	-	-	-	-	1	-	1	2	2	1		
Nephritis and Bright's Disease -	6	3	-	-	-	-	-	2	1	1	1	1	3		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	-	1	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	-	-	1	-	-	1	1		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - -	37	47	5	1	-	-	2	-	3	1	16	22	34		
Diseases Ill-defined or Unknown	11	4	2	-	-	-	-	-	1	1	1	3	7		
Total - - - - -	108	102	13	8	3	2	5	11	13	12	32	46	65		

YEAR 1918.

Population—Census 1901, - - - 4,106.

Do. Do. 1911, - - - 3,622.

COUNTY—Ross and Cromarty.

Do. estimated to middle of 1918, 3,106.

PUBLIC HEALTH DISTRICT—South-Western (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	34	0	1	35	20	15
Illegitimate Births -	3	0	0	3	2	1
Marriages - - -	7	-	-	-	-	-
Deaths - - -	63	1	6	68	26	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.9	11.3	-
Marriage-rate - - - - -	2.3	-	-
Death-rate—All Causes - - - - -	20.3	21.9	14.4
Do. —Phthisis - - - - -	-	1.61	-
Do. —All Tuberculosis - - - - -	-	1.61	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	1	4	-	-	-	2	2	-	1	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	3	1	-	-	-	-	-	-	1	2	1	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	-	1	4	2	2		
Bronchitis - - - - -	2	2	1	-	-	-	-	-	-	-	-	1	2		
Pneumonia (all forms) - - - - -	4	3	1	1	-	2	1	-	1	-	-	1	1		
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1		
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-		
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	1	-	-	-	-	1	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	9	21	-	-	-	-	-	-	1	2	3	24	24		
Diseases Ill-defined or Unknown - - - - -	1	3	-	-	1	-	-	-	-	1	1	1	-		
Total - - - - -	26	42	2	1	-	1	4	4	-	5	8	12	31		

YEAR 1918.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Western** (County District).

Population—Census 1901, - - - 5,412
 Do. Do. 1911, - - - 4,758.
 Do. estimated to middle of 1918, 4,067.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	60	0	1	61	35	26
Illegitimate Births - -	2	0	1	3	1	2
Marriages - - -	8	-	-	-	-	-
Deaths - - -	73	3	13	83	46	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.8	15.0	-
Marriage-rate - - - - -	2.0	-	-
Death-rate—All Causes - - - - -	17.9	20.4	12.9
Do. —Phthisis - - - - -	-	1.97	-
Do. —All Tuberculosis - - - - -	-	2.46	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.49	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—49.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	3	-	-	-	-	4	2	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	2	-	1	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	2	1	3	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	2	2	-	-	-	-	-	2	-	1	1	-	-	
Pneumonia (all forms) - - - - -	3	2	-	1	-	-	1	-	-	2	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	-	-	-	1	1	-	1	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	1	-	-	1	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	17	-	-	-	-	-	-	1	1	2	3	28	
Diseases Ill-defined or Unknown - - - - -	6	3	2	-	-	-	-	-	-	-	3	2	2	
Total - - - - -	46	37	3	2	-	-	6	5	1	9	14	8	35	

YEAR 1918.

Population—Census 1901, - - - 17,803.
 Do. Do. 1911, - - - 16,877.
 Do. estimated to middle of 1918, 15,726.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Hawick (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	229	9	5	225	108	117
Illegitimate Births - -	20	1	2	21	9	12
Marriages - - -	117	-	-	-	-	-
Deaths - - -	267	8	20	279	112	167

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.6	14.3	-
Marriage-rate - - - - -	7.4	-	-
Death-rate—All Causes - - - -	17.0	17.7	17.8
Do. —Phthisis - - - - -	-	1.08	-
Do. —All Tuberculosis - - - -	-	1.59	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.38	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	4	-	1	-	-	-	-	-	2	1	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	8	9	-	-	-	-	3	4	4	5	-	1	-	
Tuberculous Meningitis - - - -	-	2	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	3	3	-	-	1	1	1	1	-	-	1	1	-	
Cancer, Malignant Disease - - -	8	31	-	-	-	-	-	1	1	10	13	8	6	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	1	-	1	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - -	13	27	-	-	-	1	2	2	1	1	12	13	8	
Bronchitis - - - - -	8	11	1	2	-	-	-	-	1	3	2	4	6	
Pneumonia (all forms) - - - -	17	24	1	7	-	1	7	10	6	2	5	1	1	
Other Diseases of Respiratory Organs -	1	4	-	-	1	-	-	1	-	1	1	-	1	
*Diarrhoea and Enteritis (under 2 years) -	4	1	5	-	-	-	-	-	-	1	1	-	1	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Digestive System -	3	3	-	-	-	-	-	1	-	1	2	1	1	
Nephritis and Bright's Disease - -	3	3	1	-	-	-	-	1	1	1	1	1	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	4	3	6	-	-	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	3	-	-	-	-	-	1	1	1	-	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	32	33	1	1	-	1	-	-	4	5	11	18	24	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	112	167	17	12	4	5	15	23	20	33	50	52	48	

YEAR 1918.

Population—Census 1901, 3,136.

Do. Do. 1911, 2,752.

Do. estimated to middle of 1918, 2,348.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Jedburgh (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	0	1	27	13	14
Illegitimate Births -	2	0	0	2	1	1
Marriages - - -	31	-	-	-	-	-
Deaths - - -	61	7	2	56	29	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.1	11.5	-
Marriage-rate - - - - -	13.2	-	-
Death rate—All Causes - - - - -	26.0	23.8	22.7
Do. —Phthisis - - - - -	-	1.70	-
Do. —All Tuberculosis - - - - -	-	2.56	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.98	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—11.1.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	2	-	1	-	-	-	-	-	1	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	2	-	-	3	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	-	-	-	-	-	2	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	-	1	2	2	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	8	6	2	-	1	-	1	1	2	3	2	2	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	5	-	-	-	-	-	-	-	-	3	5	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	29	27	3	3	5	2	1	1	5	5	5	13	8	

YEAR 1918.

Population—Census 1901, - - - 4,008.
 Do. Do. 1911, - - - 3,982.
 Do. estimated to middle of 1918, 3,761.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Kelso (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	2	0	46	25	21
Illegitimate Births - -	2	1	0	1	1	0
Marriages - - -	25	-	-	-	-	-
Deaths - - -	86	15	7	78	37	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.8	12.2	-
Marriage-rate - - - - -	6.6	-	-
Death-rate—All Causes - - - - -	22.9	20.7	18.0
Do. —Phthisis - - - - -	-	0.27	-
Do. —All Tuberculosis - - - - -	-	0.80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—152.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	6	-	-	1	2	2	1	-	-	-	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	1	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	4	-	-	-	-	-	-	-	1	1	6	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Bronchitis - - - - -	3	5	-	-	-	1	-	-	2	2	2	1	-	
Pneumonia (all forms) - - - - -	8	8	1	2	1	1	6	1	1	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	-	-	-	-	-	1	2	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Enicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	11	2	-	-	-	-	-	1	2	2	4	7	
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	1	2	-	-	
Total - - - - -	37	41	7	2	3	3	6	3	3	9	9	15	12	

YEAR 1918.

Population—Census 1901, 2,195.

COUNTY—**Roxburgh.**

Do. 1911, 2,166.

Do. estimated to middle of 1918, 2,036.

PUBLIC HEALTH DISTRICT—**Melrose (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births	19	1	1	19	13	6
Illegitimate Births	1	1	0	0	0	0
Marriages	13	—	—	—	—	—
Deaths	69	47	2	24	9	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate	9.3	9.3	—
Marriage-rate	6.4	—	—
Death-rate—All Causes	33.9	11.8	10.0
Do. —Phthisis	—	0.49	—
Do. —All Tuberculosis	—	0.98	—
Do. —Principal Epidemic Diseases (those asterisked below.)	—	0.49	—

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	5	-	-	-	-	-	-	1	-	3	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	4	1	-	-	-	-	-	-	1	1	3	-	
Diseases Ill-defined or Unknown - - - - -	-	1	1	-	-	-	-	-	-	2	-	-	-	
Total - - - - -	9	15	-	2	-	-	1	1	1	3	4	7	5	

YEAR 1918.

Population—Census 1901, - - - 3,265.

Do. Do. 1911, - - - 3,258.

Do. estimated to middle of 1918, 3,088.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Hawick** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	1	1	42	20	22
Illegitimate Births - -	6	1	0	5	2	3
Marriages - - -	22	-	-	-	-	-
Deaths - - -	49	13	7	43	25	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.6	13.6	-
Marriage-rate - - - - -	7.1	-	-
Death-rate—All Causes - - - -	15.9	13.9	13.6
Do. —Phthisis - - - - -	-	1.30	-
Do. —All Tuberculosis - - - -	-	1.62	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	1	1	-	2	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	5	-	-	-	1	-	-	-	1	4	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	3	-	
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	5	1	-	1	-	2	1	1	-	1	-	1	1	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	1	-	-	-	-	1	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	1	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	2	1	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	5	-	-	-	-	1	-	2	1	1	4	5	
Diseases Ill-defined or Unknown - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Total - - - - -	25	18	3	-	1	-	7	2	4	3	4	13	6	

YEAR 1918.

Population—Census 1901, - - - 5,257.

Do. Do. 1911, - - - 4,855.

Do. estimated to middle of 1918, 4,331.

COUNTY--**Roxburgh.**PUBLIC HEALTH DISTRICT--**Jedburgh** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	70	4	2	68	36	32
Illegitimate Births - -	9	0	1	10	4	6
Marriages - - -	18	-	-	-	-	-
Deaths - - -	68	2	4	60	33	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.2	15.7	-
Marriage-rate - - - - -	4.2	-	-
Death-rate—All Causes - - - - -	13.4	13.9	13.6
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.16	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.16	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	1	-	-	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	5	-	-	1	-	-	-	2	-	1	2	2	
Bronchitis - - - - -	3	3	-	1	-	-	-	1	-	-	-	-	4	
Pneumonia (all forms) - - - - -	9	3	2	1	-	-	1	4	3	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	1	-	-	-	-	1	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	-	-	2	1	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	9	1	-	-	-	1	-	1	2	-	6	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	33	27	8	4	1	1	4	5	11	3	1	12	10	

YEAR 1918.

Population—Census 1901. - - - 6,653.

Do. Do. 1911. - - - 6,321.

Do. estimated to middle of 1918, 5,771.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Kelso** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - - -	91	1	6	96	54	42
Illegitimate Births - -	10	0	2	12	5	7
Marriages - - - - -	37	-	-	-	-	-
Deaths - - - - -	81	1	20	100	44	56

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.8	16.6	-
Marriage-rate - - - - -	6.4	-	-
Death-rate—All Causes - - - - -	14.0	17.3	16.9
Do. —Phthisis - - - - -	-	0.87	-
Do. —All Tuberculosis - - - - -	-	1.04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	2	1	-	-	1	-	-	-	1	-	-	-	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - -	2	3	-	-	-	-	1	1	2	1	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	1	8	-	-	-	-	-	-	1	1	4	2	1		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	5	8	-	-	-	-	-	-	1	1	4	3	4		
Bronchitis - - - - -	-	2	-	-	-	-	1	-	-	-	-	1	-		
Pneumonia (all forms) - - - - -	6	8	-	1	1	-	2	5	-	1	2	2	-		
Other Diseases of Respiratory Organs -	1	-	-	1	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	2	1	-	-	1	-	1	1	-	-	-	-	-		
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	-	2	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth -	6	2	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - -	2	-	-	-	-	-	-	2	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	13	17	-	1	-	-	1	-	1	3	3	6	15		
Diseases Ill-defined or Unknown - - -	1	2	-	-	-	-	-	-	-	-	1	-	2		
Total - - - - -	44	56	9	-	-	-	7	11	-	-	15	14	23		

YEAR 1918.

Population—Census 1901, . . . 1,872.

Do. Do. 1911, . . . 1,924.

Do. estimated to middle of 1918, 1,879.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Liddesdale** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	0	1	34	18	18
Illegitimate Births - -	7	0	0	7	4	3
Marriages - - -	8	-	-	-	-	-
Deaths - - -	29	0	1	30	10	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	17.6	18.1	-
Marriage rate - - - - -	1.6	-	-
Death rate—All Causes - - - -	15.4	16.0	12.9
Do. —Phthisis - - - - -	-	1.60	-
Do. —All Tuberculosis - - - -	-	2.13	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—59.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	4	1	1	-	-	-	-	1	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	2	-	-	-	-	-	-	2	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	-	1	2	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Pneumonia (all forms) - - -	5	-	1	-	-	-	-	1	-	1	2	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	-	1	-	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	5	-	-	-	-	-	-	-	-	-	4	3	
Diseases ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	10	2	2	4	-	1	-	1	6	2	1	7	6	

YEAR 1918.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Melrose** (County District).

Population—Census 1901, : : : 5,115.
 Do. Do. 1911, : : : 5,047.
 Do. estimated to middle of 1918, 4,744.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	67	0	4	71	30	41
Illegitimate Births -	6	0	2	8	5	3
Marriages - - -	18	-	-	-	-	-
Deaths - - -	59	4	6	61	23	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.1	15.0	-
Marriage-rate - - - - -	3.8	-	-
Death-rate—All Causes - - - - -	12.4	12.9	11.2
Do. —Phthisis - - - - -	-	0.42	-
Do. —All Tuberculosis - - - - -	-	1.26	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.63	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	1	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	1	1	-	-	-	
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	-	1	-	1	7	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	4	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	2	-	1	1	-	1	-	-	-	-	-	1	
Other Diseases of Respiratory Organs -	-	2	-	-	-	-	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - -	6	4	-	-	-	-	-	-	-	-	2	5	3	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	2	9	-	-	-	-	-	-	2	1	1	2	5	
Diseases Ill-defined or Unknown - -	2	2	-	-	-	-	-	-	-	1	1	1	1	
Total - - - - -	23	38	4	2	1	1	2	2	5	3	6	21	14	

YEAR 1918.

Population—Census 1901. 13,615.

COUNTY **Selkirk.**

Do. Do. 1911. 14,591.

Do. estimated to middle of 1918, 14,193.

PUBLIC HEALTH DISTRICT—**Galashiels (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	176	4	4	176	84	92
Illegitimate Births - -	14	0	2	16	8	8
Marriages - - -	76	-	-	-	-	-
Deaths - - -	187	7	10	190	77	113

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.2	12.2	-
Marriage-rate - - - - -	5.3	-	-
Death-rate—All Causes - - - - -	13.0	13.2	13.5
Do. —Phthisis - - - - -	-	0.42	-
Do. —All Tuberculosis - - - - -	-	1.11	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.21	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—51.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	-	-	1	-	1	2	-	2	-	-	
Tuberculous Meningitis - - - - -	2	1	-	1	1	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	2	4	-	2	1	-	2	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	13	-	-	-	-	-	1	2	4	4	6	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	19	-	-	-	1	-	1	2	2	9	4	8	
Bronchitis - - - - -	2	6	-	-	-	-	-	-	1	-	-	4	3	
Pneumonia (all forms) - - - - -	12	11	-	1	1	1	4	4	4	2	2	2	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	3	2	-	-	-	-	-	-	-	1	1	3	-	
Nephritis and Bright's Disease - - - - -	3	4	-	-	-	1	-	-	-	2	1	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	-	3	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	1	1	-	-	-	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	27	37	4	-	-	-	-	-	1	4	17	23	15	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	1	-	1	1	
Total - - - - -	77	113	9	5	4	4	8	9	15	17	36	49	34	

YEAR 1918.

COUNTY—**Selkirk.**PUBLIC HEALTH DISTRICT—**Selkirk** (Burgh).

Population—Census 1901, - - - 5,655.
 Do. Do. 1911, - - - 5,886.
 Do. estimated to middle of 1918, 5,746.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	1	4	51	33	18
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	35	-	-	-	-	-
Deaths - - -	64	2	10	72	27	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	8.4	8.9	-
Marriage-rate - - -	6.1	-	-
Death-rate—All Causes - - -	11.1	12.5	12.1
Do. —Phthisis - - -	-	1.04	-
Do. —All Tuberculosis - - -	-	1.39	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	4	-	-	-	-	1	1	-	3	-	1	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	3	-	-	-	-	-	-	-	-	1	-	4	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	1	-	-	3	-	
Bronchitis - - -	1	2	-	-	-	-	-	-	1	-	-	-	2	
Pneumonia (all forms) - - -	6	11	1	-	-	-	-	4	8	1	1	1	1	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	2	-	-	-	-	-	-	1	-	-	-	2	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	1	1	-	-	-	-	-	-	-	1	1	-	
Falicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	9	14	-	-	-	-	-	2	1	3	-	9	8	
Diseases Ill-defined or Unknown - -	-	2	1	-	-	-	-	-	-	-	1	-	-	
Total - - -	27	45	5	2	-	-	1	7	12	8	4	16	17	

YEAR 1918.

Population—Census 1901, - - - 4,086.

COUNTY—**Selkirk.**

Do. Do. 1911, - - - 4,184.

Do. estimated to middle of 1918, 4,000.

PUBLIC HEALTH DISTRICT—**Selkirk** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	62	2	3	63	28	35
Illegitimate Births -	6	0	1	7	4	3
Marriages - - -	14	-	-	-	-	-
Deaths - - -	39	5	9	43	24	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.4	15.6	-
Death-rate—All Causes - - - - -	3.5	-	-
Do. —Phthisis - - - - -	9.7	10.6	10.7
Do. —All Tuberculosis - - - - -	-	1.49	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.73	-
	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—79.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	3	-	-	-	-	-	3	1	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	2	2	-	-	-	-	-	-	-	2	-	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	1	-	-	-	1	2	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	4	3	1	2	1	-	1	1	-	1	-	-	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	4	2	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	4	-	-	-	-	-	-	-	-	-	4	4	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	24	19	5	2	3	1	1	5	2	3	5	12	4	

YEAR 1918.

Population—Census 1901, - - - 4,281.
 Do. Do. 1911, - - - 4,664.
 Do. estimated to middle of 1918, 4,691.

COUNTY—**Shetland.**PUBLIC HEALTH DISTRICT—**Lerwick (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	74	6	2	70	40	30
Illegitimate Births - -	4	0	1	5	3	2
Marriages - - -	100	-	-	-	-	-
Deaths - - -	81	16	9	74	30	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·8	14·9	-
Marriage-rate - - - - -	21·3	-	-
Death-rate—All Causes - - - - -	17·3	15·8	13·0
Do. —Phthisis - - - - -	-	1·07	-
Do. —All Tuberculosis - - - - -	-	1·71	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1·28	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—129.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	1	-	-	2	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	3	-	-	-	-	-	1	-	2	1	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	3	8	-	-	-	-	-	-	1	3	3	4	-	
Bronchitis - - - - -	3	4	2	1	-	-	-	-	-	-	-	-	4	
Pneumonia (all forms) - - - - -	2	1	1	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	2	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	9	2	1	-	-	-	-	2	1	3	6	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	30	44	9	4	1	1	5	5	7	6	8	9	19	

YEAR 1918.

Population—Census 1901, - - - 19,109.

COUNTY—**Shetland.**

Do. Do. 1911, - - - 18,543.

Do. estimated to middle of 1918, 17,212.

PUBLIC HEALTH DISTRICT—**Mainland** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	206	2	10	214	106	108
Illegitimate Births -	8	1	3	10	7	3
Marriages - - -	23	-	-	-	-	-
Deaths - - -	246	7	17	256	109	147

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	12.0	12.4	-
Marriage-rate - - -	1.3	-	-
Death-rate—All Causes - - -	14.3	14.9	10.3
Do. —Phthisis - - -	-	1.45	-
Do. —All Tuberculosis - - -	-	1.80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.41	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - -	3	2	2	3	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - -	3	5	-	-	-	1	-	-	-	-	1	1	5		
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis -	12	13	-	-	-	4	7	6	4	-	2	1	1		
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	3	2	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - -	6	11	-	-	-	-	1	-	-	1	1	1	1		
Rheumatic Fever - - -	1	1	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - -	1	3	-	-	1	2	-	-	-	-	-	-	-		
Organic Heart Disease - - -	13	14	-	-	-	-	-	-	1	2	8	8	8		
Bronchitis - - -	4	14	-	-	-	-	-	-	-	1	3	3	11		
Pneumonia (all forms) - - -	4	4	-	-	1	-	1	1	4	-	-	-	1		
Other Diseases of Respiratory Organs -	5	-	-	-	-	-	-	-	-	1	-	1	3		
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	1	1	-	-	1	-	1	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1		
Other Diseases of Digestive System -	3	5	-	1	-	-	-	-	-	1	2	2	2		
Nephritis and Bright's Disease - - -	-	4	-	-	-	-	-	-	-	-	-	-	4		
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth -	2	1	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	1	-	-	1	-	-	-	-	-	-	1	-	-		
Suicide - - -	3	-	-	-	-	1	-	1	-	-	-	-	-		
Other Defined Diseases - - -	35	59	1	2	-	-	-	1	3	4	5	16	62		
Diseases Ill-defined or Unknown - -	7	6	1	-	-	1	-	-	-	-	1	2	8		
Total - - -	109	147	9	6	3	10	9	10	10	18	29	42	110		

YEAR 1918.

Population—Census 1901, - - - 4,776.

Do. Do. 1911, - - - 4,704.

Do. estimated to middle of 1918, 4,415.

COUNTY—**Shetland.**PUBLIC HEALTH DISTRICT—**North Isles** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	2	2	47	25	22
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	2	-	-	-	-	-
Deaths - - -	62	0	0	62	25	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.6	10.6	-
Marriage-rate - - - - -	0.5	-	-
Death-rate—All Causes - - - - -	14.0	14.0	10.3
Do. —Phthisis - - - - -	-	2.04	-
Do. —All Tuberculosis - - - - -	-	2.49	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—21.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	7	-	-	1	-	-	1	1	2	2	2	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	-	1	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	7	-	-	-	-	-	-	-	-	3	1	7	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	4	-	-	-	-	-	-	-	3	-	1	5	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	1	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	1	-	-	1	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	11	-	-	-	-	-	-	-	-	-	3	16	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	25	37	1	1	1	1	1	2	2	5	6	11	31	

YEAR 1918.

Population—Census 1901, - - - 3,240.

COUNTY—Stirling.

Do. 1911, - - - 3,121.

Do. estimated to middle of 1918, 2,881.

PUBLIC HEALTH DISTRICT—Bridge of Allan (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	1	0	27	15	12
Illegitimate Births -	4	1	0	3	2	1
Marriages - - -	14	-	-	-	-	-
Deaths - - -	50	4	10	56	24	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	9.7	9.4	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	17.4	19.4	17.3
Do. —Phthisis - - - - -	-	0.69	-
Do. —All Tuberculosis - - - - -	-	1.04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—37.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	7	-	-	-	-	-	-	-	2	3	1	3	
Pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	7	4	-	-	-	-	-	1	-	2	1	4	3	
Bronchitis - - - - -	1	3	-	1	1	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	4	1	-	1	-	-	2	-	-	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Longental Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	2	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	6	-	-	-	-	-	-	2	-	2	2	6	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	24	32	1	5	1	-	3	2	7	8	6	9	14	

YEAR 1918.

Population—Census 1901, - - - 5,288.

Do. Do. 1911, - - - 5,164.

Do. estimated to middle of 1918, 4,817.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Denny and Dunipace (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	120	2	2	120	53	67
Illegitimate Births - -	3	0	0	3	2	1
Marriages - - -	35	-	-	-	-	-
Deaths - - -	73	1	9	81	41	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.9	21.9	-
Marriage-rate - - - - -	7.3	-	-
Death-rate—All Causes - - -	15.2	16.8	18.2
Do. —Phthisis - - - - -	-	1.25	-
Do. —All Tuberculosis - - -	-	2.08	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3.32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—175.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-			
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Measles - - - - -	6	3	1	8	-	-	-	-	-	-	-	-	-			
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Whooping-cough - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-			
*Diphtheria and Croup - -	1	-	1	-	-	-	-	-	-	-	-	-	-			
Influenza - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	-			
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Phthisis, Pulmonary Tuberculosis	5	1	-	-	1	1	1	1	2	-	-	-	-			
Tuberculous Meningitis - -	1	1	-	-	-	2	-	-	-	-	-	-	-			
Abdominal Tuberculosis - -	-	2	-	1	-	-	1	-	-	-	-	-	-			
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cancer, Malignant Disease	3	1	-	-	-	-	-	-	1	1	-	2	-			
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-			
Organic Heart Disease - -	2	3	-	-	-	-	-	-	-	-	3	1	1			
Bronchitis - - - - -	4	1	2	-	-	-	-	-	-	1	-	2	-			
Pneumonia (all forms) - -	3	3	1	2	-	-	1	1	1	-	-	-	-			
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Diarrhoea and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-			
Appendicitis and Typhlitis -	-	1	-	-	1	-	-	-	-	-	-	-	-			
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases of Digestive System	1	1	-	1	-	-	-	-	-	-	-	-	1			
Nephritis and Bright's Disease -	-	1	-	-	-	-	-	-	-	-	1	-	-			
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	1	-	-	1	-	-	-	-			
Congenital Debility and Malformation, including Premature Birth	3	7	10	-	-	-	-	-	-	-	-	-	-			
Violent Deaths, excluding Suicide	-	1	-	-	-	-	-	-	-	-	-	1	-			
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Defined Diseases - - -	5	8	1	-	-	-	-	1	1	2	2	3	3			
Diseases Ill-defined or Unknown	1	-	-	1	-	-	-	-	-	-	-	-	-			
Total - - - - -	41	40	21	16	2	3	4	3	5	5	7	10	5			

YEAR 1914.

Population—Census 1901, - - - 29,280.

COUNTY—**Stirling**.

Do. Do. 1911, - - - 33,574.

Do. estimated to middle of 1918, 35,251.

PUBLIC HEALTH DISTRICT—**Falkirk** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	638	3	18	703	379	324
Legitimate Births -	58	0	10	68	33	35
Marriages - - -	243	-	-	-	-	-
Deaths - - -	561	64	42	599	274	265

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution
Birth-rate - - -	19.5	19.9	-
Marriage-rate - - -	6.9	-	-
Death-rate—All Causes - - -	15.9	15.3	16.8
Do. —Phthisis - - -	-	1.05	-
Do. —All Tuberculosis - - -	-	1.87	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.99	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever - - -	2	2	-	-	-	-	1	-	1	1	1	-	-		
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping-cough - - -	11	9	7	11	2	-	-	-	-	-	-	-	-		
Diphtheria and Croup - - -	1	3	-	2	2	-	-	-	-	-	-	-	-		
Influenza - - -	6	9	-	2	1	-	5	2	1	-	1	2	1		
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis -	21	16	-	1	1	1	10	11	6	4	1	2	-		
Tuberculous Meningitis - - -	1	10	-	6	2	1	-	-	2	-	-	-	-		
Abdominal Tuberculosis - - -	4	2	2	2	-	2	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	7	5	4	2	3	1	2	-	-	-	-	-	-		
Cancer, Malignant Disease - - -	14	18	-	-	-	-	1	-	4	5	11	10	1		
Pneumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - -	2	3	1	1	-	-	2	-	-	-	1	-	-		
Organic Heart Disease - - -	26	20	-	-	-	1	2	1	5	11	6	17	6		
Bronchitis - - -	22	18	7	1	-	-	2	2	2	6	8	9	3		
Pneumonia (all forms) - - -	68	64	10	27	9	6	14	21	17	12	6	4	6		
Other Diseases of Respiratory Organs -	4	2	-	1	-	-	1	1	-	1	1	1	-		
Diarrhoea and Enteritis (under 2 years) -	2	4	5	1	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Other Diseases of Digestive System -	4	6	1	3	1	-	-	2	1	-	1	1	-		
Nephritis and Bright's Disease - - -	2	3	-	-	-	-	-	1	-	-	1	2	1		
Puerperal Sepsis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition -	-	3	-	-	-	-	-	2	1	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth -	11	8	19	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	12	8	-	4	2	6	-	3	2	2	1	1	1		
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - -	47	45	5	3	3	-	2	7	1	6	19	21	25		
Diseases Ill-defined or Unknown - -	3	3	-	2	-	-	-	-	-	-	2	-	2		
Total - - -	274	266	61	70	26	18	45	53	43	48	60	71	46		

YEAR 1918.

Population—Census 1901, - - - 8,999.

Do. Do. 1911, - - - 10,219.

Do. estimated to middle of 1918, 10,540.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Grangemouth (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	174	1	2	175	93	82
Illegitimate Births - -	6	0	0	6	3	3
Marriages - - -	55	-	-	-	-	-
Deaths - - -	116	2	21	135	67	68

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.5	16.6	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - -	11.0	12.8	14.3
Do. —Phthisis - - - - -	-	0.28	-
Do. —All Tuberculosis - - - -	-	0.76	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.09	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	2	-	1	-	1	-	-	-	-	-	1	2	
Erysipelas - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	-	1	-	1	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	2	1	1	-	1	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	
Cancer, Malignant Disease - - -	6	6	-	-	-	-	1	-	1	3	3	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	3	3	2	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	9	-	-	-	-	1	1	2	-	8	2	1	
Bronchitis - - - - -	5	8	1	1	1	-	-	-	-	2	1	5	2	
Pneumonia (all forms) - - - - -	5	3	-	1	1	-	2	1	-	-	2	-	1	
Other Diseases of Respiratory Organs -	6	-	2	1	-	-	-	1	-	-	1	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	3	1	-	-	-	1	1	-	-	-	2	-	
Nephritis and Bright's Disease - -	-	4	-	-	-	-	-	1	1	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	2	1	2	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	8	3	-	1	-	1	1	2	-	1	2	2	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	16	18	3	1	1	1	3	-	3	2	4	5	11	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	67	68	13	11	6	4	10	8	10	9	23	23	18	

YEAR 1918.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Kilsyth (Burgh).**

Population—Census 1901, - - - 7,292.

Do. - - - 1911, - - - 8,106.

Do. estimated to middle of 1918, 8,254.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	208	2	4	210	102	108
Illegitimate Births - -	16	0	0	16	6	10
Marriages - - -	43	-	-	-	-	-
Deaths - - -	95	0	13	108	58	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.2	25.4	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	11.5	13.1	13.8
Do. —Phthisis - - - - -	-	0.61	-
Do. —All Tuberculosis - - - - -	-	1.33	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	2	-	-	-	4	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	2	1	-	1	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	1	-	2	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	6	-	-	-	-	-	1	2	3	2	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Menigitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	6	-	-	-	-	2	1	3	-	-	2	2	
Bronchitis - - - - -	5	3	1	1	-	1	-	-	-	3	1	1	1	
Pneumonia (all forms) - - - - -	14	10	2	6	1	3	5	1	2	-	4	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Nephral Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	8	1	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	3	-	3	-	1	1	-	-	-	-	-	-	
Undeclared - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	12	-	-	1	1	1	2	1	2	5	5	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	58	50	18	14	4	2	11	12	6	8	9	14	10	

YEAR 1918.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Stirling (Burgh).**

Population—Census 1901, - - 18,403.
 Do. Do. 1911, - - 21,200.
 Do. estimated to middle of 1918, 22,049.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	411	26	16	401	180	221
Illegitimate Births -	42	9	9	42	20	22
Marriages - - -	166	-	-	-	-	-
Deaths - - -	416	84*	37	369	174	195

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.6	18.2	-
Marriage-rate - - - - -	7.5	-	-
Death-rate—All Causes - - -	18.9	16.7	16.9
Do. —Phthisis - - - - -	-	0.91	-
Do. —All Tuberculosis - - -	-	1.68	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.18	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													75 and over.
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-				
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Measles - - - - -	1	4	-	4	1	-	-	-	-	-	-	-	-			
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Whooping-cough - - - - -	5	8	4	7	2	-	-	-	-	-	-	-	-			
*Diphtheria and Croup - - -	2	6	-	5	3	-	-	-	-	-	-	-	-			
Influenza - - - - -	5	7	-	-	1	-	1	1	-	2	4	2	1			
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Phthisis, Pulmonary Tuberculosis -	7	13	1	-	-	2	3	6	4	3	1	-	-			
Tuberculous Meningitis - - -	3	2	1	3	1	-	-	-	-	-	-	-	-			
Abdominal Tuberculosis - - -	2	7	3	4	1	-	-	-	-	-	-	1	-			
Other Tuberculous Diseases - - -	2	1	-	-	-	-	-	1	-	1	1	-	-			
Cancer, Malignant Disease - - -	13	13	-	-	-	-	-	-	3	7	9	7	-			
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Meningitis - - - - -	1	3	1	2	-	-	-	-	1	-	-	-	-			
Organic Heart Disease - - -	11	9	-	-	-	-	1	-	2	5	7	3	2			
Bronchitis - - - - -	12	16	5	2	-	-	-	1	3	1	6	5	5			
Pneumonia (all forms) - - -	28	26	3	12	2	1	6	8	8	7	3	1	3			
Other Diseases of Respiratory Organs	5	5	-	-	-	-	-	-	1	3	2	4	-			
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-			
Appendicitis and Typhlitis - - -	2	-	1	-	1	-	-	-	-	-	-	-	-			
All Liver Diseases (not Malignant) -	-	3	-	-	-	-	-	-	-	-	1	2	-			
Other Diseases of Digestive System -	6	7	2	1	-	1	1	-	2	-	2	1	3			
Nephritis and Bright's Disease - -	4	3	-	-	-	-	-	-	1	-	2	4	-			
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-			
Congenital Debility and Malformation, including Premature Birth	5	2	7	-	-	-	-	-	-	-	-	-	-			
Violent Deaths, excluding Suicide -	5	3	-	2	1	-	1	1	-	1	2	-	-			
Medicine - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Defined Diseases - - - - -	50	52	7	1	1	2	1	4	4	7	14	26	35			
Diseases ill-defined or Unknown - -	5	4	-	1	-	-	-	-	-	-	3	1	4			
Total - - - - -	174	195	35	44	14	6	14	23	29	37	57	57	53			

YEAR 1918.

Population—Census 1901, - - - 19,217.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 20,004.

Do. estimated to middle of 1918, 20,679.

PUBLIC HEALTH DISTRICT—**Central Stirling** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	658	10	18	666	348	318
Illegitimate Births - -	28	0	5	33	15	18
Marriages - - -	110	-	-	-	-	-
Deaths - - -	329	15	47	361	189	172

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.2	22.4	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - -	11.1	12.2	12.4
Do. —Phthisis - - - - -	-	1.01	-
Do. —All Tuberculosis - -	-	1.21	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.01	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	and over		
Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	7	11	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	7	3	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Group - -	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	3	-	1	-	-	-	-	1	-	1	1	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	19	11	-	-	1	3	10	8	4	3	1	-	-	-	-	-
Tuberculous Meningitis - -	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease -	12	14	-	-	-	-	2	4	4	5	9	2	-	-	-	-
Rheumatic Fever - - - -	2	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - -	13	10	-	-	-	3	2	3	4	4	11	6	-	-	-	-
Bronchitis - - - - -	11	9	3	1	-	1	1	1	-	2	4	7	-	-	-	-
Pneumonia (all forms) - -	38	10	8	16	3	9	13	6	5	4	4	-	-	-	-	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	7	4	-	2	1	1	1	1	1	1	1	2	-	-	-	-
Nephritis and Bright's Disease -	2	7	-	-	1	1	-	3	-	2	1	1	-	-	-	-
Pericardial Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Constitutional Debility and Malforma-	13	7	20	-	-	-	-	-	-	-	-	-	-	-	-	-
tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	4	-	2	1	1	2	1	1	-	2	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - -	38	35	9	3	-	1	2	1	5	2	8	14	23	-	-	-
Diseases Ill-defined or Unknown -	4	2	1	-	-	-	-	-	-	-	4	1	-	-	-	-
Total - - - - -	189	172	46	52	11	6	24	34	20	36	47	49				

YEAR 1918.

Population—Census 1901, - - - 39,474.

Do. Do. 1911, - - - 41,745.

Do. estimated to middle of 1918, 41,185.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Eastern Stirling** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	913	13	14	914	461	453
Illegitimate Births -	51	0	9	60	30	30
Marriages - - -	193	-	-	-	-	-
Deaths - - -	610	122	72	560	282	298

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.2	22.2	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - - -	14.8	13.6	14.5
Do. —Phthisis - - - - -	-	0.87	-
Do. —All Tuberculosis - - - - -	-	1.28	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—84.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE														75 and over.
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.				
*Enteric Fever - - - - -	-	3	-	-	-	-	2	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	3	2	4	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	9	3	9	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	7	7	1	8	4	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	15	-	1	2	3	3	2	2	2	-	-	-	-	-	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	14	22	-	1	1	1	8	5	11	4	5	-	-	-	-	-	
Tuberculous Meningitis - - - - -	4	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	3	-	1	1	-	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	6	1	1	-	1	-	2	1	-	2	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	14	21	-	-	-	-	-	1	2	4	8	15	5	-	-	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	6	3	2	4	1	-	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	21	32	-	2	-	-	5	2	7	4	10	15	8	-	-	-	
Bronchitis - - - - -	23	14	6	1	-	-	1	1	1	4	7	10	6	-	-	-	
Pneumonia (all forms) - - - - -	58	53	9	20	8	5	14	24	16	3	3	8	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	2	1	2	-	-	-	2	-	2	3	2	1	-	-	-	
Appendicitis and Typhlitis - - - - -	1	3	-	-	-	-	3	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	9	7	5	2	1	-	-	1	2	1	1	3	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	3	-	-	-	-	1	-	1	2	2	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	1	3	1	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	23	17	39	-	-	-	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	12	4	-	2	-	-	1	3	2	2	3	-	3	-	-	3	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	37	52	5	2	-	-	4	2	2	5	10	23	36	-	-	-	
Diseases Ill-defined or Unknown - - - - -	4	7	1	2	-	-	-	1	1	1	4	1	-	-	-	-	
Total - - - - -	262	298	77	68	19	10	49	50	50	38	58	78	63				

YEAR 1918.

Population—Census 1901, . . . 11,098.

COUNTY—**Stirling.**

Do. 1911, . . . 11,659.

Do. estimated to middle of 1918, 11,454.

PUBLIC HEALTH DISTRICT—**Western Stirling** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births	183	13	8	178	79	99
Illegitimate Births	16	5	4	15	6	9
Marriages	34	—	—	—	—	—
Deaths	154	14	25	165	83	82

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate	16.0	15.5	—
Mortality-rate	3.0	—	—
Death-rate—All Causes	13.4	14.4	13.2
Do. — Phthisis	—	0.79	—
Do. — All Tuberculosis	—	1.31	—
Do. — Principal Epidemic Diseases (those asterisked below.)	—	0.44	—

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—51.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—8.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	1	3	1	3	—	—	—	—	—	—	—	—	—	—	—
Diphtheria and Croup	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Influenza	1	2	—	—	—	—	1	1	—	—	—	1	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis, Pulmonary Tuberculosis	8	6	—	—	—	—	2	2	3	1	1	—	—	—	—
Tuberculous Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Abdominal Tuberculosis	2	3	—	2	—	—	1	—	1	—	—	1	—	—	—
Other Tuberculous Diseases	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer, Malignant Disease	4	6	—	—	—	—	—	—	—	3	2	4	1	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organic Heart Disease	9	13	—	—	—	—	1	1	2	1	4	3	10	—	—
Bronchitis	3	4	2	—	—	—	—	—	—	1	1	2	1	—	—
Pneumonia (all forms)	18	17	1	1	—	—	3	5	11	5	1	4	4	—	—
Other Diseases of Respiratory Organs	2	1	—	—	—	—	—	—	—	—	—	1	2	—	—
Diarrhoea and Enteritis (under 2 years)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Appendicitis and Typhlitis	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
All Liver Diseases (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Digestive System	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Nephritis and Bright's Disease	5	1	—	—	—	1	—	—	—	1	2	1	1	—	—
Suppurative Infection	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases and Accidents of Pregnancy and Parturition	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Constitutional Debility and Malformation, including Premature Birth	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths, excluding Suicide	6	—	—	—	—	—	2	1	1	1	—	1	—	—	—
Suicide	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Defined Diseases	20	22	1	—	—	—	1	2	—	7	4	14	13	—	—
Diseases Ill-defined or Unknown	2	1	—	—	—	—	—	—	1	—	—	1	1	—	—
Total	83	82	9	6	3	1	11	13	20	21	16	34	31	—	—

YEAR 1918.

Population—Census 1901, - - - 624.

Do. Do. 1911, - - - 741.

Do. estimated to middle of 1918, 784.

COUNTY—**Sutherland.**PUBLIC HEALTH DISTRICT—**Dornoch (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	13	0	0	13	7	6
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	3	-	-	-	-	-
Deaths - - -	9	0	3	12	4	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	16.6	16.6	-
Marriage-rate - - -	3.8	-	-
Death-rate—All Causes - - -	11.5	15.3	13.9
Do. —Phthisis - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	1.28	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												75 and over
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	-	1	-	-		
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	-		
Bronchitis - - -	-	1	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	1	1	-	-	-	-		
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhœa and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - -	1	2	-	-	-	-	-	-	-	-	-	1	-		
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - -	4	8	-	1	-	-	-	2	1	2	1	-	-		

YEAR 1918.

Population—Census 1901, - - - 20,816.

COUNTY—Sutherland.

Do. Do. 1911, - - - 19,448

Do. estimated to middle of 1918, 17,504

PUBLIC HEALTH DISTRICT—Sutherland (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	229	5	3	232	126	106
Illegitimate Births -	15	0	3	18	13	5
Marriages - - -	55	-	-	-	-	-
Deaths - - -	304	5	24	323	153	170

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.1	13.3	-
Marriage-rate - - - - -	3.1	-	-
Death-rate—All Causes - - -	17.4	18.5	18.1
Do. —Phthisis - - - - -	-	1.14	-
Do. —All Tuberculosis - - -	-	1.71	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—60.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-		
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping-cough - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-		
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis	9	11	-	-	2	2	6	5	2	3	-	-	-		
Tuberculous Meningitis - - -	-	3	-	1	1	-	1	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	3	2	-	-	1	2	1	1	-	-	-	-	-		
Other Tuberculous Diseases - -	1	1	-	-	-	1	1	-	-	-	-	-	-		
Cancer, Malignant Disease - -	18	11	-	-	-	2	-	-	5	9	7	6	-		
Pneumonic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-		
Meningitis - - - - -	5	1	-	3	1	1	-	-	-	-	1	-	-		
Organic Heart Disease - - -	11	12	-	-	-	1	-	-	1	2	5	14	-		
Bronchitis - - - - -	8	9	3	-	1	-	-	1	1	3	2	6	-		
Pneumonia (all forms) - - -	12	12	2	2	-	4	5	4	-	2	4	1	-		
Other Diseases of Respiratory Organs	1	3	1	-	-	-	1	1	-	-	1	-	-		
Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant)	-	1	-	-	-	-	-	-	-	1	-	-	-		
Other Diseases of Digestive System	3	6	-	-	-	-	1	-	1	3	2	2	-		
Nephritis and Bright's Disease -	3	7	1	-	-	-	-	1	-	1	3	4	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of	-	2	-	-	-	-	-	1	1	-	-	-	-		
Pregnancy and Parturition - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Constitutional Debility and Malforma-	3	1	4	-	-	-	-	-	-	-	-	-	-		
tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	12	3	1	-	1	1	-	1	2	4	3	2	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - -	49	74	2	-	-	-	4	2	1	4	18	92	-		
Diseases Ill-defined or Unknown -	12	7	2	-	1	2	-	1	-	3	4	6	-		
Total - - - - -	153	170	14	10	2	8	17	19	19	14	35	50	135		

YEAR 1918.

Population—Census 1901, . . . 2,204.

Do. Do. 1911, . . . 2,063.

Do. estimated to middle of 1918, 1,861.

COUNTY—**Wigtown.**PUBLIC HEALTH DISTRICT—**Newton-Stewart** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	35	2	0	33	15	18
Illegitimate Births - -	5	0	0	5	3	2
Marriages - - -	15	-	-	-	-	-
Deaths - - -	38	2	3	39	15	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.9	17.8	-
Marriage-rate - - - - -	8.1	-	-
Death-rate—All Causes - - - - -	20.4	21.0	18.5
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	1.17	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	5	-	1	1	-	-	1	-	1	1	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Tuberculous Meningitis - - - - -	1	1	-	-	1	-	1	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	-	-	2	1		
Pneumonia (all forms) - - - - -	3	3	-	-	1	-	3	-	1	-	-	-	1		
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	2	3	-	-	-	-	-	-	-	-	-	1	4		
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	4	6	-	-	-	-	2	-	-	1	1	3	3		
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Total - - - - -	15	24	3	1	3	-	7	2	2	2	3	7	9		

YEAR 1918.

Population—Census 1901, - - - 6,086.

COUNTY—Wigtown.

Do. Do. 1911, - - - 6,444.

Do. estimated to middle of 1918, 6,397.

PUBLIC HEALTH DISTRICT—Stranraer (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	129	6	4	127	69	58
Illegitimate Births -	15	2	3	16	8	8
Marriages - - -	35	-	-	-	-	-
Deaths - - - -	142	6	1	137	65	72

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	20.2	19.9	-
Marriage-rate - - - -	5.5	-	-
Death-rate—All Causes -	22.2	21.4	19.1
Do. —Phthisis - - - -	-	1.09	-
Do. —All Tuberculosis -	-	1.56	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—126.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	2	-	-	-	-	1	2	3	1	-	-	-	
Tuberculous Meningitis -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	1	1	-	1	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease -	4	6	-	-	-	-	-	-	-	2	3	2	3	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Organic Heart Disease -	11	11	-	-	-	-	-	-	5	2	2	6	7	
Bronchitis - - - -	3	4	-	-	-	-	-	1	1	3	-	1	1	
Pneumonia (all forms) -	9	7	2	2	3	-	3	1	2	1	1	1	-	
Other Diseases of Respiratory Organs -	-	3	-	1	-	-	1	1	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	2	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	2	7	2	1	1	1	-	1	-	1	-	1	1	
Nephritis and Bright's Disease -	2	3	-	-	-	-	-	1	1	2	-	-	1	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	5	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - -	21	18	3	3	-	-	-	-	2	1	7	8	15	
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - -	65	72	16	12	5	1	5	7	14	13	15	21	28	

YEAR 1918. - - - - - Population—Census 1901, - - - - - 1,188.
 Do. Do. 1911, - - - - - 1,170.
 COUNTY—Wigtown. Do. estimated to middle of 1918, 1,099.
 PUBLIC HEALTH DISTRICT—Whithorn (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	1	1	15	9	6
Illegitimate Births -	1	0	1	2	2	0
Marriages - - -	2	-	-	-	-	-
Deaths - - -	21	1	2	22	13	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.6	13.6	-
Marriage-rate - - - - -	1.8	-	-
Death-rate—All Causes - - - - -	19.1	20.0	14.9
Do. —Phthisis - - - - -	-	1.82	-
Do. —All Tuberculosis - - - - -	-	2.73	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	4	-	-	-	-	-	1	-	-	-	2	1	-	-	-
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL - - - - -	13	9	2	1	-	-	-	3	1	1	1	7	6	-	-	-

YEAR 1918.

Population—Census 1901, - - - 1386.

COUNTY—Wigtown.

Do. Do. 1911, - - - 1369.

Do. estimated to middle of 1918, 1288.

PUBLIC HEALTH DISTRICT--Wigtown (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	23	1	1	23	13	10
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	4	-	-	-	-	-
Deaths - - -	19	1	1	19	8	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	17.9	17.9	-
Marriage rate - - - - -	3.1	-	-
Death rate—All Causes - - - - -	14.8	14.8	12.4
Do. —Phthisis - - - - -	-	2.33	-
Do. —All Tuberculosis - - - - -	-	2.33	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	1	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer; Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Bronchitis - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	1	-	1	1	1	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	8	11	1	1	-	-	1	1	2	2	6	1	4	

YEAR 1918.

Population—Census 1901, - - - 9,186.

Do. Do. 1911, - - - 8,853.

Do. estimated to middle of 1918, 8,175.

COUNTY—Wigtown.

PUBLIC HEALTH DISTRICT—Machars (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	150	3	6	153	81	72
Illegitimate Births -	13	0	1	14	9	5
Marriages - - -	41	-	-	-	-	-
Deaths - - -	110	5	11	116	54	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.3	18.7	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	13.5	14.2	12.4
Do. —Phthisis - - - - -	-	0.73	-
Do. —All Tuberculosis - - - - -	-	1.10	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.12	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—52.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	1	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	3	3	-	-	-	-	2	1	1	1	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	6	-	-	-	-	-	1	-	1	4	1	-	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	10	-	-	-	-	-	1	3	3	4	6	-	
Bronchitis - - - - -	2	4	-	1	-	-	-	2	-	-	1	2	-	
Pneumonia (all forms) - - - - -	13	11	3	4	1	1	5	2	4	2	1	1	-	
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	1	-	-	-	-	-	1	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	†1	5	-	2	-	-	1	-	-	-	-	-	2	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Defined Diseases - - - - -	14	16	1	1	-	1	1	1	-	2	5	5	13	
Diseases Ill-defined or Unknown - - - - -	3	2	-	-	-	-	-	-	-	-	1	1	3	
Total - - - - -	†54	62	8	11	2	2	8	5	11	8	13	18	29	

† Including 1 of unstated age.

YEAR 1918.

Population—Consus 1901, - - - 12,685.

COUNTY—Wigtown.

Do. 1911, - - - 12,000.

Do. estimated to middle of 1918, 11,080.

PUBLIC HEALTH DISTRICT—Rhins (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	226	6	9	229	104	125
Illegitimate Births -	31	0	6	37	13	20
Marriages - - -	57	-	-	-	-	-
Deaths - - -	170	4	10	176	75	101

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	20.4	20.7	-
Marriage-rate - - -	3.1	-	-
Death-rate—All Causes - - -	15.3	15.9	14.5
Do. —Phthisis - - -	-	0.36	-
Do. —All Tuberculosis - - -	-	0.34	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.18	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	1	-	-	1	1	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	4	-	1	-	1	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	10	-	-	-	1	1	4	3	3	3	3	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	14	-	-	-	1	-	1	4	7	4	5	5	
Bronchitis - - - - -	3	5	4	-	-	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - - - -	13	13	3	3	-	5	-	8	2	-	4	1	1	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	1	-	-	1	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	4	5	4	2	1	-	-	-	-	-	1	1	1	
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	1	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	1	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	6	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	†7	‡1	1	-	-	-	-	-	-	-	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	20	32	-	2	-	1	2	2	1	6	10	28	28	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	1	-	1	1	-	
Total - - - - -	†75	‡101	23	9	3	-	13	5	19	12	22	25	40	

† Including 4 of unstated age.

‡ Including 1 of unstated age.

NOTES ON STATISTICAL TABLES.

The "Height of Station" is that of the cistern of the Barometer above Mean Sea-Level, or, where no barometer is in use, the height of the rain-gauge above Mean Sea-Level.

It is to be noted that the observations of pressure have not been adjusted to mean sea-level or Lat. 45° , but are at the heights and latitudes of the various stations.

The Air Temperatures are from standard thermometers exposed in the regulation "Stevenson Screen," or in a screen closely approaching the regulation pattern.

The averages for Temperature and Rainfall referred to in the statistics for individual stations are in general for the 35-year period 1881-1915. For stations at which the available observations do not cover the entire 35-year period averages have been adjusted by comparison with neighbouring stations. The Sunshine averages are also for the 35-year period 1881-1915, or have been adjusted to that period.

The amount of cloud is estimated on a scale of 0-10, and a day is reckoned as a day of "clear sky" if the average of the estimates at the hours of observation is less than 2, and as an "overcast" day if the average is greater than 8.

The hours of observation refer to Greenwich Mean Time (G.M.T.). Thus 7h. or (7) = 7 a.m., 9 = 9 a.m., 13 = 1 p.m., 15 = 3 p.m., 18 = 6 p.m., 21 = 9 p.m., all G.M.T. During the operation of the Summer Time Act (from March 24th to September 29th) observations at a few stations were made at times which differed slightly from the times at which they were made during the rest of the year.

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE								
				Mean at Station at 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.	Inch.	°	°	°	°	°	°	°	°	°	°	
Shetland.												
BALTASOUND—	31	Jan.	...	37·9	27·8	32·9	...	49	30th	15	14th	
T. Edmonston		Feb.	...	43·9	37·2	40·6	...	48	22nd, 23rd, 25th	29	28th	
Saxby,		Mch.	...	45·2	37·3	41·3	...	52	23rd	31	1st, 26th	
F.R.C.S. Ed.		Apl.	...	47·1	37·5	42·3	...	56	26th	29	18th	
(9, —, —.)		May	...	52·7	43·0	47·9	...	59	17th, 19th	35	3rd	
		June	...	53·5	44·3	48·9	...	57	5th, 6th, 7th	34	5th	
		July	...	56·8	48·2	52·5	...	62	17th	42	2nd, 7th, 8th	
		Aug.	...	58·1	49·5	53·8	...	64	11th	38	25th	
		Sept.	...	52·1	42·6	47·4	...	58	8th	33	16th	
		Oct.	...	50·3	41·6	46·0	...	54	5th, 9th, 10th	34	26th	
		Nov.	...	47·7	39·8	43·8	...	51	2nd	30	24th	
		Dec.	...	44·2	38·6	41·4	...	50	2nd, 4th, 6th	29	31st	
		Year	...	49·1	40·6	44·9	...	64		15		
LERWICK—												
The Meteorologi- cal Office.	59	Jan.	29·583	40·5	29·1	34·8	-4·3	50	24th	16	14th	
		Feb.	29·666	43·4	37·5	40·5	+2·2	48	22nd, 23rd, 25th	30	28th	
		Mch.	29·923	44·0	37·0	40·5	+1·8	50	23rd	30	1st	
		Apl.	29·961	44·7	37·4	41·1	-0·4	56	26th	29	18th	
Ander Hill from May 17th.	483	May	...	50·5	43·3	46·9	+1·7	56	17th	35	1st	
(7, 13, 21.)		June	29·341	51·1	43·4	47·3	-2·2	55	7th	39	17th	
		July	29·326	54·9	46·6	50·8	-1·8	62	17th, 20th	41	2nd	
		Aug.	29·294	55·3	48·1	51·7	-1·1	61	9th	41	31st	
		Sept.	28·961	49·0	40·6	44·8	-5·8	53	2nd, 7th, 8th	32	14th, 16th	
		Oct.	29·179	48·3	41·1	44·7	-1·5	52	9th	35	1st	
		Nov.	29·241	45·7	38·7	42·2	-0·4	49	2nd	29	9th	
		Dec.	28·971	42·6	36·7	39·7	-0·4	49	4th	29	31st	
		Year	...	47·5	40·0	43·8	-1·0	62		16		
Orkney.												
DEERNESS—	163	Jan.	29·491	38·0	30·5	34·3	-4·7	47	28th	17	14th	
M. Spence.		Feb.	29·567	43·4	38·3	40·9	+2·4	51	23rd	31	28th	
(9, —, 21.)		Mch.	29·799	44·1	37·8	41·0	+1·8	53	22nd	33	1st, 2nd, 28th	
		Apl.	29·850	45·9	38·3	42·1	-0·2	53	26th	32	14th, 18th	
		May	29·841	53·5	44·4	49·0	+2·7	62	19th, 29th	37	1st	
		June	29·725	54·6	45·2	49·9	-0·8	62	1st	41	15th	
		July	29·641	56·7	49·0	52·9	-0·6	64	17th	41	2nd	
		Aug.	29·629	58·3	50·0	54·2	+0·8	64	11th, 12th	43	31st	
		Sept.	29·314	51·7	43·3	47·5	-3·9	57	2nd	36	14th	
		Oct.	29·537	50·3	43·6	47·0	+0·1	55	3rd, 10th	38	1st, 26th	
		Nov.	29·608	46·7	40·3	43·5	+0·7	53	2nd	35	9th, 11th	
		Dec.	29·330	44·5	38·5	41·5	+1·5	52	4th	30	31st	
		Year	29·611	49·0	41·6	45·3	0·0	64		17		
KIRKWALL—												
A. G. Spence.	72	Jan.	29·599	39·1	30·0	34·6	-4·9	49	30th, 31st	14	14th	
(9, —, —.)		Feb.	29·661	45·7	37·5	41·6	+2·5	52	24th	30	28th	
		Mch.	29·907	45·7	36·6	41·2	+1·5	53	22nd	30	1st, 2nd	
		Apl.	29·946	48·7	37·3	43·0	-0·5	61	27th	30	13th, 14th	
		May	29·937	55·7	44·2	50·0	+2·0	67	23rd	33	1st	
		June	29·814	55·3	45·4	50·6	-2·3	63	6th	40	4th, 15th	
		July	29·739	58·9	49·5	54·2	-0·8	64	14th	42	2nd	
		Aug.	29·720	60·0	50·3	55·2	+0·4	71	11th	43	31st	
		Sept.	29·417	53·4	43·0	48·2	-4·2	60	23rd	35	14th, 15th, 2	
		Oct.	29·631	51·5	43·0	47·3	+0·2	56	9th, 10th, 15th	35	13th, 26th, 2	
		Nov.	29·703	47·3	39·5	43·4	+0·4	52	2nd	34	9th, 10th, 1	
		Dec.	29·436	44·9	37·6	41·3	+0·5	56	4th	31	24th, 25	
		Year	29·709	50·6	41·2	45·9	-0·4	71		14		

* See Note, p. 155.

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†										
Mean.†					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.									
Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Mean (0-10.) †					Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
°	Inch.	%			Inch.	Inch.	Inch.																		
7	1.1	171	88	8.1	30	2.25	...	0.28	11th	12	8	0	0	18	1	6	24	0	6	2	6	12	6	6	0
3	1.4	231	89	8.3	23	4.38	...	0.74	18th	5	4	1	1	15	1	8	4	0	4	0	16	22	10	0	0
7	1.6	239	87	7.7	22	1.76	...	0.26	21st	2	3	0	1	16	0	0	6	2	6	12	6	8	10	2	0
9	2.0	244	85	7.1	17	1.37	...	0.26	2nd	3	3	0	1	12	2	0	6	12	10	10	12	6	4	0	0
7	2.3	300	85	7.2	15	1.20	...	0.27	11th	1	1	1	0	13	2	1	2	2	26	8	10	2	10	2	0
3	1.7	321	88	8.1	24	3.38	...	0.66	13th	0	1	0	1	18	1	2	10	4	6	0	6	14	14	0	0
9	2.0	359	87	8.3	16	2.52	...	0.99	18th	0	0	0	1	20	5	1	6	6	26	8	6	0	4	6	0
7	2.1	369	86	8.2	22	3.85	...	1.54	22nd	0	0	0	0	17	7	2	4	4	20	4	2	2	16	10	0
0	2.4	289	83	6.8	29	3.98	...	0.54	21st	1	5	0	1	8	1	3	12	8	6	2	4	6	12	10	0
2	1.7	295	89	8.2	30	4.49	...	0.64	24th	0	1	0	0	17	4	4	12	0	6	4	6	22	10	0	2
4	1.7	264	88	8.9	27	4.32	...	0.74	4th	2	3	0	0	20	0	6	2	0	0	4	14	20	16	4	0
2	1.4	239	90	7.7	28	4.82	...	0.69	26th	3	6	0	0	16	0	5	6	0	12	10	14	8	8	4	0
					283	38.32		1.54																	
9	1.4	175	87	8.5	29	4.24	-0.02	0.83	13th	18	0	0	0	19	1	2	8	4	2	3	13	9	7	14	2
2	1.8	221	86	8.3	24	4.72	+1.56	0.98	18th	2	2	0	0	13	4	8	1	3	1	3	23	12	10	3	0
9	1.8	218	86	8.5	22	2.10	-1.04	0.39	21st	3	0	0	0	15	6	0	3	4	2	11	18	12	9	1	2
3	1.1	236	92	7.6	13	1.66	-0.62	0.35	22nd	2	0	0	0	17	2	0	11	11	3	7	13	5	4	2	4
4	1.1	289	92	7.3	15	0.94	-1.15	0.24	11th	0	0	0	0	13	6	0	1	7	12	11	11	7	8	4	1
1	1.1	289	92	8.1	23	2.07	+0.29	0.39	6th	0	0	0	0	18	6	2	10	5	1	4	7	5	7	21	0
0	0.8	339	94	8.4	16	2.70	+0.41	0.87	18th	0	0	0	0	17	14	4	6	12	17	9	3	3	5	5	2
0	0.9	353	94	8.8	21	3.47	+0.46	1.10	22nd	0	0	0	0	17	15	6	6	9	10	3	6	4	15	7	2
1	1.2	272	90	7.4	24	3.36	+0.35	0.43	8th	1	2	0	0	10	5	7	9	7	4	2	7	2	9	20	0
2	0.9	280	93	8.3	25	3.72	-0.23	0.43	24th	0	0	0	0	16	6	13	7	5	3	7	14	5	12	9	0
6	0.8	266	93	8.5	25	3.21	-1.04	0.47	5th	0	4	0	0	16	6	3	1	0	2	11	15	11	8	11	1
0	0.6	240	95	7.4	27	4.30	-0.49	0.60	12th	5	5	1	0	11	6	16	9	3	8	14	7	5	7	9	0
					264	36.49	-1.52	1.10																	
1	1.2	172	87	7.5	24	3.39	-0.06	0.83	12th	18	5	0	1	12	2	6	5	7	3	5	18	1	10	12	1
1	1.3	224	90	6.5	19	3.23	+0.22	0.39	21st	2	4	1	1	8	3	4	1	1	2	8	23	7	12	1	1
1	1.3	226	89	7.4	11	2.02	-0.79	0.56	21st	1	2	0	0	15	4	1	2	3	4	17	17	8	7	3	1
1	1.7	227	87	6.8	11	1.72	-0.35	0.69	8th	2	3	0	4	13	7	0	8	12	13	10	2	3	2	2	
1	1.9	293	87	7.0	12	1.48	-0.51	0.40	4th	0	0	2	1	11	4	0	1	3	16	13	10	4	7	5	3
2	2.3	294	84	7.5	11	1.97	+0.13	0.50	6th	0	0	0	2	16	2	2	2	0	1	9	6	5	20	17	0
1	1.3	358	91	8.0	18	5.24	+2.67	1.14	18th	0	0	0	1	19	14	0	4	6	14	12	4	4	6	8	4
1	1.5	370	89	8.6	23	4.77	+1.90	0.92	31st	0	0	1	1	21	6	2	1	4	10	5	9	8	12	7	6
2	1.1	280	86	6.7	26	4.20	+1.30	0.56	21st	0	1	0	0	11	3	0	9	3	3	5	5	6	12	16	1
1	1.8	281	87	7.3	23	3.32	-0.47	0.78	7th	0	0	0	0	11	0	2	5	5	1	5	17	12	11	3	3
1	1.1	260	91	6.6	12	3.00	-0.93	1.43	4th	0	0	0	3	12	1	4	0	1	0	9	25	10	7	3	5
1	1.3	232	90	6.1	26	6.04	+1.85	0.74	26th	5	5	1	0	6	0	1	4	4	1	7	16	10	7	4	9
					216	40.38	+4.96	1.43																	
...	...	...	...	7.7	23	4.60	+0.65	1.00	12th	14	0	0	0	12	0	1	8	10	4	4	6	8	12	8	2
...	...	...	...	7.0	21	4.20	+0.79	0.52	18th	5	0	0	0	6	0	2	2	0	4	10	16	6	10	8	0
...	...	...	...	7.2	16	2.24	-1.09	0.64	28th	1	0	0	0	12	1	0	2	0	0	18	10	12	12	6	2
...	...	...	...	6.8	14	1.63	-0.51	0.50	8th	1	1	0	0	8	0	0	0	12	8	10	10	10	4	2	4
...	...	...	...	7.2	12	1.55	-0.24	0.50	4th	0	0	1	0	9	2	0	0	2	6	10	16	8	12	8	0
...	...	...	...	7.1	16	2.11	+0.45	0.40	6th	0	0	0	0	9	0	2	4	2	0	4	6	2	18	22	2
...	...	...	...	7.8	18	4.86	+2.25	1.12	18th	0	0	0	0	13	2	0	4	2	14	12	6	10	6	4	4
...	...	...	...	7.4	22	4.67	+1.65	1.08	22nd	0	0	0	0	8	0	0	0	2	10	6	2	12	8	20	2
...	...	...	...	6.5	24	4.67	+1.35	0.77	8th	0	0	0	2	6	0	0	6	12	4	4	2	10	10	10	2
...	...	...	...	6.4	25	2.93	-1.29	0.52	7th	0	0	0	1	7	0	2	2	8	0	2	8	18	14	8	2
...	...	...	...	7.1	20	3.57	-0.74	1.44	4th	0	0	0	0	9	0	3	0	0	0	18	20	14	4	4	4
...	...	...	...	6.7	29	6.75	+2.11	0.85	26th	8	0	0	1	8	1	1	4	8	2	4	10	10	8	10	6
					240	43.78	+5.38	1.44																	

For Stations observing only once a day the means in these columns are the means of the observations at
for other Stations they are the means of the morning and evening observations.

Adjusted to 62 or 60 observations for the various months; to 56 for February.

HYGROMETER.			Cloud.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†										
Mean.†				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Amount.	Most in a Day.	Number of Days with—						Number of Observations.								
Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Inch.							Inch.	Inch.	Inch.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.
0.4	.192	96	7.9	26	1.85	-0.61	0.35	22nd	14	5	0	0	10	2	4	9	3	4	5	11	7	9	14	0
0.4	.246	96	7.6	20	2.32	+0.05	0.47	24th, 25th, 27th	1	1	0	0	9	0	2	2	1	1	7	23	9	9	4	0
0.3	.244	98	8.2	15	1.42	-0.85	0.67	28th	1	0	0	0	13	1	3	2	2	1	16	18	8	9	3	
0.7	.242	94	7.9	13	1.22	-0.77	0.51	8th	1	1	0	0	13	4	0	9	5	11	14	9	1	4	5	
1.2	.307	92	8.2	14	1.38	-0.69	0.47	12th	0	0	0	0	14	1	0	0	3	8	17	17	2	3	10	
1.7	.313	88	8.2	19	1.61	-0.19	0.20	21st, 22nd	0	0	0	0	14	1	2	8	1	1	7	9	3	13	16	
0.8	.373	94	8.9	19	5.51	+2.88	1.26	21st	0	0	0	1	20	8	0	4	4	8	13	13	4	4	9	
1.2	.381	92	8.6	26	5.00	+2.25	1.65	31st	0	0	0	0	15	5	1	4	1	10	7	9	5	12	9	
1.3	.285	92	7.2	27	4.02	+1.52	0.51	8th	0	0	0	0	8	1	0	7	2	6	2	3	7	5	13	
0.5	.304	96	8.3	25	1.89	-1.07	0.35	7th	0	0	0	0	16	0	2	3	4	1	3	13	14	13	9	
0.9	.252	93	6.8	14	2.13	-1.01	1.18	4th	0	0	0	0	8	0	3	1	0	0	4	17	20	12	5	
0.3	.246	96	6.3	25	3.83	+0.75	0.45	22nd	2	3	0	0	3	0	0	6	1	1	19	12	14	7	1	
...	...	...	...	243	32.18	+2.26	1.65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	16	3.24	+0.49	0.70	21st	8	0	0	...	...	1	0	2	12	0	14	0	6	14	10	
...	...	...	...	17	3.00	+0.46	0.57	24th	2	0	0	...	...	0	2	0	6	0	10	0	8	22	2	
...	...	...	...	8	1.32	-1.31	0.60	27th	1	0	0	...	...	0	0	2	2	10	6	2	8	6	4	
...	...	...	...	7	1.04	-1.09	0.45	8th	0	0	0	...	...	2	0	0	0	0	10	18	2	8	10	
...	...	...	...	11	1.75	-0.52	0.38	22nd	0	0	2	...	...	0	0	0	0	10	18	2	8	10	0	
...	...	...	...	10	1.46	-0.46	0.52	22nd	0	0	0	...	...	0	0	0	0	4	20	2	4	18	0	
...	...	...	...	17	6.93	+4.07	1.48	11th	0	1	1	...	...	0	1	0	0	22	0	12	22	2		
...	...	...	...	17	3.79	+1.08	0.74	31st	0	0	0	...	...	2	0	0	4	22	0	6	8	0		
...	...	...	...	17	3.45	+1.04	0.55	16th	0	0	0	...	...	0	0	2	2	12	0	4	6	6		
...	...	...	...	18	1.68	-1.21	0.36	7th	0	0	0	...	...	0	2	0	2	2	2	2	10	16		
...	...	...	...	10	3.17	-0.15	1.22	4th	0	0	0	...	...	0	2	0	2	2	0	18	2	0		
...	...	...	...	17	4.13	+0.91	0.55	22nd	3	0	0	...	...	0	1	0	6	0	12	0	12	10		
...	...	...	...	165	34.96	+3.31	1.48	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
1.3	.193	89	...	21	3.28	...	1.00	21st	6	0	0	...	...	2	0	14	6	2	2	4	12	10		
2.0	.226	86	...	19	2.38	...	0.48	24th	2	0	0	...	...	3	0	0	6	0	4	2	20	20		
2.6	.209	80	...	9	0.83	...	0.29	27th	1	0	0	...	...	1	0	8	0	2	6	2	8	24		
2.2	.230	84	...	8	0.81	...	0.24	8th	2	0	0	...	...	1	0	2	12	10	2	4	6	18		
2.9	.330	81	...	12	2.00	...	0.70	22nd	1	1	1	...	...	1	0	0	2	18	18	2	2	16		
4.4	.311	73	...	15	1.83	...	0.35	15th	0	0	0	...	...	2	0	0	0	4	2	2	0	50		
4.4	.386	79	...	18	2.94	...	0.62	18th	0	0	0	...	...	2	0	0	2	6	10	0	0	44		
7.7	.430	89	...	18	2.56	...	0.34	31st	0	0	0	...	...	0	0	0	4	18	2	0	0	34		
0.0	.301	86	...	19	3.15	...	0.46	16th	0	1	0	...	...	0	0	2	0	16	2	0	0	36		
5.5	.296	89	...	26	2.41	...	0.47	7th	0	0	0	...	...	4	0	0	8	12	0	0	2	36		
9.9	.250	92	...	11	2.13	...	0.80	4th	0	0	0	...	...	3	1	0	6	2	0	0	44	4		
4.4	.223	89	...	20	2.34	...	0.45	24th	3	0	0	...	...	4	0	0	4	4	4	0	0	26		
...	...	...	...	196	26.66	...	1.00	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...</			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean at Station at 32° Fahr.†	Mean of		Difference from Average.	Absolute Maximum and Minimum.			
					A	B		Maximum.	Day of Month.	Minimum.	Day of Month.
			Inch.	°	°	°	°	°			
Ross & Cromarty (<i>contd.</i>)	Feet.										
GLENCARRON— D. D. Munro.	504	Jan.	29.167	40.6	30.4	35.5	-1.6	56	31st	12	14th
		Feb.	29.233	46.4	36.2	41.3	+4.2	57	1st, 2nd	26	25th
		Mar.	29.405	46.2	34.5	40.4	+2.0	57	11th	20	4th
(9, —, 21.)		Apl.	29.455	50.3	34.3	42.3	-0.4	66	25th, 26th, 27th	25	15th
		May	29.445	57.6	43.6	50.6	+2.6	72	22nd	31	1st
		June	29.413	57.4	43.9	50.7	-2.6	75	4th	35	13th
		July	29.257	61.1	48.4	54.8	0.0	77	30th	41	9th, 10th
		Aug.	29.273	60.9	50.8	55.9	+1.4	72	11th	42	31st
		Sept.	29.986	51.8	40.3	46.1	-5.6	60	7th	29	15th
		Oct.	29.176	50.7	40.3	45.5	-0.2	57	30th	23	13th
		Nov.	29.236	45.7	34.0	39.9	-1.1	58	2nd	29	18th
		Dec.	28.995	44.5	34.5	39.5	+1.8	60	4th	22	31st
		Year	29.253	51.1	39.3	45.2	-0.1	77		12	
STORNOWAY— The Meteorologi- cal Office.	52	Jan.	29.646	40.8	31.6	36.2	-3.1	52	30th	11	14th
		Feb.	29.662	46.7	38.1	42.4	+3.2	53	1st, 23rd	23	28th
		Mar.	29.882	46.9	37.3	42.1	+2.2	54	20th	29	1st, 5th
(7, 13, 21.)		Apl.	29.954	49.8	37.2	43.5	0.0	61	26th, 27th	29	15th
		May	29.919	56.4	45.4	50.9	+3.4	65	22nd	36	1st
		June	29.886	57.5	46.4	52.0	-0.4	73	5th	41	15th
		July	29.736	60.8	50.0	55.4	+0.8	70	30th	42	10th
		Aug.	29.742	60.6	52.0	56.3	+1.8	67	3rd	45	31st
		Sept.	29.462	53.1	42.1	47.6	-4.4	58	10th	32	21st
		Oct.	29.644	51.7	41.4	46.6	-0.1	56	9th	30	13th
		Nov.	29.689	48.2	39.4	43.8	+1.0	54	2nd	34	18th
		Dec.	29.444	45.5	38.0	41.8	+1.9	55	4th	29	20th
		Year	29.722	51.5	41.6	46.6	+0.5	73		11	
Inverness. CASTLEBAY— The Meteorologi- cal Office.	48	Jan.	29.684	43.4	36.6	40.0	...	50	24th, 28th, 29th	21	14th
		Feb.	29.734	47.2	42.0	44.6	...	55	13th	30	28th
		Mar.	29.894	46.5	40.8	43.7	...	52	23rd	31	1st
(7, 13, 21.)		Apl.	29.958	50.3	42.0	46.2	...	62	26th	35	14th,
		May	29.931	54.0	47.9	51.0	...	58	7th, 21st	41	1st
		June	29.948	56.0	49.3	52.7	...	65	3rd	45	15th, 22nd
		July	29.768	59.1	52.3	55.7	...	69	31st	47	9th
		Aug.	29.791	59.7	54.1	56.9	...	72	1st	48	31st
		Sept.	29.497	53.8	46.9	50.4	...	58	2nd	42	30th
		Oct.	29.702	52.3	46.1	49.2	...	58	19th	40	13th
		Nov.	29.744	49.1	43.4	46.3	...	53	2nd	38	6th, 12th
		Dec.	29.490	47.8	41.8	44.8	...	54	3rd	33	23rd
		Year	29.761	51.6	45.3	48.5	...	72		21	
INVERNESS— W. G. MacCon- nachie, M.A., & James Galloway	98	Jan.	...	42.1	30.6	36.4	-2.1	56	24th	9	14th
		Feb.	...	49.3	37.2	43.3	+4.3	56	22nd	31	28th
		Mar.	...	48.9	35.6	42.3	+1.5	60	23rd	24	4th
(9, —, 21.)		Apl.	...	49.5	35.7	42.6	-2.7	57	17th, 25th	29	15th
		May	...	59.6	45.4	52.5	+3.3	72	31st	32	1st
		June	...	61.8	47.1	54.5	-0.2	77	6th	41	15th
		July	...	63.5	51.0	57.3	+0.3	75	3rd	42	10th
		Aug.	...	63.7	52.9	58.3	+1.6	74	10th	45	2nd,
		Sept.	...	55.4	43.1	49.3	-3.8	63	2nd	30	15th
		Oct.	...	53.1	41.4	47.3	+0.4	59	3rd	30	13th
		Nov.	...	48.3	35.3	41.8	+0.1	60	2nd	31	4th, 7th
		Dec.	...	45.0	35.9	40.5	+1.8	59	4th	27	24th
		Year	...	53.4	40.9	47.2	+0.4	77		9	

THERMOMETER.			OZON.		RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†													
Mean.†			Mean (0-10.) †		Number of Days.		Total Fall.		Difference from Average.		Most in a Day.		Number of Days with—						Number of Observations.									
Depression of Wet Bulb.	Vapour Pressure.	Humidity.										Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	
°F.	Inch.	%			Inch.	Inch.	Inch.	Inch.																				
1.7	.186	86	7.2	24	7.08	...	...	...	...	...	...	10	0	0	3	17	0	1	11	2	11	0	0	0	37	1	0	
2.7	.216	80	7.8	26	11.09	+3.73	1.50	23rd	...	...	...	3	0	0	0	17	0	1	4	1	9	0	0	0	42	0	0	
2.3	.208	82	7.2	17	2.86	-4.71	0.78	27th	...	...	...	1	0	0	3	18	1	0	9	1	24	0	0	0	28	0	0	
3.1	.206	75	4.4	12	2.47	-3.52	0.78	6th	...	...	...	0	0	0	12	0	0	12	1	36	1	0	0	10	0	0	0	
3.6	.278	77	7.7	17	2.11	-2.41	0.37	14th	...	...	...	0	0	1	0	14	0	0	11	1	21	0	1	0	28	0	0	
3.7	.280	76	7.5	21	5.19	+1.05	0.80	13th	...	...	...	0	2	0	4	19	0	0	3	1	13	0	0	0	43	0	0	
3.3	.340	79	7.4	22	6.07	+0.72	1.03	18th	...	...	...	0	0	4	4	19	0	0	14	1	18	0	0	0	29	0	0	
2.7	.367	82	8.6	26	9.31	+2.37	1.42	31st	...	...	...	0	0	0	1	24	0	1	12	1	11	0	0	0	38	0	0	
3.1	.245	75	7.7	26	9.03	+1.48	0.99	7th	...	...	...	0	0	0	1	18	0	0	11	0	14	0	1	0	34	0	0	
2.6	.237	82	7.9	26	10.10	+1.78	1.57	7th	...	...	...	0	0	1	1	18	0	2	5	0	13	0	0	0	143	0	0	
2.0	.214	84	7.8	18	6.79	-2.69	1.60	7th	...	...	...	0	0	0	1	12	0	3	11	0	9	0	1	0	39	0	0	
2.0	.207	84	7.3	29	7.64	-2.82	0.91	11th	...	...	...	8	0	0	2	13	0	1	12	0	10	0	0	0	40	0	0	
				264	79.74	-8.01	1.60																					
0.6	.205	95	7.9	28	5.47	+0.30	0.47	9th, 21st, 26th	...	...	...	12	1	0	0	11	2	5	10	6	1	4	11	8	9	11	2	0
1.0	.245	92	7.2	27	5.83	+1.37	0.47	28th	...	...	...	1	6	1	0	8	1	8	1	2	2	19	16	9	5	0	0	
1.3	.232	90	7.4	17	2.80	-1.30	0.63	24th	...	...	...	0	0	0	2	12	0	0	3	4	1	11	19	14	6	3	1	
1.6	.235	88	4.9	14	0.95	-2.08	0.24	5th	...	...	...	1	0	0	7	6	0	0	5	15	8	9	6	7	2	5	3	
1.9	.310	85	6.8	22	2.13	-0.43	0.43	11th	...	...	...	0	1	1	2	8	0	0	3	5	7	9	11	12	6	4	5	
2.2	.316	85	7.2	21	3.31	+0.99	0.55	8th	...	...	...	0	1	0	2	11	0	2	7	5	0	1	6	6	19	13	3	
1.6	.379	89	7.5	20	4.76	+1.73	0.67	21st	...	...	...	0	0	0	1	13	0	0	3	11	4	6	11	11	12	3	1	
1.2	.397	92	8.1	24	6.84	+2.87	1.61	22nd	...	...	...	0	0	0	0	17	0	1	5	5	8	4	9	16	13	2	0	
1.0	.288	94	7.0	29	7.21	+3.26	0.71	7th	...	...	...	0	0	1	0	9	0	0	16	8	3	2	6	5	12	8	0	
0.2	.303	98	7.8	27	5.67	+0.49	0.71	4th	...	...	...	0	0	0	0	13	0	4	3	5	2	1	14	17	13	4	3	
1.0	.265	92	7.4	21	5.24	-0.59	1.46	7th	...	...	...	0	1	0	1	13	0	3	1	1	1	1	18	23	10	4	1	
1.5	.237	89	7.5	30	5.83	-0.42	0.64	14th	...	...	...	2	3	0	0	13	0	4	6	2	1	2	13	19	10	5	4	
				280	56.04	+6.19	1.61																					
1.9	.214	86	7.5	26	2.76	...	0.28	21st	...	...	...	9	4	0	1	17	0	1	10	6	6	9	8	4	6	12	1	
1.9	.254	86	7.5	25	3.03	...	0.35	1st, 17th	...	...	...	3	6	0	0	12	0	0	3	1	2	9	10	15	5	1	0	
1.7	.247	87	7.6	15	1.09	...	0.35	27th	...	...	...	0	1	0	0	16	3	0	4	4	14	10	14	6	3	3	0	
2.7	.240	80	4.8	13	0.90	...	0.24	8th	...	...	...	0	1	0	5	7	3	0	11	12	7	5	5	1	3	11	5	
1.9	.313	86	7.1	15	1.14	...	0.32	10th	...	...	...	0	0	0	0	12	5	0	2	5	12	7	6	12	6	7	0	
2.0	.333	87	7.3	21	1.77	...	0.24	8th, 15th	...	...	...	0	1	0	0	15	4	0	3	2	5	3	3	4	17	20	3	
2.0	.375	87	7.8	20	3.38	...	0.91	9th	...	...	...	0	0	0	0	14	0	0	3	8	8	6	5	5	11	15	1	
2.2	.388	86	9.0	26	3.93	...	0.59	22nd, 24th	...	...	...	0	0	0	0	26	0	0	0	3	3	8	1	12	15	17	3	
2.2	.388	80	6.4	22	3.02	...	0.51	7th	...	...	...	0	4	0	1	8	0	0	9	8	4	2	3	5	11	17	1	
2.0	.301	86	7.7	27	3.13	...	0.32	9th	...	...	...	0	2	0	0	18	0	2	7	3	3	5	5	10	17	11	1	
2.1	.270	85	7.9	19	3.20	...	0.75	1st	...	...	...	0	3	0	0	16	3	2	2	1	2	10	15	9	11	6	4	
2.1	.254	84	7.4	27	3.98	...	0.59	22nd	...	...	...	2	2	0	0	10	0	0	7	3	5	9	7	8	11	11	1	
				256	31.33	...	0.91																					
1.8	.180	85	7.4	17	2.74	+0.26	0.68	21st	...	...	...	10	0	0	0	10	7	0	4	9	5	0	1	13	20	10	0	
2.5	.225	81	6.8	21	2.45	+0.27	0.41	8th	...	...	...	3	0	0	2	11	3	6	2	1	2	1	22	16	3	0	0	
2.4	.215	82	5.5	8	0.77	-1.36	0.20	27th	...	...	...	0	0	0	2	6	1	0	7	5	8	4	3	22	10	3	0	
2.6	.218	80	5.6	10	0.95	-0.64	0.25	19th	...	...	...	2	1	0	3	7	4	0	1	12	25	2	2	10	7	1	0	
3.6	.312	70	6.4	11	1.78	-0.03	0.68	22nd	...	...	...	0	1	1	0	7	4	0	0	4	12	2	1	5	31	7	0	
4.6	.313	72	6.3	16	1.57	-0.30	0.37	15th	...	...	...	0	1	2	3	8	0	1	4	12	1	0	3	9	16	15	0	
3.2	.384	80	7.3	18	4.95	+2.40	1.26	17th	...	...	...	0	0	1	0	14	0	0	0	19	11	5	1	18	2	6	0	
3.3	.387	80	...	22	3.18	+0.69	0.61	31st	...	...	...	0	0	0	0	...	0	2	0	13	10	1	0	21	12	5	0	
3.1	.284	79	...	23	3.19	+0.90	0.36	7th	...	...	...	0	0	0	0	...	0	0	16	3	3	0	26	4	8	0		
2.9	.277	80	...	21	2.76	+0.38	0.53	7th	...	...	...	0	0	0	0	...	0	2	0	4	1	0	0	44	4	9	0	
2.5	.231	81	...	11	2.02	-0.48	0.91	4th	...	...	...	0	0	0	0	...	1	3	2	3	0	0	0	53	0	2	0	
1.9	.223	86	...	18	2.43	-0.17	0.33	11th	...	...	...	3	0	0	0	...	1	1	0	4	0	4	1	39	6	8	0	
				196	28.79	+1.92	1.26																					

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.	Inch.	"	"	"	"	"	"	"	"	"	"	
Inverness (contd.)	68	Jan.	...	40·9	29·9	35·4	-2·3	54	24th	5	14th	
FORT AUGUSTUS—		Feb.	...	48·6	38·1	43·4	+5·7	58	2nd	28	17th	
Rev. Aelred		Mar.	...	48·7	34·9	41·8	+2·1	57	23rd, 24th	20	4th	
White, O.S.B.		Apl.	...	51·5	35·5	43·5	-0·4	65	25th	22	15th	
(9, —, —.)		May	...	60·5	45·2	52·9	+4·2	70	18th	35	1st	
		June	...	62·0	43·8	52·9	-1·4	76	1st	27	13th	
		July	...	63·1	49·4	56·3	-0·4	74	29th	42	9th, 10th	
		Aug.	...	62·2	51·8	57·0	+0·8	73	10th	42	31st	
		Sept.	...	54·9	40·4	47·7	-5·0	64	7th, 8th	28	14th	
		Oct.	...	52·8	41·6	47·2	+0·5	58	8th, 30th	25	13th	
		Nov.	...	47·0	34·8	40·9	-0·9	58	1st	22	17th	
		Dec.	...	45·3	34·2	39·8	+1·6	58	4th	23	22nd, 23rd	
		Year			53·1	40·0	46·6	+0·4	76		5	
FORT WILLIAM—	38	Jan.	29·711	41·7	31·8	36·8	-2·1	56	24th	8	14th	
W. T. Kilgour.		Feb.	29·799	47·2	38·6	42·9	+4·1	56	2nd	30	17th, 28th	
(9, —, 21.)		Mar.	29·944	47·5	35·6	41·6	+1·0	57	22nd	21	2nd	
		Apl.	29·969	54·2	35·1	44·7	-0·1	72	25th	23	15th	
		May	29·957	61·1	46·1	53·6	+3·5	76	22nd	36	1st	
		June	29·940	62·4	45·9	54·2	-1·4	76	3rd	40	15th	
		July	29·774	65·3	49·3	57·3	+0·1	77	30th	39	9th	
		Aug.	29·818	63·8	52·3	58·1	+1·5	74	10th	45	31st	
		Sept.	29·510	55·7	41·8	48·8	-4·7	62	2nd	33	6th, 15th	
		Oct.	29·735	52·2	41·8	47·0	-0·5	58	30th	28	13th	
		Nov.	29·806	46·0	35·1	40·6	-2·1	56	2nd	23	18th	
		Dec.	29·549	44·7	36·1	40·4	+0·7	59	4th	22	20th	
		Year	29·793		53·5	40·8	47·2	0·0	77		8	
KINGUSSIE—	828	Jan.	28·850	39·0	26·7	32·9	-2·0	51	24th, 26th	1	14th	
Mrs. de Watte-		Feb.	28·932	44·5	35·4	40·0	+4·5	52	23rd	28	17th	
ville.		Mar.	29·088	44·7	32·2	38·5	+1·2	59	24th	11	2nd	
(9, —, 21.)		Apl.	29·110	50·9	31·4	41·2	-0·6	68	26th	20	15th	
		May	29·105	59·4	44·0	51·7	+4·1	72	22nd	28	1st	
		June	29·058	61·1	42·7	51·9	-2·0	78	5th	32	19th	
		July	28·930	63·5	48·2	55·9	+0·2	77	31st	36	9th	
		Aug.	28·961	62·7	49·7	56·2	+1·5	77	10th	39	8th	
		Sept.	28·653	53·3	38·6	46·0	-4·8	61	5th, 6th	24	15th	
		Oct.	28·885	51·8	38·8	45·3	+1·2	59	3rd	23	13th	
		Nov.	28·958	45·6	29·9	37·8	-1·1	54	2nd	16	17th	
		Dec.	28·673	43·0	31·2	37·1	+1·9	58	4th	18	19th, 25th	
		Year	28·934		51·6	37·4	44·5	+0·3	78		1	
Nairn.	82	Jan.	29·632	40·7	29·5	35·1	-2·1	55	24th	10	14th, 19th, 20th	
NAIRN—		Feb.	29·707	47·0	36·3	41·7	+4·1	55	23rd	29	17th, 18th	
The Meteorologi-		Mar.	29·885	47·5	33·0	40·3	+0·8	60	21st, 22nd	21	5th	
cal Office.		Apl.	29·919	48·7	33·5	41·1	-2·8	56	17th, 30th	27	21st, 22nd	
(7, 13, 18.)		May	29·895	59·7	43·5	51·6	+2·8	69	18th	27	1st	
		June	29·849	60·8	45·5	53·2	-1·0	78	6th	39	15th	
		July	29·710	63·2	49·2	56·2	-0·5	73	17th	39	10th	
		Aug.	29·739	63·4	50·8	57·1	+0·9	76	11th	41	2nd	
		Sept.	29·429	55·0	39·8	47·4	-5·3	64	7th	27	15th	
		Oct.	29·657	52·1	39·8	46·0	-0·1	60	3rd	27	13th	
		Nov.	29·719	46·3	32·9	39·6	-1·6	59	2nd	27	4th, 18th	
		Dec.	29·453	44·1	34·2	39·2	+1·6	58	4th	27	20th	
		Year	29·716		52·4	39·0	45·7	-0·3	78		10	

HYGROMETER.			Clim.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS, & Number of Observations.										
Mean. †				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.								
Depression of Wet Bulb.	Vapour Pressure.	Humidity.	°					Inch.	Inch.	Inch.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	E.	S.E.	S.	S.W.
...	...	...	...	20	3.41	-1.99	0.35	26th	9	0	0	...	...	1	1	...	...	...	...	...	...	...	...	...
...	...	...	...	24	7.43	+3.24	1.55	21st	4	0	0	...	...	0	4	...	...	...	...	...	...	...	...	...
...	...	...	...	6	0.81	-2.83	0.24	27th	0	0	0	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	7	0.71	-1.85	0.28	1st	1	0	0	...	...	1	0	...	...	...	...	...	...	...	...	...
...	...	...	...	13	2.16	-0.22	0.51	14th	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	8	1.82	-0.21	0.61	6th	0	0	1	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	18	4.25	+1.45	0.87	8th	0	0	3	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	25	3.44	-0.03	0.77	22nd	0	0	0	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	22	5.47	+2.07	0.79	7th	0	0	1	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	7.09	+3.15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	13	5.57	+0.99	1.26	4th	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	4.54	-1.27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	46.70	+2.50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	1.8	.187	84	8.0	26	8.55	-1.03	2.16	28th	12	0	0	0.16	5	0	1	11	2	2	22	10	2	10	...
7	2.3	.226	83	8.4	26	13.14	+5.72	1.48	23rd	2	2	0	0.16	3	2	0	3	0	0	35	7	0	11	...
7	2.5	.204	81	6.5	14	2.41	-4.19	0.47	11th	0	0	0	0.15	3	0	1	6	2	5	4	22	1	0	...
6	3.7	.208	73	4.2	9	1.34	-3.09	0.59	5th	0	0	0	0.9	3	0	0	0	24	3	3	1	6	0	...
8	3.6	.306	76	7.1	18	3.22	-0.64	0.66	14th	1	0	2	0.15	2	0	0	4	1	8	1	16	9	1	...
8	3.8	.312	75	6.7	16	3.83	+0.33	1.21	13th	0	0	1	4.13	3	0	3	5	1	0	1	11	20	5	...
9	2.8	.375	83	7.2	20	4.65	-0.20	0.66	7th	0	0	3	3.14	0	0	0	2	1	3	1	9	3	0	...
2	2.4	.392	85	8.4	25	5.69	-0.45	0.71	22nd	0	0	0	0.21	2	0	0	3	0	1	3	9	13	6	...
5	2.5	.269	82	7.5	23	7.88	+1.60	1.32	22nd	0	0	0	2.16	1	0	1	11	4	0	1	16	7	6	...
0	1.9	.277	87	8.2	26	11.33	+4.30	2.89	9th	0	1	1	1.19	0	1	0	8	0	0	32	8	0	...	
6	1.7	.218	87	7.0	19	8.71	+0.88	1.11	9th	0	3	0	1.11	7	1	0	2	1	0	22	4	0	...	
9	1.7	.220	87	8.1	26	7.72	-2.36	0.65	11th	5	0	0	1.19	4	0	0	8	2	0	22	7	0	...	
...	...	...	...	...	248	78.71	+0.87	2.89	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
1	1.4	.169	85	8.0	19	2.35	+0.04	...	...	11	0	0	0.16	2	1	5	3	2	0	1	8	22	6	...
5	2.5	.202	80	7.9	22	3.47	+1.41	1.16	21st	4	0	0	0.15	0	2	0	2	0	1	3	9	34	1	...
7	2.3	.191	82	7.6	10	1.57	-0.43	0.23	27th	3	0	0	0.18	0	0	2	3	1	2	2	27	0	...	
7	3.0	.197	77	5.7	8	1.17	-0.75	0.41	19th	3	0	0	8.11	0	0	4	15	1	1	3	11	6	...	
8	3.8	.290	75	7.4	13	2.81	+1.09	1.23	25th	0	0	0	3.15	0	0	2	2	6	0	2	18	12	...	
0	5.0	.277	69	6.9	15	0.85	-1.13	0.19	21st	0	0	0	2.13	0	1	12	1	0	0	1	5	24	9	...
3	3.6	.350	77	8.2	19	5.83	+3.47	0.81	17th	0	0	0	1.19	0	0	3	3	4	2	1	3	24	6	...
9	3.4	.354	79	8.6	23	2.57	-0.26	0.82	31st	0	0	0	0.23	0	3	0	4	2	0	1	14	25	1	...
2	2.2	.250	83	7.0	25	5.36	+2.49	0.55	17th	0	0	0	2.12	0	0	4	5	2	1	0	9	11	1	...
5	2.2	.258	86	8.1	18	4.01	+0.92	1.47	8th	0	0	0	1.18	0	2	0	6	2	0	2	8	24	8	...
5	1.8	.190	85	5.4	16	4.68	+1.73	1.50	4th	0	0	0	4.8	0	5	0	0	1	1	1	4	29	0	...
1	1.6	.198	86	7.0	20	3.13	+0.20	0.64	12th	8	0	0	1.14	0	1	0	2	1	0	0	10	25	5	...
...	...	...	...	...	208	37.85	+8.78	1.50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
0	1.4	.186	88	7.7	20	2.48	+0.49	0.51	22nd	10	3	0	0.9	0	2	9	0	3	0	3	3	19	7	...
2	2.1	.221	85	7.3	19	2.28	+0.48	0.39	24th	5	1	0	0.7	0	3	0	2	1	0	1	12	20	1	...
9	1.9	.210	85	6.9	13	0.71	-1.16	0.24	27th	1	0	0	0.6	0	2	1	1	7	5	5	4	10	3	...
2	2.2	.221	84	6.5	14	1.42	-0.08	0.51	19th	1	3	0	0.5	0	0	6	12	1	2	3	2	12	1	...
3	3.4	.305	77	6.9	15	2.17	+0.37	0.51	25th	0	0	1	0.6	0	0	0	3	13	3	4	4	13	1	...
3	3.7	.314	76	6.7	19	1.85	+0.09	0.47	15th	0	2	0	0.5	0	2	5	5	4	0	0	5	23	7	...
0	3.0	.375	81	7.0	20	5.51	+2.33	1.06	21st	0	0	3	0.10	0	0	1	8	12	1	1	2	10	2	...
2	2.7	.387	82	7.1	22	2.28	-0.13	0.39	31st	0	1	0	0.6	0	1	0	4	6	1	1	5	22	1	...
2	2.1	.272	86	7.1	25	2.68	+0.48	0.28	16th, 17th	0	0	0	0.5	0	0	5	1	6	1	1	1	21	9	...
0	2.0	.266	86	7.8	24	2.09	-0.26	0.35	7th	0	0	0	0.11	-0	3	1	4	3	0	0	1	12	16	...
1	1.5	.209	88	6.6	18	1.81	-0.55	0.71	4th	0	0	0	0.3	0	3	0	0	0	1	2	13	13	0	...
1	1.5	.217	88	6.8	23	2.50	+0.28	0.39	24th	4	1	0	0.6	0	1	2	0	1	0	1	7	16	8	...
...	...	...	...	...	232	27.78	+2.84	1.06	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Station at 32° Fahr.†								
	Femt.		Inch.	"	"	"	"	"	"	"	"
Elgin or Moray. GORDON CASTLE— C. Webster, for the Duke of Richmond and Gordon, K.G. (9, —, 21.)	107	Jan.	29·608	41·7	30·0	35·9	−2·2	57	26th	9	14th, 19th
		Feb.	29·698	48·5	37·9	43·2	+4·6	59	23rd	32	28th
		Mar.	29·874	48·4	35·5	42·0	+1·9	60	23rd	25	3rd
		Apl.	29·913	50·0	35·1	42·6	−1·6	67	25th, 26th	28	12th
		May	29·888	60·9	44·7	52·8	+3·8	72	17th	26	1st
		June	29·830	62·1	45·6	53·9	−0·6	80	6th	39	19th
		July	29·700	64·0	49·3	56·7	−0·1	72	31st	37	10th
		Aug.	29·714	64·7	51·7	58·2	+1·8	77	10th	44	1st, 29th, 31st
		Sept.	29·419	54·8	41·2	48·0	−5·2	67	7th	31	15th
		Oct.	29·646	53·7	42·6	48·2	+1·1	63	3rd	32	13th
		Nov.	29·717	48·1	35·3	41·7	−0·5	56	2nd	28	20th, 22nd
		Dec.	29·449	45·0	36·1	40·6	+2·0	59	4th	29	19th
		Year	29·705	53·5	40·4	47·0	+0·4	80		9	
Banff. BANFF— A. B. Weir, B.Sc., for Dr. E. I. Spriggs. (9, —, 18.)	64	Jan.	29·667	41·5	30·4	36·0	...	55	24th	7	19th
		Feb.	29·761	47·0	37·2	42·1	...	58	23rd	31	7th, 12th
		Mar.	29·938	47·3	36·2	41·8	...	61	22nd	27	2nd, 3rd
		Apl.	29·958	48·5	36·0	42·3	...	66	25th	26	16th
		May	29·943	58·9	44·9	51·9	...	73	22nd	25	1st
		June	29·877	59·0	46·5	52·8	...	72	6th	41	5th
		July	29·744	61·7	49·3	55·5	...	72	17th	38	10th
		Aug.	29·748	64·8	51·3	58·1	...	76	11th	38	1st
		Sept.	29·445	55·1	43·0	49·1	...	66	7th	31	21st
		Oct.	29·702	53·5	43·0	48·3	...	62	3rd, 9th, 10th	33	12th
		Nov.	29·775	47·0	34·6	40·8	...	55	10th	23	17th
		Dec.	29·491	44·9	35·0	40·0	...	57	1st	25	19th, 20th
		Year	29·754	52·4	40·6	46·5	...	76		7	
Aberdeen. BRAEMAR— A. M. Shirran. (9, —, 21.)	1114	Jan.	28·553	38·8	26·7	32·8	−1·5	49	24th, 26th, 28th	5	14th
		Feb.	28·629	43·6	35·6	39·6	+5·2	52	23rd	28	28th
		Mar.	28·805	43·6	30·8	37·2	+1·2	56	22nd, 23rd, 24th	4	2nd
		Apl.	28·815	49·0	31·2	40·1	−0·6	66	27th	23	12th
		May	28·832	58·3	41·0	49·7	+3·5	72	22nd	26	1st
		June	28·773	60·3	41·2	50·8	−1·8	73	5th	34	19th
		July	28·656	64·5	45·1	54·8	0·0	74	29th, 30th	31	10th
		Aug.	28·666	62·0	49·2	55·6	+2·0	77	10th	41	1st
		Sept.	28·353	52·7	37·9	45·3	−4·6	61	6th, 7th	23	15th
		Oct.	28·595	50·0	37·8	43·9	+0·4	59	9th, 10th	22	13th
		Nov.	28·659	44·1	28·8	36·5	−1·9	51	2nd	15	19th
		Dec.	28·378	42·9	30·5	36·7	+1·9	53	1st, 3rd	14	20th
		Year	28·643	50·8	36·3	43·6	+0·3	77		4	
BALMORAL— J. Michie, M.V.O., and J. M. Troup. (9, —, —.)	927	Jan.	28·734	37·7	26·5	32·1	−2·6	55	25th	4	16th
		Feb.	28·824	43·6	36·0	39·8	+4·8	53	23rd	27	28th
		Mar.	28·986	44·1	30·6	37·4	+0·6	59	2nd	9	2nd, 3rd
		Apl.	28·994	48·8	30·4	39·6	−1·6	64	27th	22	12th
		May	29·004	57·9	40·9	49·4	+2·8	72	22nd, 31st	25	1st
		June	28·962	60·1	41·2	50·7	−2·5	72	1st, 6th	34	4th
		July	28·836	63·8	45·3	54·6	−1·0	72	29th, 30th	30	10th
		Aug.	28·855	61·4	48·2	54·8	+0·5	68	7th	42	1st, 17th, 31st
		Sept.	28·532	52·2	37·1	44·7	−5·6	62	2nd, 7th	24	15th
		Oct.	28·789	49·9	37·7	43·8	+0·2	61	3rd	22	13th
		Nov.	28·854	43·3	28·7	36·0	−2·7	51	2nd	15	19th
		Dec.	28·570	40·9	30·6	35·8	+0·8	56	4th	17	22nd, 26th
		Year	28·828	50·3	36·1	43·2	−0·5	72		4	

HYGROMETER.				Cloud.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†										
Mean.†					Number of Days.	Total Fall.	Difference from Average.	Moist in a Day.		Number of Days with—						Number of Observations.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Mean (0-10.)†						Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.
	°	Inch.	%			Inch.	Inch.	Inch.																	
6.3	1.8	.181	85	7.5	20	3.21	+1.19	0.42	22nd	12	0	0	1	12	1	3	3	0	7	19	16	4	10	0	
9.9	2.9	.216	79	6.4	14	1.58	-0.34	0.28	27th	2	0	0	1	9	0	1	2	1	0	4	35	7	2	5	0
1.0	2.4	.208	81	7.1	14	1.19	-1.13	0.36	28th	1	0	0	1	12	0	0	1	4	0	12	19	19	0	7	0
2.0	2.5	.216	82	6.5	12	1.71	-0.04	0.59	19th	3	0	0	3	12	2	0	12	14	1	6	13	6	1	7	0
3.0	3.8	.304	75	7.2	13	1.78	-0.34	0.45	11th	0	0	6	1	10	1	0	4	8	2	16	19	6	1	6	0
3.6	3.7	.313	76	7.2	15	1.89	-0.15	0.47	15th	0	0	0	2	13	0	1	2	3	1	6	6	13	9	20	0
6.3	2.7	.377	83	7.3	20	5.02	+1.82	0.97	21st	0	0	2	1	14	2	0	2	17	1	13	7	11	3	8	0
7.1	2.5	.393	84	7.7	21	3.33	+0.16	1.26	31st	0	0	1	0	13	0	2	2	7	1	10	10	25	2	5	0
7.5	1.8	.285	87	7.2	27	4.66	+2.16	0.88	1st	0	0	2	0	14	0	0	6	6	1	4	19	9	1	14	0
8.1	2.6	.273	82	7.3	20	1.73	-1.43	0.39	17th	0	0	0	1	16	0	2	4	4	0	3	27	18	1	5	0
0.8	2.2	.210	83	5.6	13	1.68	-1.20	0.83	4th	0	0	0	4	4	0	1	0	0	0	8	41	10	0	1	0
0.8	1.9	.216	85	6.7	21	2.50	-0.19	0.32	30th	2	0	0	0	9	0	1	0	2	0	2	24	23	2	9	0
					210	30.28	+0.51	1.26																	
6.2	0.4	.206	96	7.8	21	2.81	...	0.41	22nd	14	4	0	0	14	1	2	6	3	1	11	9	7	2	20	3
1.6	1.5	.231	89	6.9	17	1.13	...	0.24	27th	1	1	0	0	12	0	2	2	0	1	22	10	11	4	4	2
2.0	1.6	.233	88	7.8	17	1.17	...	0.34	28th	5	1	0	1	15	0	0	6	2	1	22	9	6	4	8	4
4.0	1.7	.250	86	7.0	12	0.78	...	0.26	19th	3	1	0	2	13	0	0	11	20	1	11	6	1	2	6	2
4.0	2.9	.337	81	7.6	13	0.95	...	0.34	21st	0	1	2	2	219	2	0	3	8	3	18	4	8	0	10	8
4.5	3.4	.332	78	6.9	14	1.52	...	0.41	15th	0	1	0	4	15	0	1	8	2	0	8	2	6	6	27	1
9.9	2.2	.398	86	7.8	23	5.80	...	1.62	21st	0	0	2	1	17	1	0	13	12	0	16	2	3	0	9	0
9.9	3.0	.411	82	8.3	18	3.00	...	1.04	31st	0	0	0	0	17	0	1	0	6	1	7	6	10	4	14	14
9.9	2.3	.301	85	8.0	23	5.03	...	1.29	10th	0	0	0	0	18	0	1	6	8	0	7	8	7	3	16	5
8.1	2.3	.280	84	7.8	21	2.19	...	0.44	17th	0	0	0	0	17	0	2	3	5	0	11	16	12	3	7	5
0.4	1.0	.227	92	5.5	11	1.68	...	0.61	4th	0	1	0	4	5	0	2	0	0	0	22	17	5	2	3	11
0.6	0.8	.236	93	6.5	20	2.56	...	0.42	29th	4	4	0	2	10	0	1	3	3	1	13	15	12	0	4	11
					210	28.62	...	1.62																	
3.1	1.7	.154	81	7.7	15	2.02	-1.06	0.54	22nd	11	0	0	0	15	0	0	6	0	6	4	4	26	4	12	0
9.3	2.0	.202	84	6.3	21	4.20	+1.47	0.80	27th	3	0	0	2	8	0	0	2	0	0	0	6	38	6	4	0
6.9	2.7	.170	78	7.0	10	0.65	-2.23	0.15	28th, 30th	3	0	0	1	11	0	0	6	0	6	6	6	20	14	4	0
8.0	2.6	.180	78	5.6	8	1.03	-1.28	0.31	1st	4	0	0	6	7	0	0	4	24	8	6	8	4	2	4	0
9.9	4.7	.250	69	5.9	10	2.87	+0.48	0.67	22nd	0	0	2	4	8	0	0	0	2	8	12	10	26	4	0	0
0.3	4.1	.266	73	5.2	11	0.91	-1.00	0.16	15th	0	0	0	8	7	0	0	2	6	2	0	2	24	12	12	0
4.2	3.9	.315	75	6.0	17	6.62	+4.06	1.65	17th	0	1	4	2	9	0	0	0	16	4	4	2	24	12	0	0
4.4	2.8	.346	82	7.2	16	2.45	-0.91	0.55	31st	0	0	0	0	10	0	0	0	4	0	0	14	30	8	6	0
3.8	2.6	.227	79	7.8	23	4.54	+2.02	0.75	15th	2	0	0	0	13	0	0	6	0	6	0	4	26	4	14	0
3.2	1.9	.238	85	7.3	15	4.23	+0.48	0.80	18th	0	0	0	2	13	0	0	2	2	8	0	0	34	10	6	0
5.1	2.0	.165	80	5.3	10	3.41	-0.48	1.32	1st	2	0	0	5	8	0	0	0	0	0	0	8	30	20	2	0
6.0	1.8	.179	84	6.8	19	2.10	-1.47	0.70	24th	8	0	0	5	14	0	0	2	2	0	2	8	20	8	0	0
					175	35.03	+0.03	1.65																	
1.8	1.4	.148	81	8.4	22	3.18	+0.49	0.48	21st	14	0	0	0	18	5	1	4	2	0	4	2	12	22	16	0
9.6	2.2	.201	82	7.8	19	2.74	+0.08	0.70	27th	5	0	0	0	13	7	1	0	2	10	0	4	18	18	4	0
9.6	2.1	.178	83	8.3	17	0.96	-1.99	0.20	5th	7	0	0	0	17	4	0	4	10	16	10	0	2	16	4	0
6.7	2.6	.194	79	7.6	14	0.86	-1.39	0.45	19th	6	2	0	2	16	4	0	8	4	16	4	0	8	10	0	0
1.3	3.9	.282	74	7.3	15	2.11	-0.31	0.58	4th	1	0	4	0	11	10	0	0	2	28	2	2	2	26	0	0
2.2	5.1	.266	69	7.0	12	1.02	-0.93	0.33	27th	1	2	1	0	11	4	2	14	2	8	2	0	0	26	8	0
6.8	5.0	.325	70	7.6	20	5.52	+2.87	1.68	17th	0	1	4	0	15	7	0	4	4	18	6	6	2	8	14	0
6.6	4.4	.337	73	8.1	17	2.00	-1.14	0.52	31st	1	0	0	0	15	8	2	2	12	4	2	2	12	26	0	0
5.3	3.1	.235	77	8.3	25	4.59	+2.22	0.75	15th	1	1	1	0	16	6	1	10	2	10	4	0	4	20	10	0
4.5	2.9	.231	78	7.7	23	3.03	-0.57	0.78	18th	1	0	0	2	16	3	1	4	4	6	2	0	10	26	10	0
6.3	2.4	.170	79	7.1	14	2.98	-0.70	1.05	1st	4	0	1	0	12	0	2	0	0	4	2	4	12	32	6	0
6.6	2.1	.178	83	7.5	21	2.34	-0.95	0.70	24th	9	0	0	0	13	0	1	4	0	4	2	0	14	22	16	0
					219	31.33	-2.32	1.68																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METRIC	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Station at 32° Fahr.†								
			Inch.	°	°	°	°	°		°	
Aberdeen (contd.)											
LOGIE COLD- STONE (The Schoolhouse)— J. B. Anderson.	608	Jan.	...	39·6	28·5	34·1	-1·4	53	26th	5	14th
		Feb.	...	45·9	34·8	40·4	+4·6	58	23rd	27	12th
		Mar.	...	46·0	32·5	39·3	+1·9	59	21st 22nd 23rd	15	2nd
		Apl.	...	50·1	31·7	40·9	-1·4	64	25th, 27th	21	16th
		May	...	59·0	42·6	50·8	+3·3	74	22nd	27	1st
		June	...	61·7	43·4	52·6	-1·4	75	6th	35	6th
		July	...	64·9	47·3	56·1	+0·1	75	17th	31	10th
		Aug.	...	63·8	50·2	57·0	+1·5	75	10th	40	7th, 29th
		Sept.	...	54·1	38·2	46·2	-5·5	62	7th	25	15th
		Oct.	...	52·1	39·5	45·8	+1·6	62	9th	21	26th
		Nov.	...	45·4	29·6	37·5	-1·3	53	10th	18	17th
		Dec.	...	43·0	31·6	37·3	+1·5	56	4th	21	22nd
		Year	...	52·1	37·5	44·8	+0·3	75			
LOGIE COLDSTONE (Loanhead)— A. Farquharson.	747	Jan.	...	39·6	29·1	34·4	-1·5	52	24th, 26th 29th	8	14th
		Feb.	...	45·5	35·7	40·6	+4·6	57	23rd	29	12th, 28th
		Mar.	...	45·9	32·9	39·4	+1·9	59	21st, 22nd	20	2nd
		Apl.	...	50·7	33·4	42·1	-0·4	67	27th	26	16th
		May	...	59·2	43·4	51·3	+4·0	74	22nd	28	1st
		June	...	61·1	44·2	52·7	-1·0	76	6th	38	5th
		July	...	64·2	48·3	56·3	+0·5	76	30th	37	10th
		Aug.	...	63·0	50·1	56·6	+1·5	73	10th, 11th	41	31st
		Sept.	...	53·5	39·9	46·7	-4·7	62	7th	28	15th
		Oct.	...	52·1	40·4	46·3	+1·7	61	3rd, 10th	28	15th
		Nov.	...	45·0	32·5	38·8	+0·2	52	10th	22	17th
		Dec.	...	43·2	33·2	38·2	+1·9	56	4th	23	22nd
		Year	...	51·9	38·6	45·3	+0·7	76		8	
ABERDEEN (King's Coll.)— The Meteorologi- cal Office.	88	Jan.	29·648	40·5	31·8	36·2	-1·7	52	24th	16	14th, 15th
		Feb.	29·763	45·9	38·5	42·2	+3·9	59	23rd	33	28th
		Mar.	29·920	46·0	36·9	41·5	+1·4	62	22nd	32	2nd
		Apl.	29·938	45·9	37·2	41·6	-2·1	53	26th	30	16th
		May	29·938	55·9	45·1	50·5	+2·3	71	29th	33	1st
		June	29·856	59·0	47·1	53·1	-0·4	74	30th	42	17th
		July	29·731	60·3	50·4	55·4	-1·2	68	19th	42	10th
		Aug.	29·756	62·8	52·5	57·7	+1·5	71	11th	44	31st
		Sept.	29·433	54·1	43·2	48·7	-4·3	58	2nd, 7th, 9th	34	15th
		Oct.	29·693	52·1	43·7	48·0	+0·7	59	9th	35	13th
		Nov.	29·781	45·9	37·2	41·6	-0·5	54	2nd	29	13th
		Dec.	29·490	44·2	37·4	40·8	+2·2	54	1st	30	22nd
		Year	29·746	51·1	41·8	46·5	+0·2	74		16	
Kincardine. CRATHES— J. Smith, J.P.	145	Jan.	29·597	40·5	27·6	34·1	-2·1	52	27th, 28th	9	14th, 16th
		Feb.	29·710	47·3	36·4	41·9	+4·7	60	23rd	28	11th, 12th
		Mar.	29·853	48·0	34·5	41·3	+2·0	64	23rd	25	8th
		Apl.	29·873	51·8	35·4	43·6	+0·1	64	25th, 27th	26	16th
		May	29·876	60·5	43·8	52·2	+3·3	74	29th	28	1st
		June	29·808	63·8	45·5	54·7	0·0	81	30th	37	5th
		July	29·676	66·4	49·6	58·0	+0·6	74	6th	36	10th
		Aug.	29·687	66·2	51·3	58·8	+2·4	76	11th	37	31st
		Sept.	29·370	56·5	40·2	48·4	-4·4	64	7th	29	15th
		Oct.	29·631	53·5	41·2	47·4	+1·3	60	3rd 9th 10th	30	13th
		Nov.	29·716	46·3	32·2	39·3	-1·1	54	10th	23	13th, 19th 20th
		Dec.	29·425	43·7	33·9	38·8	+2·5	56	1st, 4th	23	22nd
		Year	29·645	53·7	39·3	46·5	+0·8	81			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Forfar.											
MONTROSE (Royal Asylum)— J. Joss.	200	Jan.	...	40·6	29·5	35·1	-2·2	51	24th	12	14th
		Feb.	...	46·1	36·6	41·4	+3·8	57	23rd	30	1st
		Mar.	...	46·8	35·4	41·1	+1·8	60	22nd	29	1st
		Apl.	...	51·5	36·3	43·9	+0·2	63	26th	28	16th
(9, —, —.)		May	...	59·5	44·6	52·1	+4·0	70	18th, 19th	35	10th
		June	...	62·3	44·9	53·6	-0·8	76	30th	40	15th, 16th, 17th
		July	...	65·2	48·8	57·0	-0·5	72	7th	37	10th
		Aug.	...	65·5	51·9	58·7	+1·8	72	11th	43	31st
		Sept.	...	56·3	41·7	49·0	-3·8	62	2nd	32	15th
		Oct.	...	53·0	41·8	47·4	+0·6	60	9th	31	13th
		Nov.	...	45·6	34·3	40·0	-1·0	53	4th	24	18th
		Dec.	...	43·7	34·9	39·3	+1·3	54	1st	27	20th 22nd 23th
		Year		53·0	40·1	46·6	+0·4	76		12	
MONTROSE— S. L. Christie, C.E., Burgh Surveyor.	16	Jan.	...	40·1	29·5	34·8	...	50	24, 26, 27, 28	14	14th, 16th
		Feb.	...	45·6	37·4	41·5	...	57	23rd	26	1st
		Mar.	...	46·5	36·5	41·5	...	60	22nd	31	1st 2nd 12th
		Apl.	...	47·5	36·1	41·8	...	56	27th	29	16th, 26th
(9, —, 18.)		May	...	56·1	44·3	50·2	...	69	29th	33	10th
		June	...	60·0	46·3	53·2	...	76	30th	40	4th, 16th
		July	...	61·6	48·6	55·1	...	69	7th	39	3rd, 9th
		Aug.	...	63·5	51·3	57·4	...	72	20th	42	29th
		Sept.	...	55·9	42·0	49·0	...	61	2nd, 11th	32	15th
		Oct.	...	53·2	42·4	47·8	...	58	3rd, 4th	32	13th
		Nov.	...	45·6	33·6	39·6	...	53	2nd, 10th	24	22nd
		Dec.	...	45·8	35·1	40·5	...	57	2nd	28	20th 22nd 23th
		Year		51·8	40·3	46·0		76		14	
ARBROATH— J. Campbell, for the Natural History Asso- ciation.	70	Jan.	29·693	40·7	30·0	35·4	-2·5	49	24, 25, 26, 27	14	14th
		Feb.	29·823	46·7	37·6	42·2	+3·7	58	22nd	32	21st, 28th
		Mar.	29·953	47·4	36·4	41·9	+1·4	60	22nd	30	1st
		Apl.	29·943	49·4	37·0	43·2	-1·2	61	27th	29	16th
		May	29·953	56·8	45·4	51·1	+2·4	68	31st	38	2nd
		June	29·903	61·9	46·2	54·1	-0·4	75	29th	40	25th
(9, —, —.)		July	29·742	63·8	50·0	56·9	-0·6	71	1st, 7th	40	10th
		Aug.	29·781	64·3	51·9	58·1	+1·0	73	20th	44	31st
		Sept.	29·457	56·6	42·6	49·6	-3·9	64	11th	33	15th
		Oct.	29·724	53·4	42·7	48·1	+1·2	58	3rd, 9th, 11th	31	13th
		Nov.	29·814	46·6	34·8	40·7	-0·6	53	1st, 2nd, 10th	25	18th
		Dec.	29·528	45·0	35·9	40·5	+1·6	54	1st, 13th	28	20th 22nd 23th
		Year	29·776	52·7	40·9	46·8	+0·2	75		14	
LEDNATHIE— W. G. Lindsay, for J. Stor- month Darling.	720	Jan.	...	38·4	27·5	33·0	-1·9	49	27th	7	14th
		Feb.	...	43·5	35·1	39·3	+4·1	55	23rd	25	1st
		Mar.	...	45·4	32·7	39·1	+2·1	62	24th	19	2nd
		Apl.	...	50·9	31·9	41·4	-0·6	66	26th	24	16th
		May	...	59·3	42·0	50·7	+3·6	76	17th	29	10th
(9, —, —.)		June	...	62·1	43·6	52·9	-0·3	74	1st, 2nd	35	1st
		July	...	65·5	47·0	56·3	+0·3	74	6th, 29th	32	10th
		Aug.	...	63·7	49·7	56·7	+2·0	74	10th	39	29th
		Sept.	...	55·0	39·4	47·2	-3·6	63	6th	31	6th, 15th
		Oct.	...	51·2	38·9	45·1	+0·7	58	10th	23	13th
		Nov.	...	46·3	31·1	38·7	-0·2	53	2nd	21	19th, 22nd
		Dec.	...	42·7	32·2	37·5	+2·1	53	1st	13	26th
		Year		52·0	37·6	44·8	+0·7	76		7	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS.											
Mean. †					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.	Number of Days with—					Number of Observations.										
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.						Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.
°	°	Inch.	%		Inch.	Inch.	Inch																		
...	...	...	...	...	12	2.02	-0.14	0.68	19th	5	0	0	...	1	0	16	2	0	0	26	2	12	2	2	
...	...	...	...	...	18	1.75	-0.31	0.31	12th	1	0	0	...	1	1	8	0	0	0	18	26	4	0	0	
...	...	...	...	...	12	1.15	-0.72	0.24	5th	1	0	0	...	2	0	12	0	6	2	22	12	2	6	0	
...	...	...	...	...	7	0.40	-1.67	0.17	19th	2	0	0	...	4	0	26	6	2	10	14	0	2	0	0	
...	...	...	...	...	13	3.73	+1.85	0.72	24th	1	0	3	...	2	0	8	6	4	4	20	10	4	6	0	
...	...	...	...	...	7	1.51	-0.44	0.59	15th	0	0	2	...	1	0	0	0	4	0	0	22	6	18	10	0
...	...	...	...	...	12	4.32	+1.40	1.58	20th	0	0	0	...	3	0	0	0	0	0	26	10	16	6	2	
...	...	...	...	...	12	2.32	-0.82	0.78	5th	0	0	0	...	3	0	0	0	0	0	22	2	36	0	2	
...	...	...	...	...	14	2.72	-0.01	0.79	15th	0	1	0	...	1	0	10	2	0	0	14	4	24	4	2	
...	...	...	...	...	16	2.20	-0.63	0.38	5th	0	0	1	...	1	3	12	0	0	0	32	0	14	4	0	
...	...	...	...	...	11	1.85	-0.92	0.73	1st	0	0	0	...	2	0	10	0	0	0	2	14	12	22	0	0
...	...	...	...	...	17	1.70	-1.11	0.34	17th, 22nd	3	0	0	...	1	0	26	0	0	0	2	28	2	4	0	0
...	...	...	...	...	151	25.67	-3.52	1.58																	
...	...	...	...	...	10	2.68	...	0.85	19th	7	0	0	...	0	1	8	0	2	3	9	6	20	11	3	
...	...	...	...	...	19	2.00	...	0.28	12th	1	0	0	...	6	2	2	1	2	3	24	9	14	1	0	
...	...	...	...	...	13	1.57	...	0.57	30th	1	0	0	...	7	0	5	3	8	10	9	12	12	3	0	
...	...	...	...	...	6	0.38	...	0.14	19th	1	0	0	...	6	0	11	25	9	2	4	2	6	1	0	
...	...	...	...	...	14	4.19	...	0.93	6th	0	0	2	...	2	0	5	12	20	3	7	5	5	3	2	
...	...	...	...	...	9	1.45	...	0.51	27th	0	0	0	...	0	0	6	6	11	0	4	5	15	10	3	
...	...	...	...	...	13	4.64	...	1.40	20th	0	0	0	...	4	0	5	7	20	2	8	3	10	3	4	
...	...	...	...	...	12	1.77	...	0.41	5th	0	0	2	...	0	0	2	7	15	2	5	6	18	5	2	
...	...	...	...	...	15	2.72	...	0.78	15th	0	1	0	...	0	0	14	3	1	1	4	7	15	7	8	
...	...	...	...	...	17	1.85	...	0.31	5th, 19th	0	0	1	...	0	1	0	0	0	1	13	13	8	9	8	
...	...	...	...	...	10	1.57	...	0.60	1st	0	0	0	...	3	1	0	1	0	1	8	14	14	5	17	
...	...	...	...	...	17	1.31	...	0.30	22nd	1	0	0	...	0	1	4	1	0	0	14	12	20	7	4	
...	...	...	...	...	155	26.13	...	1.40																	
35.0	1.4	176	86	6.2	15	2.02	-0.14	0.46	19th	6	0	0	5	14	4	1	4	4	2	4	4	24	4	16	0
41.4	1.6	228	88	7.0	20	1.94	+0.13	0.41	18th	1	0	0	6	19	6	3	0	8	0	16	2	24	2	4	0
40.9	2.0	315	85	8.3	13	1.05	-0.69	0.27	5th	0	0	0	2	22	2	0	2	4	12	8	4	24	0	8	0
43.2	2.8	221	79	6.4	9	0.50	-1.26	0.20	5th	1	0	0	5	14	2	0	0	32	8	4	0	8	2	6	0
50.8	2.4	311	84	7.4	12	3.10	+1.25	0.86	6th	0	0	1	3	18	2	0	2	12	6	18	0	20	2	2	0
53.6	4.3	299	73	6.6	10	0.97	-0.88	0.44	15th	0	0	0	6	16	0	1	0	2	6	8	0	20	2	22	0
57.9	3.4	382	79	6.6	13	3.41	+0.72	0.78	17th	0	0	4	1	15	4	0	2	8	12	12	4	10	10	4	0
58.4	3.6	283	78	7.6	14	1.54	-1.34	0.36	24th	0	0	0	3	20	2	0	10	2	6	4	30	4	6	0	
48.9	3.1	274	80	6.8	15	2.32	-0.06	0.66	15th	0	0	0	4	14	2	1	4	10	2	4	0	22	2	16	0
49.3	2.5	291	83	7.7	20	2.04	-0.35	0.32	18th	0	0	0	2	17	2	2	4	6	0	8	0	28	6	10	0
41.4	1.8	224	87	7.1	11	1.16	-1.16	0.41	4th	0	0	0	6	18	7	4	10	2	0	8	0	26	2	12	0
41.0	1.8	219	86	7.5	15	1.69	-0.75	0.34	22nd	0	0	0	5	19	4	1	6	4	0	12	0	24	4	12	0
...	...	...	...	...	167	21.74	-4.63	0.86																	
...	...	...	...	...	15	3.17	-0.68	0.69	22nd	11	0	0	...	9	3	2	8	0	0	2	20	2	28	0	0
...	...	...	...	...	19	3.37	+0.17	0.60	12th	2	0	0	...	9	6	2	0	2	2	4	30	6	10	1	0
...	...	...	...	...	11	1.55	-1.16	0.29	30th	1	0	0	...	4	0	0	6	20	8	0	6	8	14	0	0
...	...	...	...	...	6	1.23	-1.85	0.40	19th	2	0	0	...	3	0	10	6	8	18	0	6	6	6	0	0
...	...	...	...	...	11	3.32	+0.74	0.80	4th	0	0	3	...	2	0	0	2	8	24	0	8	6	14	0	0
...	...	...	...	...	10	1.11	-1.64	0.38	19th	0	0	2	...	4	1	0	6	2	4	2	6	22	18	0	0
...	...	...	...	...	17	6.92	+3.34	1.45	17th	0	0	3	...	3	0	0	4	8	20	2	8	12	8	0	0
...	...	...	...	...	17	3.72	-0.15	0.95	5th	0	0	0	...	1	2	2	0	4	16	0	10	26	4	0	0
...	...	...	...	...	16	4.53	+0.91	0.94	21st	0	0	0	...	3	0	4	4	0	2	2	12	12	24	0	0
...	...	...	...	...	20	3.54	-0.92	0.45	3rd	0	0	0	...	5	4	2	6	4	2	2	24	12	10	0	0
...	...	...	...	...	10	2.73	-2.08	1.18	1st	0	0	0	...	4	3	0	2	4	2	8	24	8	12	0	0
...	...	...	...	...	18	2.75	-1.62	0.40	31st	6	0	0	...	8	2	2	2	2	0	0	22	10	24	0	0
...	...	...	...	...	170	37.94	-4.94	1.45																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Forfar (contd.)											
CARNOUSTIE—	39	Jan.	...	40·7	30·4	35·6	...	50	24th 28th 30th	14	17th
The Burgh		Feb.	...	46·5	37·9	42·2	...	57	22nd, 23rd	32	21st, 28th
Surveyor.		Mar.	...	47·2	36·5	41·9	...	61	23rd	30	1st
(9, —, 18.)		Apl.	...	49·1	36·5	42·8	...	58	27th	28	16th
		May	...	57·8	44·3	51·1	...	69	18th, 31st	36	1st
		June	...	62·6	45·4	54·0	...	77	30th	39	15th, 25th
		July	...	64·7	49·6	57·2	...	74	6th	40	10th
		Aug.	...	65·5	50·9	58·2	...	73	20th	40	29th
		Sept.	...	56·8	42·2	49·5	...	62	2nd, 12th	31	6th
		Oct.	...	54·0	42·7	48·4	...	60	8th	33	13th
		Nov.	...	46·8	34·1	40·5	...	54	2nd	24	17th
		Dec.	...	45·1	35·4	40·3	...	54	1st, 4th, 18th	27	20th
		Year	...	53·1	40·5	46·8	...	77		14	
DUNDEE											
(Eastern Necro- polis)—	164	Jan.	29·588	39·3	29·6	34·5	-2·6	50	28th	12	14th
W. Shepherd, for		Feb.	29·725	46·1	37·1	41·6	+4·1	55	22nd, 23rd	31	28th
A. Macrae,		Mar.	29·836	46·6	35·2	40·9	+1·1	59	24th	28	1st
Curator of		Apl.	29·852	50·2	35·4	42·8	-1·3	64	27th	28	16th
Parks.		May	29·849	60·0	45·0	52·5	+3·1	76	31st	38	1st, 9th, 10th
(9, —, 21.)		June	29·786	65·2	46·1	55·7	+0·3	77	1st, 30th	40	15th, 17th
		July	29·647	66·0	50·1	58·1	-0·3	77	6th	41	10th
		Aug.	29·675	66·2	51·5	58·9	+1·6	77	10th	43	29th
		Sept.	29·371	56·5	42·0	49·3	-4·2	64	6th, 7th	31	15th
		Oct.	29·632	53·0	41·9	47·5	+0·8	59	10th, 11th	31	13th
		Nov.	29·713	43·3	33·3	38·3	-3·0	54	2nd	24	23rd
		Dec.	29·429	43·5	34·5	39·0	+1·4	53	1st, 4th, 13th	26	22nd, 31st
		Year	29·675	53·0	40·1	46·6	+0·1	77		12	
DUNDEE HAR- BOUR—											
J. H. Thompson,	20	Jan.	...	41·0	31·5	36·3	-1·5	52	24th 25th 26th	18	14th, 16th
F.R.S.E.		Feb.	...	47·1	39·0	43·1	+3·6	57	24th	30	28th
(9, —, —.)		Mar.	...	46·9	37·3	42·1	+0·8	59	24th	30	1st
		Apl.	...	49·4	38·2	43·8	-2·5	58	27th	33	14th, 15th
		May	...	58·3	47·4	52·9	+2·6	77	31st	37	1st
		June	...	63·4	47·1	55·3	-1·4	77	1st, 30th	42	15th
		July	...	65·1	51·8	58·5	-0·8	75	7th	47	10th
		Aug.	...	64·8	52·0	58·4	-0·6	72	11th	48	31st
		Sept.	...	56·4	45·2	50·8	-4·0	62	2nd, 3rd, 12th	38	16th
		Oct.	...	54·4	44·4	49·4	+1·0	61	9th	36	14th
		Nov.	...	45·8	36·3	41·1	-1·0	57	2nd	26	23rd
		Dec.	...	45·5	37·6	41·6	+2·6	55	4th	29	22nd
		Year	...	53·2	42·3	47·8	-0·1	77		18	
DUNDEE											
(College Garden, Kirkton of Mains)—	244	Jan.	...	40·2	28·2	34·2	...	52	24th	9	14th
A. Duncan, for		Feb.	...	46·7	36·3	41·5	...	57	22nd	29	28th
J. Malloch,		Mar.	...	47·5	34·5	41·0	...	60	24th	28	1st
Director of		Apl.	...	50·7	34·9	42·8	...	62	27th	25	16th
Studies.		May	...	59·2	43·7	51·5	...	74	31st	33	1st
(9, —, —.)		June	...	63·8	44·0	53·9	...	76	1st	37	15th, 25th
		July	...	65·3	48·0	56·7	...	75	6th	36	10th
		Aug.	...	65·0	50·1	57·6	...	74	10th, 11th	43	29th
		Sept.	...	56·7	40·2	48·5	...	64	7th	31	15th
		Oct.	...	53·7	40·6	47·2	...	58	5th, 11th	30	14th
		Nov.	...	45·3	31·1	38·2	...	53	2nd, 10th	20	23rd
		Dec.	...	44·2	32·5	38·4	...	55	1st	23	26th
		Year	...	53·2	38·7	46·0	...	76		9	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†									
Mean.†					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					Mean (0-10.)†	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.
°	Inch.	%			Inch.	Inch.	Inch.																	
...	...	...	...	...	14	2.00	...	0.51	19th	7	0	0	...	0	1	12	7	1	1	5	9	13	14	0
...	...	...	...	...	23	1.98	...	0.39	18th	1	0	0	...	0	1	3	2	2	4	14	4	27	0	0
...	...	...	...	...	19	1.14	...	0.23	30th	0	0	0	...	0	0	5	5	13	8	8	6	15	2	0
...	...	...	...	...	14	0.56	...	0.20	19th	1	0	0	...	0	0	7	15	21	4	3	1	6	3	0
...	...	...	...	...	16	3.18	...	0.78	6th	0	0	2	...	0	0	0	10	19	3	14	5	10	1	0
...	...	...	...	...	14	0.99	...	0.41	15th	0	1	1	...	0	1	4	2	12	5	5	2	18	12	0
...	...	...	...	...	18	3.07	...	0.73	20th	0	0	0	...	0	0	4	2	18	5	4	5	18	6	0
...	...	...	...	...	20	2.91	...	1.31	4th	0	0	0	...	0	0	3	1	12	2	9	1	29	5	0
...	...	...	...	...	16	3.10	...	1.00	5th	0	0	0	...	0	0	10	6	3	3	4	3	20	11	0
...	...	...	...	...	22	2.39	...	0.51	18th	0	0	0	...	0	3	8	4	0	0	5	12	3	6	0
...	...	...	...	...	14	1.54	...	0.50	1st	0	0	0	...	6	4	5	0	1	2	8	5	29	10	0
...	...	...	...	...	21	1.78	...	0.36	22nd	0	0	0	...	4	0	13	3	3	1	9	8	17	8	0
...	...	...	...	...	21	24.64	...	1.31																
4.5	0.9	182	91	8.4	15	2.01	+0.06	0.59	19th	7	0	0	0.20	1	0	1	11	1	2	0	24	7	16	0
0.8	1.1	232	92	8.8	22	1.95	+0.07	0.35	27th	1	0	0	0.19	0	3	0	12	0	4	0	33	0	7	0
9.7	1.2	226	90	9.1	15	1.09	+0.07	0.30	30th	1	0	0	1.25	1	0	0	11	1	20	0	25	1	4	0
1.4	1.3	213	90	7.9	8	0.88	+0.82	0.27	19th	1	0	0	0.15	0	0	1	19	0	18	0	12	1	9	0
1.6	1.5	343	90	8.3	16	3.58	+1.49	0.85	4th	1	0	2	0.17	0	0	0	5	4	26	0	21	1	5	0
4.1	1.9	365	86	7.1	10	0.81	+0.99	0.33	15th	0	1	1	0.11	0	1	1	4	1	13	0	16	3	22	
8.8	1.4	439	91	8.2	18	5.54	+2.80	1.14	20th	0	0	4	0.17	0	0	0	4	0	26	0	17	0	15	0
6.5	1.6	409	89	8.5	19	2.26	+1.12	0.45	24th	0	0	0	0.19	0	2	0	0	0	18	0	30	1	13	0
7.3	1.6	287	89	8.1	16	3.85	+1.77	0.91	15th	0	0	0	0.20	0	1	0	13	0	4	0	23	1	19	0
6.9	1.3	240	91	8.8	20	2.75	+0.19	0.51	18th	0	0	0	0.26	0	2	0	6	0	12	0	37	0	7	0
8.2	0.8	214	94	9.2	20	1.63	+0.81	0.50	1st	0	0	0	0.27	5	2	0	3	1	10	0	24	2	20	0
9.1	0.9	221	93	8.9	19	1.65	-1.01	0.28	22nd	2	0	0	0.26	0	0	0	5	0	10	0	28	2	17	0
...	...	...	...	...	198	28.00	+0.56	1.14																
...	...	...	...	...	17	1.89	...	0.61	19th	6	1	0	...	1	0	2	10	2	2	0	18	14	14	0
...	...	...	...	...	22	1.64	...	0.21	18th	1	0	0	...	0	0	0	4	8	4	4	12	24	0	0
...	...	...	...	...	12	0.92	...	0.27	30th	1	0	0	...	0	0	4	8	10	0	8	16	8	0	0
...	...	...	...	...	5	0.76	...	0.34	19th	1	0	0	...	0	0	0	18	18	4	2	10	4	4	0
...	...	...	...	...	16	3.34	...	0.75	4th	0	0	1	...	0	0	0	8	12	8	2	24	8	0	0
...	...	...	...	...	12	0.78	...	0.30	15th	0	1	2	...	0	0	2	4	8	2	2	12	18	12	0
...	...	...	...	...	18	5.21	...	1.01	17th	0	0	3	...	0	0	2	4	20	4	0	16	10	6	0
...	...	...	...	...	18	2.22	...	0.53	25th	0	0	1	...	0	2	0	6	12	0	2	14	22	6	0
...	...	...	...	...	16	3.56	...	0.93	15th	0	0	0	...	0	0	4	12	2	2	2	12	18	8	0
...	...	...	...	...	20	2.63	...	0.47	18th	0	0	0	...	1	2	0	6	2	6	0	12	26	10	0
...	...	...	...	...	18	1.39	...	0.42	4th	0	0	0	...	6	3	0	4	0	2	0	22	30	2	0
...	...	...	...	...	22	1.57	...	0.28	22nd	3	0	0	...	1	0	4	6	2	4	0	10	26	10	0
...	...	...	...	...	196	25.91	...	1.01																
3.7	1.5	163	84	6.7	15	2.17	...	0.68	19th	8	0	0	5.16	2	0	4	6	4	0	0	16	10	20	2
0.3	1.1	247	92	7.3	23	2.18	...	0.33	17th	1	0	0	4.17	0	3	4	4	4	12	4	18	10	0	0
9.9	1.6	217	89	8.0	13	1.08	...	0.38	30th	1	0	0	2.21	1	0	6	4	16	8	0	16	6	6	0
4.1	3.3	219	75	6.1	7	0.85	...	0.26	5th	1	0	0	5.11	1	0	0	22	10	6	2	8	6	6	0
3.6	3.5	318	77	7.4	13	3.49	...	0.81	4th	1	0	2	3.15	0	0	0	16	10	8	4	14	6	4	0
6.2	5.8	302	66	6.6	10	0.85	...	0.31	15th	0	1	1	3.13	0	3	0	4	0	8	4	12	20	8	4
9.1	4.2	370	75	7.0	16	4.63	...	1.00	20th	0	1	5	2.13	1	0	2	4	6	16	2	18	10	2	2
9.0	3.8	385	77	8.1	19	2.22	...	0.52	24th	0	0	3	0.14	1	0	0	4	6	8	2	22	18	2	0
9.5	3.4	272	77	7.2	15	3.35	...	0.87	15th	0	0	0	1.11	0	0	8	10	2	4	0	24	6	4	2
7.8	2.3	277	84	8.1	19	2.63	...	0.57	18th	0	0	0	2.20	0	2	0	8	4	2	2	30	10	6	0
6.6	1.1	196	91	7.9	12	1.69	...	0.61	1st	0	0	0	1.17	4	1	2	4	2	4	2	26	14	6	0
7.7	1.0	207	91	6.6	18	1.56	...	0.34	22nd	2	0	0	1.11	1	0	0	6	4	8	0	24	14	2	4
...	...	...	...	...	180	28.70	...	1.00																

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Forfar (contd.)											
KETTINS	218	Jan.	...	39.4	27.4	33.4	...	52	24th	5	16th
(The School- house)—		Feb.	...	46.3	36.5	41.4	...	56	22nd, 23rd	28	1st
W. Andrew.		Mar.	...	46.9	34.1	40.5	...	60	24th	27	2nd
		Apl.	...	51.1	33.2	42.2	...	64	27th	24	16th
		May	...	59.9	43.5	51.7	...	75	31st	32	10th
(9, —, —.)		June	...	63.6	43.8	53.7	...	77	1st	37	15th, 16th
		July	...	65.2	47.3	56.3	...	73	3rd 6th 29th	33	10th
		Aug.	...	64.5	50.1	57.3	...	70	11th	43	29th
		Sept.	...	56.0	40.4	48.2	...	65	6th	27	15th
		Oct.	...	52.9	40.2	46.6	...	60	9th	27	13th
		Nov.	...	44.4	31.1	37.8	...	55	2nd, 3rd	20	23rd
		Dec.	...	43.7	31.7	37.7	...	55	1st, 2nd, 4th	22	26th
		Year		52.8	45.3	45.6	...	77		5	
Perth.											
PERTH*—	62	Jan.	29.701	40.8	29.1	35.0	-2.0	52	24th	1	16th
The Curator,		Feb.	29.826	46.7	37.2	42.0	+4.4	?	?	27	1st
The Museum.		Mar.	29.932	46.0	35.3	40.7	+0.6	65	22nd	26	2nd
		Apl.	29.957	52.0	33.8	42.9	-1.6	65	27th	25	15th
(9, —, —.)	22	May	29.946	61.5	45.2	53.4	+3.6	73	22nd, 23rd	30	1st
		June	29.958	64.8	45.7	55.3	-0.4	78	1st	39	4th
		July	29.794	68.4	49.6	59.0	+0.6	78	3rd	35	10th
		Aug.	29.841	66.0	52.3	59.2	+1.9	74	10th	44	28th
		Sept.	29.530	57.8	41.0	49.4	-3.9	68	6th	31	5th
		Oct.	29.782	54.5	41.6	48.1	+1.7	62	9th	30	12th, 24th
		Nov.	29.856	44.7	31.5	38.1	-3.0	58	2nd	...	...
		Dec.	29.586	45.1	33.6	39.4	+1.9	56	1st 3rd 13th	20	20th
		Year		54.0	39.7	46.9	+0.3	78		1	
CRIEFF—	436	Jan.	29.306	39.9	27.5	33.7	-3.2	50	24th	8	14th
G. Reid, for		Feb.	29.419	45.7	34.9	40.3	+2.4	57	23rd	27	21st, 28th
Dr. G. Meikle.	482	Mar.	29.484	46.1	33.6	39.9	-0.2	59	24th	22	2nd
		Apl.	29.506	51.7	32.3	42.0	-2.7	67	27th	24	15th
(9, —, 21.)		May	29.500	58.8	42.8	50.8	+0.7	72	31st	32	1st
		June	29.464	62.9	43.2	53.1	-2.9	77	1st	36	15th
		July	29.307	65.6	48.5	57.1	-1.3	75	3rd	37	9th
		Aug.	29.356	63.7	50.4	57.1	-0.2	73	10th	41	31st
		Sept.	29.046	55.9	41.0	48.5	-5.1	68	6th	31	15th
		Oct.	29.295	52.6	40.3	46.5	-0.4	58	10th	33	12th
		Nov.	29.362	44.3	32.6	38.5	-2.9	54	2nd	21	18th
		Dec.	29.098	43.9	34.6	39.3	+1.8	55	1st, 13th	24	31st
		Year		52.6	38.5	45.6	-1.2	77		8	
Fife.											
ST. ANDREWS—	20	Jan.	...	42.4	28.9	35.7	...	55	28th	7	16th
The Burgh Sur- veyor.		Feb.	...	47.2	37.8	42.5	...	56	22nd	31	1st
		Mar.	...	47.7	35.5	41.6	...	61	24th	28	9th
(9, —, 18.)		Apl.	...	47.7	36.1	41.9	...	56	27th	29	16th, 22nd
		May	...	58.5	44.4	51.5	...	75	31st	34	1st
		June	...	63.6	44.8	54.2	...	77	1st, 6th	38	4th, 5th
		July	...	64.8	48.9	56.9	...	75	6th	34	10th
		Aug.	...	64.8	51.5	58.2	...	74	10th, 11th	43	31st
		Sept.	...	56.5	41.7	49.1	...	67	7th	30	15th
		Oct.	...	53.5	42.0	47.8	...	61	9th	29	13th
		Nov.	...	46.2	33.5	39.9	...	53	4th, 10th	23	22nd, 23rd
		Dec.	...	45.0	35.0	40.0	...	56	13th	25	22nd
		Year		53.2	40.0	46.6	...	77		7	

* The barometer, from June onwards, at The Museum, 22 ft. The other instruments are at Wellshill Cemetery, 76 ft.

HYGROMETER.				Cloud.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS.†												
Mean.†			Mean (0-10.) †		Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.											
Depression of Wet Bulb.	Vapour Pressure.	Humidity.						Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	
°	Inch.	%			Inch.	Inch.	Inch.																			
1.2	.163	86	6.1	18	2.05	...	0.76	19th	7	1	0	9	14	3	0	8	2	0	0	6	2	28	6	10		
1.8	.221	86	6.4	21	2.12	...	0.38	18th	1	0	0	6	12	2	1	2	4	0	2	4	10	22	2	10		
1.8	.206	86	7.6	14	0.86	...	0.25	30th	2	0	0	3	18	2	0	6	6	8	0	0	8	20	2	12		
3.5	.204	74	5.9	12	0.87	...	0.33	19th	1	3	0	8	11	0	0	6	10	0	2	0	6	12	8	16		
3.7	.305	76	5.5	15	3.38	...	0.54	4th, 11th	1	1	2	11	13	1	0	0	2	8	4	0	4	28	2	14		
5.7	.293	67	4.6	8	0.71	...	0.36	19th	0	0	2	10	5	0	0	6	8	2	0	2	8	14	10	10		
3.4	.395	79	5.0	19	6.23	...	1.58	17th	0	0	3	8	6	0	0	0	2	0	0	0	4	14	8	34		
3.0	.395	81	6.2	18	3.14	...	0.92	25th	0	0	2	4	10	1	2	0	0	2	0	0	10	16	8	26		
3.0	.271	79	5.2	19	3.74	...	0.84	15th	0	0	1	8	8	0	0	0	2	4	6	0	2	16	12	18		
2.2	.275	84	6.6	20	2.66	...	0.39	4th, 18th	0	1	0	5	10	0	2	0	4	4	8	0	4	10	4	28		
1.4	.194	87	5.1	14	2.13	...	0.71	1st	0	0	0	11	8	1	3	0	0	2	0	0	6	10	0	42		
1.3	.203	89	5.2	17	1.55	...	0.40	17th	3	0	0	8	7	0	0	2	0	0	2	0	12	6	4	36		
				193	21.44		1.58																			
1.6	.159	83	6.2	18	2.75	+0.24	0.80	19th	7	0	0	4	12	6	1	6	1	1	5	6	20	15	5	3		
2.0	.227	85	7.3	23	2.67	+0.40	0.52	17th	2	0	0	1	11	4	2	2	1	0	24	8	14	1	3	3		
1.9	.206	85	6.3	17	0.99	-1.50	0.37	30th	2	0	0	1	9	0	0	5	7	0	16	6	10	5	7	6		
1.9	.218	85	5.2	11	0.97	-0.81	0.37	19th	1	0	0	7	5	1	0	8	9	9	7	5	8	3	5	6		
2.7	.328	82	6.5	16	3.20	+0.98	0.65	25th	1	1	2	2	13	0	0	1	9	9	7	11	10	8	3	4		
5.4	.312	68	4.5	6	0.34	-1.63	0.08	9th	0	0	1	3	2	0	1	5	1	10	3	25	3	10	2			
2.2	.446	87	6.3	18	4.67	+1.78	1.75	17th	0	0	5	1	8	0	0	1	7	2	15	125	4	5	2			
2.0	.420	87	7.1	15	3.58	+0.21	1.33	25th	0	0	2	1	11	0	1	1	4	4	3	340	0	5	2			
2.0	.275	86	6.1	17	3.88	+1.65	0.84	15th	0	0	0	1	7	0	0	4	7	0	2	128	2	15	1			
1.2	.291	92	7.6	19	3.51	+0.56	0.55	4th	0	0	0	0	15	0	2	4	6	0	8	531	0	8	0			
1.2	.195	90	8.4	14	1.60	-1.28	0.50	1st	0	0	0	0	18	11	1	3	4	2	0	5	22	1	21	2		
1.5	.199	87	8.4	19	1.59	-1.64	0.29	17th	2	0	0	0	18	3	0	19	2	0	0	4	23	8	6	0		
				193	29.75	-1.04	1.75																			
1.4	.175	87	7.6	21	4.81	+0.78	0.92	19th	9	0	0	0	15	0	1	13	1	11	0	0	1	30	6	0		
2.0	.220	85	8.5	28	3.90	+0.38	0.50	21st	5	0	0	0	18	0	3	1	2	7	0	0	6	35	5	0		
1.9	.205	85	7.9	14	1.04	-2.16	0.28	30th	3	0	0	0	19	0	0	3	7	26	1	1	1	23	0	0		
2.8	.205	79	6.4	13	0.90	-1.29	0.30	8th	2	1	0	3	10	0	0	3	6	38	0	1	3	7	2	0		
2.9	.303	80	8.5	19	2.84	+0.35	0.54	25th	0	1	3	0	20	0	0	1	2	18	0	6	5	28	2	0		
4.9	.283	69	7.4	10	0.74	-1.90	0.27	9th	0	0	0	0	14	0	2	14	2	5	0	1	1	33	4	0		
3.7	.353	77	7.6	19	4.70	+1.73	1.30	17th	0	2	6	0	13	0	0	0	2	19	4	4	4	28	1	0		
2.9	.371	81	8.2	24	3.27	-0.94	0.68	25th	0	0	2	0	18	0	1	8	0	15	1	0	3	28	7	0		
3.1	.257	79	6.6	21	5.18	+2.32	0.99	17th	1	0	0	1	8	0	0	7	1	15	1	5	0	22	9	0		
2.3	.266	84	8.3	22	4.25	+0.32	0.55	4th, 7th	0	0	1	1	21	0	3	7	2	7	0	3	9	34	0	0		
0.9	.219	93	7.9	20	3.34	-1.00	0.93	4th	1	0	0	0	16	0	2	0	5	6	0	0	3	37	9	0		
1.6	.209	83	7.4	23	2.99	-1.49	0.43	17th	3	1	0	0	14	0	1	6	9	6	0	0	4	33	4	0		
				234	37.96	-2.90	1.30																			
...	...	...	...	13	2.08	...	0.79	19th	5	0	0	...	...	2	0	0	4	0	6	2	32	4	14	0		
...	...	...	...	21	1.96	...	0.29	27th	1	0	0	...	...	1	1	0	6	2	4	6	30	8	0	0		
...	...	...	...	10	1.00	...	0.24	5th	1	1	0	...	...	4	0	0	4	8	12	0	26	10	2	0		
...	...	...	...	5	0.63	...	0.26	19th	1	0	0	...	...	7	0	0	26	6	4	0	18	0	6	0		
...	...	...	...	11	3.22	...	0.74	6th	0	0	3	...	...	1	0	0	26	2	6	2	18	6	2	0		
...	...	...	...	8	0.64	...	0.28	15th	0	1	1	...	...	0	1	2	10	2	4	0	14	18	10	0		
...	...	...	...	12	3.33	...	1.04	20th	0	0	2	...	...	1	0	0	20	4	8	0	16	6	8	0		
...	...	...	...	14	1.87	...	0.43	25th	0	0	2	...	...	2	0	0	12	4	4	0	28	10	4	0		
...	...	...	...	16	4.23	...	1.60	15th	0	0	2	...	...	1	0	0	12	2	0	2	30	2	12	0		
...	...	...	...	20	2.28	...	0.35	18th	0	0	0	...	...	1	1	0	6	0	6	0	36	10	4	0		
...	...	...	...	10	1.42	...	0.61	4th	0	0	0	...	...	5	1	0	4	0	10	2	36	0	8	0		
...	...	...	...	13	1.48	...	0.46	22nd	2	0	0	...	...	2	0	0	6	0	10	0	30	4	12	0		
				153	24.14		1.60																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.	Inch.	°	°	°	°	°	°	°	°			
Fife (contd.).												
CUPAR	210	Jan.	...	41.0	28.3	34.7	-2.4	52	24th	9	14th,	
(Fife and Kinross		Feb.	...	47.0	38.0	42.5	+4.6	55	22nd	31	28th	
Asylum)—		Mch.	...	47.4	35.0	41.2	+1.3	58	22nd	28	14th	
The Medical		Apl.	...	49.3	35.0	42.2	-1.9	60	27th	24	16th	
Superintendent.		May	...	60.0	44.5	52.3	+3.2	75	31st	34	1st	
(9, —, —.)		June	...	64.7	45.8	55.3	-0.4	78	2nd	39	25th	
		July	...	66.5	49.2	57.9	+0.1	74	6th	36	10th	
		Aug.	...	65.7	51.9	58.8	+2.0	74	10th	42	28th	
		Sept.	...	57.2	41.3	49.3	-3.6	66	7th, 8th	29	15th	
		Oct.	...	54.1	41.7	47.9	+1.4	61	9th, 10th	33	13th	
		Nov.	...	46.5	33.5	40.0	-0.8	57	2nd	20	23rd	
		Dec.	...	45.6	33.9	39.8	+1.6	57	13th	25	20th, 22nd	
		Year		55.8	39.8	46.8	+0.4	78		9		
LATHALLAN—	522	Jan.	29.194	38.5	29.6	34.1	...	49	31st	11	14th	
Alex. M'Rae, for		Feb.	29.331	41.7	36.9	40.8	...	53	22nd	30	21st, 22nd	
Dr. W. H. Bryce.		Mch.	29.438	45.1	34.5	39.8	...	58	24th	28	1st	
(9, —, 21.)		Apl.	29.441	47.3	34.7	41.0	...	59	27th	27	16th	
		May	29.454	56.3	43.8	50.1	...	72	31st	33	1st	
		June	29.422	60.5	44.1	52.3	...	74	1st	38	15th, 21st	
		July	29.266	62.0	47.8	54.9	...	68	6th, 15th, 17th	37	10th	
		Aug.	29.311	62.4	50.1	56.3	...	71	10th, 11th	41	29th	
		Sept.	28.992	54.1	41.0	47.6	...	63	7th	32	15th	
		Oct.	29.254	51.2	41.1	46.2	...	57	9th, 10th	33	13th	
		Nov.	29.326	44.8	33.9	39.4	...	53	2nd	24	19th	
		Dec.	29.053	43.6	34.5	39.1	...	54	13th	26	31st	
		Year	29.290	50.9	39.3	45.1	...	74		11		
KIRKCALDY	100	Jan.	29.684	42.3	31.6	37.0	...	53	24th, 27th	13	14th	
(St. Peter's		Feb.	29.810	48.0	39.3	43.7	...	56	23rd	32	28th	
Rectory)—		Mch.	29.913	48.5	37.3	42.9	...	62	22nd	30	1st	
Rev. J. S. Begg,		Apl.	29.910	49.5	37.2	43.4	...	58	27th	30	15th, 16th	
M.A.		May	29.921	60.3	46.2	53.3	...	76	31st	39	1st, 9th	
(9, —, —.)		June	29.885	64.7	46.9	55.8	...	79	1st, 2nd	41	15th, 21st	
		July	29.721	65.2	50.5	57.9	...	74	6th	40	10th	
		Aug.	29.771	65.8	53.0	59.4	...	75	10th	46	29th, 31st	
		Sept.	...	...	...	...	...	...	...	...	...	
		Oct.	...	...	...	...	...	...	...	...	...	
		Nov.	...	...	...	...	...	...	...	...	...	
		Dec.	...	...	...	...	...	...	...	...	...	
		Year	...	...	...	...	...	...	...	...	...	
Stirling.												
STIRLING—	74	Jan.	...	41.5	30.1	35.8	...	52	23rd, 24th	6	16th	
John Fyfe, C.S.I.,		Feb.	...	48.2	39.2	43.7	...	55	22nd, 23rd	33	21st, 22nd	
Sanitary Inspec-		Mch.	...	48.0	36.1	42.1	...	61	21st	25	2nd	
tor.		Apl.	...	52.0	36.6	44.3	...	66	27th	29	16th	
(9, —, —.)		May	...	61.9	46.1	54.0	...	76	22nd	34	1st	
		June	...	65.4	46.5	56.0	...	78	1st	38	25th	
		July	...	67.8	51.3	59.6	...	78	3rd	40	9th, 10th	
		Aug.	...	65.6	53.0	59.3	...	75	10th	45	29th	
		Sept.	...	57.6	42.3	50.0	...	67	6th	31	6th	
		Oct.	...	54.0	41.5	47.8	...	60	9th	32	12th, 13th	
		Nov.	...	45.6	34.6	40.1	...	57	2nd	25	17th, 21st	
		Dec.	...	45.5	35.6	40.6	...	56	1st, 4th, 13th	24	20th	
		Year	...	54.4	41.1	47.8	...	78		6		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Stirling (contd.)											
BUCHLYVIE	118	Jan.	...	41·1	28·8	35·0	-2·3	52	24th	-2	16th
(The Manse)—		Feb.	...	47·1	39·3	43·2	+5·4	56	1st	28	17th
Rev. J. A. Mac-		Mar.	...	47·2	34·1	40·7	+1·0	57	21st, 22nd	21	2nd
donald.		Apl.	...	53·5	34·1	43·8	-0·5	70	27th	25	16th
(9, —, —.)		May	...	61·7	43·6	52·7	+3·4	76	22nd	30	1st
		June	...	66·2	44·7	55·5	+0·1	77	1st	35	25th
		July	...	68·3	48·4	58·4	+1·0	79	3rd	30	10th
		Aug.	...	65·2	51·9	58·6	+1·6	74	10th	44	29th
		Sept.	...	57·0	40·3	48·7	-4·8	66	2nd, 6th	28	15th
		Oct.	...	53·0	41·2	47·1	+0·8	59	9th	27	13th
		Nov.	...	44·8	32·6	38·7	-0·9	56	10th	23	12th, 22
		Dec.	...	44·5	34·5	39·5	+2·3	...	...	...	...
		Year	...	54·1	39·5	46·8	+0·6	79	...	-2	...
Dumbarton.											
HELENSBURGH—	21	Jan.	...	42·7	29·2	36·0	-2·9	52	24th	7	16th
The Burgh		Feb.	...	47·8	37·9	42·9	+4·2	53	22nd	29	17th
Surveyor.		Mar.	...	48·0	35·3	41·7	+1·2	61	20th	25	2nd
(9, —, —.)		Apl.	...	53·1	35·5	44·3	-0·9	69	27th	25	15th, 10
		May	...	60·5	45·0	52·8	+2·7	75	22nd	33	1st
		June	...	63·5	46·7	55·1	-0·3	77	5th	40	1st, 15
		July	...	65·4	50·2	57·8	+0·3	72	3rd	40	9th
		Aug.	...	64·0	53·9	59·0	+1·9	74	10th	49	26th, 28th,
		Sept.	...	56·4	43·4	49·9	-3·6	66	6th	35	6th, 30
		Oct.	...	52·8	42·4	47·6	+1·0	58	9th	29	13th
		Nov.	...	45·8	35·3	40·6	-0·6	54	1st, 2nd	26	12th
		Dec.	...	45·7	37·5	41·6	+2·8	54	1st, 13th	26	26th
		Year	...	53·8	41·0	47·4	+0·5	77	...	7	...
CARDROSS—	130	Jan.	...	40·1	29·0	34·6	...	49	27th	6	14th
W. McHutcheon		Feb.	...	45·5	38·5	42·0	...	50	4th, 23rd, 24th	29	17th, 28
for Claud A.		Mar.	...	46·0	34·7	40·4	...	58	21st	23	2nd
Allan.		Apl.	...	53·1	35·9	44·5	...	68	27th	23	14th
(9, —, —.)		May	...	59·8	45·5	52·7	...	76	22nd	32	1st
		June	...	61·1	46·6	55·4	...	75	5th	36	25th
		July	...	65·6	49·5	57·6	...	73	3rd	37	10th
		Aug.	...	63·8	52·5	58·2	...	73	11th	45	29th
		Sept.	...	54·9	43·1	49·0	...	61	6th	34	30th
		Oct.	...	51·8	42·6	47·2	...	58	9th	29	13th
		Nov.	...	45·5	35·5	40·5	...	55	1st	27	12th
		Dec.	...	44·0	37·4	40·7	...	55	3rd	24	26th
		Year	...	52·9	40·9	46·9	...	76	...	6	...
DUMBARTON—	10	Jan.	...	43·0	30·8	36·9	-2·3	51	23rd, 24th	7	16th
William Denny		Feb.	...	47·9	39·9	43·9	+4·7	53	22nd	31	17th
and Brothers.		Mar.	...	48·0	35·2	41·6	+0·5	58	21st	25	2nd
(9, —, —.)		Apl.	...	53·2	36·0	44·6	-1·3	69	27th	28	14th
		May	...	60·4	46·0	53·2	+2·9	76	22nd	35	1st
		June	...	63·6	47·1	55·4	-0·8	75	5th	38	25th
		July	...	66·1	52·3	59·2	+0·9	77	30th	43	3rd
		Aug.	...	64·3	53·0	58·7	+0·9	75	10th	...	...
		Sept.	...	57·2	43·5	50·4	-3·9	65	6th	...	...
		Oct.	...	53·0	42·5	47·8	+0·3	...	...	...	...
		Nov.	...	47·0	35·5	41·3	-0·4	...	...	...	...
		Dec.	...	46·8	37·8	42·3	+3·0	55	3rd, 13th	...	...
		Year	...	54·2	41·6	47·9	+0·4	77	...	7	...

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Station at 32° Fahr.†	Maximum.	Minimum.						
Argyll.	Feet.		Inch.	°	°	°	°	°		°	
ARDTOBNISH—	40	Jan.	29.716	42.3	32.3	37.3	...	52	29th	10	14th
W. D. Besant,		Feb.	29.829	47.6	39.2	43.4	...	51	4th, 7th	30	28th
for G. Craig		Mch.	29.933	47.8	35.5	41.7	...	58	22nd	25	2nd
Sellar.		Apl.	29.975	54.2	35.7	45.0	...	72	26th	26	15th
(9, —, 21.)		May	29.947	60.7	45.7	53.2	...	70	22nd, 31st	31	1st
		June	29.946	61.7	46.2	54.0	...	77	5th	39	15th,
		July	29.774	64.8	49.6	57.2	...	77	31st	40	10th,
		Aug.	29.821	63.7	53.2	58.5	...	77	1st	46	30th
		Sept.	29.508	57.1	43.6	50.4	...	63	5th	35	5th, 15th
		Oct.	29.735	53.0	43.5	48.3	...	60	19th, 20th	31	13th
		Nov.	29.791	47.7	37.1	42.4	...	55	2nd, 8th	28	17th
		Dec.	29.538	46.5	37.9	42.2	...	55	4th, 13th	27	19th,
		Year	29.793	53.9	41.6	47.8		77		10	
OBAN—	32	Jan.	29.755	44.1	33.6	38.9	-1.9	52	23rd, 24th, 28th	15	14th
T. Culbert,		Feb.	29.849	47.8	39.9	43.9	+3.6	53	22nd	32	28th
C.S.I., Burgh		Mch.	29.979	47.5	36.3	41.9	+0.6	56	22nd	25	2nd, 3rd,
Surveyor.		Apl.	29.986	52.9	36.2	44.6	-1.0	70	25th	28	14th, 11
(7, —, 18.)		May	29.989	57.8	45.7	51.8	+1.8	67	22nd	36	1st
		June	29.988	58.2	46.8	52.5	-2.5	68	3rd	41	18th
		July	29.799	61.5	50.3	55.9	-1.0	78	31st	44	9th, 12th,
		Aug.	29.848	61.9	53.5	57.7	+0.7	73	1st	48	31st
		Sept.	29.535	55.5	43.6	49.6	-4.1	62	2nd	36	15th, 30
		Oct.	29.765	53.3	42.9	48.1	-0.5	60	20th	30	13th
		Nov.	29.820	48.1	37.8	43.0	-0.8	55	2nd	28	17th, 18
		Dec.	29.585	47.6	39.0	43.3	+1.7	56	3rd, 4th, 13th	30	20th
		Year	29.793	53.0	42.1	47.6	-0.3	78		15	
FORD—	149	Jan.	...	43.3	31.3	37.3	...	50	25th, 27th, 28th	8	14th, 16
J. Boyd, Crown		Feb.	...	47.2	39.4	43.3	...	51	8th, 13th, 22nd	30	17th
Forester.		Mch.	...	47.5	34.3	40.9	...	56	22nd	23	2nd
(9, —, —.)		Apl.	...	52.5	34.9	43.7	...	66	27th	23	15th
		May	...	59.6	45.0	52.3	...	72	22nd	33	14th
		June	...	60.5	43.6	52.1	...	74	5th	35	18th
		July	...	63.3	48.0	55.7	...	74	31st	38	2nd
		Aug.	...	63.0	52.9	58.0	...	72	10th	46	21st
		Sept.	...	55.9	41.8	48.9	...	62	2nd	33	6th
		Oct.	...	52.9	42.1	47.5	...	60	20th	27	13th
		Nov.	...	47.0	36.6	41.8	...	55	1st, 2nd	27	17th
		Dec.	...	46.5	37.6	42.1	...	56	13th	28	17th, 24th
		Year	...	53.3	40.6	47.0		74		8	
ARDNADAM—	64	Jan.	...	40.4	33.0	36.7	...	49	24th, 31st	10	14th
Rev. J. Cairns		Feb.	...	45.8	40.5	43.2	...	54	22nd	30	17th
Mitchell, B.D.		Mch.	...	46.1	34.2	40.2	...	57	20th	23	2nd
(9, —, 21.)		Apl.	...	51.8	36.5	44.2	...	71	27th	25	15th
		May	...	58.5	45.6	52.1	...	71	31st	34	1st
		June	...	61.3	46.4	53.9	...	74	1st	39	15th
		July	...	64.6	50.1	57.4	...	74	30th	38	9th
		Aug.	...	62.5	52.7	57.6	...	74	10th	45	31st
		Sept.	...	54.9	44.1	49.5	...	64	2nd	36	14th
		Oct.	...	51.7	43.5	47.6	...	57	9th	28	13th
		Nov.	...	45.1	37.6	41.4	...	55	2nd	27	12th
		Dec.	...	45.4	39.2	42.3	...	59	2nd	28	26th
		Year	...	52.3	42.0	47.2		74		10	

BAROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS. †											
Mean. †				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.									
Wet Bulb.	Vapour Pressure.	Humidity.									Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.
°	Inch.	%			Inch.	Inch.	Inch.																	
1.7	203	86	7.3	28	7.49	...	0.79	19th	7	0	0	1	14	0	0	4	3	9	8	5	3	11	10	9
1.5	247	89	8.6	26	9.62	...	0.96	21st	3	0	0	0	17	0	0	2	0	7	4	6	3	18	8	8
1.9	217	85	6.5	16	2.66	...	0.51	19th	0	0	0	3	12	0	0	2	0	14	12	3	0	3	1	27
2.5	237	81	3.3	10	2.25	...	1.18	8th	0	0	0	14	4	0	0	4	2	15	6	4	0	5	2	22
3.0	322	80	7.1	16	2.98	...	0.57	22nd	0	0	1	1	13	0	0	4	2	4	6	9	1	6	1	29
2.5	347	83	6.5	19	3.76	...	0.56	21st	0	2	0	5	9	0	0	3	0	3	1	2	2	22	3	24
2.5	387	84	6.8	20	6.25	...	0.89	18th	0	0	0	3	13	0	0	0	4	4	4	5	2	9	3	35
2.0	407	87	8.5	26	6.41	...	0.85	22nd	0	2	0	1	21	0	0	2	0	6	4	2	7	18	3	20
1.7	292	88	6.3	23	8.42	...	1.22	22nd	0	2	0	3	8	0	0	2	2	3	7	0	4	9	15	18
1.8	286	88	7.7	25	11.61	...	1.34	9th	0	0	0	1	16	0	1	3	0	1	9	2	5	15	3	24
1.7	239	87	7.1	21	9.73	...	2.69	7th	0	1	0	2	13	0	1	2	0	9	6	4	3	8	2	26
1.4	241	82	7.6	30	13.01	...	1.46	17th	5	0	0	1	12	0	0	2	1	12	7	1	8	16	4	11
					260 84.19		2.89																	
1.8	206	86	7.7	24	5.47	...	0.86	25th	9	0	0	2	20	0	0	3	5	7	6	13	3	16	4	5
2.1	242	84	8.6	25	6.83	...	0.83	21st	2	0	0	0	18	0	0	4	2	2	8	18	15	5	1	1
2.7	212	80	6.9	13	1.99	...	0.57	30th	0	0	0	3	16	1	0	15	6	6	10	3	17	2	1	2
4.1	218	71	4.2	9	1.52	...	0.57	8th	0	0	0	12	9	0	0	9	8	10	1	3	2	4	13	10
3.3	304	78	6.8	13	2.99	...	0.75	23rd	0	0	2	1	11	0	0	0	2	7	6	4	13	6	14	10
3.5	313	77	5.7	17	2.59	...	0.56	13th	0	0	0	8	10	0	0	0	0	1	1	2	14	13	25	4
2.6	379	83	6.9	20	3.93	...	0.76	20th	0	0	2	4	16	0	0	1	1	5	2	3	15	12	15	8
2.4	402	85	8.4	23	3.90	...	0.53	22nd	0	0	0	0	20	0	0	0	0	6	2	5	18	8	13	10
2.3	300	85	7.3	21	5.49	...	1.13	22nd	0	0	0	2	14	0	0	0	7	5	3	2	15	10	17	1
1.9	292	87	8.3	24	8.29	...	1.35	9th	0	0	0	2	22	0	0	2	8	3	6	13	13	5	7	6
1.8	244	86	7.2	20	7.04	...	1.19	7th	0	2	1	3	14	0	2	0	10	7	15	9	8	3	0	8
1.7	246	86	7.8	28	8.11	...	0.61	10th	2	2	1	0	16	0	0	0	5	3	16	12	11	2	3	10
					237 58.15		1.35																	
1.4	202	88	...	20	5.33	...	0.67	25th	11	0	0	...	...	0	0	16	4	2	6	6	10	0	8	10
1.1	249	91	8.4	26	9.03	...	1.21	18th	3	1	0	1	19	0	1	2	0	2	12	12	20	4	0	4
1.6	221	88	7.1	15	2.58	...	0.46	19th	1	0	0	3	17	1	0	2	4	14	8	6	18	0	0	10
3.4	231	76	5.0	10	2.58	...	1.04	8th	2	1	0	6	8	0	0	8	16	16	6	0	4	2	2	6
2.9	330	81	7.1	17	3.84	...	0.59	14th	0	0	2	3	15	0	0	0	10	8	6	26	6	4	2	
3.6	333	77	6.3	21	3.70	...	0.52	8th	0	2	2	4	11	0	0	8	2	4	2	4	18	6	16	0
2.7	393	83	7.2	22	4.86	...	0.75	22nd	0	1	4	2	14	0	0	2	4	8	2	0	24	8	12	2
2.2	417	85	8.5	26	6.11	...	0.67	16th	0	1	0	1	21	0	0	0	0	8	6	6	20	12	6	4
2.0	307	87	7.4	24	7.86	...	1.00	9th	0	2	1	2	15	0	0	0	8	6	0	6	12	14	12	2
1.7	289	88	8.5	27	10.96	...	1.44	9th	0	0	0	0	20	2	3	4	6	4	0	6	18	10	4	4
0.9	246	93	7.9	23	10.65	...	1.44	4th	0	2	0	1	19	4	0	2	4	4	4	12	14	6	4	10
1.6	237	88	7.8	30	9.23	...	0.94	27th	6	0	0	1	19	0	0	2	6	6	0	10	18	10	10	0
					261 76.73		1.44																	
...	...	...	7.2	22	10.10	...	1.73	25th	6	0	0	4	16	0	2	6	5	4	0	9	8	6	12	12
...	...	...	8.9	24	13.03	...	1.77	17th	2	0	0	0	21	0	5	2	1	5	2	11	10	16	6	3
...	...	...	7.2	12	3.23	...	0.66	9th	0	0	0	3	17	3	0	3	5	16	1	6	8	8	3	12
...	...	...	5.8	9	1.79	...	0.75	5th	0	0	0	5	10	1	0	11	6	22	3	0	4	2	8	4
...	...	...	7.3	15	4.86	...	1.66	22nd	0	0	3	3	19	1	0	1	6	3	7	11	11	4	7	12
...	...	...	6.3	18	2.49	...	0.47	13th	0	0	1	4	12	0	2	10	0	3	3	5	2	18	17	2
...	...	...	7.2	21	4.57	...	1.58	22nd	0	0	1	2	16	0	0	6	2	4	5	6	2	13	10	14
...	...	...	8.5	25	4.82	...	0.68	16th	0	0	1	0	21	0	1	2	1	6	3	4	9	15	12	10
...	...	...	...	20	8.73	...	1.28	21st	0	3	0	...	...	0	0	6	7	3	3	8	7	13	11	2
...	...	...	8.4	26	11.98	...	1.88	2nd	0	0	0	1	23	0	2	5	5	5	0	8	11	14	7	7
...	...	...	8.3	21	10.56	...	2.15	4th	0	0	0	1	21	7	2	0	0	3	5	11	3	11	5	22
...	...	...	7.4	29	9.39	...	0.92	22nd	2	0	0	1	15	2	0	5	0	3	4	12	10	10	10	8
					242 85.55		2.15																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.	Inch.	°	°	°	°	°	°	°	°		
Bute.											
ROTHESAY	187	Jan.	29.593	42.2	33.5	37.9	-1.7	49	24th, 27th, 31st	19	14th
(Ardencraig)—		Feb.	29.701	46.5	39.0	42.8	+2.9	52	4th	30	28th
J. Davidson, for		Mch.	29.799	46.0	36.3	41.2	-0.1	55	20th, 22nd	28	2nd
John Reid.		Apl.	29.818	51.0	37.1	44.1	-1.4	66	27th	29	14th
(9, —, 21.)		May	29.812	57.8	44.9	51.4	+1.0	68	22nd, 31st	34	1st
		June	29.809	60.4	46.6	53.5	-2.3	71	1st, 2nd, 5th	40	15th
		July	29.635	62.4	49.9	56.2	-1.5	68	30th, 31st	43	3rd
		Aug.	29.688	61.8	51.9	56.9	-0.2	67	10th	44	31st
		Sept.	29.379	54.9	43.4	49.2	-4.9	62	6th	38	30th
		Oct.	29.627	52.1	42.7	47.4	-0.8	59	10th	34	13th
		Nov.	29.693	46.7	37.6	42.2	-1.4	54	2nd	31	18th, 19th
		Dec.	29.424	45.7	38.6	42.2	+1.8	55	1st, 13th	31	24th
		Year	29.665	52.3	41.8	47.1	-0.7	71		19	
Renfrew.											
GREENOCK—	233	Jan.	29.533	42.5	33.3	37.9	-0.5	52	23rd, 24th	15	14th, 15th
J. MacAlister,		Feb.	29.656	46.6	39.7	43.2	+4.6	52	22nd	31	28th
A.M.Inst. C.E.		Mch.	29.757	46.0	36.6	41.3	+1.2	55	21st, 22nd	29	2nd
(9, —, 18.)		Apl.	29.771	50.8	37.5	44.2	-0.4	66	27th	30	14th
		May	29.765	58.4	46.2	52.3	+2.5	70	22nd	34	1st
		June	29.761	60.9	47.5	54.2	-1.3	73	5th	42	15th, 25th
		July	29.578	63.5	51.5	57.5	-0.1	71	3rd	44	10th
		Aug.	29.643	62.3	53.2	57.8	+0.6	72	10th	48	31st
		Sept.	29.323	54.7	44.1	49.4	-4.4	62	6th	39	15th
		Oct.	29.576	52.2	43.5	47.9	+0.4	58	9th	35	13th
		Nov.	29.639	45.9	37.3	41.6	-1.1	55	1st, 2nd	30	17th
		Dec.	29.372	46.0	38.7	42.4	+3.0	55	1st, 3rd, 13th	32	22nd, 23rd, 26th
		Year	29.615	52.5	42.4	47.5	+0.4	73		15	
PAISLEY—	107	Jan.	29.679	41.5	32.2	36.9	-2.2	52	24th	10	14th
The Coats		Feb.	29.802	47.6	39.5	43.6	+4.0	54	23rd	32	28th
Observatory.		Mch.	29.901	47.9	36.2	42.1	+0.3	58	21st	27	3rd
(9, —, 21.)*		Apl.	29.915	52.4	36.1	44.3	-1.9	68	27th	28	22nd
		May	29.908	61.6	46.2	53.9	+2.3	80	22nd	38	1st, 3rd
		June	29.895	64.4	47.4	55.9	-1.4	77	1st, 2nd	41	15th, 25th
		July	29.722	66.7	50.7	58.7	-0.6	78	30th	40	10th
		Aug.	29.779	65.5	52.9	59.2	+0.7	76	10th	44	31st
		Sept.	29.464	57.3	43.0	50.2	-4.7	67	6th, 7th	36	6th, 30th
		Oct.	29.719	53.6	42.9	48.3	-0.1	60	9th, 10th	31	13th
		Nov.	29.792	45.8	35.7	40.8	-2.2	56	2nd	28	12th, 17th, 22nd
		Dec.	29.521	45.8	37.8	41.8	+1.9	55	13th	28	20th, 26th, 31st
		Year	29.758	54.2	41.7	48.0	-0.3	80		10	
Ayr.											
KILMARNOCK	90	Jan.	...	43.6	32.6	38.1	+0.6	51	23, 24, 27, 30	9	14th
(Holmes Farm)—		Feb.	...	47.9	39.9	43.9	+5.3	52	1st, 7th, 22d	32	25th
Peter Caldwell,		Mch.	...	49.3	35.4	42.4	+2.2	60	21st, 22nd, 23rd	24	2nd
for West of		Apl.	...	53.3	35.7	44.5	+0.1	70	25th, 26th	25	15th
Scotland Coll.		May	...	63.2	45.1	54.2	+4.4	76	21st	32	1st
of Agriculture.		June	...	64.4	45.9	55.2	+0.1	77	6th	36	25th
(9, —, —.)		July	...	67.5	50.1	58.8	+1.6	76	3rd, 31st	39	3rd
		Aug.	...	66.4	53.6	60.0	+3.8	78	10th	47	29th
		Sept.	...	57.9	43.0	50.5	-2.4	69	7th	33	6th, 30th
		Oct.	...	53.5	41.9	47.7	+0.8	60	9th	29	26th
		Nov.	...	48.6	36.4	42.5	+0.9	55	1st	22	17th
		Dec.	...	46.7	37.9	42.3	+3.4	56	12th, 13th	27	26th
		Year	...	55.2	41.5	48.3	+1.7	78		9	

* Local Mean Time

HYGROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.		WIND DIRECTIONS.†														
Mean.†				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.	Number of Days with—		Number of Observations.													
Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Snow.						Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	
°	Inch.	%		Inch.	Inch.	Inch.																		
0.9	.211	92	7.7	24	5.74	+1.24	1.00	19th	10	0	0	1	17	6	3	2	16	1	8	12	2	6	15	0
1.2	.248	90	9.4	27	7.43	+3.43	0.95	16th	3	2	1	0	24	2	3	0	4	0	11	14	9	10	8	0
1.1	.233	91	7.2	14	2.39	-1.20	0.65	30th	1	0	0	2	13	3	1	1	18	4	11	4	6	9	9	0
3.0	.221	77	5.7	10	1.39	-1.59	0.61	8th	0	0	0	4	7	1	0	1	35	5	0	2	2	3	12	0
2.6	.305	83	7.8	19	4.37	+1.34	1.34	22nd	0	0	3	1	15	1	0	0	16	5	4	8	5	11	13	0
3.8	.310	76	7.0	19	1.83	-1.24	0.38	6th	0	2	0	1	10	0	1	0	6	2	1	4	4	14	29	0
2.7	.374	82	7.7	22	4.16	+0.20	0.81	22nd	0	0	2	0	16	0	0	1	14	0	4	8	9	15	11	0
1.9	.390	88	8.5	26	3.89	-0.98	0.62	19th	0	1	1	0	19	1	0	0	13	0	4	6	6	23	10	0
2.5	.285	82	7.3	24	6.23	+2.18	0.85	27th	0	3	0	2	14	1	1	0	14	1	1	6	6	18	14	0
1.5	.291	89	8.5	27	7.49	+3.08	0.95	3rd	0	2	2	0	20	2	5	1	11	0	0	11	14	11	14	0
1.0	.247	92	8.1	26	7.76	+2.69	1.95	4th	0	4	0	0	15	14	2	1	15	6	10	9	5	8	6	0
1.5	.239	88	8.9	31	7.18	+1.73	1.22	22nd	2	4	0	0	21	5	1	0	5	0	2	15	8	11	21	0
				269	59.86	+10.88	1.95																	
1.8	.188	85	7.1	23	7.23	+0.39	1.57	25th	9	0	0	1	12	7	2	0	6	7	8	1	10	14	14	2
1.6	.239	87	8.7	25	10.53	+4.91	1.33	21st	3	2	0	0	13	4	2	0	4	6	12	0	10	19	4	1
1.9	.211	85	7.3	14	2.63	-2.30	0.54	30th	1	0	0	0	13	3	0	0	22	11	0	12	7	8	1	
3.1	.298	77	6.0	9	1.06	-2.58	0.46	5th	0	0	0	1	5	0	0	0	12	23	8	0	1	9	7	0
3.1	.304	79	7.3	19	3.84	+0.39	0.65	22nd	0	0	2	0	12	0	0	0	5	15	6	0	8	24	4	0
4.2	.310	74	5.9	16	2.05	-1.25	0.69	6th	0	0	0	0	5	0	0	0	6	2	3	0	5	23	21	0
3.4	.363	79	7.3	20	4.43	+0.51	0.92	22nd	0	0	1	0	10	0	0	0	10	7	3	0	8	27	7	0
2.7	.393	83	7.9	25	5.16	-0.28	0.94	25th	0	0	1	0	15	0	0	0	3	15	3	0	8	24	9	0
2.9	.278	80	6.9	21	7.47	+2.72	1.10	9th	0	3	0	0	7	1	0	0	5	9	3	0	7	23	12	1
2.0	.283	86	8.3	26	9.59	+4.21	1.44	2nd	0	3	0	0	19	0	1	1	1	9	6	0	14	22	9	0
1.2	.236	91	7.9	21	9.34	+2.92	1.65	4th	0	1	0	0	15	10	1	0	2	10	11	0	10	17	1	9
1.8	.234	86	7.4	28	8.17	+0.28	0.95	22nd	5	2	0	0	9	3	1	0	1	5	8	1	16	22	8	1
				247	71.50	+9.92	1.65																	
1.5	.191	87	6.7	21	5.47	+1.48	1.27	19th	9	0	0	2	14	7	0	3	1	9	6	5	13	6	14	5
1.9	.241	85	8.1	24	6.69	+3.18	1.17	21st	2	0	0	1	17	6	0	1	0	1	16	16	10	6	5	
2.0	.217	85	7.1	11	1.88	-1.30	0.60	30th	2	0	0	2	15	16	0	2	3	11	8	6	7	6	2	17
3.0	.216	78	5.4	9	0.80	-1.52	0.37	8th	0	5	0	4	7	10	0	2	5	27	8	1	3	2	4	8
3.4	.317	77	6.5	16	2.13	-0.36	0.38	25th	0	0	1	2	12	2	0	2	10	8	4	7	8	9	1	
4.8	.319	71	6.0	15	1.12	-1.36	0.30	6th	0	0	1	3	8	0	0	6	1	4	2	1	5	16	19	6
3.4	.383	79	6.9	17	4.13	+1.27	0.69	22nd	0	2	4	3	15	3	0	2	1	7	5	7	9	14	13	4
2.7	.408	83	7.4	21	2.71	-1.20	0.57	25th	0	0	1	0	11	3	0	2	0	9	1	1	8	17	13	11
2.6	.290	82	5.6	22	6.65	+3.64	1.12	16th	0	0	0	2	8	0	0	2	3	5	3	4	13	14	10	6
2.1	.292	86	8.3	25	6.69	+2.85	0.91	6th	0	3	1	2	21	2	2	1	1	4	3	11	16	11	4	11
1.3	.230	89	7.3	20	4.87	+0.69	1.02	4th	0	4	0	4	19	14	2	0	1	1	4	9	12	6	1	26
1.6	.234	88	7.0	25	4.89	-0.16	0.90	22nd	3	3	0	1	14	10	1	2	1	2	2	12	16	11	3	13
				226	47.93	+7.21	1.27																	
1.5	.193	87	8.3	22	4.32	+0.76	0.75	25th	6	4	0	2	23	3	0	4	4	10	4	12	8	16	2	2
1.4	.255	89	...	24	5.69	+2.63	0.74	16th	1	0	1	...	...	2	1	0	4	2	10	12	20	8	0	0
2.4	.221	82	7.4	11	1.84	-0.97	0.56	30th	0	0	0	4	19	3	0	2	8	12	8	6	16	6	2	2
4.2	.223	72	7.0	3	0.69	-1.52	0.32	8th	0	0	0	6	17	0	0	4	28	10	2	2	10	0	4	0
4.1	.332	75	7.8	17	2.07	-0.40	0.59	22nd	0	0	1	5	21	0	0	0	8	12	6	8	10	14	2	2
5.5	.330	69	7.2	12	1.27	-1.04	0.35	6th	0	1	1	7	20	0	3	0	2	2	2	2	20	20	12	0
4.5	.395	74	7.6	18	2.90	-0.35	0.54	22nd	0	1	1	0	17	0	0	2	6	4	6	6	12	22	4	0
2.7	.430	84	8.9	22	3.71	-0.49	1.07	25th	0	0	1	0	22	0	0	6	2	0	0	0	8	20	26	0
2.9	.303	80	8.0	22	6.53	+3.30	1.33	16th	0	0	2	2	18	0	0	2	4	8	4	4	10	22	6	0
2.0	.294	86	8.4	22	5.53	+2.05	0.79	3rd	0	0	1	1	23	0	1	6	0	2	2	12	18	20	2	0
1.6	.238	87	7.8	18	3.75	-0.03	0.57	4th	0	0	0	0	15	4	2	2	2	14	8	12	6	12	0	4
1.3	.245	89	8.2	23	4.58	+0.46	0.56	22nd	1	1	1	1	21	0	0	2	6	10	0	8	14	18	4	0
				214	42.88	+4.40	1.23																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Mean at Station at 32° Fahr. †	Mean at Station at 32° Fahr. †			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Ayr (contd.). COLMONELL (Knockdolian)— Andrew Ogg, for J.W. M'Connell. (9, —, —.)	150	Jan.	29.663	43.9	34.5	39.2	+0.4	51	23rd, 24th, 31st	16	14th, 16th
		Feb.	29.787	48.0	41.1	44.6	+5.8	55	23rd	34	21st, 28th
		Mar.	29.856	49.9	34.8	42.4	+1.5	61	23rd	23	4th
		Apl.	29.834	53.6	35.4	44.5	-0.2	70	26th	26	16th
		May	29.859	61.2	45.6	53.4	+3.5	73	31st	33	1st
		June	29.863	62.5	47.0	54.8	+0.3	76	5th	43	1st, 18th, 26th
		July	29.675	65.5	50.6	58.1	+1.5	78	31st	43	10th, 11th
		Aug.	29.746	65.7	54.2	60.0	+3.8	75	1st	47	4th
		Sept.	29.428	58.0	44.9	51.5	-2.2	66	6th	35	6th
		Oct.	29.696	53.7	42.7	48.2	0.0	59	9th	28	13th
		Nov.	29.745	48.5	37.9	43.2	-0.1	55	1st, 2nd, 30th	23	18th
		Dec.	29.480	47.7	39.4	43.6	+3.1	57	13th	28	26th
		Year	29.719	54.9	42.3	48.6	+1.5	78		16	
Lanark. GLASGOW (The Observatory)— James Connell. (9, —, 21.)*	184	Jan.	29.595	40.8	32.5	36.7	-1.9	51	24th	10	16th
		Feb.	29.717	46.6	39.9	43.3	+4.2	53	23rd	32	28th
		Mar.	29.810	46.3	36.8	41.6	+1.0	58	21st	27	2nd
		Apl.	29.824	51.1	37.4	44.3	-0.7	66	27th	31	15th, 22nd
		May	29.821	60.0	46.3	53.2	+2.9	78	22nd	34	1st
		June	29.802	61.9	47.6	54.8	-1.0	73	1st	41	25th
		July	29.635	64.6	51.2	57.9	-0.1	74	3rd	42	10th
		Aug.	29.688	63.1	53.4	58.3	+1.2	75	10th	46	31st
		Sept.	29.373	55.1	43.8	49.5	-4.0	63	7th	37	6th
		Oct.	29.629	52.4	43.6	48.0	+0.6	60	10th	33	13th
		Nov.	29.703	45.4	36.7	41.1	-1.5	56	2nd	28	17th
		Dec.	29.432	45.3	38.5	41.9	+2.4	55	13th	29	20th, 26th
		Year	29.669	52.7	42.3	47.5	+0.2	78		10	
GLASGOW (Springburn Park)— The Meteorolo- gical Office. (7, 13, 21.)	355	Jan.	29.407	41.1	30.0	35.6	...	51	24th	8	14th
		Feb.	29.519	46.1	37.8	42.0	...	52	7th	30	28th
		Mar.	29.620	46.2	34.2	40.2	...	58	21st	25	2nd, 3rd
		Apl.	29.623	50.8	34.4	42.6	...	66	27th	28	15th
		May	29.629	59.0	44.0	51.5	...	76	22nd	30	1st
		June	29.617	61.6	46.1	53.9	...	74	5th	39	25th
		July	29.454	64.3	49.4	56.9	...	74	3rd	40	10th
		Aug.	29.514	62.8	51.8	57.3	...	73	10th	45	31st
		Sept.	29.194	55.1	42.0	48.6	...	64	6th	36	6th, 15th, 30th
		Oct.	29.443	51.9	40.7	46.3	...	59	9th	30	13th, 14th
		Nov.	29.513	44.9	34.7	39.8	...	56	2nd	24	17th
		Dec.	29.241	44.6	36.5	40.6	...	55	13th	28	20th, 26th
		Year	29.481	52.4	40.1	46.3	...	76		8	
THORNTONHALL— J. Dowie, for A. Henderson Bishop. (9, —, —.)	440	Jan.	...	40.8	29.7	35.3	...	51	24th	8	14th
		Feb.	...	45.6	37.7	41.7	...	52	22nd	30	28th
		Mar.	...	46.1	33.2	39.7	...	57	21st, 22nd	22	2nd, 3rd
		Apl.	...	49.8	33.4	41.6	...	65	26th, 27th	23	21st
		May	...	60.1	43.2	51.7	...	77	22nd	25	1st
		June	...	62.1	43.4	52.8	...	74	1st	36	25th
		July	...	65.0	47.5	56.3	...	75	30th	37	10th
		Aug.	...	63.3	51.9	57.6	...	74	10th	43	29th
		Sept.	...	55.4	41.4	48.4	...	64	6th	31	15th
		Oct.	...	52.0	40.5	46.3	...	65	9th	27	13th
		Nov.	...	45.5	33.8	39.7	...	54	1st, 2nd	20	17th
		Dec.	...	44.5	35.0	39.8	...	55	2nd, 13th	25	1st, 26th
		Year	...	52.5	39.2	45.9	...	77		8	

* Local Mean Time.

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS.†											
Mean.†					Mean (9-10) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Inch.					Inch.	Inch.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
8.5	0.8	.217	93	7.4	22	3.71	-0.62	0.54	19th	7	0	1	1	18	1	0	8	6	6	6	8	10	6	10	2
8.4	1.6	.247	87	8.3	25	5.54	+1.68	1.00	16th	0	0	0	220	3	1	4	4	2	4	12	8	18	4	0	
0.7	1.3	.226	89	4.8	10	1.25	-2.13	0.41	27th	0	0	0	8	8	0	0	4	2	28	4	10	0	6	4	
5.9	3.0	.244	79	4.8	9	0.70	-1.83	0.19	8th	0	0	0	10	10	0	0	14	24	0	0	10	2	8	2	
0.0	2.3	.352	84	6.8	16	2.83	+0.27	1.15	22nd	0	0	1	4	14	0	0	0	12	14	8	4	14	4	6	
6.0	2.3	.383	85	6.6	13	1.93	-0.60	0.41	8th	0	0	0	6	16	0	1	6	2	8	0	2	8	18	14	
8.8	2.1	.431	87	6.5	18	2.92	-0.23	0.41	19th, 25th	0	0	0	1	13	0	0	2	0	8	12	8	30	2	0	
9.2	1.7	.449	90	8.0	20	3.70	-0.30	1.34	5th	0	0	0	0	21	0	0	4	0	2	2	4	12	6	4	
0.4	1.5	.328	90	7.5	25	5.11	+1.64	0.82	15th	0	0	0	3	19	0	0	4	0	12	2	4	6	18	10	
7.8	1.9	.286	86	7.6	22	6.80	+2.35	1.36	3rd	0	0	1	3	18	1	3	2	4	2	2	6	8	18	10	
1.9	0.9	.246	93	5.9	18	5.71	+0.72	1.13	1st	0	0	1	5	10	1	2	0	14	6	6	12	14	2	4	
3.8	1.2	.259	91	7.7	26	6.49	+0.91	1.06	19th	2	0	1	3	20	3	1	4	0	8	10	12	6	14	8	
					224	46.69	+1.86	1.36																	
6.8	1.3	.194	90	7.6	23	4.58	+1.31	1.13	19th	9	0	0	1	16	1	0	4	5	8	3	13	4	20	5	
2.8	1.8	.236	86	8.7	24	4.71	+1.83	0.91	21st	2	0	0	1	20	0	0	3	4	3	5	13	15	12	1	
0.7	2.0	.213	85	7.4	14	1.52	-1.15	0.54	30th	1	0	0	0	13	2	0	3	12	14	6	4	9	6	8	
2.5	2.9	.213	78	6.9	9	0.47	-1.61	0.13	5th, 8th	0	2	0	0	12	1	0	4	15	24	2	2	4	5	2	
2.2	3.3	.306	78	7.8	15	2.50	-0.09	0.50	5th	0	0	1	0	17	0	0	10	14	4	4	11	13	4	2	
4.1	4.5	.300	72	7.1	16	1.08	-1.44	0.21	6th	0	0	0	0	11	0	0	3	4	4	2	2	10	26	6	
9.9	3.3	.368	80	7.5	20	3.59	+0.50	0.87	22nd	0	2	3	0	15	0	0	3	6	7	4	6	13	19	2	
2.2	2.6	.392	84	8.3	23	3.00	-0.91	0.44	19th	0	0	1	0	18	0	0	1	6	6	1	4	13	20	4	
8.6	2.6	.280	82	6.9	21	6.42	+3.44	1.25	16th	0	0	1	1	11	0	0	2	7	7	1	5	11	23	3	
7.6	1.9	.284	87	8.5	23	5.24	+1.84	0.76	6th	0	3	1	1	22	0	1	2	3	4	3	7	16	17	5	
0.8	1.2	.230	91	8.3	24	4.04	+0.40	1.00	4th	0	1	0	0	18	5	0	2	8	6	5	10	10	10	1	
1.7	1.7	.228	87	7.8	26	4.21	+0.06	1.04	22nd	3	0	0	1	16	2	0	3	6	8	5	8	16	17	2	
					237	41.36	+4.18	1.25																	
5.5	1.4	.181	87	6.6	23	4.37	...	0.98	19th	8	4	0	0	13	1	0	1	5	9	3	10	11	14	7	
6.6	1.4	.233	90	8.3	25	4.61	...	0.83	21st	5	0	0	0	18	0	3	1	1	5	3	15	18	11	1	
8.6	1.4	.207	89	6.9	16	1.58	...	0.67	30th	5	0	0	0	12	0	0	1	8	19	4	6	12	6	3	
9.3	1.8	.206	86	6.4	10	0.63	...	0.20	5th	3	1	0	0	8	0	0	2	17	23	2	2	4	6	3	
0.2	2.0	.301	86	7.3	17	2.13	...	0.39	25th	0	0	1	0	12	0	0	1	9	15	3	5	9	15	1	
1.1	3.1	.298	79	6.6	13	0.98	...	0.16	6th	0	2	1	0	11	0	2	0	5	4	1	3	10	28	6	
3.8	1.8	.363	87	7.3	23	3.98	...	0.71	22nd	0	1	4	0	11	0	0	1	5	9	4	5	17	17	3	
8.8	1.6	.384	89	8.2	24	3.19	...	0.43	19th	0	0	1	0	21	0	0	1	5	7	3	5	18	18	1	
5.9	1.5	.276	90	7.1	20	5.98	...	0.95	16th	1	1	1	0	10	2	0	1	7	8	1	3	17	18	3	
6.8	1.3	.279	91	7.9	26	4.88	...	0.59	6th, 9th	0	2	1	0	21	0	2	1	4	6	3	9	22	13	3	
0.5	0.7	.228	94	7.6	20	3.78	...	0.83	4th	0	2	0	0	13	11	2	1	3	11	7	9	14	8	1	
0.6	1.1	.230	91	6.7	26	4.40	...	1.13	22nd	6	2	0	0	11	1	0	1	5	8	3	11	17	13	3	
					243	40.51	...	1.13																	
1.1	0.8	.189	92	7.3	21	5.00	...	1.57	19th	7	0	0	0	212	2	1	2	4	0	4	8	18	6	12	
3.3	1.2	.234	91	8.1	27	5.08	...	0.95	21st	3	2	0	0	15	2	3	2	0	0	14	2	24	2	6	
4.4	1.7	.208	87	7.0	12	1.72	...	0.81	30th	2	0	0	0	211	1	0	0	6	18	8	2	16	4	6	
6.6	2.4	.214	82	7.0	9	0.69	...	0.22	5th, 8th	0	2	0	0	314	1	0	0	24	4	8	2	6	2	12	
1.1	2.6	.322	82	7.3	15	2.14	...	0.44	4th	0	1	1	1	12	0	0	0	8	4	16	2	22	4	6	
3.3	3.7	.322	77	6.4	14	1.38	...	0.32	6th	0	2	2	3	6	0	1	0	4	0	4	2	16	10	24	
0.0	3.4	.383	79	7.1	19	2.30	...	0.36	20th	0	1	3	1	8	0	0	2	0	14	2	28	6	10	0	
8.8	2.4	.407	84	7.8	23	2.72	...	0.62	25th	0	0	1	0	14	0	0	0	10	0	2	0	30	8	10	
1.1	2.0	.286	86	7.6	21	6.75	...	1.65	16th	0	0	0	0	12	0	0	0	12	0	0	0	26	2	18	
6.6	1.3	.276	90	7.5	24	6.34	...	0.78	3rd	0	2	1	2	14	0	3	0	4	2	4	4	30	2	8	
9.9	1.0	.218	93	6.5	20	3.64	...	0.66	4th	0	1	0	0	11	3	3	0	0	0	12	6	30	0	4	
4.4	1.1	.228	91	7.2	27	4.98	...	0.90	22nd	3	0	0	0	14	0	0	0	6	2	8	4	22	10	8	
					232	42.74	...	1.65																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Mean at Station at 32° Fahr.†				Maximum.	Day of Month.	Minimum.	Day of Month.
				Maximum.	Minimum.						
Lanark (contd.):	Feet.		Inch.	°	°	°	°	°		°	
HAMILTON—	140	Jan.	...	42.2	30.5	36.4	...	52	23rd, 24th	8	14th
J. J. Storrar, for		Feb.	...	47.2	39.0	43.1	...	53	7th, 22nd	31	28th
the Duke of		Mch.	...	47.7	34.3	41.0	...	59	21st, 22nd	22	2nd
Hamilton and		Apl.	...	50.9	34.9	42.9	...	66	27th	26	16th 21st 22nd
Brandon.		May	...	60.9	44.4	52.7	...	80	22nd	32	1st
(9, —, —.)		June	...	62.9	45.4	54.2	...	75	1st, 2nd	37	25th
		July	...	66.4	48.6	57.5	...	76	30th	37	10th
		Aug.	...	65.0	51.6	58.3	...	74	10th	44	29th
		Sept.	...	56.7	41.8	49.3	...	67	7th	32	6th
		Oct.	...	53.1	41.2	47.2	...	61	9th	28	13th
		Nov.	...	47.1	33.7	40.4	...	57	30th	21	17th
		Dec.	...	46.3	36.2	41.3	...	57	13th	24	20th, 26th
		Year	...	53.9	40.1	47.0	...	80		8	
DUNGAVAL—	798	Jan.	...	39.3	28.4	33.9	...	48	23rd 24th 28th	9	8th
J. J. Storrar, for		Feb.	...	43.6	35.5	39.6	...	50	7th	28	25th, 28th
the Duke of		Mch.	...	44.3	32.2	38.3	...	56	22nd	22	2nd
Hamilton and		Apl.	...	48.1	32.9	40.5	...	65	25th, 26th	25	15th
Brandon.		May	...	57.9	42.0	50.0	...	77	22nd	28	1st
(9, —, —.)		June	...	58.9	42.5	50.7	...	71	5th	35	25th
		July	...	62.2	46.7	54.5	...	72	30th	38	9th
		Aug.	...	62.0	49.0	55.5	...	72	10th	42	23rd
		Sept.	...	52.9	39.6	46.3	...	63	7th	33	30th
		Oct.	...	49.8	38.9	44.4	...	55	9th	28	13th
		Nov.	...	44.4	33.8	39.1	...	52	2nd	22	18th
		Dec.	...	43.2	34.4	38.8	...	53	3rd, 13th	25	26th
		Year	...	50.6	38.0	44.3	...	77		9	
LEADHILLS (The	1310	Jan.	...	37.3	26.4	31.9	-1.6	45	26th, 31st	5	14th
Schoolhouse)—		Feb.	...	42.3	35.3	38.8	+4.9	50	1st	25	28th
J. M. Farlane,		Mch.	...	43.0	31.3	37.2	+1.6	55	23rd	19	7th
J.P.		Apl.	...	49.5	29.2	39.4	-0.5	65	26th	20	15th, 21st
(9, —, —.)		May	...	57.4	40.4	48.9	+3.3	75	22nd	25	1st
		June	...	58.7	41.8	50.3	-1.4	70	1st, 3rd, 5th	32	25th
		July	...	61.2	45.0	53.1	-0.8	73	31st	37	8th, 9th
		Aug.	...	63.2	46.3	54.8	+2.1	72	1st	44	6th, 23rd, 31st
		Sept.	...	53.6	39.5	46.6	-2.6	65	6th, 8th	32	5th, 30th
		Oct.	...	48.3	37.2	42.8	+0.1	55	9th	28	13th
		Nov.	...	44.2	33.0	38.6	+1.7	53	29th	22	17th
		Dec.	...	43.5	33.3	38.4	+4.5	60	12th, 13th	22	20th
		Year	...	50.2	36.6	43.4	+0.9	75		5	
Linlithgow.											
BANGOUR (The	584	Jan.	29-132	39.4	28.5	34.0	...	50	24th, 31st	3	14th
Asylum)—		Feb.	29-265	45.5	37.0	41.3	...	53	1st	28	28th
D. Hendry, for		Mch.	29-366	45.1	33.3	39.2	...	59	22nd	24	2nd
John Keay,		Apl.	29-370	47.6	34.0	40.8	...	60	27th	23	15th
M.D.		May	29-386	57.8	43.1	50.5	...	70	17, 20, 22, 31	31	1st
(9 —, 21.)		June	29-351	61.1	43.2	52.2	...	73	1st, 6th	32	25th
		July	29-198	63.8	47.3	55.6	...	72	3rd, 29th	35	9th, 10th
		Aug.	29-261	62.4	49.9	56.2	...	75	9th	41	31st
		Sept.	28-939	54.4	40.2	47.3	...	65	7th	32	15th
		Oct.	29-197	51.8	40.3	46.1	...	59	10th	30	13th, 26th
		Nov.	29-260	44.6	32.6	38.6	...	56	2nd	21	22nd
		Dec.	28-997	43.6	35.3	39.5	...	55	13th	25	20th, 22nd, 26th
		Year	29-227	51.4	38.7	45.1	...	75		3	

THERMOMETER.				Cloud.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†										
Mean.†					Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
...	...	...	...	7-3	20	3-82	...	0-73	19th	8	0	0	0	14	0	0	0	4	16	0	20	4	12	2	
...	...	...	...	7-8	24	3-82	...	0-52	21st	2	0	0	1	14	0	1	0	2	14	0	26	8	4	0	
...	...	...	...	7-5	19	1-27	...	0-73	30th	1	0	0	0	16	1	0	0	8	4	18	0	20	2	8	
...	...	...	...	7-8	6	0-38	...	0-15	5th	0	0	0	0	16	0	0	0	28	8	10	0	4	0	10	
...	...	...	...	7-3	13	2-21	...	0-53	25th	0	0	1	0	15	0	0	0	6	0	20	0	24	6	0	
...	...	...	...	6-6	11	1-16	...	0-23	6th	0	0	0	1	10	0	0	0	4	0	2	0	36	6	0	
...	...	...	...	6-7	17	2-44	...	0-39	22nd	0	0	1	1	12	0	0	0	4	2	16	0	30	0	10	
...	...	...	...	7-9	22	2-53	...	0-35	19th	0	0	0	0	19	0	0	0	8	0	6	0	28	6	14	
...	...	...	...	7-9	21	5-34	...	0-65	9th	0	0	1	0	16	0	0	2	10	0	10	0	22	2	14	
...	...	...	...	8-1	20	4-23	...	0-60	7th	0	0	0	0	19	0	1	0	8	4	8	2	30	2	8	
...	...	...	...	8-1	17	2-85	...	0-77	4th	0	0	0	0	16	5	0	0	2	0	20	0	28	2	0	
...	...	...	...	8-4	21	3-69	...	0-78	22nd	1	0	0	0	17	1	0	0	2	0	12	0	36	4	4	
...	...	...	...	...	201	33-74	...	0-78	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	23	5-38	...	1-14	25th	8	0	0	...	...	0	3	6	0	4	2	18	14	10	8	0
...	...	...	...	...	25	7-49	...	1-07	21st	3	0	0	...	...	1	1	2	0	2	0	20	10	20	2	0
...	...	...	...	...	12	2-31	...	0-72	30th	2	0	0	...	...	0	6	0	14	4	16	8	12	0	2	
...	...	...	...	...	9	1-61	...	0-47	5th	1	0	0	...	...	2	0	2	0	28	10	8	0	4	4	
...	...	...	...	...	15	2-61	...	0-47	4th	0	0	1	...	...	0	0	0	8	10	10	6	22	4	2	
...	...	...	...	...	11	1-34	...	0-35	6th	0	0	0	...	...	0	2	10	6	4	2	4	16	12	2	
...	...	...	...	...	17	2-57	...	0-32	20th	0	0	1	...	...	0	0	0	4	4	2	12	6	26	6	2
...	...	...	...	...	24	5-57	...	0-80	25th	0	0	0	...	...	0	0	2	0	6	2	2	10	28	6	6
...	...	...	...	...	23	6-92	...	0-84	21st	0	0	0	...	...	0	1	2	0	8	6	2	10	20	12	0
...	...	...	...	...	22	6-98	...	1-23	3rd	0	0	0	...	...	0	2	2	2	4	2	6	12	28	6	0
...	...	...	...	...	18	5-26	...	0-82	4th	0	1	0	...	...	1	4	0	0	2	2	10	18	2	4	
...	...	...	...	...	25	5-98	...	0-96	22nd	5	0	0	...	...	2	2	2	0	2	2	20	16	2	2	
...	...	...	...	...	224	54-02	...	1-23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	24	8-72	...	1-50	20th	11	0	0	...	...	0	0	4	2	4	4	14	2	2	10	20
7-7	1-2	203	90	...	25	9-69	...	0-86	21st	7	0	0	...	...	0	2	2	4	2	6	28	2	0	0	12
4-9	1-2	179	89	...	9	2-76	...	0-83	27th	4	0	0	...	...	0	14	6	4	2	16	0	0	0	0	20
6-7	1-5	189	87	...	7	1-28	...	0-34	1st	1	0	0	...	...	0	16	14	2	0	6	0	0	0	2	20
7-8	2-8	265	80	...	15	3-76	...	1-02	15th	0	0	1	...	...	0	0	2	0	10	4	18	6	8	2	10
9-0	3-2	272	78	...	15	2-69	...	0-45	6th	1	3	1	...	...	0	0	0	0	0	6	10	24	8	12	
3-3	2-9	328	80	...	17	3-79	...	0-98	22nd	0	0	0	...	...	0	0	0	2	0	2	10	10	10	4	24
5-9	1-9	392	88	...	23	4-98	...	0-62	24th	0	0	0	...	...	0	0	2	0	2	24	8	0	0	2	24
5-9	1-4	278	91	...	24	9-27	...	1-63	17th	3	5	0	...	...	0	1	4	2	0	16	10	6	10	12	
2-1	1-3	240	90	...	23	8-13	...	1-63	3rd	0	1	0	...	...	0	1	6	4	2	0	24	2	4	2	18
7-5	0-7	211	94	...	16	7-58	...	2-10	4th	3	0	0	...	...	1	4	0	0	4	4	26	0	10	0	16
7-4	0-6	212	95	...	24	7-93	...	0-92	17th	4	0	0	...	...	1	0	2	0	8	10	26	2	0	2	12
...	...	...	...	...	222	70-58	...	2-10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3-9	1-1	173	88	6-5	18	3-15	...	0-54	20th	5	0	0	0	8	3	1	2	4	4	3	0	21	5	23	0
0-5	1-3	224	90	7-4	24	3-49	...	0-53	21st	3	0	0	0	11	3	2	2	2	2	6	2	24	19	3	0
9-7	1-1	214	94	6-9	13	0-86	...	0-34	30th	1	0	0	0	14	5	0	2	1	2	8	0	18	10	6	0
3-3	1-4	213	89	6-9	11	0-78	...	0-35	19th	2	1	0	0	8	3	0	1	9	22	6	0	4	3	5	0
9-9	1-7	315	88	7-4	13	2-78	...	0-54	25th	0	0	1	0	11	5	0	0	1	15	12	0	9	9	16	0
2-2	2-5	326	83	6-0	9	0-70	...	0-18	27th	0	1	0	1	4	0	1	4	11	4	1	0	10	14	16	0
5-7	2-5	374	84	6-8	18	3-02	...	0-50	20th	0	0	2	0	9	0	0	1	7	11	4	0	17	12	10	0
5-5	1-7	392	89	7-7	23	2-20	...	0-39	24th	0	0	0	0	13	3	0	0	8	4	2	0	18	20	10	0
3-1	1-4	279	90	6-6	22	4-69	...	1-04	15th	0	0	1	0	8	2	0	3	4	6	0	1	13	14	19	0
3-2	1-4	281	91	7-2	20	3-90	...	0-45	18th	0	1	1	0	13	2	2	4	4	1	2	1	17	23	10	0
3-4	1-2	208	90	6-4	15	1-70	...	0-47	4th	1	1	0	2	10	6	2	0	1	1	4	1	30	12	11	0
0-3	1-1	219	92	6-6	21	2-59	...	0-56	22nd	2	0	0	0	17	3	0	5	4	2	1	0	28	11	11	0
...	...	...	...	...	207	29-86	...	1-04	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Mean at Station at 32° Fahr.†	Maximum. Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Midlothian.											
EDINBURGH (The Royal Obser- vatory)— Professor R. A. Sampson, F.R.S.	441	Jan.	29.297	41.2	32.0	36.6	-1.4	52	24th	14	14th
		Feb.	29.421	47.3	38.7	43.0	+4.7	53	7th, 22nd	30	28th
		Mar.	29.529	46.1	36.3	41.2	+1.3	59	22nd, 23rd	30	1, 2, 3, 26
		Apl.	29.539	46.9	36.5	41.7	-2.1	58	27th	30	15th
		May	29.545	58.0	45.7	51.9	+3.4	74	21st	33	1st
		June	29.507	61.9	46.7	54.3	+0.3	75	6th	39	25th
(9, —, 21.)		July	29.355	64.3	50.6	57.5	+0.6	72	3rd	45	3rd, 9th, 10th
		Aug.	29.407	63.6	52.0	57.8	+1.1	74	10th	44	31st
		Sept.	29.088	55.5	43.9	49.7	-3.6	66	7th	38	28th
		Oct.	29.346	52.6	43.3	48.0	+0.6	61	9th, 10th	37	12th
		Nov.	29.423	46.1	36.7	41.4	-0.8	56	2nd	25	17th, 18th
		Dec.	29.143	45.9	38.0	42.0	+3.1	57	1st, 4th, 13th	28	26th
		Year	29.383	52.5	41.7	47.1	+0.6	75		14	
EDINBURGH (Liberton Mains)— J. M'Aulay, for the Edinburgh and East of Scotland College of Agriculture.	190	Jan.	...	41.5	31.4	36.5	...	52	24th	12	14th
		Feb.	...	47.7	38.9	43.3	...	54	7th, 22nd	32	28th
		Mar.	...	47.5	35.8	41.7	...	60	22nd	28	3rd
		Apl.	...	48.5	36.9	42.7	...	59	27th	27	16th
		May	...	59.8	45.3	52.6	...	73	17th, 21st, 31st	32	1st
		June	...	63.2	46.0	54.6	...	76	1st, 6th	35	25th
		July	...	65.9	49.6	57.8	...	75	17th	38	10th
		Aug.	...	66.1	52.7	59.4	...	76	10th	42	29th
		Sept.	...	57.1	44.0	50.6	...	67	7th	30	15th
		Oct.	...	53.6	42.9	48.3	...	62	9th	34	13th
(9, —, —.)		Nov.	...	47.5	34.5	41.0	...	58	2nd	25	17th, 18th, 22nd
		Dec.	...	46.5	36.9	41.7	...	58	1st	26	20th, 22nd
		Year	...	53.7	41.2	47.5	...	76		12	
EDINBURGH (The Univer- sity)— Professor T. Hudson Beare, F.R.S.E.	227	Jan.	...	42.5	32.8	37.7	...	53	24th	16	14th
		Feb.	...	47.9	39.7	43.8	...	54	3rd, 22nd	31	28th
		Mar.	...	47.6	37.1	42.4	...	59	22nd	31	1st, 2nd
		Apl.	...	48.2	37.7	43.0	...	58	27th	31	14th
		May	...	60.0	46.8	53.4	...	74	20th	36	1st
		June	...	63.0	48.3	55.7	...	77	1st, 6th	41	25th
		July	...	65.0	52.0	58.5	...	72	3rd	47	11th
(9, —, —.)		Aug.	...	65.4	53.5	59.5	...	74	10th	43	31st
		Sept.	...	56.8	44.8	50.8	...	66	7th	40	28th, 29th
		Oct.	...	53.9	44.2	49.1	...	62	9th	39	12th, 13th, 17th
		Nov.	...	47.3	37.5	42.4	...	57	2nd	27	18th
		Dec.	...	46.8	39.0	42.9	...	58	1st, 3rd	30	20th, 26th
		Year	...	53.7	42.8	48.3	...	77		16	
LEITH (Nautical College)— J. Bolam.	76	Jan.	29.712	41.7	32.3	37.0	-2.1	53	24th	12	14th
		Feb.	29.838	47.0	39.5	43.3	+3.8	53	3rd, 22nd, 23rd	32	28th
		Mar.	29.952	46.7	36.2	41.5	+0.2	59	22nd	30	3rd
		Apl.	29.947	48.5	37.4	43.0	-2.4	58	27th	32	15th, 21st, 22nd
		May	29.954	58.8	46.2	52.5	+2.4	74	20th, 31st	35	1st
		June	29.923	62.4	47.8	55.1	-0.6	77	1st	42	15th, 25th
		July	29.757	63.7	50.9	57.3	-1.3	71	14th, 15th	42	9th, 10th
		Aug.	29.807	63.9	53.8	58.9	+0.6	73	10th	47	31st
		Sept.	29.476	55.8	44.7	50.3	-4.4	63	7th	37	15th
		Oct.	29.748	53.0	44.2	48.6	+0.1	61	9th	37	13th
		Nov.	29.811	45.9	36.1	41.0	-2.3	58	2nd	27	18th
		Dec.	29.547	45.8	38.2	42.0	+2.1	58	13th	29	22nd
(9, —, —.)		Year	29.789	52.8	42.3	47.5	-0.3	77		12	

HYGROMETER.				Cloud.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†											
Mean.†				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.										
Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Ch.		
	Inch.	%				Inch.	Inch.	Inch.																		
1	1.6	.183	86	5.4	15	2.13	+0.37	0.54	18th	8	0	0	5	8	3	4	1	3	3	5	11	12	16	6	5	
3	2.0	.228	85	7.1	22	2.47	+0.91	0.38	18th	2	0	0	2	12	2	2	3	3	0	4	17	11	13	2	3	
0	2.3	.210	82	6.7	14	0.51	-1.26	0.16	30th	2	0	0	0	12	0	0	2	2	10	8	9	13	4	6		
7	2.1	.211	84	6.8	11	0.62	-0.75	0.23	19th	3	0	0	1	15	5	0	4	17	18	1	3	2	5	5	5	
4	3.4	.295	78	6.8	12	2.93	+1.18	0.64	5th	0	0	3	1	11	5	0	1	11	8	5	7	7	16	4	3	
4	4.5	.293	72	5.6	9	0.42	-1.51	0.17	15th	0	1	1	4	8	0	1	5	9	3	1	1	6	27	7	1	
6	3.5	.360	78	6.9	18	3.56	+0.95	0.91	17th	0	1	5	1	9	4	0	1	12	2	4	5	14	19	1	4	
1	3.0	.379	81	7.4	15	1.56	-1.36	0.26	24th	0	0	0	0	14	3	0	2	7	3	2	8	13	22	2	3	
4	2.7	.275	82	5.9	19	4.40	+2.57	1.48	15th	0	0	2	0	9	3	0	2	2	6	4	6	11	19	6	4	
7	2.0	.283	86	6.9	18	2.78	+0.20	0.45	18th	0	0	1	2	17	2	3	0	6	2	1	10	20	17	3	3	
2	1.5	.227	89	5.8	12	1.31	-0.85	0.50	4th	0	1	0	3	10	5	4	1	1	1	4	8	14	15	2	14	
6	1.6	.229	88	6.3	20	1.49	-0.67	0.45	22nd	3	0	0	1	9	1	1	1	0	2	4	17	15	16	4	3	
					185	24.18	-0.22	1.48																		
2	1.4	.187	88	5.1	13	2.36	...	0.70	18th	8	0	0	3	6	4	1	2	2	6	2	0	16	26	8	0	
8	2.1	.231	84	6.1	19	2.79	...	0.45	18th	2	0	0	1	9	3	4	2	0	4	4	2	16	28	0	0	
5	2.5	.211	81	7.6	11	0.50	...	0.20	30th	2	0	0	0	16	7	0	0	4	18	8	10	2	18	2	0	
1	2.3	.220	83	7.7	11	0.61	...	0.26	19th	2	2	0	0	16	7	0	0	0	36	8	0	8	8	0	0	
9	3.7	.305	76	7.3	13	3.00	...	0.66	5th	0	1	2	0	15	2	0	0	16	10	0	0	34	2	0	0	
6	5.0	.312	70	5.9	7	0.33	...	0.20	15th	0	0	1	1	8	1	2	0	0	8	6	4	0	38	4	0	
4	4.0	.378	76	6.2	15	3.51	...	0.92	17th	0	1	5	0	8	2	0	4	6	20	0	0	0	32	0	0	
1	3.7	.399	78	5.7	12	1.54	...	0.30	24th	0	0	0	0	7	3	0	0	18	2	0	2	40	0	0		
8	3.2	.280	79	6.9	18	4.52	...	1.48	15th	0	0	2	1	11	0	0	0	12	2	9	0	40	6	0		
5	2.5	.280	82	6.7	18	3.09	...	0.59	18th	0	0	1	0	11	2	3	0	0	0	0	8	10	44	0	0	
6	1.6	.219	87	6.7	10	1.50	...	0.62	4th	0	0	0	2	11	10	4	0	2	2	2	4	26	24	0	0	
7	2.1	.221	85	6.6	16	1.50	...	0.49	22nd	2	0	0	0	1	7	4	1	2	0	10	4	4	8	30	4	0
					163	25.34	...	1.48																		
3	1.5	.193	87	5.9	16	2.46	+0.78	0.59	18th	8	0	0	2	11	3	1	0	0	12	0	2	16	24	4	4	
1	2.0	.235	84	6.4	26	2.57	+0.98	0.34	9th	2	1	0	0	11	2	2	2	0	4	0	10	12	24	2	2	
0	2.9	.209	79	6.9	17	0.64	-1.23	0.18	30th	2	0	0	0	113	2	0	0	2	16	2	6	16	18	0	2	
4	2.5	.219	81	7.5	16	0.73	-0.69	0.26	19th	2	0	0	2	17	3	0	4	0	40	0	0	8	6	0	2	
3	4.4	.294	72	7.1	13	3.29	+1.31	0.69	5th	0	1	2	2	14	2	0	2	0	24	2	8	12	14	0	0	
9	6.1	.293	64	5.4	11	0.54	-1.34	0.23	15th	0	1	1	5	7	0	1	0	0	12	4	2	8	28	6	0	
9	5.0	.354	71	6.3	19	3.47	+0.78	0.89	20th	0	1	5	4	12	0	0	2	4	18	4	4	4	26	0	0	
1	4.6	.381	74	7.6	18	1.44	-1.62	0.29	24th	0	0	0	0	13	0	0	0	10	4	4	8	30	4	2		
2	3.8	.271	75	6.3	21	4.16	+2.21	1.43	15th	0	0	3	3	15	0	0	2	2	10	0	0	8	34	2	2	
6	2.8	.276	81	7.0	20	2.78	+0.18	0.42	7th	0	1	1	4	18	0	3	0	2	6	0	8	26	20	0	0	
7	2.0	.223	86	7.3	14	1.34	-0.78	0.49	4th	0	1	0	6	18	5	4	0	0	2	4	14	8	26	2	4	
0	2.3	.228	82	6.4	21	1.68	-0.48	0.48	22nd	3	0	0	4	13	1	1	0	2	4	8	4	20	18	6	0	
					212	25.10	+0.10	1.43																		
2	1.6	.191	86	4.3	17	2.36	+0.56	0.50	18th	5	1	0	15	9	1	1	2	0	8	2	8	12	20	10	0	
3	2.0	.237	84	7.4	25	3.13	+1.48	0.57	18th	2	1	0	5	18	1	2	0	2	6	6	8	16	16	2	0	
2	2.1	.215	84	6.9	15	0.81	-1.16	0.22	30th	1	0	0	9	20	0	0	2	0	16	2	6	12	18	4	2	
3	2.2	.224	84	7.6	11	0.67	-0.83	0.28	19th	2	1	0	4	18	2	0	4	16	20	2	2	4	8	0	4	
0	2.5	.323	83	6.4	13	2.85	+0.74	0.59	22nd	0	0	2	7	16	2	0	0	16	12	6	2	8	14	4	0	
2	3.9	.315	75	6.0	11	0.36	-1.56	0.12	15th	0	0	1	8	15	0	0	4	6	6	0	4	6	30	4	0	
2	3.2	.375	80	6.4	17	3.28	+0.46	0.98	17th	0	0	2	7	15	1	0	2	12	18	0	2	4	18	2	4	
1	3.3	.401	80	6.9	15	1.64	-1.63	0.40	24th	0	0	0	3	13	0	0	2	6	8	2	4	18	22	0	0	
2	2.9	.281	80	6.5	20	3.31	+1.34	1.15	15th	0	0	2	9	17	0	0	0	2	12	0	6	6	23	6	0	
0	2.1	.296	85	6.2	20	2.42	-0.27	0.44	7th	0	1	1	7	17	0	2	0	6	2	2	8	18	24	2	0	
3	1.2	.234	91	7.6	18	1.36	-0.88	0.44	4th	0	0	0	5	17	10	1	0	0	4	2	8	14	24	6	2	
3	1.9	.235	85	5.8	22	1.58	-0.62	0.48	22nd	2	0	0	8	14	2	0	4	2	6	4	12	14	18	2	0	
					204	23.77	-2.37	1.15																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Midlothian (<i>cont'd.</i>)	Feet.		Inch.	°	°	°	"	°		°	
LEITH— The Meteorological Office. (7, —, 18.)	76	Jan.	29.691	42.3	32.0	37.2	-1.9	54	24th	11	15th
		Feb.	29.806	48.1	39.7	43.9	+4.4	55	22nd	33	21st, 28th
		Mar.	29.914	47.5	36.1	41.8	+0.5	61	22nd	31	2nd, 26th, 28th
		Apl.	29.914	48.5	37.2	42.9	-2.5	59	27th	31	15th
		May	29.921	59.2	46.0	52.6	+2.5	74	20th	36	1st
		June	29.891	62.7	47.7	55.2	-0.5	77	1st	41	25th
		July	29.731	64.7	51.4	58.1	-0.5	71	14th 17th 29th	43	10th
		Aug.	29.788	63.8	53.4	58.6	+0.3	73	10th	46	31st
		Sept.	29.464	56.8	44.5	50.7	-4.0	66	7th	39	6th
		Oct.	29.726	53.8	42.9	48.4	-0.1	62	9th	36	14th
		Nov.	29.806	46.6	36.2	41.4	-1.9	58	2nd	27	18th, 23rd
		Dec.	29.524	47.1	38.4	42.8	+2.9	58	1st, 4th, 13th	29	20th, 26th
		Year	29.765	53.4	42.1	47.8	-0.1	77		11	
DALKEITH-- J. Whytock, for the Duke of Buccleuch, K.T. (9, —, —.)	190	Jan.	...	42.5	30.7	36.6	-0.7	55	25th	10	14th
		Feb.	...	48.0	38.9	43.5	+5.5	55	22nd	30	28th
		Mar.	...	47.8	36.0	41.9	+1.3	59	22nd, 23rd	26	3rd
		Apl.	...	48.9	36.6	42.8	-3.0	62	27th	26	16th
		May	...	60.0	45.4	52.7	+3.3	76	21st	37	1st
		June	...	63.5	46.9	55.2	-0.6	76	1st, 6th	36	25th
		July	...	66.2	49.6	57.9	-0.1	74	3rd	39	10th
		Aug.	...	65.3	52.0	58.7	+1.7	76	10th	44	29th, 31st
		Sept.	...	56.7	42.8	49.8	-3.6	67	6th, 7th	36	15th
		Oct.	...	53.6	42.9	48.3	+1.2	62	9th	35	13th
		Nov.	...	46.6	34.2	40.4	-1.1	57	2nd	21	18th
		Dec.	...	46.5	37.4	42.0	+3.7	58	13th	25	22nd
		Year	...	53.8	41.1	47.5	+0.6	76		10	
Haddington. SMEATON— J. Chapman, for Sir A. Buchan- Hepburn, Bart. (9, —, —.)	100	Jan.	...	41.7	30.7	36.2	-1.5	53	24th, 31st	8	14th
		Feb.	...	47.9	38.1	43.0	+4.8	55	22nd	31	25th
		Mar.	...	47.9	35.5	41.7	+0.7	62	22nd	29	3rd, 14th
		Apl.	...	48.6	37.0	42.8	-3.5	59	27th	29	22nd
		May	...	60.9	44.7	52.8	+2.3	76	20th, 22nd	35	1st
		June	...	65.1	45.8	55.5	-1.2	79	6th	37	25th
		July	...	66.7	49.1	57.9	-1.5	74	6th	38	10th
		Aug.	...	66.4	51.4	58.9	+0.8	75	11th	41	29th
		Sept.	...	57.6	43.1	50.4	-3.5	69	7th	33	15th
		Oct.	...	54.5	41.9	48.2	+1.4	61	3rd 9th, 10th	31	13th
		Nov.	...	46.6	34.3	40.5	-0.4	58	1st	25	17th, 18th
		Dec.	...	45.5	36.5	41.0	+2.8	57	1st, 13th	26	20th 22nd 28th
		Year	...	54.1	40.7	47.4	+0.1	79		8	
Berwick. MARCHMONT— J. A. Wood. (9, —, 21.)	500	Jan.	29.241	39.6	29.6	34.6	-1.8	52	31st	5	14th
		Feb.	29.384	47.1	35.9	41.5	+4.3	55	22nd	29	28th
		Mar.	29.477	46.5	34.0	40.3	+1.3	62	24th	29	8th
		Apl.	29.466	47.7	34.8	41.3	-2.0	61	26th	29	21st
		May	29.495	59.4	42.9	51.2	+2.9	75	17th	34	1st, 9th
		June	29.458	62.6	44.3	53.5	-0.4	77	1st	37	16th
		July	29.301	65.2	48.6	56.9	+0.2	74	17th	40	9th
		Aug.	29.351	65.1	50.2	57.7	+1.5	79	10th	40	31st
		Sept.	29.035	55.5	40.8	48.2	-4.4	68	6th	32	15th
		Oct.	29.305	52.5	40.7	46.6	+0.4	59	11th	32	23rd
		Nov.	29.375	45.5	33.4	39.5	-1.4	55	2nd	25	18th 19th 22nd
		Dec.	29.093	44.0	34.2	39.1	+2.1	56	13th	24	20th
		Year	29.332	52.6	39.1	45.9	+0.2	79		5	

HYGROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS.†													
Mean.†				Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.												
Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Mean (0-10.) †						Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Cal.
°	Inch.	%		Inch.	Inch.	Inch.																				
1	1.4	194	88	5.5	16	2.52	+0.86	0.55	18th	8	0	0	8	3	1	3	3	8	3	17	15	9	1			
6	2.2	236	83	7.5	21	2.99	+1.57	0.55	18th	3	1	0	116	1	1	1	2	8	1	5	28	11	0			
5	1.5	230	88	7.3	14	0.87	-0.88	0.24	30th	1	0	0	217	1	0	2	2	20	4	2	12	16	4			
5	2.1	228	84	6.6	13	0.67	-0.62	0.20	19th	2	1	0	110	1	0	0	12	29	1	1	6	7	3			
6	2.8	323	81	6.4	14	3.43	+1.60	0.75	22nd	0	1	1	2	8	0	0	8	18	3	2	12	14	5			
5	5.1	307	69	6.6	9	0.43	-1.30	0.16	15th	0	1	1	112	0	1	1	4	10	2	1	9	20	13			
0	3.9	370	77	6.5	16	3.50	+0.95	1.02	17th	0	1	5	214	0	0	1	7	17	2	0	11	14	10			
5	3.1	397	80	7.4	16	1.77	-1.17	0.59	24th	0	0	0	113	0	0	0	6	10	2	2	23	15	1			
9	3.3	279	78	6.9	20	3.95	+2.19	1.30	15th	0	0	3	212	2	1	2	3	11	1	1	24	13	5			
1	2.3	280	84	7.9	20	2.54	+0.13	0.39	7th	0	1	1	121	0	1	2	5	4	0	5	35	10	1			
3	1.6	227	88	7.0	18	1.42	-0.53	0.43	4th	0	0	0	216	5	1	0	1	0	10	4	38	7	0			
5	2.0	230	85	6.5	19	1.70	-0.30	0.51	22nd	1	0	0	313	1	0	2	1	2	8	3	27	15	4			
					196	25.79	+2.50	1.30																		
...	...	...	...	...	15	2.14	...	0.50	18th	7	1	0	...	...	0	110	4	6	2	2	0	30	8	0		
...	...	...	...	...	19	2.36	...	0.44	18th	2	0	0	...	...	0	2	4	0	2	4	0	6	26	14		
...	...	...	...	...	17	0.89	...	0.17	30th	0	1	0	...	...	0	0	0	6	4	20	4	22	6	0		
...	...	...	...	...	14	0.67	...	0.26	19th	1	1	0	...	...	1	0	12	214	8	10	2	12	0	0		
...	...	...	...	...	10	2.47	...	0.51	11th	0	1	2	...	...	1	0	8	616	6	8	214	2	0			
...	...	...	...	...	10	0.50	...	0.18	15th	0	1	0	...	...	0	2	4	2	2	0	0	232	18	0		
...	...	...	...	...	16	3.50	...	0.87	17th	0	0	4	...	...	0	0	12	618	8	4	0	8	6	0		
...	...	...	...	...	12	1.37	...	0.28	25th	0	0	1	...	...	0	216	216	2	6	2	4	14	0			
...	...	...	...	...	18	4.37	...	1.30	15th	0	0	2	...	...	0	4	2	6	2	0	0	32	14	0		
...	...	...	...	...	18	2.89	...	0.53	18th	0	0	0	...	...	0	2	4	0	6	0	6	240	4	0		
...	...	...	...	...	10	1.67	...	0.47	4th	0	0	0	...	...	1	3	0	0	2	2	6	4	34	12		
...	...	...	...	...	19	1.64	...	0.39	22nd	2	0	0	...	...	0	1	0	0	0	6	6	24	22	4		
					178	24.47	...	1.30																		
...	...	...	...	...	13	2.47	+0.67	0.55	18th	6	0	0	...	...	2	1	8	2	8	0	2	2	26	14	0	
...	...	...	...	...	16	3.32	+1.75	0.92	18th	1	0	0	...	...	0	0	2	0	4	0	6	10	30	4	0	
...	...	...	...	...	10	0.93	-0.62	0.26	28th	2	0	0	...	...	0	0	2	616	2	4	6	24	2	0		
...	...	...	...	...	6	0.57	-0.94	0.36	19th	1	0	1	...	...	3	0	0	1034	0	2	2	12	0	0		
...	...	...	...	...	14	2.54	+0.78	0.72	11th	0	0	4	...	...	1	0	0	226	4	2	4	24	0	0		
...	...	...	...	...	9	0.28	-1.59	0.10	15th	0	0	1	...	...	0	0	6	014	0	0	6	30	4	0		
...	...	...	...	...	15	4.04	+0.97	1.00	20th	0	0	5	...	...	1	0	0	416	0	6	2	28	6	0		
...	...	...	...	...	13	2.21	-0.74	0.47	25th	0	0	1	...	...	1	0	0	412	0	0	6	36	4	0		
...	...	...	...	...	20	4.40	+2.11	1.30	15th	0	0	0	...	...	0	0	2	8	0	0	10	36	4	0		
...	...	...	...	...	19	2.32	-0.16	0.39	18th	0	0	0	...	...	0	2	4	0	8	0	4	6	40	0		
...	...	...	...	...	11	1.46	-0.92	0.54	1st	0	0	0	...	...	3	1	2	4	0	0	4	8	38	4	0	
...	...	...	...	...	13	1.58	-0.44	0.55	22nd	2	0	0	...	...	0	0	8	6	0	0	2	6	34	6	0	
					159	26.12	+0.87	1.30																		
1	1.1	180	90	5.7	14	2.73	+0.48	0.59	19th	7	0	0	914	0	0	2	3	4	2	0	8	34	9	0		
1	1.7	213	86	7.6	19	2.31	+0.23	0.33	28th	2	0	0	116	0	0	6	0	0	0	4	15	27	4	0		
2	1.6	199	87	7.3	14	1.23	-1.42	0.24	28th	3	0	0	318	0	0	11	120	0	2	2	23	3	0			
2	2.2	204	82	7.5	14	0.93	-1.09	0.15	2nd	4	0	0	219	0	0	14	1820	0	0	1	7	0	0			
3	2	303	79	5.5	9	2.46	-0.01	0.74	5th	0	0	4	1013	0	0	3	914	3	5	6	21	1	0			
4	3	295	73	5.3	7	0.47	-1.84	0.16	15th, 20th	0	1	1	810	0	0	5	6	1	0	3	3	36	6	0		
3	3	360	79	6.8	15	3.14	+0.09	0.88	20th	0	0	5	012	0	0	2	013	5	5	20	10	7	0			
3	3	376	80	6.9	15	1.81	-1.50	0.41	27th	0	1	1	615	0	0	4	311	2	0	24	18	0	0			
2	3	277	84	6.3	20	5.72	+3.31	1.86	15th	0	0	0	411	0	0	1	410	1	2	12	18	12	0			
1	7	275	88	7.7	20	3.59	-0.23	0.46	17th, 18th	0	0	0	421	0	0	5	5	5	0	3	26	15	3	0		
1	3	203	89	5.2	10	1.32	-1.68	0.45	4th	0	0	0	1012	2	2	1	0	4	0	2	37	16	0	0		
1	1	211	91	5.9	16	2.26	-0.55	0.56	22nd	4	0	0	713	0	0	0	3	2	0	2	12	41	2	0		
					173	27.97	-4.21	1.86																		

STATIONS, (OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.									
				Mean at Station at 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.				
					Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.	
	Feet.		Inch.	°	°	°	°	°	°	°	°	°	°
Berwick (contd.) DUNS— P. Smith, for F. S. Hay. (9, —, 21.)	500	Jan. ... Feb. ... Mar. ... Apl. ... May ... June ... July ... Aug. ... Sept. ... Oct. ... Nov. ... Dec. ... Year		40.9 47.6 47.0 48.4 60.7 63.9 65.7 66.0 56.0 51.9 46.2 45.1 53.3	29.3 35.7 33.9 35.1 43.1 44.2 47.1 49.0 41.4 40.1 33.2 34.2 38.9	35.1 41.7 40.5 41.8 51.9 54.1 56.4 57.5 48.7 46.0 39.7 39.7 46.1	-1.8 +3.9 +1.3 -2.3 +3.7 -0.1 -0.5 +1.5 -3.6 +0.3 -0.4 +3.0 +0.4	52 56 63 61 75 76 75 78 68 58 54 57 8	31st 22nd 24th 25th 17th, 22nd 1st 15th, 17th 10th 6th 10th 2nd 13th	6 31 27 30 35 36 40 42 33 32 25 26 6	14th 1st, 28th 9th 21st, 22nd 1st, 4th 16th 3rd, 9th, 22nd 29th 14th 13th 9th 21st		
Peebles. WEST LINTON— Dr. J. Ritchie Jeffrey. (9, —, —.)	770	Jan. ... Feb. ... Mar. ... Apl. ... May ... June ... July ... Aug. ... Sept. ... Oct. ... Nov. ... Dec. ... Year		39.5 45.0 44.6 47.6 57.7 60.0 63.3 61.9 54.1 51.0 45.1 43.7 51.1	26.0 36.7 31.0 32.1 41.8 41.6 46.0 49.5 38.7 38.7 30.9 33.8 37.2	32.8 40.9 37.8 39.9 49.8 50.8 54.7 55.7 46.4 44.9 38.0 38.8 44.2	-1.4 +5.5 +0.9 -1.4 +3.1 -1.7 -0.3 +1.7 -3.7 +0.8 +0.1 +4.0 +0.6	49 51 56 61 79 73 71 73 65 59 56 55 79	24th 3rd 21st 25th 22nd 1st 3rd 10th 6th 9th, 10th 2nd 13th	-3 28 17 22 29 27 28 40 26 25 17 18 -3	14th 25th, 28th 2nd 15th 1st 25th 10th 29th 6th 13th 17th 20th		
GLEN— Alex. Black, for Lord Glen- conner. (9, —, —.)	754	Jan. ... Feb. ... Mar. ... Apl. ... May ... June ... July ... Aug. ... Sept. ... Oct. ... Nov. ... Dec. ... Year		39.4 45.5 46.3 50.0 60.7 62.9 65.4 64.4 54.9 51.7 46.3 45.1 52.7	28.3 36.5 32.3 33.6 42.2 43.6 47.6 50.2 40.3 39.9 31.3 33.6 38.3	33.9 41.0 39.3 41.8 51.5 53.3 56.5 57.3 47.6 45.8 38.8 39.4 45.5	-1.1 +4.8 +1.7 -0.5 +3.7 -1.1 +0.1 +1.3 -4.1 +0.8 +0.1 +3.6 +0.8	50 53 60 67 80 75 75 78 70 59 54 56 80	31st 23rd 23rd 25th 22nd 1st, 5th 30th 10th 6th 10th 2nd 13th	4 28 22 25 30 35 32 40 31 28 19 21 4	14th 1st, 28th 26th 21st 9th, 10th 25th 10th 29th 6th, 15th 13th 18th 26th		
Roxburgh KELSO (Broom- lands)— J. C. Scott. (9, —, —.)	195	Jan. ... Feb. ... Mar. ... April ... May ... June ... July ... Aug. ... Sept. ... Oct. ... Nov. ... Dec. ... Year.		41.8 47.6 47.8 50.3 62.2 64.5 67.5 66.4 57.5 53.6 46.3 45.1 54.2	28.4 37.4 34.2 35.8 44.3 44.3 48.6 51.4 42.5 41.7 33.2 35.0 39.7	35.1 42.5 41.0 43.1 53.3 54.4 58.1 58.9 50.0 47.7 39.8 40.1 47.0	-2.1 +4.4 +1.3 -1.9 +3.8 -1.1 +0.1 +1.8 -3.3 +1.2 -0.9 +2.4 +0.5	54 59 61 65 77 77 74 76 70 60 58 56 77	31st 22nd, 23rd 23rd 26th 22nd 1st 17th 10th, 11th 6th, 7th 9th 2nd 4th, 13th	3 28 27 28 34 35 37 45 32 30 22 23 3	14th 1st 14th 21st, 22nd 1st 25th 10th 24th, 31st 15th 13th 17th, 18th 20th		

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†											
Mean.†					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.									
Dry Bulb.	Thermometer of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	
°	°	Inch.	%		Inch.	Inch.	Inch.																			
...	...	...	...	...	16	2.55	+0.09	0.64	18th	6	0	0	...	0	0	1	8	0	11	1	41	0	0			
...	...	...	...	...	20	2.05	-0.20	0.24	27th	1	0	0	...	0	0	1	2	0	4	1	45	1	2			
...	...	...	...	...	16	1.22	-1.04	0.36	28th	3	0	0	...	0	0	0	23	0	2	0	37	0	0			
...	...	...	...	...	12	0.93	-1.25	0.15	20th	4	0	0	...	0	0	0	46	0	2	1	11	0	0			
...	...	...	...	...	10	2.17	+0.09	0.93	5th	0	0	3	...	0	0	0	23	0	2	0	33	0	4			
...	...	...	...	...	10	0.34	-1.93	0.07	20th	0	0	0	...	0	0	0	2	1	0	3	1	49	0	4		
...	...	...	...	...	17	3.27	+0.21	0.94	20th	0	0	2	...	0	0	1	8	1	10	1	41	0	0			
...	...	...	...	...	17	1.71	-1.40	0.33	27th	0	0	0	...	0	0	0	2	8	0	2	0	50	0	0		
...	...	...	...	...	20	5.76	+2.91	1.93	15th	0	0	0	...	0	0	0	3	9	0	4	0	43	1	0		
...	...	...	...	...	19	3.26	-0.11	0.70	17th	0	0	0	...	0	0	0	10	0	0	0	49	0	3			
...	...	...	...	...	9	1.29	-1.70	0.45	4th	0	0	0	...	2	2	2	0	0	1	3	53	0	1			
...	...	...	...	...	15	1.94	-1.12	0.54	22nd	4	0	0	...	0	0	0	3	0	3	1	49	0	6			
...	...	...	...	...	181	26.49	-5.45	1.93																		
2-9	0.9	.168	90	6.3	16	2.62	...	0.60	18th	6	0	0	4	15	3	2	2	8	0	12	12	16	4	6		
0-2	1.2	.224	90	8.0	21	4.48	...	0.53	10th	5	2	0	1	17	2	4	2	4	0	2	14	18	16	0		
8-3	1.4	.203	88	6.5	14	1.00	...	0.23	27th	4	0	0	6	16	1	0	0	10	4	20	8	18	2	0		
8-2	1.1	.208	91	7.6	8	0.65	...	0.23	5th	5	0	0	4	19	3	1	0	16	22	8	2	2	4	0		
0-7	2.3	.300	85	6.8	12	2.26	...	0.53	22nd	1	0	2	3	13	3	0	0	24	2	4	10	10	4	8		
0-9	3.1	.308	80	6.0	13	1.12	...	0.27	16th	0	0	2	5	8	1	1	2	0	4	6	4	2	28	12	2	
0-1	2.7	.358	82	6.5	18	2.76	...	0.52	17th	0	1	6	2	8	5	0	0	210	8	10	10	16	2	4		
0-0	1.9	.378	88	6.8	17	2.61	...	0.48	20th	0	1	0	0	13	3	1	0	10	4	6	2	2	18	0		
5-8	1.9	.266	86	7.4	23	5.27	...	1.14	15th	0	0	0	2	13	0	0	8	4	4	4	10	24	2	4		
5-0	1.7	.260	87	7.6	21	4.84	...	0.53	7th	0	0	0	3	17	5	3	2	6	0	0	23	8	2	8		
5-2	1.1	.200	90	6.1	14	2.94	...	0.79	4th	0	0	0	7	13	4	0	0	2	10	4	2	2	10	2		
0-0	1.0	.218	92	7.3	20	3.64	...	0.79	22nd	5	0	0	1	15	1	1	2	0	6	4	4	28	18	0		
...	...	...	...	...	197	34.19	...	1.14																		
...	...	...	...	...	20	3.48	...	0.53	19th	9	0	0	...	2	0	8	6	0	0	14	12	6	16	0		
...	...	...	...	...	25	5.33	...	0.57	21st	3	0	0	...	1	2	2	2	0	8	12	14	18	0	0		
...	...	...	...	...	19	1.51	...	0.22	28th	3	1	0	...	2	0	0	6	12	14	0	8	14	8	0		
...	...	...	...	...	13	1.07	...	0.20	6th	4	2	0	...	4	0	12	16	12	2	2	8	4	4	0		
...	...	...	...	...	15	2.80	...	0.54	4th	0	0	1	...	3	0	4	0	10	6	4	14	20	4	0		
...	...	...	...	...	18	1.10	...	0.23	15th	0	1	0	...	0	1	6	0	4	4	2	2	34	8	0		
...	...	...	...	...	20	3.53	...	0.98	17th	0	0	3	...	1	0	2	6	0	6	10	14	20	4	0		
...	...	...	...	...	22	3.22	...	0.53	5th	0	0	0	...	2	0	0	14	2	8	6	26	6	0			
...	...	...	...	...	23	6.86	...	1.65	15th	0	1	4	...	0	0	0	10	4	12	8	22	4	0			
...	...	...	...	...	24	6.02	...	0.83	19th	0	2	0	...	1	0	4	4	2	2	20	8	20	2	0		
...	...	...	...	...	14	3.99	...	1.42	4th	1	0	0	...	2	2	4	0	2	4	14	12	22	2	0		
...	...	...	...	...	22	3.04	...	0.65	22nd	4	0	0	...	2	0	0	0	0	2	14	12	22	12	0		
...	...	...	...	...	235	41.95	...	1.65																		
...	...	...	...	...	7.4	15	2.47	+0.72	0.75	18th	8	0	0	2	10	2	0	2	4	10	0	6	32	6	2	
...	...	...	...	...	7.0	19	1.68	-0.02	0.19	6th, 18th	1	1	0	0	7	2	1	2	0	4	0	6	42	2	0	
...	...	...	...	...	7.5	11	0.32	-1.63	0.08	5th	1	0	0	0	12	1	0	2	8	16	4	4	28	0	0	
...	...	...	...	...	7.8	15	0.64	-0.93	0.14	19th	3	0	1	0	15	1	0	4	8	24	2	0	18	4	0	
...	...	...	...	...	7.1	13	1.84	-0.09	0.53	11th	0	0	2	0	9	0	0	0	18	6	6	22	8	2	0	
...	...	...	...	...	7.1	10	0.32	-1.79	0.07	15th	0	0	0	2	9	0	0	0	12	4	0	8	30	6	0	
...	...	...	...	...	7.4	16	3.49	+0.86	0.90	23rd	0	0	3	0	8	1	0	0	212	2	12	18	14	2	0	
...	...	...	...	...	7.1	18	1.43	-1.52	0.24	25th	0	0	0	0	9	0	1	0	14	0	2	14	28	4	0	
...	...	...	...	...	7.2	22	4.67	+2.77	1.72	15th	0	0	2	1	8	0	0	0	14	0	0	30	14	2	0	
...	...	...	...	...	7.3	20	3.04	+0.13	0.80	19th	0	0	0	1	14	0	0	2	0	12	0	4	32	10	2	0
...	...	...	...	...	5.9	11	1.06	-1.25	0.31	4th	0	0	0	1	8	2	1	0	0	4	0	6	44	4	2	0
...	...	...	...	...	7.0	15	1.28	-1.04	0.25	22nd, 29th	1	0	0	0	4	2	0	0	2	2	0	6	44	6	2	0
...	...	...	...	...	185	27.24	-3.79	1.72																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Roxburgh (contd.) WOLFFELIE— A. Waugh, for R. Milbanke Hudson. (9, —, —.)	537	Jan. ... Feb. ... Mar. ... April ... May ... June ... July ... Aug. ... Sept. ... Oct. ... Nov. ... Dec. ... Year		40·6 45·9 46·3	27·7 36·1 32·9	34·2 41·0 39·6	-1·4 +4·4 +1·1	52 54 59	31st 22nd 23rd, 24th	0 28 23	14th 25th 2nd
Dumfries. ESKDALEMUIR The Observa- tory)— The Meteorologi- cal Office. (9, 15, 21.)	778	Jan. ... Feb. ... Mch. ... Apl. ... May ... June ... July ... Aug. ... Sept. ... Oct. ... Nov. ... Dec. ... Year	28·962 29·095 29·162 29·148 29·182 29·165 29·012 29·072 28·752 29·012 29·082 28·808 29·038	38·8 44·1 43·5 48·9 58·8 59·9 62·6 62·1 53·6 50·0 43·9 43·3 50·8	28·0 36·3 31·6 32·7 40·3 40·5 45·1 48·0 39·4 39·0 29·7 34·2 37·1	33·4 40·2 37·6 40·8 49·6 50·2 53·9 55·1 46·5 44·5 36·8 38·8 44·0		49 53 56 64 78 74 73 68 64 56 53 52 78	31st 23rd 24th 27th 22nd 1st 30th 7th 6th 9th 2nd 3rd, 12th	-1 28 19 24 30 32 33 38 30 25 15 19	14th 28th 26th 3rd 1st 25th 10th 24th 14th 13th 19th 20th, 26th
DUMFRIES (Crich- ton Royal)— C.C. Easterbrook, M.D., and E. Joss. (9, 15, 21.)	160	Jan. ... Feb. ... Mch. ... Apl. ... May ... June ... July ... Aug. ... Sept. ... Oct. ... Nov. ... Dec. ... Year	29·679 29·813 29·870 29·853 29·853 29·839 29·673 29·733 29·421 29·696 29·766 29·493 29·724	42·3 46·9 47·0 52·0 61·6 62·9 66·1 65·5 56·9 53·2 46·0 46·6 53·9	31·0 39·2 35·2 36·3 44·5 45·8 50·3 52·0 43·7 42·4 33·4 38·0 41·0	36·7 43·1 41·1 44·2 53·1 54·4 58·2 58·8 50·3 47·8 39·7 42·3 47·5	-1·3 +4·3 +0·3 -1·2 +2·2 -2·5 -0·8 +0·8 -4·0 0·0 -2·6 +3·5 -0·1	52 54 59 68 80 75 76 74 66 59 57 57 80	31st 22nd 23rd 24th 26th 22nd 1st 2nd 3rd 31st 1st 6th 9th 2nd 13th	5 30 28 29 35 40 40 46 36 30 21 25	14th 28th 2nd 21st 1st 16th, 17th, 22nd 10th 31st 14th 13th 19th 26th
RUTHWELL (Com- longon)— W. Brown, for the Earl of Mansfield. (9, —, 21.)	67	Jan. ... Feb. ... Mch. ... Apl. ... May ... June ... July ... Aug. ... Sept. ... Oct. ... Nov. ... Dec. ... Year		42·8 47·7 47·5 52·9 62·6 64·8 66·6 66·8 58·2 54·2 47·4 46·7 54·9	30·9 39·1 34·9 36·1 44·3 45·3 49·4 51·4 43·1 42·3 33·9 37·2 40·7	36·9 43·4 41·2 44·5 53·5 55·1 58·0 59·1 50·7 48·3 40·7 42·0 47·8		51 53 56 70 82 80 75 75 68 57 57 56 82	31st 1st 24th 26th 22nd 3rd 3rd, 31st 3rd 6th, 7th 6th, 11th 2nd 3rd	4 30 27 28 32 37 41 43 35 28 20 27	14th 25th, 28th 2nd 16th 1st 25th 10th, 12th 31st 29th 13th 19th 21st, 22nd

HYGROMETER.			Cloud.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS.†											
Mean.†				Mean (0-10).†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.	Number of Days with—					Number of Observations.										
Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Inch.						Inch.	Inch.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.
1.3	.174	86	7.0	23	5.53	+2.33	1.14	18th	8	0	0	2	10	0	1	3	10	1	1	22	10	13	0	0
1.5	.225	88	7.9	25	3.56	+0.30	0.43	28th	4	0	0	0	13	0	2	1	2	2	0	242	4	3	0	0
1.6	.207	87	7.1	18	1.03	-2.32	0.20	27th	3	0	0	0	13	0	0	2	14	6	8	224	3	3	0	0
...	...	...	...	15	0.93	-1.33	0.20	5th	2	1	0	...	...	0	0	4	30	8	4	0	12	0	2	0
...	...	...	...	15	2.60	+0.26	0.74	5th	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	8	0.73	-1.61	0.27	21st	0	1	1	...	...	0	0	0	6	2	2	0	34	12	4	0
...	...	...	...	17	3.25	+0.17	0.59	17th	0	1	1	...	...	0	0	0	8	4	0	0	6	24	16	4
...	...	...	...	16	2.11	-1.23	0.37	4th	0	0	0	...	...	0	0	2	4	2	0	2	10	28	6	8
...	...	...	...	24	6.98	+4.41	2.43	15th	...	...	...	...	...	4	6	0	0	0	0	8	22	20	0	0
...	...	...	...	22	5.86	+2.02	1.11	3rd	0	0	0	...	...	0	2	2	2	0	0	4	32	12	8	0
...	...	...	...	14	2.78	-1.09	0.58	10th	0	2	0	...	...	1	3	2	0	0	2	4	32	12	8	0
...	...	...	...	20	2.72	-1.46	0.39	22nd	3	0	0	...	...	0	1	2	2	0	6	14	30	2	6	0
...	...	...	...	217	38.08	+0.45	2.43																	
0.9	.173	90	7.2	23	8.04	...	1.22	18th	11	0	0	3	16	7	2	9	4	1	1	11	11	10	6	9
1.2	.222	91	8.8	24	8.38	...	1.06	12th	7	3	0	0	21	5	4	2	3	0	0	18	16	7	2	7
1.4	.195	88	7.8	12	1.96	...	0.63	28th	4	1	0	0	15	4	0	7	10	9	0	11	9	3	2	10
2.7	.192	78	6.8	5	0.78	...	0.35	5th	5	2	1	3	9	1	0	10	26	8	0	2	2	3	3	6
3.1	.284	80	7.2	16	3.15	...	0.63	22nd	1	1	4	3	16	4	0	4	9	7	3	7	11	7	3	11
3.8	.286	76	6.3	16	1.94	...	0.43	7th, 16th	0	3	0	0	10	2	0	6	4	1	1	4	10	17	8	9
2.7	.348	82	7.5	22	4.09	...	0.47	21st	0	1	7	1	17	2	0	4	7	3	13	11	11	1	9	5
2.1	.371	87	8.3	22	4.21	...	0.98	25th	0	0	1	0	21	1	0	1	6	2	3	10	18	14	3	5
2.0	.267	86	6.6	25	9.51	...	1.93	16th	2	5	3	1	11	0	0	5	7	1	1	14	18	5	3	10
1.4	.203	90	7.9	26	9.44	...	2.05	3rd	0	2	1	1	19	4	3	5	5	1	1	14	18	5	3	10
0.9	.196	92	6.6	18	4.27	...	1.14	10th	2	0	0	4	15	12	4	0	1	0	4	12	8	3	1	31
1.0	.215	92	7.6	23	6.77	...	0.67	22nd	9	0	0	1	16	2	0	3	3	0	3	15	15	7	2	14
...	...	...	...	232	62.54	...	2.05																	
1.1	.195	91	3.8	20	4.68	+1.65	0.81	20th	7	0	0	7	2	2	0	6	6	4	3	1	19	6	14	3
1.6	.239	87	7.5	25	3.91	+0.83	0.48	10th	2	0	0	0	13	1	0	4	2	0	6	7	28	7	1	1
1.6	.217	86	6.8	10	1.54	-1.28	0.31	27th	1	0	0	2	15	1	0	8	12	11	7	5	11	2	3	3
3.0	.213	78	5.4	5	0.50	-1.72	0.19	5th	1	0	0	3	6	0	0	3	29	15	1	1	3	2	5	1
3.4	.311	77	6.8	13	2.03	-0.56	0.28	4th, 25th	0	0	2	3	13	0	0	3	9	7	12	7	7	3	12	2
4.1	.314	74	6.1	13	1.32	-1.07	0.44	16th	0	0	3	2	11	0	0	4	0	3	5	1	9	13	22	3
3.4	.375	79	7.1	17	3.06	-0.02	0.59	15th	0	0	4	1	12	2	2	5	5	7	12	10	13	5	3	0
2.8	.399	82	7.4	18	4.30	+0.49	1.52	25th	0	0	0	1	13	0	1	0	8	5	6	22	10	6	5	0
2.6	.293	82	6.1	22	5.41	+2.86	1.84	15th	0	1	2	2	9	0	0	3	4	3	2	4	18	15	9	2
2.0	.283	86	7.6	23	5.05	+1.33	0.87	3rd	0	1	1	1	18	1	2	3	7	2	2	7	22	11	6	2
1.0	.215	92	6.1	15	3.26	-0.21	0.80	1st	0	1	0	5	10	13	2	7	7	2	9	9	6	8	1	11
1.5	.234	88	7.4	23	4.24	+0.21	0.61	17th	3	0	0	1	12	0	0	2	0	5	6	12	21	6	9	1
...	...	...	...	204	39.30	+2.51	1.84																	
...	...	...	6.8	18	5.42	...	1.01	20th	4	0	0	4	16	2	0	10	10	7	0	9	14	1	7	4
...	...	...	7.5	23	4.34	...	0.65	12th	1	0	0	1	13	2	0	1	2	5	12	10	16	2	3	5
...	...	...	7.0	10	1.59	...	0.32	30th	1	0	0	4	15	5	0	3	14	10	1	11	6	1	5	11
...	...	...	5.1	5	0.58	...	0.21	5th	1	1	1	6	6	1	0	6	17	21	2	1	1	0	5	7
...	...	...	5.9	11	1.89	...	0.38	25th	0	0	2	5	8	0	0	1	6	13	6	8	5	10	3	10
...	...	...	5.7	12	1.51	...	0.50	16th	0	0	3	7	12	0	0	4	4	0	8	2	16	8	18	0
...	...	...	6.5	18	3.38	...	0.60	15th	0	0	4	1	9	0	0	0	11	3	2	25	1	3	17	0
...	...	...	6.8	18	3.43	...	0.95	25th	0	0	1	2	10	0	0	0	17	0	3	31	2	0	9	0
...	...	...	5.6	22	6.22	...	1.71	15th	0	3	3	4	6	0	0	5	5	0	0	2	35	0	5	3
...	...	...	7.0	24	5.17	...	0.89	3rd	0	0	1	2	13	0	2	4	0	15	1	5	24	0	7	6
...	...	...	5.3	15	3.01	...	1.00	10th	0	1	0	8	9	3	1	13	8	8	5	5	11	0	1	9
...	...	...	6.6	25	4.58	...	0.50	1st	1	1	0	0	11	0	0	13	4	5	2	12	19	1	5	1
...	...	...	...	201	41.12	...	1.71																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Kirkcudbright. CARGEN— Colonel R. F. Dudgeon, C. B. (9, —, —.)	85	Jan. ... Feb. ... Mch. ... Apl. ... May ... June ... July ... Aug. ... Sept. ... Oct. ... Nov. ... Dec. ... Year.	Inch. ° ° ° ° ° ° ° ° ° ° ° ° °	42·9 47·6 47·0 53·1 62·0 63·6 68·2 67·6 58·1 54·3 47·1 47·2 54·9	31·9 38·8 34·6 36·1 45·0 45·5 49·6 51·1 43·1 42·3 33·5 37·1 40·7	37·4 43·2 40·8 44·6 53·5 54·6 58·9 59·4 50·6 48·3 40·3 42·2 47·8	-0·9 +4·1 +0·1 -0·7 +3·0 -1·6 +0·3 +1·7 -3·9 +1·0 -1·5 +3·4 +0·4	53 53 60 70 76 78 77 77 69 60 57 57 78	31st 23rd, 24th 23rd 26th 31st 2nd 31st 1st, 2nd 6th 10th 2nd 12th, 13th	9 29 29 28 34 37 37 44 34 29 21 23 9	14th 28th 2nd 4th 6th 16th 1st 16th 11th 24th, 31st 14th 13th 19th 26th	
CALLY— W. Thomson. (9, —, 21.)	120	Jan. ... Feb. ... Mar. ... Apl. ... May ... June ... July ... Aug. ... Sept. ... Oct. ... Nov. ... Dec. ... Year	° ° ° ° ° ° ° ° ° ° ° ° °	41·6 45·8 47·8 53·4 61·5 63·6 65·7 66·4 58·0 54·5 47·7 46·1 54·3	31·8 39·8 34·2 35·7 43·9 44·9 50·1 52·5 43·8 42·1 34·9 37·9 41·0	36·7 42·8 41·0 44·6 52·7 54·3 57·9 59·5 50·9 48·3 41·3 42·0 47·7	-1·6 +4·1 +0·4 0·0 +2·9 -0·8 +0·8 +3·4 -1·9 +1·1 -0·9 +2·8 +0·9	48 52 58 70 76 80 78 75 67 59 55 54 80	4th 13th, 22nd 24th 26th 22nd, 31st 2nd 31st 3rd 6th 17th 2nd 13th	9 31 26 27 34 38 39 45 36 28 24 24 9	14th 28th 26th 15th 1st, 12th 26th 10th 16th, 24th 30th 13th 17th 18th 19th 26th	

BAROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†										
Mean.†				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.								
Depression of Wet Bulb.	Vapour Pressure	Humidity.								Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.
°	Inch.	%			Inch.	Inch.	Inch.																	
...	...	...	...	...	18	5.93	+1.94	1.50	19th	7	0	0	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	25	5.56	+1.68	0.73	10th	0	0	0	...	0	0	0	0	0	16	34	4	2	0	
...	...	...	...	...	10	1.91	-1.70	0.47	27th	1	0	0	...	0	0	8	4	22	0	10	14	4	0	
...	...	...	...	...	4	0.69	-1.98	0.24	5th	1	0	0	...	0	0	2	14	28	6	0	2	4	0	
...	...	...	...	...	12	2.55	-0.46	0.40	25th	0	0	1	...	0	0	2	8	12	18	4	0	4	14	
...	...	...	...	...	14	1.42	-1.36	0.33	6th	0	0	3	...	0	0	6	4	0	8	6	8	16	12	
...	...	...	...	...	19	3.94	+0.70	0.81	15th	0	0	4	...	0	0	2	2	2	8	0	18	20	10	
...	...	...	...	...	21	6.05	+1.65	1.87	25th	0	0	1	...	0	1	4	8	4	2	8	16	18	2	
...	...	...	...	...	21	7.29	+4.35	2.34	15th	0	0	3	...	0	0	2	4	10	0	4	18	14	8	
...	...	...	...	...	25	6.38	+2.02	0.96	3rd	0	0	1	...	0	2	4	6	4	0	16	16	10	6	
...	...	...	...	...	14	4.62	+0.10	1.00	4th	0	0	0	...	12	3	0	0	0	2	20	12	18	8	
...	...	...	...	...	24	5.41	0.00	0.85	30th	3	0	0	...	0	0	4	0	4	0	14	16	12	12	
...	...	...	...	...	207	51.75	+6.94	2.34																
1.3	199	89	6.0	19	6.89	+2.48	1.02	9th	6	2	0	4	11	0	0	14	2	2	9	0	6	5	24	0
1.9	236	85	6.8	24	6.94	+2.94	0.79	10th	1	2	0	1	9	0	1	2	0	4	16	1	4	1	23	0
2.5	211	81	4.7	10	2.02	-1.80	0.70	31st	1	1	0	3	4	1	0	9	12	7	14	3	3	0	14	0
3.4	233	76	3.6	6	0.56	-2.41	0.24	5th	1	1	0	6	3	0	0	2	20	13	17	0	2	0	6	0
2.9	335	81	5.1	13	2.28	-0.92	0.46	4th	0	0	1	4	6	1	0	3	3	1	23	10	12	1	9	0
3.1	359	81	5.5	12	2.08	-0.86	0.37	6th	0	1	2	0	4	0	0	4	3	0	7	3	7	7	29	0
3.1	403	81	5.6	16	4.82	+1.26	1.09	15th	0	1	3	4	7	0	0	6	2	0	14	2	18	5	15	0
2.5	435	85	5.8	18	4.68	+0.06	1.24	5th	0	0	0	1	5	0	0	6	0	0	13	2	14	4	23	0
2.1	319	86	6.0	22	6.85	+3.02	1.49	15th	0	2	0	2	8	1	0	8	10	3	7	2	4	4	22	0
2.1	295	85	6.0	19	5.77	+1.04	1.04	3rd	0	0	1	2	7	2	0	13	2	1	9	6	12	8	11	0
1.6	225	88	5.3	15	5.56	+0.37	1.02	4th	0	2	0	6	9	3	1	17	3	2	13	2	4	4	118	0
1.7	238	87	6.4	26	8.72	+3.18	0.84	1st	2	2	0	1	8	0	0	4	10	5	11	1	6	5	20	0
...	...	...	...	...	200	57.17	+8.38	1.49																

1918.		Air Pressure at 32° F. and Mean Sea Level.		AIR TEMPERATURE.							
				Means of		Mean of A and B.	Difference of Mean from Normal.	Daily Range.		Absolute Extremes.	
		Mean.	Difference from Normal.	A Maximum.	B Minimum.			Mean = A-B.	Difference from Normal.	Highest.	Lowest.
In.	In.	°	°	°	°	°	°	°	°		
January ...	29.769	- 0.84	40.9	30.1	35.5	- 1.8	10.8	+ 1.6	57	- 3	
February ...	29.871	+ 0.45	46.5	37.9	42.2	+ 4.3	8.6	- 2.2	60	25	
March ...	30.007	+ 2.16	46.7	35.0	40.9	+ 1.3	11.7	- 0.4	65	4	
April ...	30.023	+ 1.42	50.1	35.3	42.7	- 1.4	14.8	+ 0.3	72	20	
May ...	30.017	+ 0.74	59.1	44.4	51.8	+ 2.7	14.7	- 1.1	82	25	
June ...	29.976	+ 0.11	61.6	45.3	53.5	- 1.2	16.3	+ 0.5	81	27	
July ...	29.825	- 0.73	64.1	49.2	56.7	- 0.6	14.9	0.0	79	28	
August ...	29.859	+ 0.03	63.7	51.5	57.6	+ 1.0	12.2	- 2.3	79	37	
September ...	29.545	- 3.94	55.4	41.9	48.7	- 4.1	13.5	- 0.5	70	23	
October ...	29.791	- 0.50	52.5	41.6	47.1	+ 0.5	10.9	- 1.2	65	21	
November ...	29.863	+ 0.53	46.2	34.6	40.4	- 0.8	11.6	+ 1.2	60	15	
December ...	29.592	- 1.35	45.0	35.8	40.4	+ 2.1	9.2	- 0.3	60	13	
Means ...	29.845	- 0.016	52.6	40.2	46.4	+ 0.2	12.4	- 0.4	—	—	


1918.	RAIN.				WIND.									
	No. of Days.		Amount.		No. of Observations—Total = 730.									
	Mean.	Difference from Normal.	Mean.	Difference from Normal.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	
			In.	In.										
January ...	20	+2	4.02	+0.42	2	4	5	4	7	13	14	11	2	
February ...	22	+6	4.60	+1.50	1	4	2	7	11	16	10	3	2	
March ...	13	-4	1.47	-1.53	2	5	10	10	6	12	7	5	5	
April ...	10	-5	0.95	-1.35	4	13	16	7	2	5	4	5	4	
May ...	14	-1	2.67	+0.07	1	8	10	9	6	9	11	5	3	
June ...	13	-1	1.44	-0.96	4	4	3	5	3	10	17	13	1	
July ...	18	+2	4.22	+1.02	1	7	6	9	4	12	13	7	3	
August ...	20	+2	3.36	-0.54	1	4	6	5	3	18	15	6	4	
September ...	21	+6	5.25	+2.05	2	5	5	2	4	14	15	11	2	
October ...	22	+4	4.79	+0.89	1	4	3	5	8	20	12	6	3	
November ...	16	-1	3.83	-0.17	1	2	3	5	8	15	11	7	8	
December ...	22	+3	4.04	-0.16	4	2	2	4	9	19	13	6	3	
Sums ...	211	+13	40.64	+1.24	24	62	71	72	71	163	142	85	40	

* In this Table the various means are the arithmetical means of the values at all the contributing stations, except in the case of wind, the statistics for which are extracted from the Monthly Reports already published by the Registrar-General for Scotland and refer only to eight of the Principal Towns. The mean for rainfall does not represent the whole country in a quite satisfactory manner, as stations are more numerous in dry districts than in wet districts; the figures, however, are fairly comparable with the corresponding figures for former years. The Normals referred to are for the 35-year period 1881-1915.

1918.	At Depth.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Balsasound		35.2	39.3	40.6	42.7	48.7	51.2	54.4	55.1	49.5	46.3	43.6	41.0	45.6
Inverness		36.7	40.4	40.1	43.1	52.2	58.3	58.5	59.5	51.2	47.8	42.1	39.4	47.4
Aburdeen		39.3	40.5	41.0	43.2	47.2	52.1	53.8	55.2	52.5	49.0	45.7	42.7	46.9
Crathes		34.9	38.5	39.5	43.9	54.6	56.4	59.3	60.0	51.9	47.8	42.3	37.9	47.3
		37.5	39.0	40.0	43.1	47.4	52.9	55.1	57.3	54.2	49.6	45.0	41.0	46.9
Dundee (College Garden)		33.0	38.9	39.5	44.2	51.3	56.8	58.7	59.1	52.8	47.1	41.2	39.0	46.8
St. Andrews		35.7	40.2	40.7	44.2	50.8	55.9	59.5	59.2	51.1	47.5	40.9	39.1	47.1
		39.9	41.0	41.5	43.8	46.9	52.1	54.9	56.7	53.8	49.8	46.4	43.4	47.5
Stirling		40.1	41.2	42.0	43.9	47.5	53.3	55.4	56.2	54.7	50.4	47.1	44.6	48.0
Ford		35.4	41.7	40.8	45.0	52.7	58.3	59.5	61.0	53.8	48.6	43.3	42.3	48.5
		39.0	41.4	41.5	43.3	47.8	53.4	55.2	57.4	55.2	50.9	46.9	44.8	48.1
Rothesay		36.8	42.1	40.6	44.7	52.1	57.0	60.9	59.3	52.1	47.8	42.8	41.9	48.2
		40.9	43.3	42.6	44.6	48.5	53.2	55.1	56.6	53.6	50.2	47.1	45.4	48.4
Paigley		37.0	42.5	41.5	44.4	52.2	57.9	60.2	61.1	52.8	48.4	42.6	41.4	48.5
		41.6	43.0	43.1	44.3	47.0	52.3	55.0	56.9	54.6	50.7	47.6	45.3	48.5
Kilmarnock		37.1	42.1	41.0	43.9	52.3	57.0	59.2	59.8	52.0	47.7	42.5	41.5	48.0
		40.3	42.6	42.5	44.1	48.0	53.1	54.7	56.4	53.7	50.1	47.0	44.9	48.1
Edinburgh (University)		35.3	40.4	40.2	43.3	51.0	57.0	59.1	59.5	51.9	47.8	41.5	40.3	47.3
		39.7	41.4	41.6	43.6	47.2	54.1	56.3	57.7	54.6	50.5	46.7	44.2	48.1
		48.4	46.7	46.0	46.0	46.4	48.0	50.3	52.0	53.2	52.9	51.9	50.5	49.4
Liberton		36.7	40.3	40.0	43.8	51.0	56.7	58.3	59.3	49.7	46.1	42.0	39.1	46.9
Stenaton		36.0	39.9	40.6	44.3	51.1	56.5	59.5	60.4	53.2	48.0	41.5	40.0	47.6
Dumfries		35.7	41.5	40.8	44.5	53.4	58.0	60.2	59.8	52.7	48.3	41.8	42.0	48.2
		39.0	41.7	41.8	44.3	49.9	55.6	57.2	56.8	54.3	50.4	46.7	44.4	48.5

1918.	NUMBER OF HOURS.												YEAR.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total. Hours.
Baltasound ...	19	29	74	143	158	120	133	117	114	60	16	14	997
Deerness ...	23	55	72	149	148	143	122	92	100	70	43	28	1045
Stornoway ...	17	43	83	189	155	159	167	112	122	69	41	24	1181
Castlebay ...	22	42	93	210	152	183	156	76	132	59	25	19	1169
Fortrose ...	27	64	111	150	163	201	168	110	125	72	84	30	1305
Fort Augustus ...	6	28	102	164	114	150	125	—	—	—	—	—	—
Nairn ...	30	66	108	148	149	191	165	106	124	64	89	37	1277
Gordon Castle ...	21	80	83	165	139	186	151	122	114	77	89	36	1263
Banff ...	25	78	86	152	166	195	154	113	117	78	80	29	1273
Carrbridge ...	21	69	110	162	168	195	167	123	124	68	87	16	1310
Aberdeen (King's College)	33	64	72	149	159	190	147	116	135	83	64	41	1253
Crathes ...	31	67	71	162	142	167	165	107	125	81	66	31	1215
Montrose ...	42	61	74	157	145	181	151	120	122	61	49	39	1202
Carnoustie ...	46	59	85	193	166	221	213	158	138	77	46	48	1450
Dundee (College Garden)	53	61	77	186	163	227	198	134	143	69	55	53	1419
Perth ...	35	52	69	178	144	205	197	119	126	69	45	40	1279
St. Andrews ...	58	62	82	165	149	213	195	135	139	78	59	46	1381
Stirling ...	25	36	74	176	129	189	148	89	128	63	30	24	1111
Oban ...	24	25	92	200	141	211	167	88	115	47	36	30	1176
Helensburgh ...	34	33	75	185	138	213	161	83	119	56	41	40	1178
Cardross ...	30	31	72	179	117	200	144	70	127	54	42	31	1097
Rothsay ...	40	33	83	188	141	223	176	98	131	60	54	34	1261
Paisley ...	33	40	72	161	146	190	159	107	133	64	46	23	1174
Glasgow (Observa- tory)	30	33	63	168	134	208	155	87	124	47	33	25	1107
Glasgow (Spring- burn Park)	34	28	65	170	123	198	155	79	119	48	39	26	1084
Thorntonhall ...	35	30	71	161	147	184	167	94	125	54	60	31	1159
Kilmarnock ...	39	29	112	172	164	198	185	89	124	60	59	28	1259
Edinburgh (Royal Observatory)	60	56	77	130	148	220	172	128	136	87	65	39	1318
West Linton ...	33	32	71	136	140	185	164	98	109	57	62	24	1111
Marchmont ...	37	49	63	113	175	219	200	135	128	55	82	34	1290
Duns ...	41	49	61	105	157	191	157	113	114	52	83	42	1165
Eskdalemuir ...	42	23	79	157	176	186	166	102	114	57	69	41	1212
Dumfries ...	39	24	78	175	166	200	185	128	134	73	67	32	1301
Ruthwell ...	46	29	94	186	177	191	189	142	136	75	75	29	1369
1918.	NUMBER OF HOURS—DIFFERENCE FROM NORMAL (1881-1915).												YEAR.
	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
Deerness ...	- 7	+ 1	- 27	+ 3	- 30	- 16	+ 16	- 28	- 5	- 6	+ 7	+ 8	- 116
Stornoway ...	- 11	- 15	- 22	+ 35	- 36	- 19	+ 22	- 21	+ 7	- 17	- 2	+ 1	- 78
Fort Augustus ...	- 13	- 16	+ 20	+ 50	- 21	+ 12	+ 15	—	—	—	—	—	—
Aberdeen ...	- 15	- 9	- 45	- 9	- 23	+ 6	+ 12	- 34	+ 11	- 12	+ 9	+ 5	- 133
Crathes ...	- 24	- 12	- 40	+ 11	- 29	- 11	+ 11	- 30	+ 10	- 11	+ 11	- 4	- 118
Glasgow (Observa- tory)	+ 8	- 11	- 22	+ 41	- 27	+ 45	+ 9	- 42	+ 24	- 19	+ 5	+ 10	+ 21
Edinburgh (Royal Observatory)	+ 11	- 22	- 37	- 8	- 25	+ 36	+ 5	- 22	+ 16	- 12	+ 4	- 4	- 58
Marchmont ...	- 5	- 18	- 44	- 32	0	+ 32	+ 32	- 13	+ 7	- 28	+ 31	0	- 38

YEAR		PERCENTAGE OF POSSIBLE.												Year.	1918.
Mean Daily Amount.		Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Mean.	
Hours.	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
2-73	10	12	21	33	30	22	24	24	30	20	8	8	23	23	Baltasound
2-86	11	22	20	35	29	26	23	20	26	23	19	15	24	24	Deerness
3-24	8	17	23	44	30	30	31	24	32	22	18	12	27	27	Stornoway
3-20	10	16	26	50	30	35	30	16	35	19	11	9	26	26	Castlebay
3-58	12	25	31	35	32	38	32	24	33	23	36	15	30	30	Fortrose
—	3	11	28	39	23	28	24	—	—	—	—	—	—	—	Fort Augustus
3-50	13	26	30	35	29	36	31	31	33	21	38	18	29	29	Nairn
3-46	9	31	23	39	27	35	29	26	30	25	38	18	29	29	Gordon Castle
3-43	11	30	24	36	33	37	29	24	31	25	34	14	29	29	Banff
3-39	9	27	30	38	35	37	32	26	33	22	37	8	30	30	Carrbridge
3-43	15	25	20	35	31	36	28	25	36	26	27	20	28	28	Aberdeen (King's College)
3-33	14	26	20	38	28	32	32	23	33	26	28	15	28	28	Crathes
3-29	18	23	20	37	29	35	29	26	32	19	21	19	27	27	Montrose
3-97	20	23	23	46	33	43	41	34	37	24	19	23	33	33	Carnoustie
3-89	23	23	21	44	32	44	38	29	38	22	23	25	32	32	Dundee (College Garden)
3-50	15	20	19	42	29	39	38	26	33	22	19	19	29	29	Perth
3-78	25	24	23	39	30	41	38	29	37	25	25	22	31	31	St. Andrews
3-04	11	14	20	42	26	36	29	19	34	20	13	12	25	25	Stirling
3-22	10	10	25	48	28	40	32	19	31	15	15	14	27	27	Oban
3-23	15	13	21	44	28	41	31	18	32	18	17	19	27	27	Helensburgh
3-01	13	12	20	43	23	39	28	15	34	17	18	15	25	25	Cardross
3-45	17	13	23	45	28	43	34	21	35	19	23	16	29	29	Rothesay
3-22	14	15	20	38	29	37	31	23	35	20	19	11	27	27	Paisley
3-03	13	13	17	40	27	40	30	19	33	15	14	12	25	25	Glasgow (Obser- vatory)
2-97	15	11	18	40	25	38	30	17	32	15	16	12	25	25	Glasgow (Spring- burn Park)
3-18	15	11	20	38	30	36	32	21	33	17	25	15	26	26	Thorntonhall
3-45	17	11	31	41	33	39	36	19	33	19	24	13	29	29	Kilmarnock
3-61	26	21	21	31	30	43	33	28	36	28	27	18	30	30	Edinburgh (Royal Obs.)
3-04	14	12	20	32	28	36	32	21	29	18	26	11	25	25	West Linton
3-53	16	19	17	27	35	43	39	29	34	17	34	16	29	29	Marchmont
3-19	18	19	17	25	32	37	30	25	30	16	35	20	26	26	Duns
3-32	18	9	22	37	35	36	32	22	30	18	28	19	27	27	Eskdalemuir
3-56	16	9	21	42	34	39	36	28	36	23	27	15	29	29	Dumfries
3-75	19	11	26	44	36	37	37	31	36	24	31	13	31	31	Ruthwell



REGISTRAR-GENERAL FOR ENGLAND AND WALES—continued.

Causes as in use prior to 1911); Crude Annual Death-rates from Various Causes at all Ages to a Million living, 1903-17—Males, Females, and Persons (List of Causes as in use prior to 1911); Crude Death-rates at all Ages from Various Causes, 1917—Males, Females, and Persons (International List of Causes); Annual Death-rates from the principal Epidemic Diseases, 1838-1917; Administrative Counties and County Boroughs: Mortality from the principal Epidemic Diseases and from certain Other Causes, 1916 and 1917; Infant Mortality by Sex, Age, Cause, and Legitimacy, 1917; Infant Mortality by Age, Cause, and Legitimacy, 1917—classes of Administrative Areas: Infant Mortality in Different Parts of England and Wales, 1917; Names on the Registers, Searches, and Fees received at the General Register Office, 1868-1917; Islands in the British Seas; Area and Population; and Births and Deaths, 1893-1917; Balance Inward or Outward on Passenger Movement into and out of the United Kingdom, 1898-1917. United Kingdom and its several Divisions: Vital Statistics, 1893-1917; Meteorological Elements, Greenwich, 1868-1917, and Quarterly for 1917; Meteorological Tables for London, 1917; Meteorological Elements at several Stations, 1917. **ABSTRACTS:**—Marriages; Estimated "Birth-rate," Population and Civil Population, Births (Legitimate and Illegitimate), Birth-rate, Deaths, Crude Death-rate, and Infant Mortality in each Administrative Area and in Summarized Areas; Deaths.

[Cmd. 40] of Session 1919. Price 5s. (5s. 9d.).

CAUSES OF DEATH. Manual of the International List of, as adapted for use in England and Wales. Based on the Second Decennial Revision by the International Commission, Paris, 1909. (1912.) Price 1s. 3½d.).

REGISTRATION OF BIRTHS, DEATHS, AND MARRIAGES in Great Britain, Ireland, and the British Dominions beyond the Seas. Abstract of Arrangements respecting. (1916.) Price 6d. (8d.).

REGISTRAR-GENERAL FOR IRELAND.

FIFTY-FIFTH DETAILED ANNUAL REPORT, for 1918.

REPORT. General Summary:—Population, Marriages, Births, Deaths, and Emigration in 1918 and ten previous years; Number of Irish Registration Officers; Number of Searches at the General Register Office, 1864-1918, with Amount of Fees received; Offences against the Registration Acts; Marriages, Births, and Deaths per 1000 of Population registered in each Province and County in 1918. Marriages:—Number and Proportion to Population; Number by each Mode of Celebration, 1908-18; Number of Licenses issued by Registrars; Number of Licensing Presbyterian Ministers and of Licenses issued by them; Number of Buildings registered for solemnization of Protestant Marriages; Civil Condition of Persons Married; Number of Roman Catholic and of Protestant Marriages registered in each quarter of the years 1908-18; Ages of Persons Married; Signatures to Marriage Registers and Certificates; Marriage-rate in Provinces. Births:—Number and Proportion to Population; Proportion of Illegitimate Births; Birth-rate; Multiple Births; Number of Births in each quarter of the years 1908-18. Deaths:—Number and Proportion to the Population; Death-rate; Number of Deaths in each quarter, 1908-18; Causes of Death; Inquests; Ages at Death; Infant Mortality. Emigration. The Weather. Prices of Provisions, and Pauperism.

ABSTRACTS:—Marriages; Births; Deaths; Causes of Death; Estimated Population of Ireland in each year 1844-1918; Population by Sexes and Ages according to Census Returns of 1861, 1871, 1881, 1891, 1901, and 1911; Index to Superintendent Registrars' Districts.

[Cmd. 450] of Session 1919. Price 9d. (1s.).

SIXTY-FOURTH ANNUAL REPORT

OF THE
REGISTRAR GENERAL

FOR
SCOTLAND.

1918.

Presented to both Houses of Parliament by Command of His Majesty.



EDINBURGH:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 23 ABINGDON STREET, LONDON, S.W.1;
37 PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
23 FORTH STREET, EDINBURGH;
or from E. PONSONBY, LIMITED, 116 GRAFTON STREET, DUBLIN.

1920.

Price 5s. Net.

[Cmd. 655.]



JUL 1968

WESBY

